

KPIs

1. Total Revenue:

```
SELECT SUM(total_price) AS Total_Revenue FROM pizza_sales;
```

Results		Messages	
		Total_Revenue	
1		817860.05083847	

2. Average Order Value

```
SELECT (SUM(total_price) / COUNT(DISTINCT order_id)) AS Avg_order_Value FROM pizza_sales
```

Results		Messages	
		Avg_order_Value	
1		38.3072623343546	

3. Total Pizzas Sold

```
SELECT SUM(quantity) AS Total_pizza_sold FROM pizza_sales
```

Results		Messages	
		Total_pizza_sold	
1		49574	

4. Total Orders

```
SELECT COUNT(DISTINCT order_id) AS Total_Orders FROM pizza_sales
```

Results		Messages	
		Total_Orders	
1		21350	

B. Daily Trend for Total Orders

```
SELECT
    DAYNAME(STR_TO_DATE(REPLACE(order_date, '/', '-'), '%d-%m-%Y')) AS order_day,
    COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales ps
GROUP BY DAYNAME(STR_TO_DATE(REPLACE(order_date, '/', '-'), '%d-%m-%Y'))
ORDER BY MIN(WEEKDAY(STR_TO_DATE(REPLACE(order_date, '/', '-'), '%d-%m-%Y')));
```

Output:

	AZ order_day ▼	123 total_orders ▼
1	Monday	2,794
2	Tuesday	2,973
3	Wednesday	3,024
4	Thursday	3,239
5	Friday	3,538
6	Saturday	3,158
7	Sunday	2,624

C. Hourly Trend for Orders

```
SELECT
    HOUR(CAST(order_time AS TIME)) AS order_hour,
    COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales ps
GROUP BY HOUR(CAST(order_time AS TIME))
ORDER BY order_hour;
```

Output

	123 order_hour ▼	123 total_orders ▼
1	9	1
2	10	8
3	11	1,231
4	12	2,520
5	13	2,455
6	14	1,472
7	15	1,468
8	16	1,920
9	17	2,336
10	18	2,399
11	19	2,009
12	20	1,642
13	21	1,198
14	22	663
15	23	28

D. % of Sales by Pizza Category

```

SELECT
    pizza_category,
    SUM(total_price) AS category_revenue,
    ROUND(SUM(total_price) * 100 / (SELECT SUM(total_price) FROM pizza_sales), 2) AS
PCT
FROM pizza_sales ps
GROUP BY pizza_category
ORDER BY PCT DESC;

```

Output

	A-Z pizza_category ▼	123 category_revenue ▼	123 PCT ▼	
1	Classic	220,053.1000000001	26.91	
2	Supreme	208,196.9999999982	25.46	
3	Chicken	195,919.5	23.96	
4	Veggie	193,690.4500000003	23.68	

E. % of Sales by Pizza Size

```
SELECT
    pizza_size,
    SUM(total_price) AS category_revenue,
    ROUND(SUM(total_price) * 100 / (SELECT SUM(total_price) FROM pizza_sales), 2) AS
PCT
FROM pizza_sales ps
GROUP BY pizza_size
ORDER BY PCT DESC;
```

Output

	A-Z pizza_size ▼	123 category_revenue ▼	123 PCT ▼	
1	L	375,318.70000000087	45.89	
2	M	249,382.25	30.49	
3	S	178,076.4999999984	21.77	
4	XL	14,076	1.72	
5	XXL	1,006.6	0.12	

F. Total Pizzas Sold by Pizza Category

```
SELECT pizza_category, SUM(total_price) AS revenue_by_category
FROM pizza_sales ps
GROUP BY pizza_category
ORDER BY revenue_by_category DESC
LIMIT 5;
```

Output

	AZ pizza_category ▼	123 revenue_by_category ▼
1	Classic	220,053.1000000001
2	Supreme	208,196.9999999982
3	Chicken	195,919.5
4	Veggie	193,690.4500000003