
The mortality rate from melanoma (skin cancer) during the 1950s was recorded

for each of the 48 contiguous United States, plus Washington D.C. (as reported by Fisher and Van Belle (1993) and found on Phttp://www.stat.psu.edu /~lsimon/stat501wc/sp05/data/). The following is the scatterplot of the data:

Scatterplot

Case Câ†'C and Qâ†'Q Checkpoint



The plot shows a

A: The more southern the state, the higher the melanoma death rate.

above) means that:

Question (1)

B: The more northern the state, the higher the melanoma death rate.

In context, the negative relationship (shown in the scatterplot

The more southern the state, the more people died of melanoma.

Feedback A:10

Good job! From the scatterplot we see that the lower the

latitude the higher the mortality per 10 million. In other words, the more southern the state, the higher the death rate. Note

that since the response variable is the mortality per 10 million, it measures the death rate rather than the number of deaths.

B : 0

other words, as latitude increases, mortality per 10 million decreases. Consider the remaining options. (A) is the right answer. C:O

This is not quite right. Notice that the variable mortality per 10 million is a rate, not an absolute count, of deaths from melanoma. Consider the remaining options. (A) is the right

This is not quite right. Notice that there is a negative linear relationship between latitude and mortality per 10 million. In

answer.

appropriate hypotheses are:

latitude

latitude

latitude

Question (2) Based on the scatterplot and the value of the correlation coefficient, it would make sense to test the significance of this observed linear relationship between latitude and melanoma mortality rate. The

C:

B:

A:

H_o: melanoma mortality rate is linearly related to

• **H**_a: melanoma mortality rate is related to latitude

H_o: melanoma mortality rate is related to latitude

H_a: melanoma mortality rate is not related to latitude

• **H**: melanoma mortality rate is not related to latitude

• H: melanoma mortality rate is not linearly related to latitude

• **H**_o: melanoma mortality rate is not linearly related to

A:O

B:O

answer.

D:

Feedback

This is not quite right. The null hypothesis should assume no relationship. Consider the remaining options. (D) is the right

• H_a: melanoma mortality rate is linearly related to

This is not quite right. The null hypothesis should assume no relationship. Consider the remaining options. (D) is the right answer.

D: 10

C:O

the explanatory and response variables are linearly related.

Good job! The hypotheses for testing the linear relationship

explanatory and response variables are not linearly related. H₂:

between two quantitative variables is always: H_n: the

- This is not quite right. You are not testing for just any kind of relationship between the variables. Specifically, you are testing if there is a linear relationship between the variables. Consider the remaining options. (D) is the right answer.

Question (3)

The following output is available: Regression Analysis: Mort versus Lat

The regression equation is

that:

 \boldsymbol{B} :

C:

Feedback

A:O

Mort = 389 - 5.98 Lat Predictor Coef SE Coef T P Constant 389.19 23.81 16.34 0.000 Lat -5.9776 0.5984 -9.99 0.000 From the output we learn A:the data do not provide sufficient evidence to conclude

that melanoma mortality rate is linearly related to latitude.

melanoma mortality rate is linearly related to latitude.

melanoma mortality rate is linearly related to latitude.

the data provide extremely strong evidence that

the data provide moderately strong evidence that

X This is not quite right. Notice that the p-value in the â€~Lat'. row is extremely small (approximately 0). Consider the

This means that it would be essentially impossible to get data like those observed if melanoma mortality rate and latitude were not linearly related. This is extremely strong evidence that

X This is not quite right. Notice that the p-value in the â€~Lat' row is extremely small (approximately 0). Consider the

B: 10 Good job! The p-value is so small that Minitab reports that it is

remaining options. (B) is the right answer.

the two variables are linearly related.

remaining options. (B) is the right answer.

C:O

Good grades Poor grades 2 11 Low extra-curricular participation Moderate extra-curricular participation 68 23 High extra-curricular participation 3 5

(Source: Felder,

8/2/2012 12:36 PM

extracurricular participation, North Carolina state conducted a study of 112 students, recording the number of students in each of three extra-curricular

The following four questions refer to the following information: To determine if there is a relationship between grade performance and

categories, and each of two grade categories. Here are the results:

Engineering Course," 1992 ASEE Annual Conference Proceedings, pp. 1516-1519.)

et. al., "A Study of Student Performance in an Introductory Chemical

participation and good grades? A: 3 5.86

Question (4)

B: **C**: 8

What is the expected count of students with high extra-curricular

D: 112 E: None of the above.

A:O

1 of 2

Feedback

That is not quite right. We find the expected number of students with high extra-curricular participation and good grades by assuming independence between extra-curricular activity and grades. Then multiply the probability of having high extra-curricular participation and good grades with the total

Case Câ†'C and Qâ†'Q Checkpoint The first three questions refer to the following information:

Case Câ†'C and Qâ†'Q Checkpoint

- number of people in the table. Consider the remaining options. (B) is the right answer.
- B: 10
 - Good job! The expected count is: (row total * column total) / table total = 8 * 82 / 112 = 5.86.
- C:OX That is not quite right. We find the expected number of
- students with high extra-curricular participation and good grades by assuming independence between extra-curricular activity and grades. Then multiply the probability of having high extra-curricular participation and good grades with the total number of people in the table. Consider the remaining options. (B) is the right answer. D:0
- X That is not quite right. We find the expected number of
- students with high extra-curricular participation and good grades by assuming independence between extra-curricular activity and grades. Then multiply the probability of having high extra-curricular participation and good grades with the total number of people in the table. Consider the remaining options. (B) is the right answer.

A: the conditions that allow us to safely use the chi-squared procedure are met. **B**: extra-curricular participation and grade performance are

- extra-curricular participation and grade performance are
- - X That is not quite right. Although this is a true statement, there is a better option. Consider the remaining options. (E) is the

X That is not quite right. Although this is a true statement, there is a better option. Consider the remaining options. (E) is the

right answer.

E: 10

D:0

right answer.

Good job! In general, the expected counts are the counts that we would expect to see if the null hypothesis of the chi-square test (which claims that the two categorical variables are not related, or independent) were true. In this case, then, the expected counts are calculated assuming that extra-curricular

activity and grade performance are not related.

Low

case:

C:

related.

A:0

Feedback

answer.

are related.

Question (7)

statistic are greater than 1.

(D) is the right answer.

C: 10

Moderate

can determine that:

Question (6)

Chi-Square Test: Good, Poor

11

68

82

Chi-Sq = 6.171, DF = 2, P-Value = 0.046

66.63 24.38 0.028 0.078

9.52 0.231 0.631

High 2.14 1.394 3.810

112

on the output (and using the traditional significance level of 5%) we

the data provide sufficient evidence to conclude that extra-curricular participation and grade performance are related.

that extra-curricular participation and grade performance are

the data do not provide sufficient evidence to conclude

Based

91

The following is the (edited) output of the chi-squared test in this

Chi-Square contributions are printed below expected counts

Expected counts are printed below observed counts

Good Poor Total

3.48

23

30

A: the data provide sufficient evidence to conclude that extra-curricular participation and grade performance are independent. **B**: the data do not provide sufficient evidence to conclude that extra-curricular participation and grade performance are independent.

X That is not guite right. Notice that the p-value is below .05. This implies that the data provide sufficient evidence to reject the null hypothesis. Consider the remaining options. (C) is the right

answer. B : 0 X That is not quite right. Notice that the p-value is below .05. This

implies that the data provide sufficient evidence to reject the null hypothesis. Consider the remaining options. (C) is the right

Good job! The p-value (0.046) is sufficiently small (less than .05) to reject H_{α} in favor of the alternative hypothesis and

conclude that extra-curricular activity and grade performance

- null hypothesis. Consider the remaining options. (C) is the right answer.
- Which of the following facts should make you the most worried about the reliability of the results of the test in this case? A:The 112 students were all students in a chemical engineering course and not a random sample from the entire

Two of the six observed counts are less than 5.

Two of the six expected counts are less than 5.

Not all of the cells' contributions to the chi-squared

same course, they are still randomly chosen. Consider the remaining options. (D) is the right answer.

That is not quite right. Rather than two of the six observed

counts being less than 5, two of the six expected counts being less than 5 should worry you. Consider the remaining options.

X That is not quite right. Although these students are all from the

- X That is not quite right. This just implies that some cells have expected counts and observed counts that are very close in value. (D) is the right answer.
- D: 10 Good job! Since two of the six (or 33% of the) expected counts are less than 5 we should be concerned about the reliability of the results of the test. The fact that the random sample was not taken from among the entire university's students but from a smaller sampling frame of students in a chemical engineering course should not harm the reliability of the test results (since the sample is still random) but should just affect how general our conclusions can be.

E : 0 X That is not quite right. It may be helpful to go back and review this section before answering this question. (B) is the right answer. Question (5) The count that you found in the previous question is the number of students with high extra-curricular participation and good grades that you would expect to see assuming that: related. **C**: independent. D: the null hypothesis of the chi-squared test for independence in this case is true. E: both (C) and (D) are correct. **Feedback** A:OThat is not quite right. Remember that the count found above relies on the fact that the categories are independent. Consider the remaining options. (E) is the right answer. B : 0 X That is not quite right. Remember that the count found above actually relies on the opposite assumption, that the categories are independent. Consider the remaining options. (E) is the right answer. C:O

D:0 X That is not quite right. Notice that the p-value is below .05. This implies that the data provide sufficient evidence to reject the

D:

Feedback

A:O

B:0

B:

C:

C:O

2 of 2

8/2/2012 12:36 PM