


Three-Dimensional Momentum and Velocity in Relativistic Energy Density Framework

Author: Pawan Upadhyay

Affiliation: Independent Researcher

Email: pawanupadhyay28@hotmail.com

ORCID iD: <https://orcid.org/0009-0007-9077-5924>



Abstract

This paper develops a three-dimensional formulation of relativistic momentum and velocity within the energy density framework derived from the relativistic energy–momentum relation. By expressing momentum and velocity as vector quantities in three-dimensional space, the study

connects energy density with directional motion and spatial momentum distribution. The formulation provides a clearer interpretation of relativistic systems in fluid dynamics, cosmology, plasma physics, and relativistic field theory.

1. Introduction

In relativistic physics, momentum and velocity are not scalar quantities but vector quantities existing in three-dimensional space. The relativistic energy–momentum relation combines energy, momentum, and mass into a unified framework:

$$E^2 = p^2 c^2 + m^2 c^4$$

The present work extends this relation into a three-dimensional density framework using momentum density components and velocity vectors.

This formulation is important for understanding:

- relativistic particle motion,
 - energy flow,
 - directional momentum transport,
 - relativistic fluids,
 - cosmological matter distribution.
-

2. Three-Dimensional Velocity

2. Three-Dimensional Velocity

Velocity in three-dimensional Cartesian space is represented as a vector:

$$\vec{v} = (v_x, v_y, v_z)$$

The magnitude of velocity is:

$$v^2 = v_x^2 + v_y^2 + v_z^2$$

where:

- v_x = velocity along x-axis,
- v_y = velocity along y-axis,
- v_z = velocity along z-axis.

3. Three-Dimensional Relativistic Momentum

Relativistic momentum is given by:

$$\vec{p} = \gamma m \vec{v}$$

where the Lorentz factor is:

$$\gamma = \frac{1}{\sqrt{1 - \frac{v^2}{c^2}}}$$

Thus the momentum vector becomes:

$$\vec{p} = (p_x, p_y, p_z)$$

with components:

$$p_x = \gamma m v_x$$

$$p_y = \gamma m v_y$$

$$p_z = \gamma m v_z$$

The total momentum magnitude is:

$$p^2 = p_x^2 + p_y^2 + p_z^2$$

4. Momentum Density Formulation

For continuous systems, dividing momentum by volume gives momentum density:

$$p_d = \frac{p}{V}$$

The momentum density vector becomes:

$$\vec{p}_d = (p_{dx}, p_{dy}, p_{dz})$$

where:

$$p_{dx} = \frac{p_x}{V}$$

$$p_{dy} = \frac{p_y}{V}$$

$$p_{dz} = \frac{p_z}{V}$$

The magnitude relation is:

$$p_d^2 = p_{dx}^2 + p_{dy}^2 + p_{dz}^2$$

5. Energy Density Relation in Three Dimensions

The Energy density form of the relativistic energy equation is:

$$E_d^2 = (p_d)^2 c^2 + \rho^2 c^4$$

Substituting the three-dimensional momentum density components:

$$E_d^2 = c^2(p_{dx}^2 + p_{dy}^2 + p_{dz}^2) + \rho^2 c^4$$

where:

- E_d = energy density,
- ρ = mass density,
- c = speed of light.

This equation shows that relativistic energy density depends on:

1. directional momentum density,
2. mass density contribution.

6. Physical Interpretation

The three-dimensional momentum framework reveals that energy density is direction-dependent through momentum vector components.

Important implications:

- Energy transport occurs through spatial momentum flow.
- Relativistic fluids contain directional energy distribution.
- Radiation systems carry momentum density in space.
- Plasma systems exhibit vector momentum transport.

The formulation connects naturally with:

- relativistic hydrodynamics,
- cosmological energy distributions,
- electromagnetic radiation flow,
- high-energy particle systems.

7. Connection to Four-Vectors

7. Connection to Four-Vectors

In relativity, momentum and energy form the energy–momentum four-vector:

$$P^\mu = \left(\frac{E}{c}, p_x, p_y, p_z \right)$$

The spatial components correspond directly to the three-dimensional momentum components discussed in this paper.

Similarly, the stress–energy tensor relates:

- $T^{00} \rightarrow$ energy density,
- $T^{0i} \rightarrow$ momentum density flow.

Thus the three-dimensional density framework is consistent with relativistic tensor mechanics.

8. Special Cases

8. Special Cases

8.1 Rest Case

If velocity is zero:

$$v_x = v_y = v_z = 0$$

then momentum becomes zero:

$$p_x = p_y = p_z = 0$$

Thus:

$$E_d = \rho c^2$$

8.2 Massless Radiation

8.2 Massless Radiation

For massless particles:

$$m = 0$$

the energy density relation reduces to:

$$E_d = p_d c$$

This applies to:

- photons,
 - electromagnetic radiation,
 - ultra-relativistic particles.
-

8.3 Ultra-Relativistic Limit

8.3 Ultra-Relativistic Limit

When kinetic motion dominates:

$$E_d^2 \approx c^2 (p_{dx}^2 + p_{dy}^2 + p_{dz}^2)$$

This limit becomes important in:

- particle accelerators,
- astrophysical jets,
- early-universe cosmology.

9. Applications

The three-dimensional momentum density framework has applications in:

- relativistic fluid dynamics,
- cosmology,

- plasma physics,
 - astrophysical radiation systems,
 - high-energy particle physics,
 - relativistic continuum mechanics.
-

10. Conclusion

This paper developed a three-dimensional formulation of relativistic momentum and velocity within the energy density framework. The study shows that relativistic energy density depends fundamentally on vector momentum components and mass density.

The framework provides a unified interpretation of:

- directional momentum transport,
- relativistic energy flow,
- spatial energy distribution.

The formulation naturally connects with relativistic field theory, stress–energy tensors, and relativistic continuum physics.

References

1. Einstein, A. (1905). *On the Electrodynamics of Moving Bodies*.
2. Landau, L.D. & Lifshitz, E.M. (1975). *The Classical Theory of Fields*.
3. Misner, C.W., Thorne, K.S., Wheeler, J.A. (1973). *Gravitation*.
4. Griffiths, D.J. (2017). *Introduction to Electrodynamics*.
5. Weinberg, S. (1972). *Gravitation and Cosmology*.

[Research Paper : 2]

Four-Velocity and Relativistic Motion in Spacetime

Author: Pawan Upadhyay

Affiliation: Independent Researcher

Email: pawanupadhyay28@hotmail.com

ORCID iD: <https://orcid.org/0009-0007-9077-5924>

Abstract

This paper presents a detailed study of four-velocity in relativistic physics and its connection to spacetime motion, relativistic momentum, and energy density formulations. The work extends ordinary three-dimensional velocity into a four-dimensional spacetime framework using proper time. The study further connects four-velocity with four-momentum, relativistic energy relations, and tensor-based physics. Applications in relativistic mechanics, cosmology, relativistic fluid dynamics, and field theory are discussed.

1. Introduction

Classical physics describes motion using three-dimensional velocity vectors. However, Special Relativity unifies space and time into four-dimensional spacetime. Consequently, velocity must also be extended into a four-dimensional quantity called the four-velocity.

The four-velocity provides a geometric description of motion in spacetime and forms one of the fundamental structures of relativistic mechanics.

This paper develops:

- the mathematical formulation of four-velocity,
 - its relation to relativistic momentum,
 - its invariant properties,
 - its connection to energy density and relativistic field theory.
-

2. Spacetime Coordinates

2. Spacetime Coordinates

In relativity, spacetime coordinates are written as:

$$x^\mu = (ct, x, y, z)$$

where:

- ct represents the time coordinate,
- x, y, z represent spatial coordinates,
- c is the speed of light.

These coordinates form the spacetime position four-vector.

3. Proper Time

3. Proper Time

Four-velocity is defined using proper time.

Proper time is the time measured in the rest frame of the moving object:

$$d\tau = dt \sqrt{1 - \frac{v^2}{c^2}}$$

where:

$$v^2 = v_x^2 + v_y^2 + v_z^2$$

Proper time remains invariant under Lorentz transformations.

4. Definition of Four-Velocity

4. Definition of Four-Velocity

The four-velocity is defined as:

$$U^\mu = \frac{dx^\mu}{d\tau}$$

Substituting spacetime coordinates gives:

$$U^\mu = (\gamma c, \gamma v_x, \gamma v_y, \gamma v_z)$$

where the Lorentz factor is:

$$\gamma = \frac{1}{\sqrt{1 - \frac{v^2}{c^2}}}$$

5. Components of Four-Velocity

The four-velocity contains:

- one temporal component,
- three spatial components.

Temporal component:

Temporal component:

$$U^0 = \gamma c$$

Spatial components:

$$U^1 = \gamma v_x$$

$$U^2 = \gamma v_y$$

$$U^3 = \gamma v_z$$

Thus four-velocity combines:

- motion through time,
 - motion through space.
-

6. Invariant Magnitude of Four-Velocity

6. Invariant Magnitude of Four-Velocity

A fundamental property of four-velocity is its invariant spacetime magnitude:

$$U^\mu U_\mu = -c^2$$

(using the spacetime metric signature
($- + + +$))

This invariant remains constant for all inertial observers.

The result shows that every massive object moves through spacetime with invariant spacetime speed c .

7. Relation to Relativistic Momentum

Relativistic four-momentum is obtained by multiplying four-velocity by rest mass:

$$P^\mu = mU^\mu$$

Therefore:

$$P^\mu = \left(\frac{E}{c}, p_x, p_y, p_z \right)$$

This relation unifies:

- relativistic energy,
- three-dimensional momentum,
- spacetime motion.

The invariant energy–momentum relation becomes:

$$E^2 = p^2 c^2 + m^2 c^4$$

8. Three-Dimensional Momentum Components

8. Three-Dimensional Momentum Components

The spatial momentum magnitude is:

$$p^2 = p_x^2 + p_y^2 + p_z^2$$

where:

$$p_x = \gamma m v_x$$

$$p_y = \gamma m v_y$$

$$p_z = \gamma m v_z$$

These momentum components represent directional relativistic motion.

9. Connection to Energy Density Framework

For continuous systems, dividing by volume gives density quantities.

Energy density: $E_d = E/V$

Momentum density:

$$p_d = \frac{p}{V}$$

Mass density:

$$\rho = \frac{m}{V}$$

The density-form relativistic equation becomes:

$$E_d^2 = (p_d)^2 c^2 + \rho^2 c^4$$

Expanding into spatial components:

$$E_d^2 = c^2(p_{dx}^2 + p_{dy}^2 + p_{dz}^2) + \rho^2 c^4$$

This shows that relativistic energy density depends on directional momentum density in spacetime.

10. Connection to the Stress–Energy Tensor

In relativistic field theory, energy and momentum are described by the stress–energy tensor:
 $T_{\mu\nu}$

where:

- T^{00} corresponds to energy density,
- T^{0i} corresponds to momentum density flow.

The four-velocity plays a central role in relativistic fluid mechanics and tensor formulations.

11. Physical Interpretation

Four-velocity provides a geometric interpretation of relativistic motion.

Key insights:

- Motion through spacetime combines temporal and spatial motion.
 - Objects always move through spacetime even when spatial velocity is zero.
 - Increasing spatial velocity reduces progression through proper time.
 - Relativistic momentum naturally emerges from four-dimensional motion.
-

12. Applications

The four-velocity framework is essential in:

- Special Relativity,
- General Relativity,
- relativistic fluid dynamics,
- cosmology,
- plasma physics,
- astrophysics,

- high-energy particle physics.

It is fundamental in describing:

- relativistic particles,
 - curved spacetime motion,
 - energy transport,
 - cosmological matter evolution.
-

13. Conclusion

This paper presented a comprehensive study of four-velocity and its role in relativistic spacetime physics. The work showed how ordinary velocity extends into four-dimensional spacetime and how four-velocity connects directly with relativistic momentum and energy density formulations.

The study demonstrates that:

- spacetime motion is fundamentally four-dimensional,
- relativistic momentum arises from four-velocity,
- energy density formulations naturally connect with tensor mechanics and spacetime geometry.

The framework provides a unified description of relativistic motion, energy transport, and spacetime dynamics.

References

1. Einstein, A. (1905). *On the Electrodynamics of Moving Bodies*.
2. Landau, L.D. & Lifshitz, E.M. (1975). *The Classical Theory of Fields*.
3. Misner, C.W., Thorne, K.S., Wheeler, J.A. (1973). *Gravitation*.
4. Weinberg, S. (1972). *Gravitation and Cosmology*.
5. Schutz, B. (2009). *A First Course in General Relativity*.

6. Carroll, S. (2019). *Spacetime and Geometry*.