


Relationship between Field Force Density (F) and Velocity (v) in Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)

Author: Pawan Upadhyay

Affiliation: Independent Researcher

Email: pawanupadhyay28@hotmail.com

ORCID iD: <https://orcid.org/0009-0007-9077-5924>



F and v in Pawan Upadhyay's Pressure Curvature (PPC) Law of Gravity

Abstract

This paper presents an alternative interpretation of gravity termed the Pressure Curvature (PPC) Law of Gravity. In this framework, gravity is not treated as a fundamental force or purely geometric phenomenon, but as an emergent effect arising from pressure generated by mass–energy within the spacetime fabric. The theory proposes that mass–energy induces a gravitational pressure field, whose gradients produce force, which in turn shapes spacetime curvature and governs motion.

1. Introduction

Classical Newtonian gravity describes gravity as a force between masses, while General Relativity describes it as curvature of spacetime caused by mass–energy. The PPC law introduces an intermediate physical mechanism: **pressure**.

This work proposes the following chain:

Mass–Energy → Pressure → Force → Curvature → Motion

2. Fundamental Equations

2.1 Newtonian Basis

$$f = ma$$

2.2 Field Formulation

$$F = \rho a = \rho \, dv/dt$$

Where:

- ρ = mass density
- F = force per unit volume (force density)

2.3 PPC Core Equation

$$F = -\nabla P_g$$

Where:

- P_g = gravitational pressure
- ∇P_g = spatial gradient of pressure

Thus,

$$\rho \, dv/dt = -\nabla P_g$$

3. Conceptual Framework

3.1 Mass–Energy Generates Pressure

Mass and energy create a scalar field called gravitational pressure (P_g). This pressure is distributed throughout spacetime.

3.2 Pressure Causes Curvature

Pressure acts as a physical agent that bends spacetime. Instead of curvature arising directly from mass–energy, it emerges from pressure induced by mass–energy.

3.3 Pressure Gradient Produces Force

Differences in pressure generate force density:

$$F = -\nabla P_g$$

This is analogous to fluid dynamics, where pressure gradients drive motion.

3.4 Curvature Governs Motion

The curvature generated by pressure determines trajectories of particles. Motion follows the structure created by pressure-induced curvature.

4. Velocity and Motion

Velocity is defined as:

$$v = dx/dt$$

Acceleration arises from pressure gradients:

$$a = dv/dt = - (1/\rho) \nabla P_g$$

Thus, velocity evolves due to pressure-driven acceleration.

5. Relation to Stress–Energy Tensor

In relativistic physics, the stress–energy tensor includes pressure terms. In PPC theory:

- Pressure is primary
 - Stress–energy tensor encodes this pressure
 - Curvature emerges from pressure contributions
-

6. Comparison with General Relativity

Aspect	General Relativity	PPC Theory
Origin of gravity	Spacetime curvature	Pressure field
Mechanism	Geometry	Pressure gradient
Force	Not fundamental	Emergent from pressure
Interpretation	Geometric	Physical + geometric

7. Implications

- Gravity can be interpreted as a pressure-driven phenomenon
 - Provides intuitive understanding similar to fluid systems
 - May offer new approaches to cosmology and field theory
-

8. Conclusion

The PPC Law of Gravity proposes that mass–energy generates pressure, pressure gradients produce force, and this force shapes spacetime curvature, leading to motion. This framework unifies force and curvature through a pressure-based interpretation.

Keywords

Gravity, Pressure, Spacetime Curvature, Force Density, PPC Theory, Mass–Energy, Fluid Analogy

$$f = ma$$

$$F = \rho a = -\nabla P_g$$

PPC Gravity — Compact Chain

Mass–Energy → **Pressure** → **Force (pressure gradient)** → **Stress–Energy Tensor** → **Spacetime Curvature** → **Motion** → **Velocity**

Short Note

In PPC framework, **mass–energy first manifests as a gravitational pressure field** P_g .

Spatial variations of this pressure create a **force density** $F = -\nabla P_g$, which

$$(F = \rho a)$$

accelerates matter

This pressure contribution is then encoded in the **stress–energy tensor** (as pressure/stress terms), which determines how spacetime curves. The resulting **spacetime curvature** guides motion, producing trajectories and **velocities** of particles.

One-line summary

👉 *Mass–energy generates pressure; pressure gradients drive force; pressure feeds the stress–energy tensor, shaping curvature and thus motion.*

Velocity in PPC Framework

Velocity is simply **how fast and in what direction an object moves**. Mathematically, it is the rate of change of position:

$$v = dx/dt$$

In the context of PPC chain

Mass–Energy → Pressure → Force → Curvature → Motion → Velocity

Velocity appears at the **final stage** as the *result* of all prior processes.

$$(-\nabla P_g)$$

- **Pressure gradient** creates force
 - Force produces **acceleration** ($a=dv/dt$)
 - Acceleration changes velocity over time
-

Key idea

- Velocity is **not directly created**
- It **emerges from acceleration** caused by pressure gradients

So:

👉 **Pressure difference → acceleration → change in velocity**

Physical meaning

- If pressure is **uniform** → no force → velocity stays constant

- If pressure **varies in space** → force appears → velocity changes
-

In curved spacetime context

In theories like General Relativity:

- Objects follow curved paths (geodesics)
- Their **velocity evolves** according to spacetime curvature

In PPC model:

- Velocity evolves because **pressure gradients first create force**, which then leads to motion in curved spacetime
-

Simple summary

👉 **Velocity = the outcome of motion produced by pressure-driven acceleration**

$$E_d = \rho c^2$$

$$F = \rho a = -\nabla P_g$$

**Mass Density → Energy Density → Pressure
→ Force (pressure gradient) →
Stress–Energy Tensor → Spacetime
Curvature → Motion → Velocity**

PPC Gravity — Refined Causal Chain

**Mass Density → Energy Density → Pressure → Force (pressure gradient) →
Stress–Energy Tensor → Spacetime Curvature → Motion → Velocity**

Short Explanation

- **Mass density (ρ) → Energy density (E_d)**
Through $E_d = \rho c^2$, mass becomes a concentrated form of energy.
- **Energy density → Pressure (P_g)**
In PPC, this energy density generates a **gravitational pressure field**.
- **Pressure → Force**

$$F = -\nabla P_g$$

Spatial variation of pressure produces force density:

- **Force → Stress–Energy Tensor**
The pressure contributes to the **stress components** of the energy–momentum distribution.
 - **Stress–Energy Tensor → Curvature**
As in General Relativity, this tensor determines how spacetime curves.
 - **Curvature → Motion**
Curved spacetime defines trajectories (paths of motion).
 - **Motion → Velocity**
The result is observable velocity evolving over time.
-

Key Insight

👉 PPC model introduces **pressure as the missing physical bridge** between energy density and spacetime curvature.

One-line summary

👉 *Mass density becomes energy, energy creates pressure, pressure gradients drive force, and this ultimately shapes curvature and motion.*

Pressure–Energy Density Relation

$$P_g = \omega E_d$$

Where:

- P_g = Gravitational Pressure
- ω = Equation of state parameter (dimensionless)
- E_d = Energy Density

$$P_g = \omega \rho c^2$$

1. Ordinary Velocity (3-velocity)

- Defined as:

$$v = \frac{dx}{dt}$$

- It describes **motion in space only**
- Depends on the observer's frame
- Limited by:

$$|v| < c$$

Used in

- Newtonian Mechanics
- PPC Law

$$\text{PPC relation: } a = \frac{dv}{dt} = -\frac{1}{\rho} \nabla P_g$$

2. Four-Velocity (Relativistic)

$$U^\mu = \frac{dx^\mu}{d\tau}$$

- Defined using **spacetime coordinates**
- $x^\mu = (ct, x, y, z)$
- $\tau =$ **proper time** (time measured by the moving object)

So it includes:

- Time component
- Space components

👉 It describes motion in **spacetime**, not just space

Used in

- Geodesic motion equation in General Relativity
- Geodesic motion equation in PPC Law of Gravity

3. Key Mathematical Relation

$$U^\mu = \gamma(c, \vec{v})$$

where:

- $\gamma = \frac{1}{\sqrt{1-v^2/c^2}}$

4. Fundamental Differences

Feature	Velocity
Dimension	3D (space)
Time used	Coordinate time t
Framework	Newtonian / classical
Invariance	Frame-dependent
Speed limit	$< c$

Four-Velocity

4D (spacetime)

Proper time τ

Relativistic

Lorentz invariant
magnitude

Always magnitude = c

5. Physical Meaning

- **Velocity** → what an external observer measures
- **Four-velocity** → intrinsic motion of an object in spacetime

Final Insight

👉 **Velocity** tells how fast you move through space

👉 **Four-velocity** tells how you move through spacetime itself

Detailed Explanation Note: Velocity as Tangent of PPC-Induced Geodesics

In the framework of **Pawan Upadhyay's Pressure Curvature (PPC) Law of Gravity**, velocity must be understood not merely as a kinematic quantity, but as a **geometric object intrinsically tied to spacetime structure shaped by pressure**.

1. Fundamental Definition

In relativistic physics, the motion of a particle is described by its **worldline** $x^\mu(\tau)$, where τ is proper time. The **four-velocity** is defined as:

$$U^\mu = \frac{dx^\mu}{d\tau}$$

This four-velocity is the **tangent vector to the worldline** at every point in spacetime.

2. Geodesics and Motion

In General Relativity:

- A **geodesic** is the natural path followed by a particle in curved spacetime
- The geodesic equation determines how the tangent vector U^μ evolves
- There is **no external force**; curvature itself governs motion

Thus:

- The **trajectory** is the geodesic
- The **velocity** is the tangent to that trajectory

3. PPC Interpretation of Geodesics

In PPC theory, the origin of curvature is reinterpreted:

Mass Density $\rightarrow$ Energy Density $\rightarrow$ Pressure (P_g)

$P_g \rightarrow$ Stress–Energy Tensor $\rightarrow$ Spacetime Curvature

Thus:

 **Geodesics are not fundamental, but emerge from pressure-induced curvature**

4. Velocity as Tangent in PPC Framework

Since curvature determines the geodesic, and pressure determines curvature:

$$U^\mu = \frac{dx^\mu}{d\tau}$$

represents:

👉 **The tangent to a worldline shaped by gravitational pressure**

This leads to a central PPC statement:

The velocity of a particle is the tangent vector to a spacetime trajectory whose geometry is determined by gradients of gravitational pressure.

5. Connection with Force Description

In PPC, you also have the force-density equation:

$$F = \rho a = -\nabla P_g$$

This introduces a **dual interpretation**:

(A) Geometric View

- Pressure modifies spacetime curvature
- Motion follows geodesics
- Velocity is tangent to curved paths

(B) Dynamical View

- Pressure gradients act as force
- Force produces acceleration
- Acceleration changes velocity

6. Consistency Between the Two Views

For theoretical consistency:

$$\frac{dU^\mu}{d\tau} + \Gamma_{\alpha\beta}^\mu U^\alpha U^\beta = 0$$

must correspond (in appropriate limits) to:

$$\frac{dv}{dt} = -\frac{1}{\rho} \nabla P_g$$

This implies:

👉 **Pressure gradients must be encoded within the spacetime connection (Christoffel symbols)**

7. Weak-Field Limit

In weak gravitational fields:

- Spacetime is nearly flat
- Proper time $\tau \approx t$
- Four-velocity reduces to classical velocity

$$U^\mu \approx (c, \vec{v})$$

And:

$$\frac{dv}{dt} = -\frac{1}{\rho} \nabla P_g$$

Thus:

👉 The tangent interpretation smoothly reduces to classical motion

8. Physical Interpretation

- Velocity is **not an independent entity**
 - It is a **geometric property of motion along a pressure-shaped spacetime path**
 - Changes in velocity arise due to:
 - Pressure gradients (force view)
 - Curvature changes (geometric view)
-


9. Conceptual Summary

Pressure (P_g) $\rightarrow$ Curvature $\rightarrow$ Geodesic $\rightarrow U^\mu$

👉 **Velocity is the tangent to a geodesic whose structure is determined by gravitational pressure.**

Final Statement for Research Paper

In the PPC Law of Gravity, velocity is identified with the tangent vector to geodesics that emerge from pressure-induced spacetime curvature. This establishes velocity not merely as a kinematic variable, but as a geometric manifestation of pressure-driven gravitational dynamics.



Detailed Explanation: PPC Geodesic Motion and Velocity

1. Metric Dependence in PPC Framework

In standard relativistic theory, the Christoffel symbols are functions of the metric tensor:

$$\Gamma_{\alpha\beta}^{\mu} = \Gamma_{\alpha\beta}^{\mu}(g_{\mu\nu})$$

In the **PPC framework**, the metric itself is not fundamental but **emerges from physical quantities**:

$$g_{\mu\nu} = g_{\mu\nu}(E_d, P_g)$$

where:

- $E_d = \rho c^2$ is energy density
- P_g is gravitational pressure

2. Chain of Physical Influence

$$(E_d, P_g) \rightarrow T_{\mu\nu} \rightarrow g_{\mu\nu} \rightarrow \Gamma \rightarrow \text{motion}$$

This means:

1. **Energy density and pressure** define the physical state
2. They determine the **stress–energy tensor**
 $T_{\mu\nu}$
3. Which determines the **metric** $g_{\mu\nu}$
4. Which determines **Christoffel symbols**
 $\Gamma_{\alpha\beta}^{\mu}$
5. Which govern **motion**

👉 This is a **physically grounded reinterpretation** of spacetime geometry.

3. PPC Geodesic Motion Equation

$$\frac{d^2 x^\mu}{d\tau^2} + \Gamma_{\alpha\beta}^\mu(g_{\mu\nu}(E_d, P_g)) \frac{dx^\alpha}{d\tau} \frac{dx^\beta}{d\tau} = 0$$

This equation shows:

- Motion depends on **Christoffel symbols**
- Christoffel symbols depend on **metric**
- Metric depends on **energy density and pressure**

4. Role of Velocity

The **four-velocity** is:

$$U^\mu = \frac{dx^\mu}{d\tau}$$

This implies:

- Velocity is the **tangent vector to the geodesic**
- It is **not independent**, but determined by spacetime structure

Substituting into the geodesic equation:

$$\frac{dU^\mu}{d\tau} + \Gamma_{\alpha\beta}^\mu U^\alpha U^\beta = 0$$

- $E_d = \rho c^2 \rightarrow$ creates **pressure** P_g
 - $P_g \rightarrow$ contributes to **stress–energy tensor**
 - $T_{\mu\nu} \rightarrow$ determines **metric curvature**
 - Curvature $\rightarrow$ defines **geodesics**
 - Geodesics $\rightarrow$ determine **velocity evolution**
-

👉 Velocity is not an input—it is an outcome of pressure-shaped spacetime geometry

This leads to a central PPC principle:

The motion of particles, including their velocity, is governed by geodesics whose structure is determined by energy density and gravitational pressure.

Conceptual Unification:

- **Dynamics (force via pressure gradient)**
- **Geometry (curvature via metric)**

Because:

- Pressure $\rightarrow$ force (local view)
 - Pressure $\rightarrow$ curvature $\rightarrow$ geodesic (global view)
-

In the PPC Law of Gravity, the metric tensor is a functional of energy density and gravitational pressure, and therefore the Christoffel symbols—and hence geodesic motion—are indirectly determined by pressure. Consequently, velocity emerges as the tangent to geodesics shaped by pressure-induced spacetime curvature, providing a unified description linking mass–energy, pressure, geometry, and motion.
