
Foundations of Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)

Author: Pawan Upadhyay
Affiliation: Independent Researcher
Email: pawanupadhyay28@hotmail.com
ORCID iD: https://orcid.org/0009-0007-9077-5924
Field: Theoretical Physics – Gravitation
Year: 2025



Foundations of Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)

Abstract

The nature of gravity has traditionally been described through Newtonian mechanics and later through the geometric theory of **General Relativity**.

Newton interpreted gravity as a force acting between masses, while Einstein described gravity as curvature of spacetime generated by mass–energy. Since Newton, gravity has been described as a force. Since Einstein, it has been geometry. But what causes the bending? Pawan Upadhyay's discovery answers.

This paper presents **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)**, a theoretical interpretation in which mass–energy generates **gravitational pressure within the spacetime fabric**. Variations of this pressure create spacetime curvature, and the resulting curvature governs the motion of objects and the propagation of gravitational waves. The work outlines the **conceptual foundations, mathematical formulation, pressure–curvature relation, geodesic motion, and wave dynamics** of the PPC Law of Gravity.

---

1. Introduction

Understanding gravity has been one of the central goals of physics.

In the seventeenth century, **Isaac Newton** formulated the universal law of gravitation, describing gravity as a force between masses.

In the twentieth century, **Albert Einstein** introduced **General Relativity**, which interprets gravity as curvature of spacetime produced by energy and momentum.

Although General Relativity successfully explains gravitational phenomena, the **physical mechanism that produces curvature can be interpreted in different ways**.

This Pressure-Curvature Law, discovered by Pawan Upadhyay, states that gravity is not a force of attraction nor merely a geometric effect, but the direct consequence of a pressure field generated by mass-energy acting upon the fabric of spacetime. The curvature shape is the geometric expression of this pressure force.

Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity) proposes that curvature arises due to **pressure generated by mass–energy within spacetime**.

---

2. Fundamental Conceptual Points of Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)

The core principles of the PPC Law of Gravity are derived from the fundamental behavior of mass–energy and spacetime.

2.1 Mass–Energy Creates Pressure in Spacetime

Mass–energy generates pressure within the spacetime fabric.

2.2 Pressure Determines the Shape of Curvature

The distribution of gravitational pressure determines the structure of spacetime curvature.

2.3 Mass–Energy Applies Pressure on the Spacetime Fabric

Energy density associated with matter exerts pressure on spacetime.

2.4 Mass–Energy Bends Spacetime Through Pressure

The pressure produced by mass–energy deforms spacetime geometry.

2.5 Pressure Forces Determine Curvature

Forces arising from gravitational pressure gradients determine the final shape of spacetime curvature.

---

3. Mathematical Framework of the PPC Law of Gravity

3.1 Mass Density

Let

ρ

represent the mass density of matter.

3.2 Energy Density

Using relativistic energy equivalence

E_d =ρ c^2

$$E_d = \rho c^2$$

where E_d represents energy density and c is the speed of light.

3.3 Gravitational Pressure

In **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)** gravitational pressure is proportional to energy density:

P_g = ω E_d

$$P_g = \omega E_d$$

where ω is the equation of state parameter.

3.4 Pressure Gradient Force

The force produced by gravitational pressure gradients is

$$F = -\nabla P_g$$

The physical force associated with gravitational pressure is given by:

$$\boxed{\mathbf{F} = -\nabla P_g}$$

Substituting the general PPC definition:

$$\mathbf{F} = -\nabla(w\rho c^2)$$

This expression:

- reproduces standard gravitational acceleration in weak fields,
- introduces **no new force law**,
- provides a **causal physical interpretation** of gravity.

For extended bodies

F_p = P_g A

$$F_p = P_g A$$

where A represents the surface area.

---

4. Gravitational Pressure Field

The **gravitational pressure field** is defined as the spatial distribution of gravitational pressure generated by mass–energy in spacetime.

Mass–energy
→ energy density
→ gravitational pressure field
→ spacetime curvature.

This field represents the medium through which gravitational effects propagate.

P_g = ωE_d, where E_d = ρc² Then
P_g = ωρc². P_g is Gravitational Pressure, E_d is Energy density and ω is equation of state parameter. P_g, E_d, ω and ρ are variables.
In Special cases, ω is constant.
If values of ω are numerical.
If ω ~ 0, Then P_g ~ 0.
If ω ~ ⅓, Then P_g ~ ⅓ E_d
If ω ~ -1, Then P_g ~ -E_d
If ω ~ 1, Then P_g ~ E_d

P_g(x,y,z,ct) is gravitational pressure field.
ω(x,y,z,ct) is equation of state parameter field.
E_d(x,y,z,ct) is Energy density field.
ρ(x,y,z,ct) is mass density field.

P_g(x,y,z,ct) = ω(x,y,z,ct) E_d(x,y,z,ct)

In Strong Field Regime:
Gravitational Pressure Field is Primary. Pressure-gradient field (Four-Gravitational pressure force density field) and Four-Acceleration Field are secondary.

In Weak Field Regime:

Gravitational Pressure Field is Primary. Pressure-gradient field (Gravitational pressure force density field) and Gravitational Field are secondary.

Gravitational Field Equation (In weak field limit)

$g = -\nabla \Phi$

Where: g = Gravitational field strength, ∇ = Nabla (vector differential operator), Φ = Gravitational potential

The negative sign indicates that the gravitational field points in the direction of decreasing gravitational potential.

In Cartesian coordinates:

$g = -(\partial\Phi/\partial x\, \hat{\imath} + \partial\Phi/\partial y\, \hat{\jmath} + \partial\Phi/\partial z\, \hat{k})$

For a point mass M:

$\Phi = -GM/r$

Therefore:

$g = -(GM/r^2)\, \hat{r}$

Where: G = Universal gravitational constant M = Mass of the object r = Distance from the mass $\hat{r}$ = Outward radial unit vector

---

5. Pressure–Curvature Relation

A central idea of **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)** is that spacetime curvature is produced by gradients of gravitational pressure.

$$\mathcal{C} \propto \nabla P_g$$

where

- $\mathcal{C}$ represents curvature
- P_g represents gravitational pressure.

> **Pressure forces determine the magnitude and the shape of spacetime curvature: $E_d + P_g$ governs the magnitude of curvature, whereas ∇P_g governs its shape and the resulting orbital motion.**

This wording clearly distinguishes the two roles:

- $E_d + P_g \rightarrow$ controls the **strength (magnitude)** of curvature.
- $\nabla P_g \rightarrow$ controls the **geometry (shape)** of curvature, thereby determining the path or orbit followed by matter.

In Weak field limit (Static perfect fluid),

(E_d+3P_g) controls the strength (magnitude) of curvature.

Pressure gradient (∇P_g) controls the geometry (shape) of curvature, thereby determining the path or orbit followed by matter.

- **Magnitude of curvature:** $E_d + 3P_g$
- **Shape (geometry) of curvature:** ∇P_g

---

6. Stress–Energy Tensor Representation

The combined contribution of energy density and gravitational pressure may be written as

$$T_{\mu\nu} = (E_d + P_g)u_\mu u_\nu + P_g g_{\mu\nu}$$

where

- $T_{\mu\nu}$ is the stress–energy tensor
- u_μ is four-velocity
- $g_{\mu\nu}$ is the metric tensor.

---

7. Spacetime Curvature

Spacetime curvature follows

$$G_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

where $G_{\mu\nu}$ is the curvature tensor.

$$G_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

Substituting PPC tensor:

$$G_{\mu\nu} = \frac{8\pi G}{c^4} \left[(E_d + P_g) u_\mu u_\nu + P_g g_{\mu\nu} \right]$$

Within **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)** curvature arises from both **energy density and gravitational pressure**.

---

8. Geodesic Motion in the PPC Law of Gravity

Objects move through curved spacetime according to

$$\frac{d^2x^\mu}{d\tau^2} + \Gamma^\mu_{\alpha\beta}(E_d, P_g)\frac{dx^\alpha}{d\tau}\frac{dx^\beta}{d\tau} = 0$$

$$\frac{d^2x^\mu}{d\tau^2} + \Gamma^\mu_{\alpha\beta}\left(g_{\mu\nu}(E_d, P_g)\right)\frac{dx^\alpha}{d\tau}\frac{dx^\beta}{d\tau} = 0.$$

indicating that geodesic motion depends on the distribution of **energy density and gravitational pressure**.

---

9. Weak-Field Approximation

In weak gravitational fields the metric can be written as

$$g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$$

where

- $\eta_{\mu\nu}$ represents flat spacetime
- $h_{\mu\nu}$ represents small perturbations.

For a weak gravitational field, write the metric as

$$g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}, \qquad |h_{\mu\nu}| \ll 1.$$

In the harmonic gauge, the linearized equation is

$$\boxed{\Box \bar{h}_{\mu\nu} = -\frac{16\pi G}{c^4} T_{\mu\nu}}$$

where $\bar{h}_{\mu\nu}$ is the trace-reversed metric perturbation.

Weak-Field Equation

$$\nabla^2\Phi = 4\pi G\rho$$

Φ : Gravitational potential
ρ : Mass density
G : Gravitational constant
∇^2 : Laplacian operator

Static Perfect-Fluid Poisson Equation

(Weak-Field Limit)

$$\nabla^2\Phi = \frac{4\pi G}{c^2}(E_d + 3P_g)$$

Equivalently,

$$\nabla^2\Phi = 4\pi G\left(\rho + \frac{3P_g}{c^2}\right)$$

E_d : Energy density
P_g : Fluid pressure
G : Gravitational constant
c : Speed of light
∇^2 : Laplacian operator

with $\rho = \frac{E_d}{c^2}$.

---

10. Gravitational Pressure Waves

Define the trace-reversed perturbation

Define the trace-reversed perturbation

$$\bar{h}_{\mu\nu} = h_{\mu\nu} - \frac{1}{2}\eta_{\mu\nu}h$$

Applying the harmonic gauge condition

$$\partial^{\mu}\bar{h}_{\mu\nu} = 0$$

the wave equation becomes

$$\frac{\partial^2 \bar{h}_{\mu\nu}}{\partial t^2} = c^2\nabla^2\bar{h}_{\mu\nu}$$

$$\boxed{\Box\bar{h}_{\mu\nu} = 0}$$

In **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)** these waves correspond to **dynamic gravitational pressure disturbances propagating through spacetime**.

Note on the Scalar-Field Gravitational Wave Equation Using Capital Phi (Φ)

1. Introduction

A scalar field Φ is a mathematical field described by a single value at each point in spacetime. In gravitational theories that include a scalar degree of freedom, perturbations of this field may contribute to gravitational phenomena and, in some theories, produce a scalar gravitational-wave mode.

2. Scalar-Field Wave Equation

For a massless scalar field propagating in flat spacetime without sources, the wave equation is:

$$\Box\Phi = 0$$

Using the metric signature $(-+++)$, this becomes:

$$(1/c^2)(\partial^2\Phi/\partial t^2) - \nabla^2\Phi = 0$$

Therefore:

$$\partial^2\Phi/\partial t^2 = c^2\nabla^2\Phi$$

Where:

- Φ is the scalar field.
- c is the speed of light.
- ∇^2 is the spatial Laplacian.
- $\Box$ is the flat-spacetime d'Alembertian operator.

3. Scalar-Field Perturbation

Suppose the scalar field consists of a background field and a small perturbation:

$$\Phi = \Phi_0 + \delta\Phi$$

Here, Φ_0 is the background value and $\delta\Phi$ is the perturbation.

For a constant background and a massless scalar field, the perturbation satisfies:

$$\partial^2(\delta\Phi)/\partial t^2 = c^2\nabla^2(\delta\Phi)$$

This equation describes the propagation of the scalar-field disturbance at the speed of light in flat spacetime.

4. Relation to Metric Perturbation

In linearized general relativity, the metric perturbation is defined by:

$g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$

The trace-reversed metric perturbation is:

$\bar{h}_{\mu\nu} = h_{\mu\nu} - \frac{1}{2}\eta_{\mu\nu} h$

In vacuum and under the harmonic gauge condition, its wave equation is:

$\partial^2 \bar{h}_{\mu\nu}/\partial t^2 = c^2 \nabla^2 \bar{h}_{\mu\nu}$

The scalar equation for Φ and the tensor equation for $\bar{h}\mu\nu$ have similar mathematical forms, but they describe different types of fields.

5. Physical Interpretation

A scalar-field disturbance can propagate as a wave. However, a scalar wave is not automatically a gravitational wave in the physical sense. In standard general relativity, gravitational waves have two tensor polarization states. Additional scalar gravitational-wave modes can arise in certain modified-gravity or scalar–tensor theories.

Conclusion

The equation $\Box\Phi = 0$ is the source-free wave equation for a massless scalar field in flat spacetime. Its interpretation as a scalar gravitational wave depends on the underlying gravitational theory and its field equations.

Note on the Wave Equation for Trace-Reversed Metric Perturbation

The trace-reversed metric perturbation is defined as:

$\bar{h}_{\mu\nu} = h_{\mu\nu} - \frac{1}{2}\eta_{\mu\nu} h$

where $h\mu\nu$ is the metric perturbation, $\eta\mu\nu$ is the Minkowski metric, and h is the trace of the metric perturbation.

In linearized general relativity, applying the harmonic gauge condition,

$\partial\mu \bar{h}_{\mu\nu} = 0$

reduces the vacuum Einstein field equations to the wave equation:

$\Box \bar{h}_{\mu\nu} = 0$

Equivalently,

$\partial^2 \bar{h}_{\mu\nu}/\partial t^2 = c^2 \nabla^2 \bar{h}_{\mu\nu}$

This equation describes the propagation of weak gravitational waves through vacuum at the speed of light, c.

---

11. Gravitational Interaction

Gravitational interaction is defined as the motion of matter caused by spacetime curvature produced by gravitational pressure gradients.

Mass–energy
→ gravitational pressure
→ pressure gradients
→ spacetime curvature
→ motion of bodies.

---

12. Dynamic Pressure Disturbances

Dynamic pressure disturbances are **time-dependent fluctuations of gravitational pressure** caused by changing mass–energy distributions.

Accelerating masses produce pressure disturbances that propagate as gravitational waves.

---

13. Flow Structure of the PPC Law of Gravity

Mass Density

↓

Energy Density

↓

Gravitational Pressure

↓

Pressure Gradient

↓

Curvature via Stress-Energy Tensor

↓

Spacetime Curvature

↓

Geodesic Motion

↓

Gravitational Interaction

↓

Dynamic Pressure Disturbances

↓

Gravitational Pressure Waves

---

14. Discussion

Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity) provides a physical interpretation of gravitational phenomena in which pressure generated by mass–energy produces curvature in spacetime.

This interpretation preserves the mathematical structure of relativistic gravity while emphasizing the **role of gravitational pressure as the physical mechanism behind curvature**.

---

15. Conclusion

This work presents the conceptual and mathematical foundations of **Pawan Upadhyay's Pressure Curvature Law of Gravity (PPC Law of Gravity)**.

The theory proposes that:

Mass–energy
→ generates gravitational pressure
→ pressure gradients produce curvature
→ curvature governs motion and gravitational waves.

Flow Chart of PPC Law in short

Mass Density (ρ)
↓
Energy Density ($E_d = \rho c^2$)
↓
Gravitational Pressure ($P_g = \omega E_d$)
↓
Pressure Gradient (∇P_g)

↓
Spacetime Curvature
↓
Geodesic Motion
↓
Gravitational Interaction
↓
Dynamic Pressure Disturbances
↓
Gravitational Waves (Gravitational Pressure Waves)

In General Relativity, gravity is described by the Einstein Field Equations:

$$G_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$$

For a perfect fluid (model for stars and cosmology):

$$T_{\mu\nu} = \begin{pmatrix} \rho c^2 & 0 & 0 & 0 \\ 0 & P & 0 & 0 \\ 0 & 0 & P & 0 \\ 0 & 0 & 0 & P \end{pmatrix}$$

This shows:

- $T^{00} = \rho c^2 = E_d$ (energy density)
- $T^{ii} = P$ (pressure components)

Therefore, **pressure contributes directly to spacetime curvature**.

Copyright © 2025–2026
Pawan Upadhyay

All rights reserved.