
A Mathematical Framework for the Relationship Between Energy Density and Wavelength Density of a Photon: Derivation, Dimensional Analysis, and Reference-Volume Dependence

Author: Pawan Upadhyay
Affiliation: Independent Researcher and Independent Scientist
Email:pawanupadhyay28@hotmail.com
2nd Email: pawankanyakubj@gmail.com
ORCID iD: https://orcid.org/0009-0007-9077-5924



Abstract

This research paper investigates a mathematical relationship between volume-normalized photon energy and volume-normalized wavelength. The framework defines energy density as $E_d = E/V$ and wavelength density as $\lambda_d = \lambda/V$, where E represents the energy of an individual photon, λ represents its wavelength, and V represents a specified reference volume.

Using the established photon-energy relationship $E = hc/\lambda$, where h is Planck's constant and c is the speed of light in vacuum, the paper derives the equation $E_d \times \lambda_d = hc/V^2$. Dimensional analysis confirms that both sides have the same SI unit, J/m^5.

The paper also examines an illustrative comparison involving a light bulb in a small room and a large room. When the same photon energy and wavelength are divided by different reference volumes, the calculated values of E_d and λ_d change, although the photon's energy and wavelength remain unchanged under the stated assumptions.

The principal conclusion is that the proposed equation is a mathematically consistent relationship derived from the established photon-energy equation and the definitions introduced in this framework. Further theoretical development and experimental investigation would be necessary to establish whether the volume-normalized quantities have additional independent physical significance.

Keywords: Photon energy, wavelength density, energy density, Planck's constant, electromagnetic radiation, reference volume, dimensional analysis.

1. Introduction

Photons are quanta of electromagnetic radiation. Their energy is related to their frequency and wavelength through established relationships in quantum physics.

The energy of a photon is:

$E = hf$

For electromagnetic radiation in vacuum, frequency and wavelength are related by $f = c/\lambda$. Therefore:

$E = hc/\lambda$

Where:

E = energy of an individual photon, measured in joules (J).

h = Planck's constant, approximately $6.62607015 \times 10^{-34}$ J·s.

f = photon frequency, measured in hertz (Hz).

c = speed of light in vacuum, approximately 299,792,458 m/s.

λ = photon wavelength, measured in metres (m).

This research introduces two volume-normalized quantities: energy density, E_d, and wavelength density, λ_d. It examines the mathematical relationship between them and investigates how their calculated values depend on the selected reference volume.

A central principle of this investigation is the distinction between a photon's physical properties and mathematical quantities defined using an arbitrary reference volume.

2. Objectives of the Research

The objectives of this paper are:

1. To define energy density and wavelength density within the proposed framework.
2. To derive the relationship $E_d \times \lambda_d = hc/V^2$.
3. To verify the dimensional consistency of the equation.
4. To compare calculated values for small and large reference volumes.
5. To explain the distinction between volume-normalized quantities and intrinsic photon properties.
6. To identify the limitations of the framework and possible directions for further research.

3. Definition of Energy Density

In this research framework, energy density is defined as the energy of an individual photon divided by a specified reference volume:

$E_d = E/V$

Where:

E_d = volume-normalized photon energy, measured in J/m^3.

E = energy of an individual photon, measured in J.

V = reference volume, measured in m^3.

This definition produces a quantity with the SI unit J/m^3. However, because E represents the energy of one photon divided by a chosen volume, E_d is not automatically equivalent to the conventional electromagnetic energy density of a physical light field.

The conventional field energy density describes electromagnetic energy distributed through space and depends on the electric and magnetic fields. The quantity E_d defined here is a volume-normalized mathematical quantity associated with a photon.

4. Definition of Wavelength Density

Wavelength density is defined as wavelength divided by a specified reference volume:

$\lambda_d = \lambda/V$

Where:

λ_d = wavelength density.

λ = wavelength of the photon.

V = reference volume.

The SI unit is obtained as follows:

Unit of $\lambda_d = m/m^3 = m^{-2}$

Therefore, wavelength density has the unit m^{-2}.

Its value depends on the physical wavelength and the reference volume used in the calculation. The quantity is a proposed volume-normalized measure and should not automatically be interpreted as a conventional intrinsic property of a photon.

5. Derivation of the Proposed Equation

The central equation investigated in this paper is:

$E_d \times \lambda_d = hc/V^2$

The derivation begins with the definitions:

$E_d = E/V$

$\lambda_d = \lambda/V$

Multiplying the two equations gives:

$E_d \times \lambda_d = (E/V) \times (\lambda/V)$

Rearranging:

$E_d \times \lambda_d = E\lambda/V^2$

The established photon-energy relationship is:

$E = hc/\lambda$

Substituting this expression into the preceding equation gives:

$E_d \times \lambda_d = (hc/\lambda) \times \lambda/V^2$

The wavelength cancels:

$E_d \times \lambda_d = hc/V^2$

Therefore, the final equation is:

$E_d \times \lambda_d = hc/V^2$

This derivation demonstrates that the proposed equation follows algebraically from the established photon-energy relationship and the definitions $E_d = E/V$ and $\lambda_d = \lambda/V$.

The equation applies under the stated definitions, with a nonzero reference volume V and photon energy related to wavelength by $E = hc/\lambda$.

6. Mathematical Interpretation

The equation can also be rearranged to express energy density in terms of wavelength density:

$E_d = hc/(V^2\lambda_d)$

Similarly, wavelength density can be expressed in terms of energy density:

$\lambda_d = hc/(V^2E_d)$

For a fixed reference volume, h, and c, these expressions describe an inverse mathematical relationship between E_d and λ_d.

If λ_d decreases while V remains constant, E_d increases in the corresponding inverse proportion. Conversely, if λ_d increases while V remains constant, E_d decreases.

However, the interpretation requires care. Since $\lambda_d = \lambda/V$, a change in λ_d can result from a change in the physical wavelength, a change in the reference volume, or both. The relationship must therefore be interpreted with the reference volume specified.

7. Dimensional Analysis

Dimensional analysis is used to verify that both sides of the proposed equation have compatible SI units.

The equation is:

$E_d \times \lambda_d = hc/V^2$

The left-hand side has the following units:

$E_d = J/m^3$

$\lambda_d = m^{-2}$

Therefore:

$E_d \times \lambda_d = (J/m^3)(m^{-2})$

$E_d \times \lambda_d = J/m^5$

For the right-hand side:

h has units J·s.

c has units m/s.

Therefore:

$hc = (J \cdot s)(m/s) = J \cdot m$

Since V is measured in m^3:

V^2 has units m^6.

Consequently:

$hc/V^2 = (J \cdot m)/m^6 = J/m^5$

Both sides have the same SI unit:

J/m^5

The equation is therefore dimensionally consistent.

Dimensional consistency supports the mathematical validity of the equation under the stated definitions. It does not, by itself, establish that the equation represents a new independent physical law.

8. Example: Light Bulb in a Small Room and a Large Room

Consider a light bulb emitting green light with a representative wavelength of 550 nm. For this illustrative calculation, treat the radiation as monochromatic and use the energy of one photon.

Assume the following values:

Wavelength: $\lambda = 5.50 \times 10^{-7}$ m.

Planck's constant: $h = 6.62607015 \times 10^{-34}$ J·s.

Speed of light in vacuum: c = 299,792,458 m/s.

Photon energy:

$E = hc/\lambda$

$E \approx 3.613 \times 10^{-19}$ J

Now consider two reference volumes:

Small room: $V = 30$ m³.

Large room: $V = 300$ m³.

8.1 Small room

Energy density as defined in this framework:

$E_d = E/V$

$E_d \approx 3.613 \times 10^{-19}/30$

$E_d \approx 1.204 \times 10^{-20}$ J/m³

Wavelength density:

$\lambda_d = \lambda/V$

$\lambda_d = 5.50 \times 10^{-7}/30$

$\lambda_d \approx 1.833 \times 10^{-8}$ m⁻²

The product is:

$E_d \times \lambda_d \approx 2.208 \times 10^{-28}$ J/m⁵

8.2 Large room

Energy density as defined in this framework:

$E_d = E/V$

$E_d \approx 3.613 \times 10^{-19}/300$

$E_d \approx 1.204 \times 10^{-21}\ J/m^3$

Wavelength density:

$\lambda_d = \lambda/V$

$\lambda_d = 5.50 \times 10^{-7}/300$

$\lambda_d \approx 1.833 \times 10^{-9}\ m^{-2}$

The product is:

$E_d \times \lambda_d \approx 2.208 \times 10^{-30}\ J/m^5$

8.3 Comparison table

Property	Small room	Large room
Reference volume, V	30 m^3	300 m^3
Photon wavelength, λ	550 nm	550 nm
Photon energy, E	3.613×10^{-19} J	3.613×10^{-19} J
$E_d = E/V$	$1.204 \times 10^{-20}\ J/m^3$	$1.204 \times 10^{-21}\ J/m^3$
$\lambda_d = \lambda/V$	$1.833 \times 10^{-8}\ m^{-2}$	$1.833 \times 10^{-9}\ m^{-2}$
$E_d \times \lambda_d$	$2.208 \times 10^{-28}\ J/m^5$	$2.208 \times 10^{-30}\ J/m^5$
hc/V^2	$2.208 \times 10^{-28}\ J/m^5$	$2.208 \times 10^{-30}\ J/m^5$

The calculated values agree with the proposed equation, subject to rounding.

When the reference volume increases by a factor of ten, both E_d and λ_d decrease by a factor of ten. Their product decreases by a factor of one hundred because the equation contains V^2 in the denominator.

This example illustrates the mathematical behavior of the proposed volume-normalized quantities. It does not establish that the actual electromagnetic energy density of a real room is determined solely by its volume.

9. The Physical Nature and Properties of a Photon

A central consideration in this research is the distinction between the photon and the quantities defined using a reference volume.

For the example above, the physical wavelength is fixed at 550 nm, and the photon energy is determined by $E = hc/\lambda$. If the same photon energy and wavelength are used in both calculations, changing only the reference volume does not change either physical quantity.

The values of E_d and λ_d change because they are defined by dividing E and λ by V.

Consequently, the mathematical change in these volume-normalized quantities does not, by itself, demonstrate a change in the photon's physical nature.

A photon remains a quantum of electromagnetic radiation. Its energy is related to its frequency by $E = hf$. Its physical properties can change in relevant interactions or propagation conditions, such as scattering or interactions with matter, but an arbitrary change in the reference volume is not, by itself, such an interaction.

The scientific conclusion is therefore conditional and precise: when only the reference volume changes, while the photon energy and wavelength remain fixed, E_d and λ_d change mathematically but the photon's energy and wavelength do not.

10. Distinction Between the Proposed Quantity and Conventional Energy Density

The terminology used in this paper requires an explicit qualification.

In standard electromagnetism, energy density describes the electromagnetic energy contained per unit physical volume. It is determined by the electromagnetic field and its spatial distribution.

In the present framework, $E_d = E/V$ uses the energy of an individual photon divided by a chosen reference volume. This definition is mathematically valid, but it does not necessarily describe the actual energy density of a room illuminated by a bulb.

The actual energy density in a room depends on the electromagnetic field, the number and distribution of photons, the light source, reflections, absorption, and other physical conditions.

For this reason, E_d is best described as a volume-normalized photon-energy quantity unless a more complete physical model establishes its relationship to the conventional energy density of a light field.

This distinction is important when comparing small and large rooms. A larger room does not necessarily have lower actual electromagnetic energy density merely because it has a larger volume.

11. Scientific Significance and Limitations

The proposed equation offers a compact mathematical relationship between two volume-normalized quantities.

Its principal mathematical result is:

$E_d \times \lambda_d = hc/V^2$

The relationship is derived directly from $E = hc/\lambda$ and the definitions $E_d = E/V$ and $\lambda_d = \lambda/V$.

The following limitations must be recognized:

1. The equation does not independently establish a new physical law because it follows algebraically from established physics and the proposed definitions.
2. The quantities E_d and λ_d depend on the reference volume.
3. The volume-normalized photon energy E_d is not automatically equivalent to the conventional energy density of an electromagnetic field.
4. The example of a small room and a large room demonstrates the consequences of the definitions, not a measured change in the intrinsic properties of a photon.
5. Additional theoretical development and experimental investigation would be needed to demonstrate any independent physical significance.

Future research could investigate whether a carefully defined volume-normalized framework produces useful predictions for measurable electromagnetic fields or other physical systems. Such predictions would need to be compared with established theory and experimental results.

12. Conclusion

This research paper has examined the mathematical relationship between energy density and wavelength density using the definitions $E_d = E/V$ and $\lambda_d = \lambda/V$.

Starting from the established photon-energy equation $E = hc/\lambda$, the paper derives:

$E_d \times \lambda_d = hc/V^2$

Dimensional analysis confirms that both sides have the SI unit J/m^5. The small-room and large-room example demonstrates that, for a fixed photon energy and wavelength, the calculated volume-normalized quantities change when the reference volume changes.

These changes do not, by themselves, indicate that the photon's intrinsic properties have changed. They arise from the mathematical definitions used in the framework.

The equation is a dimensionally consistent algebraic result. Establishing further physical significance would require a precise physical interpretation and testable predictions beyond those already implied by the established photon-energy relationship.

References

1. OpenStax. University Physics, Volume 3. Chapter 6, “Photons and Matter Waves.” Rice University. https://openstax.org/details/books/university-physics-volume-3

2. National Institute of Standards and Technology (NIST). Fundamental Physical Constants. https://physics.nist.gov/cuu/Constants/

Research Status

This paper presents a mathematical framework based on the established photon-energy relationship and proposed volume-normalized definitions. The equation $E_d \times \lambda_d = hc/V^2$ is derived algebraically and verified by dimensional analysis. It should be regarded as a mathematical relationship within the stated framework rather than a newly established physical law. Additional work is needed to determine whether the framework yields an independently useful physical interpretation or testable prediction.