

PRACTICAL:-2

Question 1.To implement operator.WAP to perform all the example of different types of operator.

AIM:-

To calculate of the Arithmetic operator,comparison operator,logical operator,assignment operator.

INPUT:-

#1. Arithmetic operators

These operators are used for mathematical operations.

a=30

b=24

print ("the value of a+b= ",a+b) # addition

print ("the value of a-b= ",a-b) # subtraction

print ("the value of a*b= ",a*b) # multiplication

print ("the value of a/b= ",a/b) # division

print ("the value of a%b= ",a%b) # modulus

OUTPUT:-

```
the value of a+b= 54
the value of a-b= 6
the value of a*b= 720
the value of a/b= 1.25
the value of a%b= 6
```

INPUT:-

x=32

y=20

print ("equal(x==y):",x==y) # Equal to

print ("greater or equal(x>=y):",x>=y) # Greater than or equal to

print ("not equal(x!=y):",x!=y) # Not equal to

print ("greater than or less than(x>y,x<y):",x>y,x<y) # Greater than or less than

print ("less than or equal to(x<=y):",x<=y) # Less than or equal to

OUTPUT:-

```
equal(x==y): False
greater or equal(x>=y): True
not equal(x!=y): True
greater than or less than(x>y,x<y): True False
less than or equal to(x<=y): False
```

INPUT:-

#3.logical operators

These operators are used to perform logical operations on boolean values.

p=True

q=False

print("AND (p and q):",p and q) # logical and &

print("OR (p or q):",p or q)# logical or ||

print("NOT(not p):",not p) # logical not !

OUTPUT:-

```
AND (p and q): False
OR (p or q): True
NOT(not p): False
```

INPUT:-

#4.Assignment operators

These operators are used to assign values to variables.

a= 5

a*= 3

print("a*= 5:",a) # a= a * 3

b= 6

b+= 4

print("b+= 4:",b) # b= b + 4

c= 7

c-= 8

print("c-= 8:",c) # c= c - 8

d=2

d%=4

print("d%= 4:",d) # d= d % 4

OUTPUT:-

```
a*= 5: 15
b+= 4: 10
c-= 8: -1
d%= 4: 2
```

PRACTICAL:-3

AIM:-

WAP to print student information using some field with the help of user input:

INPUT:-

#1.Student Name:

```
name= str(input("enter your student Name: ")) # Student Name:
print("Student Name: ",name)
```

#2. Student Father Name:

```
name= str(input("enter your Father Name: ")) # student Father name:
print("Student Father Name: ",name)
```

#3. Student mother name:

```
name= str(input("enter your Mother Name: ")) # student Mother name:
print("Student Mother Name: ",name)
```

#4. Student roll no:

```
number= int(input("enter your roll no Name: ")) # Student roll no:
print("Student roll no: ", number)
```

#5. Student Course:

```
course= str(input("enter your course: ")) # Student Course:
print("Student Course : ",course)
```

#6. student fees:

```
fees= input("enter your fees:") # student fees:
print("Student Fees: ",fees)
```

#7. student college name:

```
name= str(input("enter your college name:")) # college name:
print("Student College Name: ",name)
```

#8. student place:

```
place= str(input("enter your place:")) # place
print("Student Place: ",place)
```

#9. student mobile no:

```
number= int(input("enter your mobile no:")) # mobile no:
print("Student Mobile No: ",number)
```

#10. student adhar card no:

```
number= int(input("enter your adhar card no:")) # adhar card no:
print("Student Adhar Card No: ",number)
```

#11. student PAN card no:

```
number= int(input("enter your PAN card no:")) # PAN card no:
print("Student PAN Card No: ",number)
```

OUTPUT:-

```
enter your student Name: Pawan yadav
Student Name: Pawan yadav
enter your Father Name: Hari yadav
Student Father Name: Hari yadav
enter your Mother Name: Sarita devi
Student Mother Name: Sarita devi
enter your roll no Name: 11242594
Student roll no: 11242594
enter your course: B.TECH
Student Course : B.TECH
enter your fees: 4 LAKH
Student Fees: 4 LAKH
enter your college name:MAHARISHI MARKANDESHWAR (DEEMED TO BE UNIVERSITY)
Student College Name: MAHARISHI MARKANDESHWAR (DEEMED TO BE UNIVERSITY)
enter your place: mullana
Student Place: mullana
enter your mobile no: 8809972062
Student Mobile No: 8809972062
enter your adhar card no: 123456781234
Student Adhar Card No: 123456781234
enter your PAN card no: 8113085487
Student PAN Card No: 8113085487
```

PRACTICAL:-4

AIM:-

Implement some Mathematical Formulas With User Input:

INPUT:-

#1. WAP to calculate area of circle:

```
a= float (input("enter the value of pi= "))
b= int(input("enter the of radius= "))
c= (a*b*b)
print("area of circle= ",c)
```

OUTPUT:-

```
enter the value of pi= 3.14
enter the of radius= 2
area of cicle= 12.56
```

INPUT:-

#2. WAP to calculate area of triangle:

```
a= int(input("enter the value of base= "))
b= int(input("enter the value of height= "))
triangle=1/2*(a*b)
print("area of triangle= ",triangle)
```

OUTPUT:-

```
enter the value of base= 3
enter the value of height= 5
area of triangle= 7.5
```

INPUT:-

#3. WAP to calculate area of rectangle:

```
l= 4
b= 2
a= l*b
print("area of rectangle= ",a)
```

OUTPUT:-

```
area of rectangle= 8
```

INPUT:-

#4. WAP to calculate area of cuboid:

```
l= int(input("enter the value of length= "))
w= int(input ("enter the value width= "))
h= int(input("enter the value of hight= "))
area= 2*(l*w + w*h + l*h)
print("area of cuboid= ",area)
```

OUTPUT:-

```
enter the value of length= 2
enter the value width= 3
enter the value of hight= 3
area of cuboid= 42
```

INPUT:-

#5. WAP to calculate area of square:

```
a= int(input("enter the value of square= "))
square=a*a
print("area of square= ",square)
```

OUTPUT:-

```
enter the value of square= 4
area of square= 16
```

INPUT:-

#6. WAP to calculate area of cube:

```
a= int(input("enter the value of area:"))
area= 6 * a * a
print("area of cube= ",area)
```

OUTPUT:-

```
enter the value of area:6
area of cube= 216
```

INPUT:-

#7. WAP to calculate area of cone:

```
r= int(input("enter the radius= "))
h= int(input("enter the hight= "))
cone=3.14*r*(r+h)
print("area of cone= ",cone)
```

OUTPUT:-

```
enter the radius= 2
enter the hieght= 3
area of cone= 31.400000000000002
```

INPUT:-

#8. WAP to calculate area of cylinder:

```
r= int(input("enter the value of radius= "))
h= int(input("enter the value of height= "))
area=2*3.14*r*(r+h)
print("area of cylinder= ",area)
```

OUTPUT:-

```
enter the value of radius= 2
enter the value of height= 5
area of cylinder= 87.92
```

INPUT:-

#9.WAP to calculate square & cube of a number:

```
a=int(input("enter the value of square: "))
b=int(input("enter the value of cube:" ))
square=a*a
cube=b*b*b
print("square:",square)
print("cube:",cube)
```

OUTPUT:-

```
enter the value of square: 2
enter the value of cube:5
square: 4
cube: 125
```

PRACTICAL:5**conditional statements:**

AIM:-

WAP to Implement the simple if, if-else statement, ladder if (if-elif-else statement), nested if statement.

INPUT:-

#1. simple if statement:

x= 15 # 1st example:

if x>5: # simple if:

 print("x is greater than 5:")

2nd example

a= 33

b= 200

if b>a: # simple if

 print("b is greater than a:")

OUTPUT:-

```
x is greater than 5:
b is greater than a:
```

INPUT:-

2. if-else statement:

x= 10

if x>15: # if statement:

 print("x is greater than 15:")

else: # else statement:

 print("x is less than or not equal to 15:")

OUTPUT:-

```
x is less than or not equal to 15:
```


INPUT:-

#3. ladder if (if-elif-else)statement:

```
a= int(input("enter the value of a= "))
b= int(input("enter the value of b= "))
c= int(input("enter the value of c= "))
if a>b and a>c: # if statement:
    print("a is greater than b and c")
elif b>a and b>c: # elif statement:
    print("b is greater than a and c")
else: # else statement:
    print("c is greater than a and b")
```

OUTPUT:-

```
enter the value of a= 200
enter the value of b= 100
enter the value of c= 300
c is greater than a and b
```

INPUT:-

#4. nested if statement:

```
x= 40
if x>10: # if statement:
    print("above ten")
    if x>20: # if statement:
        print("and also above 20:")
    else: # else statement:
        print("but not above 20:")
```

OUTPUT:-

```
above ten
and also above 20:
```

PRACTICAL:5

AIM:-

WAP to check you are eligible or not for voting using user input & with the help of conditional statement.

INPUT:-

```
# eligible for voting or not voting your age depends:  
age= int(input("enter the value of age= "))  
if age>18: # age 18 greater than:  
    print("you are eligible for voting:") # voting yes.  
else:  
    print("you are not eligible for voting:") # not voting.
```

OUTPUT:-

```
enter the value of age= 19  
you are eligible for voting:  
enter the value of age= 15  
you are not eligible for voting:
```

PRACTICAL:5

AIM:-

WAP to perform open door program using user input.

INPUT:-

```
door= int(input("enter your door no:"))
```

```
if door == 88099:
```

```
    print("door is open:") # door open.
```

```
else:
```

```
    print("door is not open:") # door not open.
```

OUTPUT:-

```
enter your door no:88099
door is open:
```

```
enter your door no:12345
door is not open:
```