PINNACLE HOME SOLUTIONS

Every Space Has A Story

+91 99105 53531

pinnaclehomesolutions24@gmail.com

www.pinnaclewindow.in

Address

203, 2nd Floor, Plot no.2, DDA Tower Service Center,
Sector-5, Rohini, New Delhi-110085

Pinnacle uPVC Door and Window has evolved over the years to meet all customer need. Our dedication to provide high quality service both to end – users and promoters, our hard work and perseverance helped us grow and expand over a short period of time.

We have a strong sales force backed by design and costing engineers ready to respond to all inquires and services need by customers

The company also employs experienced supervisors, technical team and administrative that committed work force to ensure reliable and consistent quality products manufactured in fully equipped factory.

uPVC Door and Window is very economical, its competitive pricing and maintenance free product assure better savings.

With more than decades of experiences in this field, Mozart (Europlast) Windows continues to build upon our guiding principles to ensure that our customers receive the highest standards and quality for their new home.

HAPPY
WINDOWS
FOR
HAPPY
YOU...

INDEX

WHY UPVC	Page 1-2
HOW WE WORK	Page 3-4
ADVANTAGES	Page 5-6
STYLES AND COLOURS	Page 7
DESIGNS OF DOORS & WINDOWS	Page 8
CASEMENT WINDOWS	Page 9
SLIDING WINDOWS	Page 10
CHOICE OF GLASS	Page 11-12
HARDWARE	Page 13-14
MESH	Page 15-16
CLIENTS	Page 17
FREQUENTLY ASKED QUESTIONS?	Page 18
CERTIFICATES	Page 19-20

WHY UPVC

Long-Lasting Strength | Energy-Efficient | Healthier Indoor Air Quality | Safe & Secure | Lead-Free | Weather Proof

3 MILLION INSTALLATIONS

Green Buildtech Conference & Display to encourage green building revolution 21-22 August 2015, Chandigarh

GRIHA

Indian Green Building Council FOUNDING MEMBER

EXPERIENCE OF 3 MILLION PLUS INSTALLATION ENERGY EFFICIENT WINDOWS

ENVIRONMENTALLY FRIENDLINESS OF UPVC WINDOWS

- Easy to recycle
- It is a lead-free
- Energy saving in production and in building insulation
- Harmless to humans

PROPERTIES OF UPVC WINDOWS

- Moulded Multi-chamber profile makes the frame and sash rigid.
- Excellent sound insulation, especially in the growing urban regions
- Perfect thermal insulation
- Fire resistant / Self extinguishing
- Uv Protected / Stable
- Durable and Long Lasting

DESIGN BENEFITS OF UPVC WINDOWS

- Appealing visual aesthetic.
- Prominent colour option
- Suited for new and retrofit solutions
- Minimal maintainence

FUNCTIONAL VALUE OF UPVC WINDOWS

- Designed specifically for Double glazing.
- Increase the value of your home
- Resistant to dust and easy to clean
- Resistant to pests and won't rot, rust or corrode
- Durability and resistance against intruders

HOW WE WORK

CREDENTIALS NEEDED BY THE CUSTOMERS

We always prefer to schedule an appointment, to resolve the queries from assorted source

THE IDEAL QUICK FIX

For the acknowledgement of requisites & brand elucidation, the clients are visited.

SCRUTINY & CREATION

After estimating the dimensions at the respective location, the respective extents are finalized by engineers & with the respective client's consent the window prodution is processed.

CONVEYANCE & APPLIANCE

The windows are delivered & installed within a precise time.

SCOURING AND HANDOVER

Windows are scoured & handover to the client by installer team.

CUSTOMER SATISFACTION & APPEASEMENT

Pinnacle ensures the best & fine quality with its work that enhances the trust & contentment of customer towards us.

ADVANTAGES

FLOWLESS VIEW
EASY TO CLEAN
GEOMETRIC PERFECTION



SEAMLESS WELDING



SEAMLESS WELDING
WITH GERMAN
TECHNOLOGY.

FIRST TIME IN INDIA

STYLES AND COLOURS

Variety of options to choose from

FIXED PANE

The Glazing is inserted directly into the frame-there is no sash that could be opened.

TOP HUNG

The sash is to be opened outwards hinged from the Bottom.

SIDE HUNG

The Sash to be opened side hung outward & hinge on side.

MONO, DUP & MULTI SLIDER

One sash can be slid to the side to open the window. The other is a fixed pane.

SIDE HUNG

The window can be tilted inwards only.

TURN & TILTR

The window can be opened to the inside and it can be tilted. This is a dual function opening type.

SLIDE & FOLD DOOR

The door can give 80% opening space.

COMBINATION WINDOW

Combination window can be design as per your choice.

Gray | Golden Oak | Dark Oak | Walnut | Wood Grain

DESIGNS OF DOORS & WINDOWS

CASEMENT WINDOWS

FEATURES The finest in form & functionality

FUSION WELDED JOINT
The corner and joints are welded together for close packing and greater strength.

MULTI POINT LOCKING
To hold the windows strongly with increased security, preventing noise, air and water leakage.

FRICTION STAY
It is the connection mechanism between sash & outer frame and enables opening of the window to the desired size.

GLAZING SYSTEM
Single, double and triple glazing options for arresting noise & energy loss along with air tight sealants with suitable space bar.

SLIDING WINDOWS

MULTI CHAMBERED
Impact strength and durability of the windows are ensured with a number of multi-chambered sections.

STEEL REINFORCEMENT - RED COLOUR
Hot dip galvanized to 125 GSM and corrosion free, the steel reinforcement adds strength to the windows.

WEATHER SEAL
Helps to provide a water tight seal and also provides a wind and draught tight seal.

SLIDING ROLLER
The windows come equipped with slider rollers that ensure smooth mano euvrability as well as durability.

DRAIN HOLES
It prevents water spilling inside by providing separate drainage chambers to drain out the water



CHOICE OF GLASS

CLEAR GLASS:

Standard clear Glass or Float Glass has a slight green tint to the body of the glass and a very dark green edge detail while Extra Clear Glass or 3 Starphire has very little tint to the body of the glass appearing almost completely transparent, the glass edge has a very slight crystal blue/green tint.

FROSTED GLASS

Frosted glass is produced by the sandblasting or acid etching of clear sheet glass. This creates a pitted surface on one side of the glass pane and has the effect of rendering the glass translucent by scattering the light which passes through, thus blurring images while still transmitting light.

LAMINATED GLASS

Laminated glass is a type of safety glass that holds together when shattered. ... The interlayer keeps the layers of glass bonded even when broken, and its high strength prevents the glass from breaking up into large sharp pieces

TEMPERED GLASS

Tempered or toughened glass is a type of safety glass processed by controlled thermal or chemical treatments to increase its strength compared with normal glass. Tempering puts the outer surfaces into compression and the interior into tension.

DOUBLE GLAZE GLASS

Double-paned windows have two sheets of glass in a window frame instead of just one. Between the glass panes is a small space to provide insulation. The small space between window panes is filled with insulating gas to further increase insulation.

REFLECTIVE GLASS

Reflective glass is clear or tinted glass that has a very thin layer of metal or metallic oxide on the surface. The reflective coating is applied during the float process. ... The reflective coating reduces heat gain and glare from the outside while allowing visible light to enter. Note : All tinted glass and Reflective glass are also available in Toughened process, Double Glazing Process, Laminated Process.

HARDWARE

Doorset

Premium door handle

Espagnolette For Casement Door

L-hinge

Double Side Handle
For Casement

Gasket

Wool Pile / Weather Strip

Mesh Handle

Touch Lock

Casement handle without key

"D" Handle

Pop up Handle

3D Door Hinge

"C" Handle

Casement Handle With Key

Ideal Handle With Knob For
Bathroom, Balcony Etc.



MESH OPTIONS

SLIDING MESH

PULL DOWN MESH

Insect free
Windows & Doors

New Arrivals

These options are available

Corner Combing Plisse Mesh

Honey Comb Mesh

BENEFITS

Sound Insulation

By installing Noise Cancellation Doors and Windows you can minimize noise pollution levels in your home by as much as a half.

Wind Load

Aluminum windows and doors ore stronger and has an extensive performance lifespan as compared to other window materials.

Water Tightness

Our aluminum windows and doors are mode from innovative profiles to resist from Water, also come with no corrosion for |ifetime feature.

Air Permeability

During these days buildings are very high-rise with glass outer finish, to hold such heavy glass of doors and windows our product comes with extensive capability.

Impact Resistance

Aluminum frames, doors and windows are very light in weight but very strong in comparison to wood and plastic, it has greater absorb capacity against unusual impacts.

SLIDING WINDOW

25mm 01
27mm 07
29mm 11
31mm Gutf 17
32mm 21
35mm Gulf 27
35mm Hign-End 33
35x7Smm 37
37mm 41
40mm High-End 45

CASEMENT WINDOW & DOOR

40mm 51
50mm 55
50mm S&F 59

SLIM PARTITION

25x25mm 63
16x45mm 65
25x45mm 69
25x55mm 71

GLASS RELING 73

MINIMUM ASSEMBLY TIME - MAXIMUM QUALITY

From a sorting perspective, this new window system fitting has been continually refined. We hove unmatched manufacturing and processing speeds for aluminium window extrusions without sacrificing quality. Your home's appearance reveals a lot about who you are. It's no secret that doors and windows ploy a big role in determining the look and feel of a home.

SLIDING WINDOW

In order to meet the needs of every modern home, we provide a wide variety of window components. You can choose from classic casement windows to Sliding & Folding windows to fit your home's style. For more than just welcoming visitors, your front door plays an important part in weotherproofing and insulating your home. It is the best investment you can make on your home if you install aluminium aoors and windows, at a low price, you may improve your home's aesthetic, energy efficiency, and security.



Key Features

- European design
- Glazing from Smm to 18mm
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug & Bugler Proof Windows
- Slim Interlock Shutter Available for Single Glass & Double Gloss Sliding

Sound Insulation

Air Permeability

Wind Load

Impact Resistance

Water Tightness

25MM WINDOW SERIES

25mm Three Track with Two shutter Assemble



Top View



Outside

Inside



Top 6 Bottom Shutter



Two Track with 90' Cutting



TWO TRACK



Basic Type
SeHion Number : V-2S01
Weight (kg/mt): 0.88Z

THREE TRACK



Basic Type
Section NumDer : V-2502
Weipht (kg/mt): 1.417

TWO TRACK



Premium Type
Section Number : V-2S03
Weight (kg/mt): 1.168

THREE TRASK



Premium Type
Section Number: V-2504
Weight (kg/mt): 1.ó76

TWO TRACK



2 in 1 Frame With Grill
Section Number : V-2509
Weight (kg/mt): 3.Z›55

SHUTTER



hmm-8mm Single Gloss Shutter
8ection Number . V-25ì1
weir t ‹z9/mt): o.ass

SHUTTER



5mm-Jómm Gloss Shutter
Section Number . V-2512
Weight (kg/mt) . 0.725

SHUTTER



Mosquito screen Shutter
Section Number : V-2S13
Weight (kg/mt): 0.793

SHUTTER



Top Bottom Shutter
Section Number : V-2515
Weight (kg/mt): 0.579

INTERLOCK CUP



Universal Clip
Section Number: V-2521
Weight (kg/mt): 0.393

INTERLOCKCLIP



Holf Interlock Clip
Section Number: V-2MO
Weight (kg/mt): 0.226

25MM WINDOW SERIES

THREE TRACK



Slim Interlock Shutter
Smm-16mm Gloss Shutter
Section Number : V-2S23
Weight (kg/mt): 0.46ó8

INTERLOCK



Box ReinfÓrcement Interlock
Section Number : V-2527
Weight (kg/mt): 0.929

SHUTTER



Reinforcement Interlock Shutter
Smm-1ómm Gloss Shutter
Section Number : V-2522
Weight (kg/mt): 0.803

SHUTTER



Slim Interlock Shutter
Section Number : V-2528
Weight (kg/mt): 0.49S

INTERLOCK



Box Reinfoicement Interlock Shutter
Section Number: V-2530
Weight (kg/mt): 0.994

INTERLOCK



Reinforced Interlock mutter
Section Number : V-2M9
Weight (kg/mt): o.8oO

SHUTTER



Mosquito 5lim Interlock Shutter
Section Number : V-251ó
Weight (kg/mt): 0.566

SHUTTER CLIP



Nìosquito Shutter Clip
Section Number: V-2St4
Weight (kg/mt): a.144

AODITIONAL TRACK



f•1osauito Shutter Track Bracket
Section Number : V-25tO
Weight (kg/mt): O.345

REDUCER CLIP



4-8mm Gloss Clip
Section Number : V-252ó
Weight (kg/mt): O.164

MOSQUITO CLIP



Mosquito Screen Fitting Clip
Section Number : V-2524
Weight (kg/mtì : 0.083

CLIP



Centre Ooening Meeting Section
Section Number : V-2525
Weight fkg/mt): 0.434

25MM WINDOW SERIES

TRACK RAIL CLIP



'V" Type
Section Number : V-2531
Weight (kg/mt): 0.156

TRACK RAIL CLIP



°U" Type
Section NumDer : V-2532
Weight (kg/mt): O.1ó6

TRACK RAIL CAP



°H" Type Adapter
Section Number: V-2534
Weight (kg/mt): 0.121

LOCKING ROD



15x20 Euro Groove
Section Number: V-2551
Weight (kg/mt): 0.156

GRILL SUPPORT



Gr|| Support
Section Number : V-2552
Weight (kg/mt): 0.276

GEORGIAN BAR



Georgion Bar
Section Number: V-255ó
Weight (kg/mt): 0.073

GEORGIAN BAR



Georgian Bar
Section Number: V-2557
Weight (kg/mt): 0.073

LOUVER SECTION



Lover Section
Section Number : V-2561
Weight (kg/mt): o.5\9

ROUND TUBE



Grill Fitting Tube Cover
Section Number: V-1002
Weight (kg/mt): 0,164



Aluminum profle systems' doors and windows are successfully linked with composite profiles. A series of cutting-edge engineering solutions ensures that the product and the structures it is used for have excellent structural performance.

27MM WINDOW SERIES

SHUTTER



18mm Laminote Shutter
Section Number : V-2730
Weightkgl2):3162

SHUTTER



Mosquito Shutter
Section Number: V-2725
Weight (kg/12'): 2,752

SHUTTER CLIP



Mosquito Shutter Clip
Section Number : V-2S14
Weight (kg/mt): O.144

SHUTTER



Handle Domal
Section Number:
V-2726/1753 V-2726/1754
Weight (kg/12'): *2.450* 2.800

SHUTTER



Mosquito Shutter
Section Number : V-27Z7/175ó
Weight (kg/12'): 2.500

CLIP



Mesh Shutter Clip
Section Number : V-2728/1757
Weight (kg/12'): 0.300

CLIP



Universal Clip
Section Number : V-2731
Weight (kg/12'): J,OOO

TWO TRACK



Regular Type
Section Number . V-2703/L-4
Weight íkg/12'): 3.180

THREE TRACK



Regular Type
Section NumDer : V-2714/L-3(2)
Weight (kg/12'): 4,400

CLIP



Meeting Section
Section Number: V-2743/L-2
Weight (kg/12'): 0.900

MOSQUITO CLIP



Mosquito Screen Fitting Clip
Section Number: V-2524
Weight (kg/12'): 2,900

ANGLE



38 X38 Angie
Section Number : V-2740
Weight (kg/12'): 2.o38

THREE TRACK



Regular Type
Section Numoer : V-27J3/L-3(J)
Weight (kg/12'):/+.100

THREE TRACK



Regu|ar Type
Section Number: V-2715
Weight (kg/12'): 4.000

THREETRACK



Regular Type
Section Number: V-2717
Weight (kg/12'): 4.280

ROUND TUBE



Grill Fitting Tube Cover
Section Number: V-1002
Weight (kg/mt): 0.164

GRILL SUPPORT



Grill Support
Section Number : V-2552
Weight (kg/mt): 0.27ó

SHUTTER



MosqutoShufler
Section Number : V-401O/1355
weight (kg/mts: o.aas

THREE TRACK



Regular Type
Section Number: V-271B
Weight kg/12'): 4.200

TWO TRACK



Regular Type
Section Number: V-2706/1750
Weight (kg/12'): 2.700

THREE TRACK



ReguIorType
SectionNumber:
V-2Pó/17D V-Z7Tó/17R2
Weightkgl2'):3,WO 4,9O0

TWO TRACK



2 Track With Grill
Section Number : V-2741/1808
Weight (kg/12'): 3.500

TWO TRACK



2 Track Grill With Mosquito
Section Number : V-2742/1809
Weight (kg/12'): 4.45O

29MM WINDOW SERIES

29MM WINDOW SERIES



Top View



Inside

22mm Slim Interlock

Outside



22mm Slim Interlock

Side View



22.4

Super Slim Mass Interlock

Key Feotures

- European design
- Glazing from Smm to *2km*rn
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Avoilable in Larger Opening
- Design for Mid to Large Size Shutter SlidiÜg
- Bug & Bugler Proof Winaows
- Slim Interlock Shutter Available for Single Glass & Double Glass Sliding

Sound Insulation

Air Permeobility

Wind Lood

Impact Resistonce

Water Tightness

TVVOTRACK



Basic Type
Section Number: V-U
Weight (kg/mt): 1.O45

TWO TRACK



Bosic Type
Section Number : V-2902
Weight (kg/mtl : 1.150

TWO TRACK



Premium Type
Section Number : V-2901
Weight (kg/mt): 1.317

THREE TRACK



Basic Type
Section Number : V-1741
Weight (kg/mt): 1.ó54

THREE TRACK



Bosic Type
Section Number : V-2904
Weight (kg/mt): 1.ó7s

THREE TRACK



Premium Type
Section Number: V-29O6
Weight (kg/mt): 1.943

ADDITIOHAL TRACK



Additionol Track
Section Number: V-2PIO
Weight (xg/mt): 0.492

SHUTTER



Zimm-8mm Glass Shutter
Section Number: V-17Zs2
Weight (kg/mt} : O.942

SHUTTER



Laminate Shutter
Section Number : V-2920
Weight (kg/mt): 0.798

SHUTTER



5mm-22mm Gloss Shutter
Section NumDer : V-174Z
Weight (kg/mt): 0.849

29MM WINDOW SERIES

SHUTTER



Mosquito Screen Shutter
Section Number: V-2913
Weight (kg/mt): 0.982

INTERLOCK CLIP



Universal Clip
Section Number : V-2921
Weight (kg/mt): 0.3d1

CLIP



Double Interlocking Clip
Section Number : V-2922
Weight (kg/mt): 0.473

SHUTTER



Slim Interlock Shutter
5mm-22mm Gloss Shutter
Section Number: V-2924
Weight (kg/mt): O.5ó1

INTERLOCK



Box Reinforcement Interlock
Section Number : V-2927
Weight (kg/mt): 1.1Zfl

REDUCER CLIP



4mm-8mm Gloss
Section Number : V-2P2&
Weight (kg/mt): O.1ó4

SHUTTER



Super Slim Interlock Shutter
Sectton Number: V-2931
Weight (Kg/mt): 0.505

SHUTTER



Super Slim Box Reinforcement Interlock
Section Number : V-2P32
Weight (kg/mt): 1.050

SHUTTER



Super Slim Mass Interlock
Section Numbar : V-2P33
Weight (kg/mt): 0.505

INTERLOCK



Slim Interlock Shutter
Section Number: V-2929
Weight (kg/mt): 0.503

CLIP



Box Reinforcement Interlock
Section Number : V-293O
Weight (kg/mt): 1.044

SHUTTER



Middle Shutter
Section Number : V-2925
Weight (kg/mt): 0.683

29MM WINDOW SERIES

MIDDLE SHUTTER



Mosquito Middle Section
Section Number : V-2928
Weight (kg/mt): 0.592

SHUTTER CLIP



Mosquito Shutter Clip
Section Number : V-25I4
Weight (kg/mt): O.144

TRACK RAIL CLIP



"V" Type
Section Number : V-2531
Weight (kg/mt): 0.15ó

TRACK RAIL CLIP



"U" Type
Section Number : V-2532
Weight (kg/mt): 0.16ó

TRACK RAIL CAP



"H" Type Adapten
Section Number: V-2534
Weipht (kg/mt): 0.121

MOSOUITO CLIP



Mosquito Screen Fitting Clip
Section Number: V-2524
Weight (kg/mt): 0.083

LOCKING ROD



15x20 Euro Groove
Section Number : V-2551
Weight (kg/mt): 0.156

ANGLE



38 X 38 Angle
Section Number: V-2740
Weight (kg/12'): 2.038

MEETING SECTION



Meeting Section
Section Number: V-1744
Weight (kg/12'): 0.410

GEORGIAN BAR



Georgian Bar
Section Number: V-2556
Weight (kg/mt): 0.073

GEORGIAN BAR



Georgian Bar
Section Number : V-2557
Weight (kg/mt): 0.073

Avoiloble
- Standard 12' & 16' Feet
- As Per Your Cutting Size For Project



Key Features

- European design
- Glazing from 5mm to 20mm
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug & Bugler Proof Windows
- Slim Interlock Shutter Available for Single Glass & Double Gloss Sliding
- 90' Cutting System For Frame 6 Shutter Both

Sound Insulation

Air Permeability

Wind Load

Impact Resistance

Water Tightness

31MM GULF WINDOW SERIES



Top View



Two Track Shutter Assemble





Three Track with Mosquito

90" Frame Cutting



Slim interlock SG 6 DGU

90" Shutter Cutting

31MM GULF WINDOW SERIES

TWO T CK



Top 6 Bottom Trock
Section Number : V-3103
Weight (kg/mt): J.640

TWO TRACK



Vertical Trock
Section Number: V-3102
Weight (kg/mt): I.04

THREETRACK



Top 6 Bottom Trock
Section Number : V-3104
Weight (kg/mt): 2.28a

THREE TRACK



Vertical Track
Section Number : V-3105
Weight (kg/mt): 0.941

SHUTTER



Yertical S. G. Shutter
Section Number : V-Tall
Weight (kg/mt): O.9M

SHUTTER



Top 6 Bottom S. G. Shutter
Section Number : V-3112
Weight (kg/mt) . 1.o79

INTERLOCK



Slim Interlock S. G.
Section Number: V-3]21
Weight Ïkg/mt): 0.683

INTERLOCK



Box Reinforcement Interlock S. G
SectionNumber:V-Jl2ü
Weight (kg/mt): 1.202

31MM GULF WINDOW SERIES

SHUTTER



Vertical DGU Shutter
Section Number : V-3115
Weight (kg/mt): O.942

SHUTTER



Top 6 Bottom DGU Shutter
Section Numbei : V-51T6
Weight (kg/mt): 1.079

INTERLOCK



Slim Interlock DGU
Section NumDer: V-¥t17
Weight (kg/mt): O.ó83

INTERLOCK



Box Reinforcement Interlock OGU
Section Number : V-5118
Weight (kg/mt): 1.202

TRACK RAIL CLIP



"V" Type
Section Number: V-2531
Weight (kg/mt): O.15ó

TRACK RAIL CLIP

"U" Type
Section Number : V-2532
Weight (kg/mt): o.J6ó

TRACK RAIL CAC



"H" Type Adopter
Section Number: V-2534
Weight(kg/mt): O.121

uosQuiTo CLIP



Mosquito Screen Fitting Clip
Section Number: V-2524
Weight (kg/mt): 0.083

LOCKING ROD



1Sx2O Euro Groove
Secton Number . V-2550
Weight kg/m) : o.1M

32MM WINDOW SERIES



Top New





Side View



Key Feotures

- European design
- Glazing from hmm to *2km*rn
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- ProviSion for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mld to Large Size Shutter Sliding
- Bug & Bugler Proof Winoows
- 5Iim lnterlock Shutter Available for Single Glass & Double Gloss Sliding

Sound Insulation

Air Permeobility

Wind Load

Impact Resistance

Woter Tightness



Additional Track With Bottom Support

32MM WINDOW SERIES

TWO TUCK



Basic Type
Section Number : V-3201
Weight (kg/mt): 1.444

THREETRACK



Basic Type
Section Number : **V-3202**
Weight (kg/mt): 2.206

INTERLOCK CLIP



Universal Clip
Section Number: V-3221
Weight (kp/mt): 0.561

SHUTTER



f Mosquito Screen Shutter
Section Number: **V-3213**
Weight (kg/mt): 0.894

SHUTTER CLIP



MosquitoShunerCip
Section Number:V-2574
Weight tkg/mt) : 0.144

TWOTRACK



PlemiumType
Section Number: V-3203
Weipht (k9/mt): 1.409

THREE TRACK



Premium Type
Section Number : V-3204
Weight (kg/mt): 2.D99

SHUTTER



Slim Interlock Shutter
5mm-22mm Glass Shutter
Section Number : V-322Z
Weight (kg/mt): 0.5P6

INTERLOCK



Box ReinfÓrcement Interlock
Section Number : V-3M7
Weight (kg/mt): 1.206

SHUTTER



Mosquito Slim Inteilock Shutter
Section Number : V-3ZI6
Weight (kg/mt): 0.727

FOURTRACK



Premium Type
Section Number : **V-3205**
Weight (kg/mt): 2.697

Additionol Track



Additional Trock
Section Number: **V-3206**
Weight (kg/mt): 0.689

REDUCER CLIP



S. G. Glass
Section Number : V-3226-1
Weight (kg/mt): 0.225

NIDDLE SECTION



Single Glass Nliddle
Section Number: V-3214
Weight (kg/mts : 0.w9

MIDDLE SECTION



MOSQUito Middle
Section Number: V-3215
Weight (kg/mt): 0.670

SHUTTER



hmm-8mm moss Shutter
Section Number: V-321J
Weight tkp/mt): 0.950

8HUTTER



Lominate Shutter
Section Number : **V-3220**
Weight (kg/mt): 0.910

SHUTTER



5mm-2cmm Glass Shutter
Section Number: V-3212
Weight (kg/mt): O.947

CLIP



Center Opening Neeting Section
Section Number : **V-3225**
Weight (kg/mt): *0.kb4*

GEORGIAN BAR

20
O b r a

Georgian Bar
Section Number : V-25Só
Weight (kg/mt): **0.073**

GEORGIAN BAR



Georgion Bar
Section NumDer : **V-2557**
Weight (kg/mt): **0.073**

32MM WINDOW SERIES

TRACK RAIL CLIP



’V“ Type
Section Number: V-Z551
Weight(@/mt): o.1s6

TRACK RAIL CLIP



’U" Type
Section Number: V-2552
Weight (@/ml): 0.10•$

TRACK RAIL CAP



“H” Type Adopter
SeMion Number: V-2534
Weight (kg/mt): 0.121

MOSQUITO CLIP



Mosquito Scieen Fitting Clip
Section Number: V-2524
Weight (kg/mt): o.o8s

LOCKING ROD



1M2O Euro Groove
Section Number: V-2551
Weight (kg/mt} : 0.15d

32mm Two Track Four Shutter Assembly (Center Opening)

Available
- Standard 12’ & 16’ Feet
- As Per Your Cutting Size For Project

35MM GULF WINDOW SERIES



Key Features

- European design
- Glazing from Smm to 24mm
- Smooth & Effortless in Movement
- " AUtOmot\C, MOnUOI CO COO\O0 & M JItiPO\nt Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug 6 Bugler Proof Windows
- Slim Interlock Shutter AvCiiloble for Single Glass & Double Gloss Sliding
- 90" Cutting System For FrOme 6 Shutter Both

35MM GULF WINDOW SERIES



Top View



Three Track with Mosquito Assemble





35MM GULF WINDOW SERIES

TWO TRACK SIDE



Vertical Trock
Section Number : V-5501
Weipht (kg/mt): J.J34

TWO TRACK



Top 6 Bottom Trock
Section Number : V-3502
Weight (kg/mt): 1.54/+

THREE TRACK SIDE



Vertical Trock
Section Number: V-35OZ
Weight (kg/mt} : 1.5óó

THREE TRACK SIDE



Vertical Trock
Section Number : V-3504
Weight (kg/mt): 0.245

THREETRACK



Top 6 Bottom Trock
Section Number : V-3505
Weight (kg/mt): 2.073

TRACK



Top 8ottom Single Trock
Section Number: V-2507
Weight (kg/rnt): 0,720

TRACK



Top Bottom Double Track
Section Number : V-3506
Weipht (kg/mt):1,407

35MM GULF WINDOW SERIES

TRACK



Vertical Single Track
Section Number : V-5509
Weight (kg/mt): 0,5P8

TRACK



Vertical Double Track
Section Number: V-3508
Weight kg/mt): 1.053

SHUTTER



Vertical Shutter
Section Number : V-Z511
Weight (kg/mt): 0.891

SHUTTER



Top & Bottom Shutter
Section Number : V-3S\2
Weight (kg/mt): 0.683

SHUTTER



Top & Bottom Shutter
Section Number : V-3 t2-1
Weight fkg/mt): 0.700

SHUTTER



Top 6 Bottom Shutter
Section Number : V-3512-2
Weight (kg/mt): 0.90o

SHUTTER



(ntertock
Section Number: V-3SIS
Weight (kg/mt): O.ó43

INTERLOCK



Box Reinforcement Interlock
Section Number : V-3516-1
Weight (kg/mt): 1.179

sHuwER



4Omm Reinforcement
Interlock Shutter
Section Number : V-3517
Weight (kg/mt): 0.977

ADAPTOR



Mosquito Scieen Aóaptor
Section Number : V-3524
Weight (kg/mt) : 0.242

CLIP



Screw Cover Cop
Section Number : V-3S25
Weight (kg/mt): 0.047

35MM GULF WINDOW SERIES

MIDDLE SECTION



Glass/Mass Biddle Section
Section Number: V-3521
Weight (kp/mt): o.ó10

MEETING SECTION



Center Opening Meeting Section
Section Number : V-3225
Weight (kg/mt): O.464

REDUCER CLIP



Shutter Glass Reaucer Clip
Section Number : V-Z522
Weight (kg/mt): 0.211

TRACK RAIL CLIP



"V" Type
Section Number : V-2531
Weight (kg/mt): O.15ó

TRACK RAIL CLIP



"U" Type
Section NumDer : V-2532
Weight (kg/mt): O.1óó

TRACK RAIL CAP



"H" Type Adapter
Section Number : V-2534
Weight (kg/mt): 0.121

LOCKING ROD



15x20 Euro Groove
Section Number : V-2551
Weight (kg/mt): O.15ó

GEORGIAN BAR



Georgian Bar
Section Number : V-2556
Weight (kg/mt): 0.073

GEORGIAN BAR



Georgian Bar
Section Number : V-2557
Weight (kg/mt): O.O7Z

Glass/Mass Middle Section
Section Number : V-3521



• 90' Cutting System For
Frame & Shutter Both

35MM HIGH—END WINDOW SERIES

35MM HIGH—END WINDOW SERIES



Top View





20mm Slim Interlock



Three Track with Nosquito Assemble



Key Features

- European design
- Glazing from Smm to 24mm
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Availcible in Larger Opening
- Design for Nid to Large Size Shutter Sliding
- Bug & Bugger Proof W'indows
- Slim Interlock Shutter Available for Single Glass & Double Glass Sliding

Sound insulation

Air Permeability

Wind Load

Impact Resistance

Water Tightness

THREE TRACK



Premium Type
Section Number : V-35ZI
Weight (kg/mt): 2.150

THREETRACK



Basic Type
Section Number : V-3532
Weight (kg/mt): J.870

TWO TRACK



Premium Type
Section Number: V-3533
Weight (kg/mt): 1.478

TWO TRACK



Basic Type
Section Number : *Y-3M4*
Weight (kg/mt): 1.110

TRACK RAIL CAP



Track Rail Cap
Section Number: V-3535
Weight (kg/mt): 0.J41

SHUTTER



10mm Single Glass
Verticol Shutter
Section Number : V-5538
Weight (kg/mt): 1.102

SHUTTER



10mm Single Gloss
Top Bottom Shutter
Section Number : V-3539
Weight (kg/mt): 1,033

INTERLOCK



1Omm Single Gloss
Slim Interlock
Section Number: V-3544
Weight (kg/mt): O.544

ADAPTOR



Mosquito Screen Adoptor
Section Number : V-3524
Weight (kg/mt) : 0.2M

CLIP



Screw Cover Cap
Section Number: V-3525
Weight (kg/mt) 0.047

CLIP



Mosquito Clip
Section Number : V-3543
Weight (kg/mt): 0.206

INTERLOCK



J0mm Single Class
Box Retnforcement Interlock
Section Number . V-3 45
Weipht(kg/mt): 0.988

sHurER



Verticot Shuttei (Laminotea Gloss)
Section Number : V-353ó
Weight (kg/mt): 1.Oóó

SHUTTER



Top Bottom Shutter
(Laminated Gloss)
Section Number : V-5537
Weight (kg/mt): 0.8dP

35MM HIGH—END WINDOW SERIES

INTERLOCK



Slim Interlock Shutter
(Lominoted Gloss)
Section Number: V-3M1
Weight (kg/mt): 0.525

INTERLOCK



Box Reinforcement Interlock
(Laminated Glass)
Section Number : V-3SM
Weight (kg/mt) : 0.9d1

SHUTTER



DGU Vertical Shutter
Section Number : V-3547
Weight (kg/mt): 1.000

SHUTTER



DGU Top Bottom Shutter
Section Number: V-3548
Weipht (kg/mt): 0.928

INTERLOCK



DGU Slim Interlock
Section Number: V-3549
Weight (kg/mt): 0.450

INTERLOCK



DGU Box Reinforcement interlock
Section Number : V-3KO
Weight (kg/mt): 0.884

CLIP

Mosquito Clip
Section Number : V-3543
Weight (kg/mt): 0.206

LOCKING ROD

15x2O Euro Groove
gection Number: V-2551
Weight (kg/mt): o,156

GEORGIAN BAR



Georgian Bar
Section Number: V-2556
Weight (kg/mt): 0.07$

GEORG1AN BAR



Georgian Bar
Section Number : V-2557
Weight (kg/mt): 0.073

Key Features

- European design
- Glazing from Smm to 24mm
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 L4ultipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug & Bugler Proof Windows
- Slim Interlock Shutter Available for Single Glass & Double Gloss Sliding

35X75MM WINDOW SERIES



Top View



Sound Insulation

Air Permeability

Wind Load

Impact Resistance

i Water Tightness



Additional Track With Bottom Support

Side View



35X75MM WINDOW SERIES

35X75MM WINDOW SERIES

TWO TRACK



Bas1c Type
Section Number: V-Z5SI
Weight(kg/mt): 1.048

THREETRACK



Premium Type
Section Number : V-Z552
Weight (kg/mt): 1.230

SHUTTER CLIP



F4osquito Shutter Clip
Section Number : V-25I4
Weight (kg/mt): o.1M

GEORGIAN BAR



Georgian Bar
Section Number : V-255ó
Weight (kg/mt): 0.073

GEQRGIAN BAR



Georgian Bar
Section Number: V-2557
Weight (Kg/mt): 0.073

THREETRACK



Basic Type
Section Number: V-3555
Weight (kg/mt): 1.723

THREE TRACK



Premium Type
Section Number: V-3556
Weight (kg/mt): 1.95o

LOCKING ROD



15x20 Euro Groove
Section Number : V-2551
Weight (kg/mt): O.15ó

SHUTTER



S1ngle Gloss Shutter
Section Number : V-55ó1
Weight (kg/mt): 1.1O1

SHUTTER



DGU Shutter
Section Number : V-35ó2
Weight (kg/mt): 1.023

SHUTTER



Mosquito Shutter
Section Number: V-35ó3
Weight (kg/mt): 1.123

CLIP



Universal CTio
Section Number: V-
Weight (kg/mt): 0.415

TRACK RAIL CAP



'V' Type Track Rail Cap
Section Number: V-3581
Weight (kg/mt): o.157

Additional Track



Additional Trock
Section Number: V-35ó0
Weight (kq/mt): 0.956

37MM WINDOW SERIES



Top New



37mm Two Track 8hutter Assamble





Key Feotures

- European design
- GlaZing frOm 5IT IT tO 2ÓtI\ Tt
- Smooth & Effortless in Movement
- Automatic, Manual Concealed 6 f•'tultipoint Lock System
- Provisíon for Insect Screen
- Reinforced Profile Availoble in Larger Opening
- Design for Nid to Large Size Shutter Sliding
- Bug à Bugler Proof W'indows
- Slim Iriterlock Shutter Available for 8ingle Glass & Double Glass Sliding

Sound Insulotion

Air Permeability

Wind Load

Impact Resistance

WOter Tightness





37MM WINDOW SERIES

TVVOTRACK



Premium Type
Section Number : V-3702
Weight (kg/mt): 1.640

SHUTTER



Single Glass Shutter
Section Number : V-3W1
Weight (kg/mt): 1.230

SHUTTER



DGU Shutter
Section Number: V-3712
Weight (kg/mt): 1.230

CLIP



Universal Clip
Section Number : V-357a
Weight (kg/mt): 0.415

CLIP



Universal Clip
Section Number: V-37M
Weight (kg/mt): 0.684

CLIP



Universal Clip
Section Number : V-3723
Weight (kg/mt): 1.317

SHUTTER



Mosquito Shutter
Section Number: V-37I3
Weight (kg/mt): 1.24O

GEORGIAN BAR



Georgian Bar
Section Number: V-2556
Weight (kg/mt): 0.073

GEORGIAN BAR



Georgian Bar
Section Number : V-2557
Weight (kg/mt): 0.073

TRACK RAIL CLIP



°V" Type
Section Number : V-2W
Weight (kg/mt): 0.156

TRACK RAIL CLIP



"U" Type
Section Number : V-2532
Weight (kg/mt): 0.166

TRACK RAIL CAP



°H" Type Adapter
Section Number: V-2534
Weight (kg/mt): 0.121

40MM HIGH—END SERIES

40mm TRACK



Top Trock
Section Number : V-4101
Weight (kg/mt): 1.662

Top View

40mm TRACK



Bottom Threshold
Section Number : V-4103
Weight (kp/mt): 0.675

40mmTRACK



Bottom Track With Water Drainage
Section Number : V-4102
Weight (kg/mt): 1.161

Key Features

- European design
- Glazing from Smm to *2imm*
- Single Roller Capacity 90kg
- Double Roller Capacity 1J0—1B0kg
- Smooth 6 Effortless in Movement
- Automatic, Manual Concealed 6 Multipoint Lock System
- Provision for Insect Screen
- Reinforced Profile Available in Larger Opening
- Design for Mid to Large Size Shutter Sliding
- Bug 6 Bugler Proof Windows
- Slim Interlock Shutter Available for Single Glass & Double Glass Sliding

Sound Insulation

Air Permeobility

WinÓ Lood

Impact Resistance

Woter Tightness

40mm TRACK



Bottom Track Cover
Section Number : V-41O5
Weight (kg/mt): O.3OO

40mm TRACK



Bottom Track Cover
Section Number : V-4106
weig t (kg/mt : o.1z7



4Omm TRACK



Verticol Trock
Section Number: V-4104
Weight (kg/mt): 1.271

k0mm SHUTTER



90" Cutting Shutter
Section Number : V-4111
Weight (kg/mt): 1.150

4Omm SHUTTER



Top Bottom Shutter
Section Number: V-4112
Weight (kg/mt): O.944

4Omm SHUTTER



45a Cutting Shutter
Section Number: V-4113
Weight (kg/mt): 1.155

4Omm SHUTTER



Box Reinforcement Shutter
Section Number : V-4114
Weight (kg/mt): 1.5Bó

40MM HIGH—END SERIES

4Omm INTERLOCK



Slim Interlock
Section Number: V-4]23
Weieht (kg/mt): 0.787

4Omm INTERLOCK



Box Reinforcement Interlock
Section Number: V-4124
Weight (kg/mt): 1.302

4Omm MEETING SECTION



Gloss Nłeeting Section
Section Number: V-4115
Weight (kg/mt): 0.9M

40mm MIDDLE SECTION



Glass/Mess Middle Shutter
Section Number : V-4116
Weight (kg/mt): 0.6ia

omm CLIP



Interlock Clip
Section Number: V-4121
Weight (kg/mt): 0.286

40mm SHUTTER



Mosquito Clip
Section Number : V-4122
Weight (kg/mt): 0.214

INGENUITY WITH ARTISTRY

Since opening up to on idea or an individual is one of the first steps in realizing our potential, strengths, and weaknesses, we are amply creative with the range of aluminium windows we offer.

You will find them to be durable, easy to maintain, and customizable. Your home's energy efficiency will be greatly improved by these windows, which ore lightweight, weather resistant, and extremely energy efficient. There are numerous advantages to using aluminium as a building material in terms of its aesthetics, colour friendliness, and other features.

CASEMENT WINDOW & DOOR

Your home's windows are its star attraction. Whether you live in a modern Apartment or a historic Victorian terrace, your home's character and look are determined by its exterior. In addition to defining your home's appearance from the outside, windows allow you to see the world inside.

40MM WINDOW SERIES



Key Features

- European design
- Glazing from Smm to 24mm
- Square shapes Clip
- Glazing from insiae for securi
- Corner joint & T-Joint for stronger mechanical joinery
- Single point to Nultipoint locking systems
- Smooth 6 effortless in operation
- Internal 6 External opening system
- Design for Medium opening 6 mid. wind load condition
- Bugler Proof Windows 6 Door system

Souna Insulation

Wind Load

Water Tightness

Permeability

mpact Resistance

40MM WINDOW SERIES

4Omm Casement Windows With Flyina Bullion with Grill



40mm Casement Windows With Flying Bullion



40MM WINDOW SERIES

40MM WINDOW SERIES

ECO FRASE OUTTER



Eco Outter Frame
Section Number : V-4O0t/'tBl6
Weight (kg/mt): 0.410

ECOLONGFRAME



Security Grill 6 Mosquito Shutter
Section Number : V-4002/1BIO
Weight (kg/mt): 1.538

SHUTTER



Mosquito Shutter
Section Number : V-SOIO/1Z55
Weight (kg/mt): 0.ó69

NOSQUITO CLIP



Mosquito Scieen Fitting Clip
Section Number : V-2524
Weight (kg/mt): 0.083

ECO GLASS CLIP



5mm-10mm Gloss Clip
Section Number : V-4O12/1B18
Weight (kg/mt): 1.034

BOX FRAI'dE



Door Frame
Section NumDef : V-4026
Weight (kg/mt): 0.754

ECO MULLION



5Smm Eco Mullion Section
Section Number: V-4003/1770
Weight (kg/mt} : 0.65ó

SHUTTER



71mm Outside Shutter/Mullion
Section Number : V-4004
Weight (kg/mt): 0.787

INTERLOCK CLIP



Universal Clip
SemionNumber:V-G013
Weight (kg/mt): 0.5ó1

FLY MULLION



Fly I'dullion
Section Number: V-4014
Weight (kg/mt): 0.6ó2

ADAPTOR



Reverse Adaptor
Section NumDer : V-4OtS
Weight (kp/mt): a.438

KPA MULLION



3 In1 Mullion
Section Number :
V-4005/1BI4
Weight (kg/mt): 1.285

SHUTTER



hmm—8mm Gloss Shutter
Section Number: V-4OOó/18"I2
Weight (kg/mt): 1.088

ECO CLIP



Shutter Bottom Clip
Section Number : V-4016
Weight (kg/mt) 0.308

FRAME



Section Number : V-4017
Weight (kg/mt): 0.ó55

SHUTTER



Section Number : V-4018
Weight (kg/mt): 0.SPI

SHUTTER



5mm—24mm Gloss Shutter
Section Number : V-4007/1BI3
Weight (kg/mt) : 0,947

sHurER



Mosquito screen Shutter
Section Number : V-4008/1811
Weight (kg/mt): 0.929

MIDDLE SECTION



Single Gloss Middle
Section Number : V-4009/1815
Weight (kg/mt): 0.742

LOCKING ROD



Euro Groove Locking Rod
Section Number : V-4021
Weight (kg/mt) .' 0.163

MULLION



Mullion SeHion
Section Number : V-4022
Weight (kg/mt): 0.5M

FRAME



Eco Long Outer Frame
Section Number: V-4O2Z
We1ght (kg/mt): 1.005

50MM DOOR & WINDOW SERIES

Key Features

- European design
- Glazing from Smm to 38mm
- Tilt & Tum system Compatible
- holding 6 Square shapes Clip
- Glazing from insiae for security
- Corner joint 6 T-Joint for stronger mechanical joinery
- Single point to Multipoint locking systems
- Smooth & effortless in operation
- Internol 6 External opening system
- Design for larger opening 6 high wind load condition
- Bugger Proof Door system

Sound Insulation

Air Permeability

Wind Looe

ıMpoct Resistance

Water Tightness

Windows

50mm Casement Windows Flx • Outside Openble







Outside

Inside

50MM DOOR 6 WINDOW SERIES

5Omm Casement Double Door with Flying Bullion







Key Features

- European design
- Glazing from Smm to 38mm
- Tilt 6 Tum system Compatible
- f'4olding 6 Square shapes Clip
- Glazing from inside for security
- Corner joint & T-Joint for stronger mechanical joinery
- Single point to Multipoint locking systems
- Smooth 6 effortless in operation
- Internal 6 External opening system
- Design for larger opening & high wind load condition
- Bugler Proof Door system

Sound Insulation

Air Permeability

Wind Load

Impact Resistance

Water Tightness

DOOr

FRAME



Outter Frame
Section Number: V-5101
Weight (kg/mt): o.B6a

SHUTTER

Outside Opening Shutter
Section Number V-5\02
Weight (kg/mt): 1.134



fIULLION



SOmm Xósmm Mullion
Section Number : V-S103
Weight (kg/mt): J.089

FRAME



Combination Frame
Section Number : V-5104
Weight (kg/mt): 1.654

FRAME



Combination Frame 6ùmm
Section Number : V-5107
Weight (kg/mt): 0.956

FRAME



Combinot!on Frame
Section Number: V-SIOS
Weight tkg/mt): 1.35ó

FRAME



86mm Frame
Section Number : V-5ì06
Weight (kg/mt): 1.284

BOX FRASE

Door Frame
Section Number : V-5001
Weight {kg/mt): 1.O7ó



SHUTTER

inside Opening Shutter
Section Number : V-5002
Weight (kg/mt): 1.5PP



50MM DOOR & WINDOW SERIES

SHUTTER

Outside Opening Shutter
Section Number : V-5003
Weipht (kg/mt): 1.M3



MULLION

Door Niddle Section
Section Number : V-5OO4
Weight (kg/mt): 1.26P



BOTTOI ì

Door Bottom
Section Number : V-5005
Weight (kg/mt): 0.732



MULLION

Euro Fly Mullion
Section Number : V-5006
Weight (kg/mt): 0.732



SHUTTER CLIP



Door Bottom Adapter
Section Number : V-5007
Weight (kg/mt): 0.532

CLIP



I8mm-24mmGlossClip
SectonNumbe‹:V-5008
Weight (kg/mt): 0.M6

CLIP



I'mm—1Omm Gloss Ctio
Section Numoer : V-5009
Weight (kg/mt): O.3O3

CLIP



10mm-ió0mm Gloss Clip
Section Number : V-5011
Weight (kg/mt): O.241

ADAPTER



Reverse Adapter
Section Number : V-5012
Weight (kg/mt): O.497

GLASS CLIP



24mm-31mm Gloss Round Clip
Section Number : V-5013
Weight (kg/mt): O.173

LOCKiNG ROO



15x2O Euro Groove
Section Number: V-255\
Weight (kg/mt): 0.15ó

Key Features

- European design
- Glazing from hmm to 36mm
- Top sliding system
- Molding 6 Square shapes Clip
- Glazing from inside for security
- Corner joint 6 T-Joint for stronger mechanical joinery
- Single point to Multipoint locking systems
- Smooth & effortless in operation
- Internal 6 External opening system
- Design for larger opening 6 mid wind load condition
- Bugler Proof Door system

Sound Insulation	Air Permeability
Wind Load	Impact Resistance
Water Tightness	



SOxSOmm
fix Glass
Shutter



Bottom For
Counsil

Top View



50MM SLIDING & FOLDING SERIES

TOP



Top Guioe
Section Number : V-5201
Weight (kg/mt): 2.55ó

FRAME



Vertical Frame
Section Number : V-5204
Weight (kg/mt): 1.Oó5

SHUTTER



Shutter
Section Number : V-5202
Weight (kg/mt): 1.291

SHUTTER



Premium Slim Shutter
Section Number : V-5207
Weight (kg/mt): 1.376

BOTTOM



Bottom Guide
Section Number : V-5203
Weight (kg/mt): 0.902

BOTTOM



Premium Bottom Guide
Section Number : V-5205
Weight (kg/mt): 0.ióO

S 6 F ADAPTOR



Door Adaptor
Section Number : V-5208
Weight (kg/mt): 0.ióP

S&F



Center Opening Meeting
Section Number : V-S2Oó
Weight (kg/mt): 0.58ó

50MM SLIDING 6 FOLDING SERIES

CLIP



10mm-16mm Gloss Clip
Section Number : V-5011
Weight (kg/mt): 0.241

CLIP



18mm-24mm Gloss Clip
Section Number : V-5008
Weight (kg/mt): 0.22ó

GLASS CLIP



24mm-31 mm Gloss Round Clip
Section Number : V-5013
Weight (kg/mt): 0.173

25X25MM SLIM PARTITION







- Fixed Profile: 25x25mm
- Con be used for door frome with cover or ebote profile
- I•lukiple Doar Options
- Doar Profile: 35xó0mm
- Max Partition Height: 4OO0mm
- Suitable fbr 8, 10, 12mm thick Gloss
- Single Glaze System
- Finish Available: Mill Finish I•laterial Available

FIX PROFILE



Fix Profile
Section Number: SP 25-1
Weiǫht(iɢg/md: 1.470

FIX PROFILE FEMALE



Fix Profile Female
Section Number: SP 25-3
Weight(kg/md: 0.650

FIX PROFILE I•IALE



Fjx Profile Nale
Section Number: SP 25-2
Weight(kg/md: 1A00

16X45MM SLIM PARTITION

3+1



2+2



2+1

+1



Interlock

Suitable for single or multiple sliding doors.
Suitable for sliding doors for residences, hotels, office buildings.
Profile:16 MM x45 MRI
Suitable for portition door & sliding
Can be used for single sliding door, pocket door system, telescopic sliding system, synchronized sliding system for elegant look

Glass thickness supported: 5 RM and 8 MI1
f•1in. door width is 790mm
Max. weight capacity 60 Kg.
Both side soft close system

16X45MM SLIM PARTITION

16X45MM SLIM PARTITION

VERTICAL PROFILE



Vertica1 Profile
Section Number . SP1ó-1
Weight (kg/12'): 2.200

HORIZONTAL PROFILE



Horizontal Profile
Section Number : SP16-2
Weight (kg/12'): 2.770

NIDDLE PROFILE



Middle Profile
Section Number: SP1ó-Z
Weight (kg/12'): 2.65O

DOOR FRAME



Door Frame
Section Number : SP16-21
Weight (kg/12'): *h.kS9*

GLASS JOINT



Gloss Joint For 12 MM Gloss
Section Number: SP SS-8
Weight (kg/12'): 0.Z7O

GLASS JOINT



Gloss Joint For 10 MM Gloss
Section Number : SP 55-11
Weight (kg/12'): O.Z42

ELEVATIDN PROFILE



E1evation Profile
SeCtiOn› Number : SP1ó-13
Weight (kg/J2'): 1.ó42

MIDDLE PROFILE

Middle Profile
Section Number : SP 1ó-1ó
Weight (kg/12'): 3.058

VERTICAL PROFILE WITH INTERLOCKING



Vertical Profile with Interlocking
gection Number : SP16-15
Weight (kg/12'): 2.485

DOOR FRASE WITH FOX PARTITION



Door Frame With the Fox Portition
Section Number: SP16-22
Weight (kg/12'): 3.002

TOP RAIL SLIDING pROFILE



Top Rail Sliding Profile
Section Number : SP1ó-5
We1ght (kg/12'): 2.970

TOP RAIL SLIDING PROFILE COVER



top Rail Sliding Profile Cover
Section Number : SP16-ó
Weight (kg/12'): 1.080

TOP RAIL SLIDING PROFILE



Top Rail Sliding Profile
Section Number:SP16-7
Weight (kg/12'): 3.OOO

TOP RAIL SLIDING PROFILE COVER

Top Rcl1 Sliding Profile Cover
Sect‹on Number : SP16-8
Weight (kg/12'): 1.o8o

Grid Choices



You Can Customize the grid option as per your Customer preference and requirment



- Max Door width 110Omm
- Floor Spring to be ordered according to Door height 6 Dooi width

25X45MM SLIM PARTITION

FIXED PROFILE



Fixed Profile
Section Number : SP 45-1
Weight (kg/12'): 2.000

BOTTOM FOLDING PROFILE



Bottom Folding Profile
Section Number : SP 45-2
Weight (kg/12'): 1.640

f fIDDLE FIXED PROFILE



Middle Fixed Profile
Section Number : SP CS-3
Weight (kg/12'): **2.660**

MIDDLE FOLDING PROFILE



Middle Folding Profile
Section Number : SP 45-4
Weight (kg/12'): 1.840

MIDDLE FOLDING CLIP PROFILE



18mm Lominote Shutter
Section Number : SP 45-5
Weight (kg/12'): o.500

BOTTOI' I FOLDING CLIP



Bottom Folding Clip
Section Number : SP 45-ó
Weight (@/12'): a.ó0o

DOOR TOP 6 BOTTOM PROFILE



Door Top & Bottom Profile
Section Number : SP 45-7
Weight (<g/12'): Z.000

DOOR VERTICAL PROFILE



Door Vertical Profile
Section Number: SP 45-8
Weight (kg/12'): *4.J60*

DOOR FIX PROFILE



Door Fix Profile
Section Number: SP CS-9
Weight (kg/\2'): 4.580

DOOR COVER FOR FIXED PROFILE



Door Cover For Fixed Profile
Section Number: SP 45-10
Weight (kg/12'): 1.490



18mm Laminate Shutter
Section Number: SP 45-II
Weight (kg/12'): 0.713

DOOR TOP 6 BOTTOM CLIP



Door Top 6 Bottom Clip
Section Number: SP 45-12
Weight(kg/12'): 0.610

L CORNER COVER 25 MM



L Corner Cover 25 NN
Section Nu:mber **SP 55-6**
Weight (kg/12'): **0.6o0**

L CORNERCOVER15MM



L Corner Cover 15 MM
Section Number: **SP 55-7**
Weight (kg/12'): 0.250

GLASS JOINT



Gloss Joint For 12 MM Gloss
Section Number: SP 55-8
Weight (kg/12'): 0.370

- Fixed Profile: 25x45mm
- Can be used for door frame with cover or rebate profile
- I"lultiple Door Options
- Door Profile: 35x&0mm 6 45x75mm

- Max Partition Height: 4000mm
- Suitable for 8, 10, 12mm thick Glass
- Single Glaze System
- Finish Available: Bill Finish Material Available
- Cutting Size Customized



25X55MM SLIM PARTITION

FIXED PROFILE



Fixed Profile
Section Number: SP 55-1
Weight (kg/12'): 2.900

BOTTON FOLDING PROFILE



Bottom Folding Profile
Section Number : SP 55-9
Weight (kg/12'): 2.OOO

MIDDLE FOLDING PROFILE



Middle Folding Profile
Section Number : SP 55-2
Weight (kg/12'): 2.'150

MIDDLE FOLDING CLIP PROFILE



Middle Folding Clip Profile
Section Number : SP 55-5
Weight (kg/12'): 0.480

COVER PLATE PROFILE



Cover Plate Profile
Section Number : SP 55-4
Weight (kg/12'): 0.800

DOOR COVER FOR FIXED PROFILE



Door Cover For Fixed Profile
Section Number : SP 55-3
Weight (kg/12'): 1.15O

BOTTON FOLDING CLIP



Bottom Folding Clip
Section Number : SP 55-10
Weight (kg/12'): 0.ó67

L CORNER COVER 25 NN



L Corner Cover 25 MM
Section Number : SP 55-ó
Weight (kg/12'): O.óOO

L CORNER COVER IS MM

L Corner Cover 15 MM
Section Number: SP 55-7
Weight (kg/12'): 0.250

- Fixed Profile: 25x55mm
- Can be used for door frome with cover or rebate profile
- Multiple Door Options
- Door Profile: 35x6omm 6 A5x7Smm
- Max Partition Height: 40OOmm
- Suitable for 8, 10, 12mm thick Glass
- Single Glaze System
- Finish Available: Bill Finish Material Available
- Cutting Size Customized



GLASS JOINT



Gloss Joint For 12 Mfd Gloss
Section Number : SP 55-8
Weight (p/12'): 0.370

GLASS JOINT



Gloss Joint For 10 Ml'd Gloss
Section Number : SP 55-11
Weight (p/12'): 0.342

GLASS RAILING

CONTINUOUS RAILING TOP



Continuous Railing Top
Section Number : V-10051
Weight (kg/12'): Z.200



Continuous Railing Top
Section Number: V-10052
Weight (kg/12'): 3.400



Continuous Railing Top
Section Number: V-10053
Weight [kg/12'): *4.*



Continuous Railing Top
Section Number: V-10054
Weight (Ikg/12'): 4.080



Continuous Railing Top
Section Number : V-10055
Weight (@/12'): 4.100



Continuous Railing Top
Section Number: V-10056
Weight (kg/12'): 2.150

CONTINUOUS RAILING BOTTOM



Continuous Railing Bottom
Section Number : V-10001
Weight (kg/12'): 1s.77s



Continuous Railing Bottom
Section Number: V-1OOO2
Weight (kg/12'): 9.10o



Continuous Railing Bottom
Section Humber: V-10003
Weight (kg/12'): 14.875



Continuous Railing Bottom
Section Number : V-10004
Weight (kg/12'): d.850

All You Need to Have in Windows, Doors, and Facades?

A Bird's Eye View

Fire-Proof

Noise Cancellation

Inaccessible To Theh

Verity Doors and Windows with various Operations

Fixed Window

Top Hung Window

Casement Window

Sliding Window

Turn 6 Tilt Versatile Window



SALES NETWORK

We truly believe in providing our clients across India with aluminium of the highest quolity ot a price that is both reasonable and timely.

PROJECTS

PROJECTS

PINNACLE HOME SOLUTIONS

Every Space Has A Story

"Your Dream Home, Our Expertise."

+91 99105 53531

pinnaclehomesolutions24@gmail.com

www.pinnaclewindow.in

203, 2nd Floor, Plot no.2, DDA Tower Service Center,
Sector-5, Rohini, New Delhi-110085