

DATABASE ASSIGNMENT 1

Thursday, April 10, 2025 8:31 PM

Creating sample tables and inserting values.

Create the following tables with the given structures and insert sample data as specified: -

A) SALESPeOPLE

Snum int(4)
Sname varchar(10)
City varchar(10)
Comm float(3,2)

```
mysql> CREATE TABLE SALESPeOPLE (  
-> Snum INT(4) PRIMARY KEY,  
-> Sname VARCHAR(10),  
-> City VARCHAR(10),  
-> Comm FLOAT(3,2)  
-> );  
Query OK, 0 rows affected, 2 warnings (0.08 sec)  
  
mysql> INSERT INTO SALESPeOPLE VALUES  
-> (1001, 'Peel', 'London', 0.12),  
-> (1002, 'Serres', 'San Jose', 0.13),  
-> (1004, 'Motika', 'London', 0.11),  
-> (1007, 'Rifkin', 'Barcelona', 0.15);  
Query OK, 4 rows affected (0.03 sec)  
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT into salespeople values(1003,'Axelord','New York', 10);  
ERROR 1264 (22003): Out of range value for column 'Comm' at row 1  
mysql> INSERT into salespeople values(1003,'Axelord','New York', .10);  
ERROR 1062 (23000): Duplicate entry '1003' for key 'salespeople.PRIMARY'  
mysql> select * from Salespeople;  
+-----+-----+-----+-----+  
| Snum | Sname | City | Comm |  
+-----+-----+-----+-----+  
| 1001 | Peel | London | 0.12 |  
| 1002 | Serres | San Jose | 0.13 |  
| 1003 | Axelord | New York | 0.10 |  
| 1004 | Motika | London | 0.11 |  
| 1007 | Rifkin | Barcelona | 0.15 |  
+-----+-----+-----+-----+  
5 rows in set (0.00 sec)
```

B) CUSTOMERS

Cnum int(4)
Cname varchar(10)
City varchar(10)
Rating int(4)
Snum int(4)

```
mysql> CREATE TABLE customer(
-> customer_num INT AUTO_INCREMENT KEY,
-> name VARCHAR(100),
-> \c
mysql> CREATE TABLE Customers(
-> Cnum INT PRIMARY KEY,
-> Cname VARCHAR(50),
-> City VARCHAR(50),
-> Rating INT,
-> Snum INT
-> );
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> INSERT INTO Customers VALUES(2001, 'Hoffman', 'London', 100, 1001),(2002, 'Giovanni',
'Rome', 200, 1003),(2003, 'Liu', 'San Jose', 200, 1002),(2004, 'Grass', 'Berlin', 300, 1002),
(2006, 'Clemens', 'London', 100, 1001),(2008, 'Cisneros', 'San Jose', 300, 1007),(2007, 'Pereira', 'Rome', 100, 1004);
Query OK, 7 rows affected (0.03 sec)
Records: 7 Duplicates: 0 Warnings: 0

mysql> Select * from Customers;
+-----+-----+-----+-----+-----+
| Cnum | Cname | City | Rating | Snum |
+-----+-----+-----+-----+-----+
| 2001 | Hoffman | London | 100 | 1001 |
| 2002 | Giovanni | Rome | 200 | 1003 |
| 2003 | Liu | San Jose | 200 | 1002 |
| 2004 | Grass | Berlin | 300 | 1002 |
| 2006 | Clemens | London | 100 | 1001 |
| 2007 | Pereira | Rome | 100 | 1004 |
| 2008 | Cisneros | San Jose | 300 | 1007 |
+-----+-----+-----+-----+-----+
7 rows in set (0.00 sec)
```

C) ORDERS

Onum int(4)
 Amt float(7,2)
 Odate date
 Cnum int(4)
 Snum int(4)

```
mysql> CREATE TABLE Orders(
-> Onum INT PRIMARY KEY,
-> Amt FLOAT,
-> Odate DATE,
-> Cnum INT,
-> Snum INT
-> );
Query OK, 0 rows affected (0.10 sec)

mysql> INSERT INTO Orders VALUES
-> (3001, 18.69, '1990-10-03', 2008, 1007),
-> (3003, 767.19, '1990-10-03', 2001, 1001),
-> (3002, 1900.10, '1990-10-03', 2007, 1004),
-> (3005, 5160.45, '1990-10-03', 2003, 1002),
-> (3006, 1098.16, '1990-10-03', 2008, 1007),
-> (3009, 1713.23, '1990-10-04', 2002, 1003),
-> (3007, 75.75, '1990-10-04', 2004, 1002),
-> (3008, 4723.00, '1990-10-05', 2006, 1001),
-> (3010, 1309.95, '1990-10-06', 2004, 1002),
-> (3011, 9891.88, '1990-10-06', 2006, 1001).
```

```

-> (3007, 75.75, '1990-10-04', 2004, 1002),
-> (3008, 4723.00, '1990-10-05', 2006, 1001),
-> (3010, 1309.95, '1990-10-06', 2004, 1002),
-> (3011, 9891.88, '1990-10-06', 2006, 1001);
Query OK, 10 rows affected, 1 warning (0.03 sec)
Records: 10 Duplicates: 0 Warnings: 1

```

```
mysql> Select * from Orders;
```

Onum	Amt	Odate	Cnum	Snum
3001	18.69	1990-10-03	2008	1007
3002	1900.1	1990-10-03	2007	1004
3003	767.19	1990-10-03	2001	1001
3005	5160.45	1990-10-03	2003	1002
3006	1098.16	1990-10-03	2008	1007
3007	75.75	1990-10-04	2004	1002
3008	4723	1990-10-05	2006	1001
3009	1713.23	1990-10-04	2002	1003
3010	1309.95	1990-10-06	2004	1002
3011	9891.88	1990-10-06	2006	1001

```
10 rows in set (0.00 sec)
```