

Portfolio Project using Node.js - Complete Practical

Problem Statement: Create a Node.js application which serves a static portfolio website.

STEP 1:

Create a folder named PortfolioWebsite.

STEP 2:

Open folder in Visual Studio Code.

STEP 3:

Open terminal and run:

`npm init -y`

STEP 4:

Install Express:

`npm install express`

STEP 5:

Create folder named public.

STEP 6:

Inside public folder create:

1. index.html

2. style.css

STEP 7:

Outside public folder create:

`server.js`

STEP 8:

Run server:

`node server.js`

STEP 9:

Open browser:

`http://localhost:3000`

server.js

```
const express = require('express');

const app = express();
const PORT = 3000;

// Serve static files
app.use(express.static('public'));

app.listen(PORT, () => {
  console.log(`Server running at http://localhost:${PORT}`);
});
```

index.html

```
<!DOCTYPE html>
<html>

<head>

    <title>My Portfolio</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

<div class="container">

    <h1>My Portfolio</h1>

    <form id="portfolioForm">

        <label>Name</label>
        <br>

        <input type="text" id="name">

        <br><br>

        <label>Skills</label>
        <br>

        <input type="text" id="skills">

        <br><br>

        <label>City</label>
        <br>

        <input type="text" id="city">

        <br><br>

        <button type="button"
onclick="showProfile()">

            Show Profile

        </button>

    </form>

    <br>

    <div class="box">

        <h2>Portfolio Data</h2>

        <p id="output"></p>

    </div>

</div>

<script>

function showProfile(){

    var name =
```

```
document.getElementById("name").value;

var skills =
document.getElementById("skills").value;

var city =
document.getElementById("city").value;

document.getElementById("output").innerHTML =

    "Name : " + name + "<br>" +

    "Skills : " + skills + "<br>" +

    "City : " + city;
}
</script>
</body>
</html>
```

style.css

```
body{

    background:#f2f2f2;
    font-family:Arial;

}

.container{

    width:40%;
    margin:auto;
    margin-top:50px;
    background:white;
    padding:20px;

}

h1{

    text-align:center;

}

input{

    width:100%;
    padding:8px;

}

button{

    padding:8px 15px;
    background:#444;
    color:white;
    border:none;

}

.box{

    border:1px solid gray;
    padding:15px;
```

}

Viva Questions:

1. What is Node.js?

Node.js is JavaScript runtime environment.

2. What is Express?

Express is a Node.js framework.

3. What is localhost?

localhost refers to local server.

4. What is `express.static()`?

Used to serve static files.

5. Which port is used?

Port 3000.