



FROM POWER BI TO SNOWFLAKE COWORK SEMANTIC VIEW AUTOPILOT IN ACTION

Paweł Potasiński

September 9th, 2026



**If your organization uses Power BI,
you own something most companies
chasing AI are desperately trying to
build.**

Bogdan Crivat | CVP
Microsoft



Paweł Potasiński

CTO, Infinite Services

- 25+ years of professional experience in Data & AI
- Snowflake Data Superhero
- 8x Microsoft MVP
- Founder of Polish SQL Server User Group
- Ex-Microsoft – twice ;-)



in linkedin.com/in/PawelPotasinski




Agenda

- From BI to AI
- Demo - Autopilot
- Next Steps
- Summary & Resources




Architecture

Snowflake + BI Tools



Architecture

Snowflake + BI Tools + AI



Snowflake Semantic View Autopilot

WHAT IS IT

Semantic View Autopilot (SVA) is an AI-Powered BI feature that automatically creates, governs, and optimizes the Semantic Layer. The output is the Semantic View, a schema object storing metrics natively in the database.


WHY USE IT

Accelerate Time-to-Value: Slashes semantic model creation from weeks to minutes, reducing data modeling costs and speeding up BI deployment.

Guarantee AI Trust: Provides the accurate, governed foundation necessary to prevent Cortex Analyst and other agents from hallucinating.

HOW TO USE IT

Data teams use it to generate and optimize Semantic views using AI and query history. Semantic Views are accessed via any SQL interface, Cortex Analyst, or OSI-compliant BI tools.



SVA: Power BI Model Ingestion

✓ Supported

- ✓ Power BI (.pbix, .pbit) up to 250 MB
- ✓ Tables and columns
- ✓ Column renames from M queries
- ✓ Primary keys (including composite keys)
- ✓ Relationships
- ✓ DAX measures (with some exceptions)
- ✓ Single-table calculated columns
- ✓ Metric descriptions
- ✓ Parametrized Snowflake connections

✗ Not yet supported

- ✗ Modern Power BI formats (PBIP, TMDL)
- ✗ Report-level measures
- ✗ Time intelligence DAX functions
- ✗ Dashboard-scoped ingestion
- ✗ Multi-column calculated columns



DEMO

SVA IN ACTION



Next Steps

What's next for you and for Snowflake

Your Next Steps

- ✓ Test SVA on your BI models
- ✓ Test SVA on your analytical workloads
- ✓ Use `/semantic-view` skill in CoCo Desktop/CLI to create, modify, audit, debug, and evaluate semantic views
- ✓ Use `/semantic-studio` skill in CoCo in Snowsight to create semantic views
- ✓ Use `/ai-readiness-score` skill in CoCo to check if your Snowflake account is ready for AI workloads (consumption-ready tables, semantic view coverage, semantic view quality)

Snowflake's Next Steps

- ? Automate semantic view and context maintenance
- ? Connect Power BI to semantic views
- ? Support more Power BI formats
- ? <name your most anticipated feature>



DEMO

SEMANTIC VIEW AUDIT



Best practices for semantic view development

Six habits that turn a working POC into a trusted production model

01 Start with the user

Use the business language stakeholders speak, not table names.

02 Scope by domain

One domain per view. Start with 5–10 tables and only the columns users will ask about.

03 Descriptions matter

Explicit, authoritative descriptions drive accuracy. Skip synonyms in most cases.

04 Declare joins

Analyst will not join what you do not define. Add metrics and reusable filters too.

05 Add verified queries

Start with 10–20 gold queries on common questions, then grow from real user asks.

06 Govern and iterate

RBAC grants, one schema per domain, and playground testing before every release.



Summary

- SVA lets you create semantic views automatically
- Supported sources: BI, query history, SQL script, Ossie
- Always validate semantic views created using SVA
- Consider using CoCo for semantic view auditing



Resources

Docs

[Creating semantic views with Snowsight](#)

[How to Ingest Power BI Semantic Models](#)

Blogs

[Snowflake SVA: AI-Powered Semantic Modeling in Minutes](#)

[Using AI to Improve AI with Cortex Analyst](#)

[AI Readiness Score: Evaluate Your Data for AI](#)

Repos

[Snowflake Semantic Views Connector \(by Alex Ross\)](#)



THANK YOU

