

Restore

Safety Procedures

CONFIDENTIAL - FOR EMPLOYEE USE ONLY
Last Updated: April 2026

General Safety Guidelines

Restoration work involves unique hazards including biological contaminants, structural instability, electrical hazards, and chemical exposure.

1. Never enter a structure until it has been cleared by the project manager
2. Always wear appropriate PPE for the specific hazard type
3. Test for electrical hazards before entering water-damaged areas
4. Monitor air quality with provided meters throughout remediation
5. Report any structural concerns immediately - do not proceed if unsafe

PPE by Job Type

Water Damage (Category 1 - Clean): Gloves, safety boots, safety glasses

Water Damage (Category 2 - Gray): Above plus N95 respirator, Tyvek suit

Water Damage (Category 3 - Black): Full-face respirator, Tyvek suit, rubber boots, chemical gloves

Mold Remediation: P100 half-face or full-face respirator, Tyvek suit, goggles, gloves

Fire/Smoke: P100 respirator minimum, Tyvek suit, goggles, hard hat in structural areas

Bloodborne Pathogen Protocol

Category 3 water and sewage backups may contain bloodborne pathogens.

Treat all Category 3 water as potentially infectious. Follow universal precautions.

Hepatitis B vaccination is offered to all field employees at company expense.

If exposed to potentially contaminated water through a cut or mucous membrane, report immediately for medical evaluation.