ASSIGNMENT NO:2

Name : Payal Bhagvan Charvande

PRN No: 125B2F002

Batch : A4

Enter password: ***** Welcome to the MySQL monitor. Commands end with ; or \g. Your MySQL connection id is 8 Server version: 8.0.45 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> show databases;
+--------------------+
| Database |
+--------------------+
| emp |
| employee |
| information_schema |
| mysql |
| performance_schema |
| sakila |
| sys |
| world |
```

+----------+

8 rows in set (0.10 sec)

mysql> mysql> create database employee_appraisal; Query OK, 1 row affected (0.03 sec)

mysql> show databases;

+----------+

| Database |

+----------+

| emp | | employee |

| employee_appraisal |

| information_schema |

| mysql |

| performance_schema |

| sakila |

| sys |

| world |

+----------+

9 rows in set (0.00 sec)

mysql> use employee_appraisal; Database changed mysql> create table organization(org_id int primary key, org_name varchar(50), org_contact varchar(10),org_address varchar(100));

Query OK, 0 rows affected (0.03 sec)

mysql> create table department(dept_id int primary key, dept_name varchar(100) not null, dept_contact varchar(10),dept_address varchar(200), org_id int,foreign key (org_id) references organization(org_id));

Query OK, 0 rows affected (0.05 sec)

```
mysql> create table manager ( man_id int primary key, man_name varchar(20) not null,
man_email varchar(50) unique, dept_id int, foreign key (dept_id) references department
(dept_id));

Query OK, 0 rows affected (0.06 sec)

mysql> show tables;

+------------------------------+

| Tables_in_employee_appraisal |

+------------------------------+

| department                   |

| manager                      |

| organization                 |

+------------------------------+

3 rows in set (0.03 sec)


mysql> desc organization;

+-------------+--------------+------+-----+---------+-------+

| Field       | Type         | Null | Key | Default | Extra |

+-------------+--------------+------+-----+---------+-------+

| org_id      | int          | NO   | PRI | NULL    |       |

| org_name    | varchar(50)  | YES  |     | NULL    |       |

| org_contact | varchar(10)  | YES  |     | NULL    |       |

| org_address | varchar(100) | YES  |     | NULL    |       |

+-------------+--------------+------+-----+---------+-------+

4 rows in set (0.02 sec)


mysql> desc department;

+--------------+--------------+------+-----+---------+-------+

| Field        | Type         | Null | Key | Default | Extra |

+--------------+--------------+------+-----+---------+-------+
```

```
| dept_id     | int         | NO   | PRI | NULL    |       |
| dept_name    | varchar(100) | NO   |     | NULL    |       |
| dept_contact | varchar(10)  | YES  |     | NULL    |       |
| dept_address | varchar(200) | YES  |     | NULL    |       |
| org_id      | int         | YES  | MUL | NULL    |       |
+--------------+--------------+------+-----+---------+-------+
5 rows in set (0.01 sec)

mysql> desc manager;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| man_id    | int         | NO   | PRI | NULL    |       |
| man_name  | varchar(20) | NO   |     | NULL    |       |
| man_email | varchar(50) | YES  | UNI | NULL    |       |
| dept_id   | int         | YES  | MUL | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> CREATE TABLE Employee (
   ->    emp_id INT PRIMARY KEY,
   ->    first_name VARCHAR(50),
   ->    middle_name VARCHAR(50),
   ->    last_name VARCHAR(50),
   ->    contact_no VARCHAR(15),
   ->    age INT CHECK (age > 18),
   ->    joining_date DATE,
   ->    man_id INT,
```

```
    ->    FOREIGN KEY (man_id) REFERENCES Manager(man_id)
    -> );
Query OK, 0 rows affected (0.04 sec)

mysql> desc employee;
+--------------+-------------+------+-----+---------+-------+
| Field        | Type        | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| emp_id       | int         | NO   | PRI | NULL    |       |
| first_name   | varchar(50) | YES  |     | NULL    |       |
| middle_name  | varchar(50) | YES  |     | NULL    |       |
| last_name    | varchar(50) | YES  |     | NULL    |       |
| contact_no   | varchar(15) | YES  |     | NULL    |       |
| age          | int         | YES  |     | NULL    |       |
| joining_date | date        | YES  |     | NULL    |       |
| man_id       | int         | YES  | MUL | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
8 rows in set (0.01 sec)

mysql> CREATE TABLE Task (
    ->    task_id INT PRIMARY KEY,
    ->    task_name VARCHAR(100),
    ->    task_due_date DATE,
    ->    emp_id INT,
    ->    FOREIGN KEY (emp_id) REFERENCES Employee(emp_id)
    -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> desc task;
+---------------+--------------+------+-----+---------+-------+
| Field         | Type         | Null | Key | Default | Extra |
+---------------+--------------+------+-----+---------+-------+
| task_id       | int          | NO   | PRI | NULL    |       |
| task_name     | varchar(100) | YES  |     | NULL    |       |
| task_due_date | date         | YES  |     | NULL    |       |
| emp_id        | int          | YES  | MUL | NULL    |       |
+---------------+--------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> CREATE TABLE Appraisal_Cycle (
   ->    cycle_id  INT PRIMARY KEY,
   ->    cycle_name VARCHAR(100),
   ->    start_date DATE,
   ->    end_date DATE
   -> );
Query OK, 0 rows affected (0.03 sec)

mysql> desc Appraisal_cycle;
+------------+--------------+------+-----+---------+-------+
| Field      | Type         | Null | Key | Default | Extra |
+------------+--------------+------+-----+---------+-------+
| cycle_id   | int          | NO   | PRI | NULL    |       |
| cycle_name | varchar(100) | YES  |     | NULL    |       |
| start_date | date         | YES  |     | NULL    |       |
| end_date   | date         | YES  |     | NULL    |       |
+------------+--------------+------+-----+---------+-------+
```

```
4 rows in set (0.00 sec)
mysql> CREATE TABLE Appraisal_Result (
   ->    result_id  INT PRIMARY KEY,
   ->    rating INT CHECK (rating BETWEEN 1 AND 5),
   ->    recommendation VARCHAR(200),
   ->    approved_by VARCHAR(100),
   ->    approved_date DATE,
   ->    emp_id INT,
   ->    man_id INT,
   ->    cycle_id  INT,
   ->    FOREIGN KEY (emp_id) REFERENCES Employee(emp_id),
   ->    FOREIGN KEY (man_id) REFERENCES Manager(man_id),
   ->    FOREIGN KEY (cycle_id) REFERENCES Appraisal_Cycle(cycle_id)
   -> );
Query OK, 0 rows affected (0.06 sec)

mysql> desc Appraisal_result;
+----------------+--------------+------+-----+---------+-------+
| Field          | Type         | Null | Key | Default | Extra |
+----------------+--------------+------+-----+---------+-------+
| result_id      | int          | NO   | PRI | NULL    |       |
| rating         | int          | YES  |     | NULL    |       |
| recommendation | varchar(200) | YES  |     | NULL    |       |
| approved_by    | varchar(100) | YES  |     | NULL    |       |
| approved_date  | date         | YES  |     | NULL    |       |
| emp_id         | int          | YES  | MUL | NULL    |       |
| man_id         | int          | YES  | MUL | NULL    |       |
| cycle_id       | int          | YES  | MUL | NULL    |       |
```

```
+----------------+--------------+------+-----+---------+-------+
8 rows in set (0.00 sec)

mysql> alter table employee add email varchar(50);
Query OK, 0 rows affected (0.09 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc employee;
+--------------+-------------+------+-----+---------+-------+
| Field       | Type       | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| emp_id      | int        | NO   | PRI | NULL    |       |
| first_name  | varchar(50) | YES  |     | NULL    |       |
| middle_name | varchar(50) | YES  |     | NULL    |       |
| last_name   | varchar(50) | YES  |     | NULL    |       |
| contact_no  | varchar(15) | YES  |     | NULL    |       |
| age         | int        | YES  |     | NULL    |       |
| joining_date | date       | YES  |     | NULL    |       |
| man_id      | int        | YES  | MUL | NULL    |       |
| email       | varchar(50) | YES  |     | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
9 rows in set (0.00 sec)

mysql> alter table department modify dept_name varchar(50);
Query OK, 0 rows affected (0.08 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc department;
```

```
+--------------+--------------+------+-----+---------+-------+
| Field       | Type        | Null | Key | Default | Extra |
+--------------+--------------+------+-----+---------+-------+
| dept_id     | int         | NO   | PRI | NULL    |       |
| dept_name   | varchar(50) | YES  |     | NULL    |       |
| dept_contact | varchar(10) | YES  |     | NULL    |       |
| dept_address | varchar(200) | YES  |     | NULL    |       |
| org_id      | int         | YES  | MUL | NULL    |       |
+--------------+--------------+------+-----+---------+-------+
5 rows in set (0.00 sec)

mysql> alter table task drop column task_name;
Query OK, 0 rows affected (0.06 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> desc task;
+---------------+------+------+-----+---------+-------+
| Field        | Type | Null | Key | Default | Extra |
+---------------+------+------+-----+---------+-------+
| task_id      | int  | NO   | PRI | NULL    |       |
| task_due_date | date | YES  |     | NULL    |       |
| emp_id       | int  | YES  | MUL | NULL    |       |
+---------------+------+------+-----+---------+-------+
3 rows in set (0.00 sec)

mysql> INSERT INTO Organization VALUES
   -> (1, 'ABC Pvt Ltd', '9876543210', 'Pune');
Query OK, 1 row affected (0.01 sec)
```

```
mysql> INSERT INTO Department VALUES
   -> (101, 'IT', '9123456780', 'Block A', 1),
   -> (102, 'HR', '9988776655', 'Block B', 1);
Query OK, 2 rows affected (0.01 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> show tables;
+------------------------------+
| Tables_in_employee_appraisal |
+------------------------------+
| appraisal_cycle              |
| appraisal_result             |
| department                   |
| employee                     |
| manager                      |
| organization                 |
| task                         |
+------------------------------+
7 rows in set (0.00 sec)

mysql> desc organization;
+-------------+--------------+------+-----+---------+-------+
| Field       | Type         | Null | Key | Default | Extra |
+-------------+--------------+------+-----+---------+-------+
| org_id      | int          | NO   | PRI | NULL    |       |
| org_name    | varchar(50)  | YES  |     | NULL    |       |
| org_contact | varchar(10)  | YES  |     | NULL    |       |
```

```
| org_address | varchar(100) | YES |    | NULL    |      |
+-------------+--------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> select * from organization;
+--------+-------------+-------------+-------------+
| org_id | org_name    | org_contact | org_address |
+--------+-------------+-------------+-------------+
|      1 | ABC Pvt Ltd | 9876543210  | Pune        |
+--------+-------------+-------------+-------------+
1 row in set (0.00 sec)

mysql> select * from department;
+---------+-----------+--------------+--------------+--------+
| dept_id | dept_name | dept_contact | dept_address | org_id |
+---------+-----------+--------------+--------------+--------+
|     101 | IT        | 9123456780   | Block A      |      1 |
|     102 | HR        | 9988776655   | Block B      |      1 |
+---------+-----------+--------------+--------------+--------+
2 rows in set (0.00 sec)

mysql> INSERT INTO Manager VALUES
    -> (201, 'Sharma', 'sharma@gmail.com', 101),
    -> (202, 'Verma', 'verma@gmail.com', 102);
Query OK, 2 rows affected (0.01 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> INSERT INTO Employee
```

```
   -> (emp_id, first_name, middle_name, last_name, contact_no, age, joining_date,
man_id)
   -> VALUES
   -> (1, 'Amit', 'K', 'Patil', '9876543211', 28, '2022-06-10', 201),
   -> (2, 'Neha', 'R', 'Shah', '9123456789', 26, '2023-01-15', 202);
Query OK, 2 rows affected (0.00 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> INSERT INTO Task (task_id, task_due_date, emp_id)
   -> VALUES
   -> (301, '2024-03-10', 1),
   -> (302, '2024-03-15', 2);
Query OK, 2 rows affected (0.01 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> INSERT INTO Appraisal_Cycle VALUES
   -> (401, 'Annual Review 2024', '2024-01-01', '2024-12-31');
Query OK, 1 row affected (0.01 sec)

mysql> INSERT INTO Appraisal_Result VALUES
   -> (501, 5, 'Promotion', 'Sharma', '2024-12-20', 1, 201, 401),
   -> (502, 4, 'Salary Increment', 'Verma', '2024-12-21', 2, 202, 401);
Query OK, 2 rows affected (0.00 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> select * from employee;
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email |
```

```
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
|     1 | Amit      | K         | Patil     | 9876543211 |  28 | 2022-06-10   |   201 | NULL  |
|     2 | Neha      | R         | Shah      | 9123456789 |  26 | 2023-01-15   |   202 | NULL  |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
2 rows in set (0.00 sec)

mysql> select * from manager;
+--------+----------+-----------------+---------+
| man_id | man_name | man_email       | dept_id |
+--------+----------+-----------------+---------+
|   201 | Sharma   | sharma@gmail.com |    101 |
|   202 | Verma    | verma@gmail.com  |    102 |
+--------+----------+-----------------+---------+
2 rows in set (0.00 sec)

mysql> select * from appraisal_result;
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
| result_id | rating | recommendation   | approved_by | approved_date | emp_id | man_id |
cycle_id |
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
|      501 |     5 | Promotion       | Sharma      | 2024-12-20   |     1 |    201 |     401 |
|      502 |     4 | Salary Increment | Verma       | 2024-12-21   |     2 |    202 |     401 |
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
2 rows in set (0.00 sec)

mysql> SELECT e.first_name, m.mang_name, a.rating
   -> FROM Employee e
   -> JOIN Manager m ON e.manager_id = m.manager_id
   -> JOIN Appraisal_Result a ON e.emp_id = a.emp_id;
```

```
ERROR 1054 (42S22): Unknown column 'm.mang_name' in 'field list'
mysql> desc manager;
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| man_id    | int         | NO   | PRI | NULL    |       |
| man_name  | varchar(20) | NO   |     | NULL    |       |
| man_email | varchar(50) | YES  | UNI | NULL    |       |
| dept_id   | int         | YES  | MUL | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> SELECT e.first_name, m.man_name, a.rating
    -> FROM Employee e
    -> JOIN Manager m ON e.man_id = m.man_id
    -> JOIN Appraisal_Result a ON e.emp_id = a.emp_id;
+------------+----------+--------+
| first_name | man_name | rating |
+------------+----------+--------+
| Amit       | Sharma   |      5 |
| Neha       | Verma    |      4 |
+------------+----------+--------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM Employee
    -> WHERE age > 25 AND man_id = 201;
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email |
```

```
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
|     1 | Amit      | K         | Patil     | 9876543211 |  28 | 2022-06-10   |   201 | NULL  |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Employee
   -> WHERE NOT age < 25;
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
|     1 | Amit      | K         | Patil     | 9876543211 |  28 | 2022-06-10   |   201 | NULL  |
|     2 | Neha      | R         | Shah      | 9123456789 |  26 | 2023-01-15   |   202 | NULL  |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
2 rows in set (0.00 sec)

mysql> UPDATE Employee
   -> SET age = 29
   -> WHERE emp_id = 1;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> DELETE FROM Task
   -> WHERE task_id = 302;
Query OK, 1 row affected (0.01 sec)

mysql> SHOW TABLES;
+------------------------------+
| Tables_in_employee_appraisal |
```

```
+-----------------------------+
| appraisal_cycle             |
| appraisal_result            |
| department                  |
| employee                    |
| manager                     |
| organization                |
| task                        |
+-----------------------------+
7 rows in set (0.00 sec)

mysql> DESC Employee;
+--------------+-------------+------+-----+---------+-------+
| Field        | Type        | Null | Key | Default | Extra |
+--------------+-------------+------+-----+---------+-------+
| emp_id       | int         | NO   | PRI | NULL    |       |
| first_name   | varchar(50) | YES  |     | NULL    |       |
| middle_name  | varchar(50) | YES  |     | NULL    |       |
| last_name    | varchar(50) | YES  |     | NULL    |       |
| contact_no   | varchar(15) | YES  |     | NULL    |       |
| age          | int         | YES  |     | NULL    |       |
| joining_date | date        | YES  |     | NULL    |       |
| man_id       | int         | YES  | MUL | NULL    |       |
| email        | varchar(50) | YES  |     | NULL    |       |
+--------------+-------------+------+-----+---------+-------+
9 rows in set (0.00 sec)

mysql> DESC Manager;
```

```
+-----------+-------------+------+-----+---------+-------+
| Field     | Type        | Null | Key | Default | Extra |
+-----------+-------------+------+-----+---------+-------+
| man_id    | int         | NO   | PRI | NULL    |       |
| man_name  | varchar(20) | NO   |     | NULL    |       |
| man_email | varchar(50) | YES  | UNI | NULL    |       |
| dept_id   | int         | YES  | MUL | NULL    |       |
+-----------+-------------+------+-----+---------+-------+
4 rows in set (0.00 sec)

mysql> DESC Department;
+--------------+--------------+------+-----+---------+-------+
| Field        | Type         | Null | Key | Default | Extra |
+--------------+--------------+------+-----+---------+-------+
| dept_id      | int          | NO   | PRI | NULL    |       |
| dept_name    | varchar(50)  | YES  |     | NULL    |       |
| dept_contact | varchar(10)  | YES  |     | NULL    |       |
| dept_address | varchar(200) | YES  |     | NULL    |       |
| org_id       | int          | YES  | MUL | NULL    |       |
+--------------+--------------+------+-----+---------+-------+
5 rows in set (0.00 sec)

mysql> SELECT * FROM Organization;
+--------+-------------+-------------+-------------+
| org_id | org_name    | org_contact | org_address |
+--------+-------------+-------------+-------------+
|      1 | ABC Pvt Ltd | 9876543210  | Pune        |
+--------+-------------+-------------+-------------+
```

```
1 row in set (0.00 sec)

mysql> SELECT * FROM Department;
+---------+-----------+--------------+--------------+--------+
| dept_id | dept_name | dept_contact | dept_address | org_id |
+---------+-----------+--------------+--------------+--------+
|     101 | IT        | 9123456780   | Block A      |      1 |
|     102 | HR        | 9988776655   | Block B      |      1 |
+---------+-----------+--------------+--------------+--------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM Manager;
+--------+----------+-----------------+---------+
| man_id | man_name | man_email       | dept_id |
+--------+----------+-----------------+---------+
|    201 | Sharma   | sharma@gmail.com |     101 |
|    202 | Verma    | verma@gmail.com  |     102 |
+--------+----------+-----------------+---------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM Employee;
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
|      1 | Amit       | K           | Patil     | 9876543211 |   29 | 2022-06-10   |    201 | NULL  |
|      2 | Neha       | R           | Shah      | 9123456789 |   26 | 2023-01-15   |    202 | NULL  |
+--------+------------+-------------+-----------+------------+------+--------------+--------+-------+
2 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Task;
+---------+--------------+--------+
| task_id | task_due_date | emp_id |
+---------+--------------+--------+
|    301 | 2024-03-10   |     1 |
+---------+--------------+--------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Appraisal_Cycle;
+----------+-------------------+------------+------------+
| cycle_id | cycle_name        | start_date | end_date   |
+----------+-------------------+------------+------------+
|     401 | Annual Review 2024 | 2024-01-01 | 2024-12-31 |
+----------+-------------------+------------+------------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Appraisal_Result;
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
| result_id | rating | recommendation   | approved_by | approved_date | emp_id | man_id |
cycle_id |
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
|      501 |     5 | Promotion       | Sharma     | 2024-12-20   |     1 |    201 |     401 |
|      502 |     4 | Salary Increment | Verma      | 2024-12-21   |     2 |    202 |     401 |
+-----------+--------+-----------------+-------------+--------------+--------+--------+----------+
2 rows in set (0.00 sec)

mysql> SELECT DATABASE();
+--------------------+
```

```
| DATABASE()        |
+--------------------+
| employee_appraisal |
+--------------------+
1 row in set (0.00 sec)

mysql> SELECT man_id, COUNT(emp_id) AS total_employees
    -> FROM Employee
    -> GROUP BY man_id;
+--------+-----------------+
| man_id | total_employees |
+--------+-----------------+
|    201 |               1 |
|    202 |               1 |
+--------+-----------------+
2 rows in set (0.00 sec)

mysql> INSERT INTO Employee
    -> (emp_id, first_name, middle_name, last_name, contact_no, age, joining_date,
man_id, email)
    -> VALUES
    -> (3,'Ravi','K','Patil','9876543212',27,'2023-02-10',201,'ravi@gmail.com');
Query OK, 1 row affected (0.01 sec)

mysql> SELECT man_id, COUNT(emp_id) AS total_employees
    -> FROM Employee
    -> GROUP BY man_id;
+--------+-----------------+
| man_id | total_employees |
```

```
+--------+-----------------+
|   201 |             2 |
|   202 |             1 |
+--------+-----------------+
2 rows in set (0.00 sec)

mysql> SELECT manager_id, COUNT(emp_id) AS total_employees
   -> FROM Employee
   -> GROUP BY manager_id
   -> HAVING COUNT(emp_id) > 1;
ERROR 1054 (42S22): Unknown column 'manager_id' in 'field list'
mysql> SELECT man_id, COUNT(emp_id) AS total_employees
   -> FROM Employee
   -> GROUP BY man_id
   -> HAVING COUNT(emp_id) > 1;
+--------+-----------------+
| man_id | total_employees |
+--------+-----------------+
|   201 |             2 |
+--------+-----------------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Employee
   -> ORDER BY age DESC;
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email        |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
```

```
|     1 | Amit      | K         | Patil     | 9876543211 |  29 | 2022-06-10  |   201 | NULL        |
|     3 | Ravi      | K         | Patil     | 9876543212 |  27 | 2023-02-10  |   201 | ravi@gmail.com |
|     2 | Neha      | R         | Shah      | 9123456789 |  26 | 2023-01-15  |   202 | NULL        |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
3 rows in set (0.00 sec)

mysql> SELECT * FROM Employee
   -> ORDER BY age ASC;
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email        |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
|     2 | Neha      | R         | Shah      | 9123456789 |  26 | 2023-01-15  |   202 | NULL        |
|     3 | Ravi      | K         | Patil     | 9876543212 |  27 | 2023-02-10  |   201 | ravi@gmail.com |
|     1 | Amit      | K         | Patil     | 9876543211 |  29 | 2022-06-10  |   201 | NULL        |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
3 rows in set (0.00 sec)

mysql> SELECT * FROM Organization;
+--------+--------------+-------------+-------------+
| org_id | org_name    | org_contact | org_address |
+--------+--------------+-------------+-------------+
|     1 | ABC Pvt Ltd | 9876543210  | Pune       |
+--------+--------------+-------------+-------------+
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM Department;
+---------+-----------+--------------+--------------+--------+
| dept_id | dept_name | dept_contact | dept_address | org_id |
+---------+-----------+--------------+--------------+--------+
|     101 | IT        | 9123456780   | Block A      |      1 |
|     102 | HR        | 9988776655   | Block B      |      1 |
+---------+-----------+--------------+--------------+--------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM Manager;
+--------+----------+-----------------+---------+
| man_id | man_name | man_email       | dept_id |
+--------+----------+-----------------+---------+
|    201 | Sharma   | sharma@gmail.com |     101 |
|    202 | Verma    | verma@gmail.com  |     102 |
+--------+----------+-----------------+---------+
2 rows in set (0.00 sec)

mysql> SELECT * FROM Employee;
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
| emp_id | first_name | middle_name | last_name | contact_no | age  | joining_date | man_id
| email        |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
|      1 | Amit       | K           | Patil     | 9876543211 |   29 | 2022-06-10   |    201 | NULL         |
|      2 | Neha       | R           | Shah      | 9123456789 |   26 | 2023-01-15   |    202 | NULL         |
|      3 | Ravi       | K           | Patil     | 9876543212 |   27 | 2023-02-10   |    201 | ravi@gmail.com |
+--------+------------+-------------+-----------+------------+------+--------------+--------+----------------
+
```

```
3 rows in set (0.00 sec)

mysql> SELECT * FROM Task;
+---------+---------------+--------+
| task_id | task_due_date | emp_id |
+---------+---------------+--------+
|     301 | 2024-03-10    |      1 |
+---------+---------------+--------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Appraisal_Cycle;
+----------+--------------------+------------+------------+
| cycle_id | cycle_name         | start_date | end_date   |
+----------+--------------------+------------+------------+
|      401 | Annual Review 2024 | 2024-01-01 | 2024-12-31 |
+----------+--------------------+------------+------------+
1 row in set (0.00 sec)

mysql> SELECT * FROM Appraisal_Result;
+-----------+--------+-----------------+-------------+---------------+--------+--------+----------+
| result_id | rating | recommendation  | approved_by | approved_date | emp_id | man_id | cycle_id |
+-----------+--------+-----------------+-------------+---------------+--------+--------+----------+
|       501 |      5 | Promotion       | Sharma      | 2024-12-20    |      1 |    201 |      401 |
|       502 |      4 | Salary Increment | Verma       | 2024-12-21    |      2 |    202 |      401 |
+-----------+--------+-----------------+-------------+---------------+--------+--------+----------+
2 rows in set (0.00 sec)
```