A project report on

ONLINE TEST SYSTEM

Bachelor Of Technology (Computer Science and Technology)

UIET MDU, Rohtak

By

Shubham Singla (23605)
Payal (23609)
Yogesh Kumar (23610)

Under the Guidance of

Mr. Harkesh Sehrawat

CERTIFICATE

This is to certify that the project report entitled Online Test System which is submitted by Shubham Singla, Payal and Yogesh Kumar has been examined by the undersigned as a part of the examination for the award of degree of Bachelor of Technology in Computer Science Engineering from University Institute of Engineering and Technology, MDU.

18th July, 2022

Dr. Harkesh Sehrawat
Assistant Professor
CSE,UIET
MDU

ACKNOWLEDGE

Project is a milestone in study period of student's life . Before starting the project , I did not have any idea about how a project can be made and implemented. But I am thankful to UIET MDU and want to show my gratitude towards Mr. Harkesh Sehrawat to give me an opportunity to enhance my knowledge through this practical platform. In my point of view, Online Test System is a minor way to tribute my regards to UIET MDU helped me to raise my professionals attitude and skills one step above. It will be my honor if my Online Test System helps in future enhancement of UIET MDU.

Overall , it was a great experience for me in all manner.

Shubham Singla

Yogesh Kumar

Payal

TABLE OF CONTENT

1. Abstract

2. Planning

- Software Specifications
- Hardware Requirements
- User Requirements

3. Modules

4. Implementations

5. Data Tables

6. Screenshots

7. Conclusions

ABSTRACT

Online Test System is a web based application totally focused on student's progress evaluation . While studying at UIET MDU , I experienced that managing and conducting test for all the batches and for all departments is a major headache for examination controller. So I decided to design a platform with examination controller's perspective with all rights like edit, create, update and delete student's information.

This application is capable enough to save time of student and help UIET MDU to replace paperwork and also release workload of faculty.

PLANNING

Tools and Technology Specification

Software Specification

Apache Tomcat : Apache Tomcat is a free and open-source implementation of the Jakarta Servlet, Jakarta Expression Language, and WebSocket technologies. Tomcat provides a "pure Java" HTTP web server environment in which Java code can run

Back End Technology :

- **Java EE:** The Java EE stands for Java Enterprise Edition, which was earlier known as J2EE and is currently known as Jakarta EE. It is a set of specifications wrapping around Java SE (Standard Edition). The Java EE provides a platform for developers with enterprise features.The Java EE stands for Java Enterprise Edition, which was earlier known as J2EE and is currently known as Jakarta EE. It is a set of specifications wrapping around Java SE (Standard Edition). The Java EE provides a platform for developers with enterprise features. Java EE has several specifications which are useful in making web pages, reading and writing from database in a transactional way.
- **MySQL** : MySQL is an open-source relational database management system. MySQL is the most popular database system used with Java EE.

Front End Technology :

- **HTML** : It is Hypertext Markup Language used to structure a web page.
- **CSS** : Cascading Style Sheet creates attractive layout and design.
- **Javascript** : It is a programming language commonly used with web browser.
- **Bootstrap** : Bootstrap is a free and open-source CSS framework directed at responsive, mobile-first front-end web development. It contains HTML, CSS and JavaScript-based design templates for typography, forms, buttons, navigation, and other interface components.

Hardware Specifications

- Operating System : Window XP and others.
- Processor : Pentium 2.0 and above.
- RAM : 256 MB
- Hard Disk Space : 1 GB

User Requirements :

Every user should be :

- Able to work Comfortably with computer.
- He must also have basic knowledge of English.

MODULES

User Registration :

One needs to provide his details like name, address, class, number of the contact, email, and fee for the year fee status also. These are required then enter his hit to make it saved in the database. Then we need to use the credentials for further access.

Login :

Login with the registered credentials and then move to the interface where available exams are shown.

Student :

Student will be allowed to take test and view his progress . Test can be chosen according to different subjects at different levels- Easy , Medium and Difficult.

Admin :

Admin will be allowed to edit questions , set test and view question sets.

Set Exam :

Admin is responsible for all kind of operation in the exams of students and design the question paper according to subjects.

Attempt Exam :

Next, we have the interface for the students where one can, after login, see the exams available. Each test has a particular duration of time. Student can scroll through the questions. After attempting the test student can submit the test within the time limit. Results will be displayed after submission.

IMPLEMENTATIONS

Web Resources

Index.css

```
body {
   padding-top: 3rem;
   padding-bottom: 3rem;
   color: #5a5a5a;
   font-family: 'Poppins', sans-serif;
   overflow-x: hidden;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
}

.carousel {
   margin-bottom: 0;
}

.carousel-caption {
   bottom: 3rem;
   z-index: 10;
}

.carousel-item {
   height: 415px;
}

   .carousel-item > img {
      position: absolute;
      top: 0;
      left: 0;
      min-width: 100%;
      height: 30rem;
   }

.padding {
   padding-bottom: 2rem;
}

.welcome {
   width: 75%;
```

```
    margin: 0 auto;
    padding-top: 2rem;
}

    .welcome hr {
        border-top: 1px solid #b4b4b4;
        width: 95%;
        margin-top: 0.3rem;
        margin-bottom: 1rem;
    }

.fa-bolt {
    color: #5a5a5a;
}

.fa-lock {
    color: #5a5a5a;
}

.fa-check-square {
    color: #5a5a5a;
}

.fa-bolt, .fa-lock, .fa-check-square {
    font-size: 4em;
    margin: 1rem;
}

.jumbotron{
    padding:1rem;
    border-radius:0;
}

.social a {
    font-size: 4.5em;
    padding: 2rem;
}

.fa-facebook {
    color: #3b5998;
}

.fa-twitter {
    color: #00aced;
}

.fa-google-plus-g {
    color: #dd4b39;
}

.fa-instagram {
    color: #517fa4;
}

.fa-youtube {
    color: #bb0000;
}

    .fa-facebook:hover,
    .fa-twitter:hover,
```

```
    .fa-google-plus-g:hover,
    .fa-instagram:hover,
    .fa-youtube:hover {
        color: #d5d5d5;
    }

footer {
    background-color: #3f3f3f;
    color: #d5d5d5;
    padding-top: 2rem;
}

hr.light {
    border-top: 1px solid #d5d5d5;
    width: 75%;
    margin-top: 0.8rem;
    margin-bottom: 1rem;
}

footer a {
    color: #d5d5d5;
}

@media(max-width:992px){
    .social a{
        font-size: 4em;
        padding: 2rem;
    }
}

@media(max-width:768px)
{
    .social a{
        font-size: 2.5em;
        padding: 1.2rem;
    }
}

.marketing .col-lg-4 {
    margin-bottom: 1.5rem;
    text-align: center;
}

.marketing h2 {
    font-weight: 400;
}

.marketing .col-lg-4 p {
    margin-right: .75rem;
    margin-left: .75rem;
}

.featurette-divider {
    margin: 5rem 0;
}


.featurette-heading {
    font-weight: 300;
    line-height: 1;
```

```
    letter-spacing: -.05rem;
}

@media (min-width: 40em) {

    .carousel-caption p {
        margin-bottom: 1.25rem;
        font-size: 1.25rem;
        line-height: 1.4;
    }

    .featurette-heading {
        font-size: 50px;
    }
}

@media (min-width: 62em) {
    .featurette-heading {
        margin-top: 7rem;
    }
}
```

Index.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | Home</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
        <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

     <style>
      .bd-placeholder-img {
        font-size: 1.125rem;
        text-anchor: middle;
        -webkit-user-select: none;
        -moz-user-select: none;
        -ms-user-select: none;
        user-select: none;
      }

      @media (min-width: 768px) {
        .bd-placeholder-img-lg {
          font-size: 3.5rem;
        }
      }

    </style>

    <link rel="stylesheet" type="text/css" href="index.css">

</head>
```

```
<body>
   <form id="form1">
      <header>
         <!--Navigation Bar-->
         <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
            <a class="navbar-brand" href="#"><b>ONLINE EXAMINATION SYSTEM</b></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-
label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarCollapse">
               <ul class="navbar-nav ml-auto">
               <li class="nav-item active">
                  <a class="nav-link" href="index.jsp">Home</a>
               </li>
               <li class="nav-item">
                  <a class="nav-link" href="aboutus.jsp">About</a>
               </li>
               <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle" href="#" id="dropdown03" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">Login</a>
   <div class="dropdown-menu" aria-labelledby="dropdown03">
      <a class="dropdown-item" href="login.jsp">Student</a>
<a class="dropdown-item" href="adminlogin.jsp">Admin</a>
   </div>
   </li>
   <li class="nav-item">
<a class="nav-link" href="register.jsp">Sign Up</a>
   </li>
               </ul>
            </div>
         </nav>
      </header>

      <!--Image Carousel-->
<div id="myCarousel" class="carousel slide" data-ride="carousel">
         <ol class="carousel-indicators">
         <li data-target="#myCarousel" data-slide-to="0" class="active"></li>
         <li data-target="#myCarousel" data-slide-to="1"></li>
         <li data-target="#myCarousel" data-slide-to="2"></li>
      </ol>
      <div class="carousel-inner">
      <div class="carousel-item active">
         <svg class="bd-placeholder-img" width="100%" height="100%"
xmlns="http://www.w3.org/2000/svg" preserveAspectRatio="xMidYMid slice"
focusable="false" role="img"><rect width="100%" height="100%" fill="#777"/></svg>
         <img src="CarouselBG.png" />
      <div class="container">
        <div class="carousel-caption text-left">
         <h1><b>Easy to Use.</b></h1>
         <p>A Simple and Easy to use Online Examination tool for Colleges and Universities.</p>
         <p><a class="btn btn-lg btn-primary" href="register.jsp" role="button">Sign Up</a></p>
        </div>
      </div>
     </div>
     <div class="carousel-item">
      <svg class="bd-placeholder-img" width="100%" height="100%"
xmlns="http://www.w3.org/2000/svg" preserveAspectRatio="xMidYMid slice"
focusable="false" role="img"><rect width="100%" height="100%" fill="#777"/></svg>
```

```
        <img src="CarouselBG.png" />
        <div class="container">
        <div class="carousel-caption">
          <h1><b>Efficient and Reliable.</b></h1>
          <p>An Efficient and a Reliable tool to conduct Online Examinations.</p>
          <p><a class="btn btn-lg btn-primary" href="about.jsp" role="button">Learn
more</a></p>
        </div>
      </div>
    </div>
    <div class="carousel-item">
      <svg class="bd-placeholder-img" width="100%" height="100%"
xmlns="http://www.w3.org/2000/svg" preserveAspectRatio="xMidYMid slice"
focusable="false" role="img"><rect width="100%" height="100%" fill="#777"/></svg>
        <img src="CarouselBG.png" />
        <div class="container">
        <div class="carousel-caption text-right">
          <h1><b>Simple and Non-Complex.</b></h1>
          <p>A Clean and an Elegant User Interface with Minimal Complexities.</p>
          <p><a class="btn btn-lg btn-primary" href="login.jsp" role="button">Start Exam</a></p>
        </div>
      </div>
    </div>
  </div>
  <a class="carousel-control-prev" href="#myCarousel" role="button" data-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
  </a>
  <a class="carousel-control-next" href="#myCarousel" role="button" data-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a>
 </div>

  <!--Jumbotron-->
  <div class="container-fluid">
  <div class="row jumbotron">
      <div class="col-xs-12 col-sm-12 col-md-9 col-lg-9 col-xl-10">
        <p class="lead">An Online Examination System for Colleges and Universities to schedule
their exams.
          If your organization faces any challenges while conducting the exams or your
organization has any concerns regarding the system please contact us.
        </p>
      </div>
  </div>
  </div>
  <!--Build with Ease and Logos section-->
  <div class="container-fluid padding">
  <div class="row welcome text-center">
      <div class="col-12">
        <h1 class="display-4">Assess with ease.</h1>
      </div>
      <hr />
      <div class="col-12">
        <p class="lead">
          An Online Examination Tool that allows for the swift, efficient and smooth conduction
of college and university exams.
        </p>
      </div>
  </div>
```

```
    </div>
    <div class="container-fluid">
    <div class="row text-center padding">
        <div class="col-xs-12 col-sm-6 col-md-4">
            <i class="fa fa-bolt" aria-hidden="true"></i>
            <h3>Fast</h3>
            <p>Fast and Smooth Assessment.</p>
        </div>
        <div class="col-xs-12 col-sm-6 col-md-4">
            <i class="fa fa-lock" aria-hidden="true"></i>
            <h3>Secure</h3>
            <p>Secure Examination Process.</p>
        </div>
        <div class="col-sm-12 col-md-4">
            <i class="fa fa-check-square" aria-hidden="true"></i>
            <h3>Reliable</h3>
            <p>Reliable and Trustworthy Platform</p>
        </div>
    </div>
    <hr class="my-4"/>
    </div>

    <!--Connect Section-->
    <div class="container-fluid padding">
    <div class="row text-center padding">
        <div class="col-12">
            <h2>Connect</h2>
        </div>
        <div class="col-12 social padding">
            <a href="https://www.facebook.com/"><i class="fab fa-facebook"></i></a>
            <a href="https://www.youtube.com/"><i class="fab fa-youtube"></i></a>
            <a href="https://www.instagram.com/"><i class="fab fa-instagram"></i></a>
            <a  href="https://myaccount.google.com/intro/personal-info"><i  class="fab  fa-google-
plus-g"></i></a>
            <a href="https://twitter.com/"><i class="fab fa-twitter"></i></a>
        </div>
    </div>
    </div>
    <!--Footer-->
    <jsp:include page="footer.jsp"/>
   </form>
</body>
</html>
```

Aboutus.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | About Us</title>
<link                                                                                    rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
<link rel="stylesheet" type="text/css" href="static/css/aboutus.css">
```

```
   <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

   <style>
      body {
   padding-top: 3.5rem;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
}
   </style>

</head>
<body>
   <form id="form1">
      <header>
         <!--Navigation Bar-->
         <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
            <a class="navbar-brand" href="#"><b>ONLINE EXAMINATION SYSTEM</b></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-
label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarCollapse">
               <ul class="navbar-nav ml-auto">
               <li class="nav-item ">
                  <a class="nav-link" href="index.jsp">Home</a>
               </li>
               <li class="nav-item active">
                  <a class="nav-link" href="aboutus.jsp">About</a>
               </li>
               <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle" href="#" id="dropdown03" data-toggle="dropdown"
aria-haspopup="true" aria-expanded="false">Login</a>
   <div class="dropdown-menu" aria-labelledby="dropdown03">
      <a class="dropdown-item" href="login.jsp">Student</a>
<a class="dropdown-item" href="adminlogin.jsp">Admin</a>
   </div>
   </li>
   <li class="nav-item">
<a class="nav-link" href="register.jsp">Sign Up</a>
   </li>
               </ul>
            </div>
         </nav>
      </header>

       <main role="main">

  <div class="jumbotron">
   <div class="container">
     <h1 class="display-4">About OES</h1>
     <p>Welcome to OES!, An Online Examination System for Colleges and Universities to
schedule their exams.
```

```
      If your organization faces any challenges while conducting the exams or your organization has any concerns regarding the system please contact us.
     </p>
     <p><a class="btn btn-primary btn-lg" href="/help" role="button">Help &raquo;</a></p>
   </div>
  </div>

  <div class="container">

   <div class="row">
     <div class="col-md-4">
       <h2>Admin</h2>
       <p>OES provides institutions with an admin account to generate assessments and check student marks.</p>
       <p><a class="btn btn-secondary" href="login.jsp" role="button">Login &raquo;</a></p>
     </div>
     <div class="col-md-4">
       <h2>How does it Work?</h2>
       <p>OES makes use of JSP, servlets, JSTL, expression langauge and a MySQL database to provide its examination services.</p>
       <p><a class="btn btn-secondary" href="login.jsp" role="button">Get Started &raquo;</a></p>
     </div>
     <div class="col-md-4">
       <h2>Terms & Conditions</h2>
       <p>If your organization has any concerns regarding the system please click below to read our Terms and Conditions.</p>
       <p><a class="btn btn-secondary" href="/terms" role="button">Terms & Conditions &raquo;</a></p>
     </div>
   </div>

   <hr>

  </div>

</main>

<footer class="container">
  <p>&copy; riskassess. All Rights Reserved</p>
</footer>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
     <script>window.jQuery || document.write('<script src="../assets/js/vendor/jquery.slim.min.js"><\/script>')</script><script src="../assets/dist/js/bootstrap.bundle.js"></script>

   </form>
</body>
</html>
```

Footer.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<link rel="stylesheet" type="text/css" href="footer.css">
<footer>
       <div class="container-fluid padding">
       <div class="row text-center">
          <div class="col-md-4">
```

```
            <hr class="light">
            <h5>Our Address</h5>
            <hr class="light">
            <p>+91 9823451278</p>
            <p>contactus@ttgs.com</p>
            <p>1901/B, Om Vikas</p>
            <p>Mumbai, Mahrashtra,400006</p>
         </div>
         <div class="col-md-4">
            <hr class="light" />
            <h5>Our Hours</h5>
            <hr class="light" />
            <p>Monday: 9PM-5PM</p>
            <p>Saturday:10AM-4PM</p>
            <p>Sunday: Closed</p>
         </div>
         <div class="col-md-4">
            <hr class="light">
            <h5>Service Areas</h5>
            <hr class="light" />
            <p>Mumbai, Maharashtra</p>
            <p>Ahmedabad, Gujarat</p>
            <p>Chennai, Tamil Nadu</p>
            <p>Bhopal, Madhya Pradesh</p>
         </div>
         <div class="col-12">
            <hr class="light" />
            <h5>&copy; oes.com</h5>
         </div>
      </div>
      </div>
   </footer>
```

Footer.css

```
body {
   padding-top: 3rem;
   padding-bottom: 3rem;
   color: #5a5a5a;
   font-family: 'Poppins', sans-serif;
   overflow-x: hidden;
}

footer {
   background-color: #3f3f3f;
   color: #d5d5d5;
   padding-top: 2rem;
}

hr.light {
   border-top: 1px solid #d5d5d5;
   width: 75%;
   margin-top: 0.8rem;
   margin-bottom: 1rem;
}

footer a {
   color: #d5d5d5;
}
```

Login.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
   <head>
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <meta http-equiv="X-UA-Compatible" content="ie=edge">
      <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
      <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css"
integrity="sha384-
mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU"
crossorigin="anonymous">

      <title>OES | Login</title>
      <style>
        #logreg-forms{
   width:412px;
   margin:10vh auto;
   background-color:#f3f3f3;
   box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px rgba(0,0,0,0.24);
   transition: all 0.3s cubic-bezier(.25,.8,.25,1);
}
#logreg-forms form {
   width: 100%;
   max-width: 410px;
   padding: 15px;
   margin: auto;
}
#logreg-forms .form-control {
   position: relative;
   box-sizing: border-box;
   height: auto;
   padding: 10px;
   font-size: 16px;
}
#logreg-forms .form-control:focus { z-index: 2; }
#logreg-forms .form-signin input[type="text"] {
   margin-bottom: -1px;
   border-bottom-right-radius: 0;
   border-bottom-left-radius: 0;

}
#logreg-forms .form-signin input[type="password"] {
   border-top-left-radius: 0;
   border-top-right-radius: 0;
}

#logreg-forms a{
   display: block;
   padding-top:10px;
   color:grey;
}


#logreg-forms input[type="submit"]{ margin-top:10px;  background-color: #4a4747}
```

```
#logreg-forms .form-reset, #logreg-forms .form-signup{ display: none; }

#logreg-forms .form-signup input { margin-bottom: 2px;}

/* Mobile */

@media screen and (max-width:500px){
   #logreg-forms{
      width:300px;
   }

}

      </style>
   </head>
   <body>
      <div id="logreg-forms">
      <form class="form-signin" action="login" method="GET">
         <h1 class="h3 mb-3 font-weight-normal" style="text-align: center">Login</h1>
         <hr/>
         <input type="text" class="form-control" placeholder="Username" required="" autofocus="" name="email" />
         <input type="password" class="form-control" placeholder="Password" required="" name="pass" /><br>

         <input class="btn btn-success btn-block" type="submit" value="Login" style="color:white;"><br/>
         <a href="register.jsp" id="forgot_pswd">Don't have an account? Sign Up</a><br/>
         <h5 style="color:red; text-align: center;">${err}</h5>
         <hr/>
      </form>

   </div>
   </body>
</html>
```

Register.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
   <head>
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <meta http-equiv="X-UA-Compatible" content="ie=edge">
      <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm" crossorigin="anonymous">
      <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css" integrity="sha384-mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU" crossorigin="anonymous">

      <title>OES | Sign Up</title>
      <style>

         #logreg-forms{
            width:412px;
```

```
            margin:10vh auto;
            background-color:#f3f3f3;
            box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px rgba(0,0,0,0.24);
            transition: all 0.3s cubic-bezier(.25,.8,.25,1);
        }
        #logreg-forms form {
            width: 100%;
            max-width: 410px;
            padding: 15px;
            margin: auto;
        }
        #logreg-forms .form-control {
            position: relative;
            box-sizing: border-box;
            height: auto;
            padding: 10px;
            font-size: 16px;
        }
        #logreg-forms .form-control:focus { z-index: 2; }
        #logreg-forms .form-signin input[type="text"] {
            margin-bottom: -1px;
            border-bottom-right-radius: 0;
            border-bottom-left-radius: 0;

        }
        #logreg-forms .form-signin input[type="password"] {
            border-top-left-radius: 0;
            border-top-right-radius: 0;
        }

        #logreg-forms a{
            display: block;
            padding-top:10px;
            color:grey;
        }


        #logreg-forms input[type="submit"]{ margin-top:10px;  background-color: #4a4747}

        #logreg-forms .form-reset, #logreg-forms .form-signup{ display: none; }

        #logreg-forms .form-signup input { margin-bottom: 2px;}

        /* Mobile */

        @media screen and (max-width:500px){
            #logreg-forms{
                width:300px;
            }

        }
    </style>
    </head>
    <body>
        <div id="logreg-forms" >
        <form class="form-signin" action="register">
            <h1 class="h3 mb-3 font-weight-normal" style="text-align: center">Student Sign
Up</h1>
            <hr>
```

```
        <input type="text" id="inputEmail" class="form-control" placeholder="Name" required="" autofocus="" name="name" />
        <input type="email" id="inputEmail" class="form-control" placeholder="Email" required="" autofocus="" name="email" />
        <input type="password" id="inputPassword" class="form-control" placeholder="Password" required="" name="pass" /><br>

        <input class="btn btn-success btn-block" type="submit" value="Register" style="color:white;"><br/>
        <a href="login.jsp" id="forgot_pswd">Already have an account? Sign In</a><br/>
        <h5 style="color:red; text-align: center;">${ermsg}</h5>
        <hr>
      </form>
    </div>
    </body>
</html>
```

Adminlogin.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
    <head>
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <meta http-equiv="X-UA-Compatible" content="ie=edge">
      <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm" crossorigin="anonymous">
      <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.3.1/css/all.css" integrity="sha384-mzrmE5qonljUremFsqc01SB46JvROS7bZs3IO2EmfFsd15uHvIt+Y8vEf7N7fWAU" crossorigin="anonymous">

      <title>OES | Login</title>
      <style>
        #logreg-forms{
    width:412px;
    margin:10vh auto;
    background-color:#f3f3f3;
    box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px rgba(0,0,0,0.24);
    transition: all 0.3s cubic-bezier(.25,.8,.25,1);
}
#logreg-forms form {
    width: 100%;
    max-width: 410px;
    padding: 15px;
    margin: auto;
}
#logreg-forms .form-control {
    position: relative;
    box-sizing: border-box;
    height: auto;
    padding: 10px;
    font-size: 16px;
}
#logreg-forms .form-control:focus { z-index: 2; }
#logreg-forms .form-signin input[type="text"] {
    margin-bottom: -1px;
```

```
    border-bottom-right-radius: 0;
    border-bottom-left-radius: 0;

}
#logreg-forms .form-signin input[type="password"] {
    border-top-left-radius: 0;
    border-top-right-radius: 0;
}

#logreg-forms a{
    display: block;
    padding-top:10px;
    color:grey;
}


#logreg-forms input[type="submit"]{ margin-top:10px;  background-color: #4a4747}

#logreg-forms .form-reset, #logreg-forms .form-signup{ display: none; }

#logreg-forms .form-signup input { margin-bottom: 2px;}

/* Mobile */

@media screen and (max-width:500px){
    #logreg-forms{
        width:300px;
    }

}

        </style>
    </head>
    <body>
        <div id="logreg-forms">
        <form class="form-signin" action="adminlogin" method="POST">
            <h1 class="h3 mb-3 font-weight-normal" style="text-align: center">Administrator Sign
In</h1>
            <hr/>
            <input type="email" class="form-control" placeholder="Email" required="" autofocus=""
name="email" />
            <input type="password" class="form-control" placeholder="Password" required=""
name="pass" /><br>

            <input class="btn btn-success btn-block" type="submit" value="Login"
style="color:white;"><br/>
            <h5 style="color:red; text-align: center;">${err}</h5>
            <hr/>
        </form>

    </div>
    </body>
</html>
```

Adminnavbar.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<header>
            <!--Navigation Bar-->
            <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
```

```
            <a class="navbar-brand" href="#"><b>ONLINE EXAMINATION SYSTEM</b></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarCollapse">
               <ul class="navbar-nav ml-auto">
               <li class="nav-item active">
                  <a class="nav-link" href="adminhome.jsp">Home</a>
               </li>
               <li class="nav-item dropdown">
      <a class="nav-link dropdown-toggle" href="#" id="dropdown03" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">Set Examination</a>
   <div class="dropdown-menu" aria-labelledby="dropdown03">
      <a class="dropdown-item" href="addquestions.jsp">Add Questions</a>
                        <a class="dropdown-item" href="viewexam.jsp">View Exam</a>
   </div>
   </li>
               <li class="nav-item">
                  <a class="nav-link" href="checkscores.jsp">Check Marks</a>
               </li>
               <li class="nav-item">
                  <a class="nav-link" href="logout">Logout</a>
               </li>
               </ul>
            </div>
         </nav>
</header>
```

Adminhome.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>TTGS | About Us</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
      <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

   <style>
      body {
   padding-top: 3.5rem;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
}
```

```
   </style>

</head>
<body>
   <form action="adminhome.jsp" method="POST">
      <jsp:include page="adminnavbar.jsp" />

      <main role="main">
         <div class="jumbotron">
          <div class="container">
            <h1 class="display-4">Welcome Admin!</h1>
            <p>Welcome to OES!, an online examination system for colleges and universities to
conduct their exams.
            </p>
            <p>Please Select the Subject which you want to add questions to:
            </p>
            <p>
             <select name="examsubject">
                <option name="py" value="Python">Python</option>
                <option name="ej" value="Django">Django</option>
             </select>
            </p>
            <input type="submit" value="Select Exam"><br/><br/>
             <%
                String examtype = (String)request.getParameter("examsubject");
                session.setAttribute("examsubject", examtype);
             %>
             <p>Examination Subject to Edit: <b>${examsubject}</b></p>
             <p>Once you have selected an exam to edit click on "Set Examination" to either add
questions to the examination or view the exam</p>
            </div>
            </div>

            <div class="container">
             <div class="row">
               <div class="col-md-4">
                 <h2>Admin</h2>
                 <p>OES provides Admin accounts which gives the user the privilege to create,
manipulate or delete the exam</p>
               </div>
               <div class="col-md-4">
                 <h2>How does it Work?</h2>
                 <p>OES makes use of JSP, Servlets, JSTL and a MySql database</p>
               </div>
               <div class="col-md-4">
                 <h2>Terms & Conditions</h2>
                 <p>If your organization has any concerns regarding the system please read our
Terms and Conditions.</p>
               </div>
            </div>
            <hr>
         </div>
      </main>

<footer class="container">
  <p>&copy; oes. All Rights Reserved</p>
</footer>
<script          src="https://code.jquery.com/jquery-3.5.1.slim.min.js"          integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
```

```
    <script>window.jQuery || document.write('<script src="../assets/js/vendor/jquery.slim.min.js"><\/script>')</script><script src="../assets/dist/js/bootstrap.bundle.js"></script>

  </form>
</body>
</html>
```

Examscreen.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | Exam Screen</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
      <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

  <style>
     body {
  padding-top: 3.5rem;
}

nav {
  font-family: sans-serif;
}

.navbar-brand {
  font-size: 20px;
  font-family: Georgia, 'Times New Roman', Times, serif;
}
  </style>

</head>
<body>
  <%
     response.setHeader("Cache-Control", "private, no-store, no-cache, must-revalidate");
  %>
  <form action="exam.jsp" method="POST">
     <header>
        <!--Navigation Bar-->
        <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
           <a class="navbar-brand" href="#"><b>ONLINE EXAMINATION SYSTEM</b></a>
           <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-label="Toggle navigation">
              <span class="navbar-toggler-icon"></span>
           </button>
           <div class="collapse navbar-collapse" id="navbarCollapse">
              <ul class="navbar-nav ml-auto">
              <li class="nav-item active">
                 <a class="nav-link" href="examscreen.jsp">Exam Screen</a>
              </li>
```

```
   <li class="nav-item">
<a class="nav-link" href="logout">Logout</a>
   </li>
              </ul>
            </div>
          </nav>
       </header>

       <main role="main">
          <div class="jumbotron">
            <div class="container">
              <h1 class="display-4">Welcome ${name}</h1>
              <p>Welcome to OES!, an online examination system for colleges and universities to conduct their exams. OES provides
                 ease and maximum efficiency thus saving the organization's valuable time.
              </p>
              <p>Please Select the Exam You Would like to take:
              </p>
              <p>
               <select name="selectedexam">
                  <option name="py" value="Python">Python</option>
                  <option name="ej" value="Django">Django</option>
               </select>
              </p>
              <input type="submit" value="Start Exam" style="color:red;"><br/><br/>
              </div>
              </div>
              <div class="container">
               <div class="row">
                <div class="col-md-4">
                  <h2>User</h2>
                  <p>OES provides Admin accounts which gives the user the privilege to create, manipulate or delete the exam</p>
                </div>
                <div class="col-md-4">
                  <h2>How does it Work?</h2>
                  <p>OES makes use of JSP, Servlets, JSTL and a MySql database</p>
                </div>
                <div class="col-md-4">
                  <h2>Terms & Conditions</h2>
                  <p>If your organization has any concerns regarding the system please read our Terms and Conditions.</p>
                </div>
              </div>
              <hr>
          </div>
       </main>

<footer class="container">
  <p>&copy; oes. All Rights Reserved</p>
</footer>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
     <script>window.jQuery || document.write('<script src="../assets/js/vendor/jquery.slim.min.js"><\/script>')</script><script src="../assets/dist/js/bootstrap.bundle.js"></script>

   </form>
</body>
```

```
</html>
```

Exam.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | Exam Screen</title>
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
      <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

   <style>
      body {
   padding-top: 3.5rem;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
}
   </style>

</head>
<body>
   <%
      response.setHeader("Cache-Control", "private, no-store, no-cache, must-revalidate");
   %>
   <form action="exam.jsp" method="POST">
      <header>
         <!--Navigation Bar-->
         <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-dark">
            <a class="navbar-brand" href="#"><b>ONLINE EXAMINATION SYSTEM</b></a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarCollapse" aria-controls="navbarCollapse" aria-expanded="false" aria-label="Toggle navigation">
               <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarCollapse">
               <ul class="navbar-nav ml-auto">
               <li class="nav-item active">
                  <a class="nav-link" href="examscreen.jsp">Exam Screen</a>
               </li>
   <li class="nav-item">
<a class="nav-link" href="logout">Logout</a>
   </li>
               </ul>
            </div>
         </nav>
```

```
    </header>

    <main role="main">
      <div class="jumbotron">
        <div class="container">
          <h1 class="display-4">Welcome ${name}</h1>
          <p>Welcome to OES!, an online examination system for colleges and universities to conduct their exams. OES provides
            ease and maximum efficiency thus saving the organization's valuable time.
          </p>
          <p>Please Select the Exam You Would like to take:
          </p>
          <p>
            <select name="selectedexam">
              <option name="py" value="Python">Python</option>
              <option name="ej" value="Django">Django</option>
            </select>
          </p>
          <input type="submit" value="Start Exam" style="color:red;"><br/><br/>
          </div>
          </div>
          <div class="container">
            <div class="row">
              <div class="col-md-4">
                <h2>User</h2>
                <p>OES provides Admin accounts which gives the user the privilege to create, manipulate or delete the exam</p>
              </div>
              <div class="col-md-4">
                <h2>How does it Work?</h2>
                <p>OES makes use of JSP, Servlets, JSTL and a MySql database</p>
              </div>
              <div class="col-md-4">
                <h2>Terms & Conditions</h2>
                <p>If your organization has any concerns regarding the system please read our Terms and Conditions.</p>
              </div>
          </div>
          <hr>
      </div>
    </main>

<footer class="container">
  <p>&copy; oes. All Rights Reserved</p>
</footer>
<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script>window.jQuery || document.write('<script src="../assets/js/vendor/jquery.slim.min.js"><\/script>')</script><script src="../assets/dist/js/bootstrap.bundle.js"></script>

   </form>
</body>
</html>
```

Setmarks.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
```

```
<!DOCTYPE html>
<html>
   <head>
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <title>JSP Page</title>
   </head>
   <body>
      <sql:setDataSource driver="com.mysql.jdbc.Driver"
                     url="jdbc:mysql://localhost:3306/ejproj"
                     user="root"
                     password="payal"></sql:setDataSource>
      <sql:query var="userscore">
         select marks from login where email='${email}'
      </sql:query>
      <c:set var="uscore" value="${param.uscore}"/>

    <c:forEach  var="user" items="${userscore.rows}">


<c:set var="newscore" value="${uscore + user.score}"/>
      <sql:update>
        Update login set marks='${newscore}' where email='${email}'
     </sql:update>
      <c:redirect url="examscreen.jsp"></c:redirect>
     </c:forEach>

   </body>
</html>
```

Checkscores.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@ taglib prefix = "sql" uri = "http://java.sun.com/jsp/jstl/sql" %>
<!DOCTYPE html>
<html>
   <head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | Check Marks</title>
<link                                                                                                rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
      <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

   <style>
      body {
   padding-top: 3.5rem;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
```

```
}
.center {
  margin-left: auto;
  margin-right: auto;
}
table {
  width: 55%;
}
table th,td{
    text-align: center;
}
    </style>

    </head>
    <body>
        <jsp:include page="adminnavbar.jsp" /><br/>
        <h1 style="text-align: center;">Student Marks</h1><br/>
        <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"
url="jdbc:mysql://localhost:3306/ejproj" user="root" password="payal"/>
        <sql:query dataSource="${db}" var="res">
            select * from login;
        </sql:query>
        <table border="1" class="center">
            <tr>
                <th>ID</th>
                <th>Username</th>
                <th>Email</th>
                <th>Marks</th>
            </tr>
            <c:forEach var="tbl" items="${res.rows}">
                <tr>
                    <td><c:out value="${tbl.id}"/></td>
                    <td><c:out value="${tbl.username}"/></td>
                    <td><c:out value="${tbl.email}"/></td>
                    <td><c:out value="${tbl.marks}"/></td>
                </tr>
            </c:forEach>
        </table>

    </body>
</html>
```

Viewexam.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@ taglib prefix = "sql" uri = "http://java.sun.com/jsp/jstl/sql" %>
<!DOCTYPE html>
<html>
    <head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>OES | View Exam</title>
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
        <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">
```

```
    <style>
        body {
    padding-top: 3.5rem;
}

nav {
    font-family: sans-serif;
}

.navbar-brand {
    font-size: 20px;
    font-family: Georgia, 'Times New Roman', Times, serif;
}
.center {
  margin-left: auto;
  margin-right: auto;
}
table {
  width: 95%;
}
    </style>

    </head>
    <body>
        <jsp:include page="adminnavbar.jsp" /><br/>
        <h1 style="text-align: center;">${examsubject} Exam Set</h1><br/>
        <sql:setDataSource var="db" driver="com.mysql.jdbc.Driver"
url="jdbc:mysql://localhost:3306/ejproj" user="root" password="payal"/>
        <sql:query dataSource="${db}" var="res">
            SELECT * FROM ${examsubject};
        </sql:query>
        <table border="1" class="center">
            <tr>
                <th>Question_ID</th>
                <th>Question Number</th>
                <th>Question</th>
                <th>Choice 1</th>
                <th>Choice 2</th>
                <th>Choice 3</th>
                <th>Choice 4</th>
                <th>Answer</th>
            </tr>
            <c:forEach var="tbl" items="${res.rows}">
                <tr>
                    <td><c:out value="${tbl.id}"/></td>
                    <td><c:out value="${tbl.qno}"/></td>
                    <td><c:out value="${tbl.question}"/></td>
                    <td><c:out value="${tbl.a1}"/></td>
                    <td><c:out value="${tbl.a2}"/></td>
                    <td><c:out value="${tbl.a3}"/></td>
                    <td><c:out value="${tbl.a4}"/></td>
                    <td><c:out value="${tbl.ans}"/></td>
                </tr>
            </c:forEach>
        </table>

    </body>
</html>
```

Addquestion.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
<!DOCTYPE html>
<html>
   <head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>TTGS | About Us</title>
<link                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css">
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"></script>
<script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"></script>
<script src="https://use.fontawesome.com/releases/v5.0.8/js/all.js"></script>
      <link rel="canonical" href="https://getbootstrap.com/docs/4.5/examples/carousel/">

   <style>
      body {
   padding-top: 3.5rem;
}

nav {
   font-family: sans-serif;
}

.navbar-brand {
   font-size: 20px;
   font-family: Georgia, 'Times New Roman', Times, serif;
}
#logreg-forms{
   width:412px;
   margin:10vh auto;
   background-color:#f3f3f3;
   box-shadow: 0 1px 3px rgba(0,0,0,0.12), 0 1px 2px rgba(0,0,0,0.24);
   transition: all 0.3s cubic-bezier(.25,.8,.25,1);
}
#logreg-forms form {
   width: 100%;
   max-width: 410px;
   padding: 15px;
   margin: auto;
}
#logreg-forms .form-control {
   position: relative;
   box-sizing: border-box;
   height: auto;
   padding: 10px;
   font-size: 16px;
}
#logreg-forms .form-control:focus { z-index: 2; }
#logreg-forms .form-signin input[type="text"] {
   margin-bottom: -1px;
   border-bottom-right-radius: 0;
   border-bottom-left-radius: 0;

}
#logreg-forms .form-signin input[type="password"] {
```

```
   border-top-left-radius: 0;
   border-top-right-radius: 0;
}

#logreg-forms a{
   display: block;
   padding-top:10px;
   color:grey;
}


#logreg-forms input[type="submit"]{ margin-top:10px;  background-color: #4a4747}

#logreg-forms .form-reset, #logreg-forms .form-signup{ display: none; }

#logreg-forms .form-signup input { margin-bottom: 2px;}

/* Mobile */

@media screen and (max-width:500px){
   #logreg-forms{
      width:300px;
   }

}
   </style>
   </head>
   <body>
         <jsp:include page="adminnavbar.jsp" /><br/>
         <h1 style="text-align: center;"><u>Add Questions</u></h1>
         <h5 style="text-align: center;">Add Questions to ${examsubject} Examination</h5><br/>

         <form class="form-signin" action="addquestionDB.jsp" method="POST">

            <input type="text" class="form-control" placeholder="Question Number" required="" autofocus="" name="questno" />
            <input type="text" class="form-control" placeholder="Question" required="" name="question" />
            <input type="text" class="form-control" placeholder="Choice 1" required="" name="ans1" />
            <input type="text" class="form-control" placeholder="Choice 2" required="" name="ans2" />
            <input type="text" class="form-control" placeholder="Choice 3" required="" name="ans3" />
            <input type="text" class="form-control" placeholder="Choice 4" required="" name="ans4" />
            <input type="text" class="form-control" placeholder="Correct Choice" required="" name="answer" /><br>

            <input class="btn btn-success btn-block" type="submit" value="Add Question" style="color:white;"><br/>

            <c:if test="${not empty param.success}">
               <c:out value="${param.success}"></c:out>
            </c:if>
         </form>
   </body>
</html>
```

AddquestionDB.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@ taglib prefix="c" uri="http://java.sun.com/jsp/jstl/core" %>
<%@ taglib prefix="sql" uri="http://java.sun.com/jsp/jstl/sql" %>
<!DOCTYPE html>
<html>
   <head>
      <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
      <title>JSP Page</title>
   </head>
   <body>
      <sql:setDataSource                                                driver="com.mysql.jdbc.Driver"
url="jdbc:mysql://localhost:3306/ejproj"
      user="root" password="payal"></sql:setDataSource>

      <sql:update var="tbl">
               INSERT INTO ${examsubject}(qno,question,a1,a2,a3,a4,ans) VALUES (?,?,?,?,?,?,?)
               <sql:param value="${param.questno}" />
               <sql:param value="${param.question}" />
               <sql:param value="${param.ans1}" />
               <sql:param value="${param.ans2}" />
               <sql:param value="${param.ans3}" />
               <sql:param value="${param.ans4}" />
               <sql:param value="${param.answer}" />
            </sql:update>
      <c:if test="${tbl>=1}">
         <c:redirect url="addquestions.jsp">
            <c:param name="success" value="Question Inserted Successfully"/>
         </c:redirect>
      </c:if>
   </body>
</html>
```

Java Resources

Login.java

```
package project;

import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.servlet.RequestDispatcher;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
```

```
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

@WebServlet(name = "login", urlPatterns = {"/login"})
public class login extends HttpServlet {
   protected void processRequest(HttpServletRequest request, HttpServletResponse response)
         throws ServletException, IOException, ClassNotFoundException, SQLException {
      response.setContentType("text/html;charset=UTF-8");
      try (PrintWriter out = response.getWriter()) {
         out.println("<!DOCTYPE html>");
         out.println("<html>");
         out.println("<head>");
         out.println("<title>OES</title>");
         out.println("</head>");

         String email = request.getParameter("email");
         String pass = request.getParameter("pass");

         Connection conn = null;
         PreparedStatement ps = null;
         ResultSet rs = null;

         String driverName="com.mysql.jdbc.Driver";
         String url = "jdbc:mysql://localhost:3306/ejproj";
         String dbuser = "root";
         String dbpass = "payal";
         String sql = "select * from login where username=? and password=?";

         String name = "";
         String emailid = "";

         try{
            if(email!=null){

               Class.forName(driverName);
               conn=DriverManager.getConnection(url, dbuser, dbpass);
               ps=conn.prepareStatement(sql);
```

```
            ps.setString(1, email);
            ps.setString(2, pass);

            rs=ps.executeQuery();

            if(rs.next()){

               name = rs.getString("username");
               emailid = rs.getString("email");

               HttpSession hs = request.getSession();
               //hs.setAttribute("id", id);
               hs.setAttribute("name", name);
               hs.setAttribute("email", emailid);
               RequestDispatcher rd = request.getRequestDispatcher("examscreen.jsp");
               rd.forward(request, response);
            }
            else{
               HttpSession hs = request.getSession();
               RequestDispatcher d = request.getRequestDispatcher("login.jsp");
               hs.setAttribute("err", "User Credentials Incorrect");
               d.forward(request,response);
               rs.close();
               ps.close();
            }
         }

      out.println("<body>");
      out.println("</body>");
      out.println("</html>");
   }
      catch(Exception e){

      }
  }
}

@Override
protected void doGet(HttpServletRequest request, HttpServletResponse response)
```

```
        throws ServletException, IOException {
    try {
        processRequest(request, response);
    } catch (ClassNotFoundException ex) {
        Logger.getLogger(login.class.getName()).log(Level.SEVERE, null, ex);
    } catch (SQLException ex) {
        Logger.getLogger(login.class.getName()).log(Level.SEVERE, null, ex);
    }
  }

  @Override
  protected void doPost(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
    try {
        processRequest(request, response);
    } catch (ClassNotFoundException ex) {
        Logger.getLogger(login.class.getName()).log(Level.SEVERE, null, ex);
    } catch (SQLException ex) {
        Logger.getLogger(login.class.getName()).log(Level.SEVERE, null, ex);
    }
  }

  @Override
  public String getServletInfo() {
    return "Short description";
  }// </editor-fold>

}
```

Adminlogin.java

```
package project;

import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
```

```
import javax.servlet.RequestDispatcher;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;


@WebServlet(name = "adminlogin", urlPatterns = {"/adminlogin"})
public class adminlogin extends HttpServlet {

    protected void processRequest(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        try (PrintWriter out = response.getWriter()) {
            /* TODO output your page here. You may use following sample code. */
             out.println("<!DOCTYPE html>");
            out.println("<html>");
            out.println("<head>");
            out.println("<title>OES</title>");
            out.println("</head>");

            String email = request.getParameter("email");
            String pass = request.getParameter("pass");

            Connection conn = null;
            PreparedStatement ps = null;
            ResultSet rs = null;

            String driverName="com.mysql.jdbc.Driver";
            String url = "jdbc:mysql://localhost:3306/ejproj";
            String dbuser = "root";
            String dbpass = "payal";
            String sql = "select * from adminlog where email=? and password=?";

            String id = "";
            String emailid = "";
```

```
        try{
            if(email!=null){

                Class.forName(driverName);
                conn=DriverManager.getConnection(url, dbuser, dbpass);
                ps=conn.prepareStatement(sql);
                ps.setString(1, email);
                ps.setString(2, pass);

                rs=ps.executeQuery();

                if(rs.next()){
                    HttpSession hs = request.getSession();
                    hs.setAttribute("id", id);
                    hs.setAttribute("email", emailid);
                    RequestDispatcher rd = request.getRequestDispatcher("adminhome.jsp");
                    rd.forward(request, response);
                }
                else{
                    HttpSession hs = request.getSession();
                    RequestDispatcher d = request.getRequestDispatcher("adminlogin.jsp");
                    hs.setAttribute("err", "User Credentials Incorrect");
                    d.forward(request,response);
                    rs.close();
                    ps.close();
                }
            }

        out.println("<body>");
        out.println("</body>");
        out.println("</html>");
    }
        catch(Exception e){

        }
    }
}

@Override
```

```
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        processRequest(request, response);
    }

    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        processRequest(request, response);
    }

    @Override
    public String getServletInfo() {
        return "Short description";
    }// </editor-fold>

}
```

Register.java

```
package project;

import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.SQLException;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

@WebServlet(name = "register", urlPatterns = {"/register"})
public class register extends HttpServlet {
```

```
protected void processRequest(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException, ClassNotFoundException, SQLException {
    response.setContentType("text/html;charset=UTF-8");
    try (PrintWriter out = response.getWriter()) {
        /* TODO output your page here. You may use following sample code. */
        out.println("<!DOCTYPE html>");
        out.println("<html>");
        out.println("<head>");
        out.println("</head>");
        out.println("<body>");

        String name = request.getParameter("name");
        String email = request.getParameter("email");
        String password = request.getParameter("pass");

        String url = "jdbc:mysql://localhost:3306/ejproj";
        String dbusername = "root";
        String dbpassword = "payal";
        String query = "insert into login(username,email,password) values (?,?,?)";

        Connection con = null;
        PreparedStatement preparedStatement= null;

        Class.forName("com.mysql.jdbc.Driver");

        try{

            con = DriverManager.getConnection(url, dbusername, dbpassword);

            preparedStatement = con.prepareStatement(query);
            preparedStatement.setString(1, name);
            preparedStatement.setString(2, email);
            preparedStatement.setString(3, password);

            int i= preparedStatement.executeUpdate();

            if (i!=0) {
                HttpSession hs = request.getSession();
```

```
            hs.setAttribute("name", name);
            response.sendRedirect("login.jsp");
        } else{

            HttpSession hs = request.getSession();
            hs.setAttribute("ermsg", "Error, Please Try Again");
        }
    }catch (SQLException ex) {

        Logger.getLogger(register.class.getName()).log(Level.SEVERE, null, ex);
    }

    out.println("</body>");
    out.println("</html>");
    }
}

@Override
protected void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    try {
        processRequest(request, response);
    } catch (ClassNotFoundException ex) {
        Logger.getLogger(register.class.getName()).log(Level.SEVERE, null, ex);
    } catch (SQLException ex) {
        Logger.getLogger(register.class.getName()).log(Level.SEVERE, null, ex);
    }
}

@Override
protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {
    try {
        processRequest(request, response);
    } catch (ClassNotFoundException ex) {
        Logger.getLogger(register.class.getName()).log(Level.SEVERE, null, ex);
    } catch (SQLException ex) {
        Logger.getLogger(register.class.getName()).log(Level.SEVERE, null, ex);
    }
```

```
    }

    @Override
    public String getServletInfo() {
        return "Short description";
    }// </editor-fold>

}
```

Logout.java

```
package project;

import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

@WebServlet(name = "logout", urlPatterns = {"/logout"})
public class logout extends HttpServlet {

    protected void processRequest(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        response.setContentType("text/html;charset=UTF-8");
        try (PrintWriter out = response.getWriter()) {
            /* TODO output your page here. You may use following sample code. */
            out.println("<!DOCTYPE html>");
            out.println("<html>");
            out.println("<head>");
            out.println("<title>Servlet logout</title>");
            out.println("</head>");
            out.println("<body>");

            HttpSession hs = request.getSession(false);
            hs.removeAttribute("examsubject");
```

```
            hs.removeAttribute("email");
            hs.removeAttribute("username");
            hs.invalidate();
            response.sendRedirect("index.jsp");

            out.println("</body>");
            out.println("</html>");
        }
    }

    @Override
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        processRequest(request, response);
    }

    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        processRequest(request, response);
    }

    @Override
    public String getServletInfo() {
        return "Short description";
    }

}
```

Evaluate.java

```
package project;

import java.io.IOException;
import java.io.PrintWriter;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.SQLException;
```

```
import java.sql.Statement;
import java.util.Enumeration;
import java.util.logging.Level;
import java.util.logging.Logger;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

@WebServlet(name = "evaluate", urlPatterns = {"/evaluate"})
public class evaluate extends HttpServlet {

   protected void processRequest(HttpServletRequest request, HttpServletResponse response)
        throws ServletException, IOException {
        Connection conn = null;
        String url = "jdbc:mysql://localhost:3306/ejproj";
        String dbusername = "root";
        String dbpassword = "payal";
        Statement statement = null;
        ResultSet resultset = null;
      response.setContentType("text/html;charset=UTF-8");
     try (PrintWriter out = response.getWriter()) {
         try {
            Class.forName("com.mysql.jdbc.Driver");
        } catch (ClassNotFoundException ex) {
            Logger.getLogger(login.class.getName()).log(Level.SEVERE, null, ex);
        }
        conn = DriverManager.getConnection(url, dbusername, dbpassword);
        Enumeration retrieve = request.getParameterNames();
        statement = conn.createStatement();
        HttpSession session = request.getSession();
        String selectedexam = (String) session.getAttribute("selectedexam");
        int marks = 0;

       while(retrieve.hasMoreElements()){

       String var = (String)retrieve.nextElement();
```

```
        resultset = statement.executeQuery("select question,ans from "+selectedexam+" where
qno="+var+"");

        String [] useranswers = request.getParameterValues(var);

        for(String i:useranswers){

              while (resultset.next())
               {
                  String rightans = resultset.getString("ans");


               if(i.equals(rightans)){
                  marks++;

               }

              }
            }
        }
        out.println("<h1 style=\"text-align:center;\">The Examination Has Ended</h1>");
        out.println("<h4 style=\"text-align:center;\">Please Click on the 'Record Answers' Button
below to Record them for Evaluation</h4>");
        out.println(" <center><form method=\"POST\" action=\"setmarks.jsp\">\n" +
"          \n" +
"          <input type=\"hidden\" name=\"uscore\" value="+marks+">\n" +
"          <input type=\"submit\" value=\"Record Answers\">\n" +
"       </form>\n" +
"    </center>");

//System.out.println(scorecounter);
      } catch (SQLException ex) {
         Logger.getLogger(evaluate.class.getName()).log(Level.SEVERE, null, ex);
      }
   }

   @Override
   protected void doGet(HttpServletRequest request, HttpServletResponse response)
         throws ServletException, IOException {
```

```
        processRequest(request, response);
    }

    @Override
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
            throws ServletException, IOException {
        processRequest(request, response);
    }

    @Override
    public String getServletInfo() {
        return "Short description";
    }// </editor-fold>

}
```

DATA TABLES

```
mysql> use ejproj;
Database changed
mysql> show tables;
+------------------+
| Tables_in_ejproj |
+------------------+
| adminlog         |
| django           |
| login            |
| python           |
+------------------+
4 rows in set (0.00 sec)
```

Admin Login Table :

```
mysql> desc adminlog;
+----------+--------------+------+-----+---------+----------------+
| Field    | Type         | Null | Key | Default | Extra          |
+----------+--------------+------+-----+---------+----------------+
| id       | int(11)      | NO   | PRI | NULL    | auto_increment |
| email    | varchar(100) | YES  |     | NULL    |                |
| password | varchar(20)  | YES  |     | NULL    |                |
+----------+--------------+------+-----+---------+----------------+
3 rows in set (0.00 sec)
```

Student Login Table :

```
mysql> desc login;
+----------+--------------+------+-----+---------+----------------+
| Field    | Type         | Null | Key | Default | Extra          |
+----------+--------------+------+-----+---------+----------------+
| id       | int(11)      | NO   | PRI | NULL    | auto_increment |
| username | varchar(20)  | YES  |     | NULL    |                |
| email    | varchar(100) | YES  |     | NULL    |                |
| password | varchar(20)  | YES  |     | NULL    |                |
| marks    | int(11)      | YES  |     | NULL    |                |
+----------+--------------+------+-----+---------+----------------+
5 rows in set (0.00 sec)
```

Python Question Set :

```
mysql> desc python;
+----------+--------------+------+-----+---------+----------------+
| Field    | Type         | Null | Key | Default | Extra          |
+----------+--------------+------+-----+---------+----------------+
| id       | int(11)      | NO   | PRI | NULL    | auto_increment |
| qno      | int(11)      | YES  |     | NULL    |                |
| question | varchar(500) | YES  |     | NULL    |                |
| a1       | varchar(100) | YES  |     | NULL    |                |
| a2       | varchar(100) | YES  |     | NULL    |                |
| a3       | varchar(100) | YES  |     | NULL    |                |
| a4       | varchar(100) | YES  |     | NULL    |                |
| ans      | varchar(100) | YES  |     | NULL    |                |
+----------+--------------+------+-----+---------+----------------+
8 rows in set (0.00 sec)
```

Django Question Set :

```
mysql> desc django;
+----------+--------------+------+-----+---------+----------------+
| Field    | Type         | Null | Key | Default | Extra          |
+----------+--------------+------+-----+---------+----------------+
| id       | int(11)      | NO   | PRI | NULL    | auto_increment |
| qno      | int(11)      | YES  |     | NULL    |                |
| question | varchar(500) | YES  |     | NULL    |                |
| a1       | varchar(100) | YES  |     | NULL    |                |
| a2       | varchar(100) | YES  |     | NULL    |                |
| a3       | varchar(100) | YES  |     | NULL    |                |
| a4       | varchar(100) | YES  |     | NULL    |                |
| ans      | varchar(100) | YES  |     | NULL    |                |
+----------+--------------+------+-----+---------+----------------+
8 rows in set (0.03 sec)
```

SCREENSHOTS

Home Page :



About us :



Student Register :



Student Login :



Welcome page for student :



Exam Screen :

ONLINE EXAMINATION SYSTEM

Examinations ends in: 968

Python Examination

Q1. What is the maximum length of a Python identifier?

- ○ 32
- ○ 16
- ○ 128
- ◉ no fixed length is specified

Q2. How is a code block indicated in Python?

- ○ Brackets
- ◉ Indentation
- ○ Key
- ○ none

Q3. Which of the following concepts is not a part of Python?

- ◉ Pointers
- ○ Loops
- ○ Dynamic Typing
- ○ All of the above

Q4. Which of the following statements are used in Exception Handling in Python?

- ○ try
- ○ except
- ○ finally

The Examination Has Ended

Please Click on the 'Record Answers' Button below to Record them for Evaluation

Record Answers

Welcome page for Admin :



Add Question :



View Questions :

ONLINE EXAMINATION SYSTEM

Home Set Examination Check Marks Logout

Python Exam Set

Question_ID	Question Number	Question	Choice 1	Choice 2	Choice 3	Choice 4	Answer
101	1	What is the maximum length of a Python identifier?	32	16	128	no fixed length is specified	no fixed length is specified
102	2	How is a code block indicated in Python?	Brackets	Indentation	Key	none	Indentation
103	3	Which of the following concepts is not a part of Python?	Pointers	Loops	Dynamic Typing	All of the above	Pointers
104	4	Which of the following statements are used in Exception Handling in Python?	try	except	finally	All of the above	All of the above
105	5	As what datatype are the *args stored, when passed into a function?	List	Tuple	Dictionary	none	Tuple
106	6	Python was developed by	James Gossling	Andy Rubins	Richard Williams	Guido Van Rossum	Guido Van Rossum

Check Scores :

ONLINE EXAMINATION SYSTEM

Home Set Examination Check Marks Logout

Student Marks

ID	Username	Email	Marks
1	Payal	payalrathee35@gmail.com	5
2	Yogesh	yogesh123@gmail.com	5
3	Shubham	shubhamsingla388@gmail.com	4