

Experiment:- 13

Problem Statement:-

In Linux, automation of file and directory operations is a common requirement for system administration and scripting tasks. Bash scripting allows users to create files, copy content between files, extract specific portions of files, and compare files programmatically. These operations are frequently used in log management, data processing, and system maintenance.


The problem is to write a shell script that creates directories and files in the user's home directory, copies content between files, prints content from a specific line onward, and displays differences between two files, thereby demonstrating file manipulation through shell scripting.

Aim:- Shell Script for file creation and manipulation using user directory.


Procedure

A. Writing the Shell Script

1. Open the terminal.
2. Create a script file: nano file_ops.sh



3. Enter the following script:




```
GNU nano 8.4 file2_ops.sh *
#!/bin/bash
mkdir -p $HOME/class/batch
cd $HOME/class/batch
echo "This is the original file." > profile.txt
echo "Welcome to linux bash scripting lab." >> profile.txt

cp profile.txt copy_profile.txt
echo "Printing file content from line 2:"
tail -n +2 profile.txt
echo "Differences between files:"
diff profile.txt copy_profile.txt
```

4. Save and exit the editor.

5. Make the script executable: `chmod +x file_ops.sh`




```
kali@kali: ~
(kali@kali)-[~]
$ nano file_ops.sh
(kali@kali)-[~]
$ chmod +x file_ops.sh
(kali@kali)-[~]
$
```

B. Executing the Script

6. Run the script:

7. `./file_ops.sh`



```
kali@kali: ~
(kali@kali)-[~]
$ nano file_ops.sh
(kali@kali)-[~]
$ chmod +x file_ops.sh
(kali@kali)-[~]
$ ./file_ops.sh
Printing file content from line2:
Welcome to linux bash scripting lab.
Difference between files:
(kali@kali)-[~]
$
```

