

Experiment:- 4


PROBLEM STATEMENT:-

Efficient file management is a critical requirement in Linux-based systems, especially for system administrators and cyber security professionals. Linux provides powerful command-line utilities that allow users to create, copy, move, rename, view, and delete files efficiently. Understanding these commands is essential for organizing data, managing logs, and automating tasks using scripts. The problem is to practice Linux commands for deleting, copying, moving, renaming, and displaying files, and to understand the use of input/output redirection for managing command outputs.

Aim:- Deleting, Copying, Moving and Renaming files in linux

Procedure:-

1. Log in to the Linux system and open the terminal.
2. Create a working directory: `mkdir file_ops` , `cd file_ops`

A terminal window with a dark background. The title bar shows 'kali@kali: ~/file_ds'. The terminal content shows the user at the root prompt '(kali@kali)-[~]' executing 'mkdir file_ds' and then 'cd file_ds'.


```
(kali@kali)-[~]  
$ mkdir file_ds  
(kali@kali)-[~]  
$ cd file_ds
```

3. Create files using touch

A terminal window showing the user at the prompt '(kali@kali)-[~/file_ds]' executing the command 'touch file8.txt file9.txt'.

```
(kali@kali)-[~/file_ds]  
$ touch file8.txt file9.txt
```

4. Add content to files using redirection.

A terminal window showing two commands being executed. First, 'echo "this is file8" > file8.txt' and then 'echo "this is file9" > file9.txt'.

```
(kali@kali)-[~/file_ds]  
$ echo "this is file8" > file8.txt  
(kali@kali)-[~/file_ds]  
$ echo "this is file9" > file9.txt
```

5.Display file contents.

```
(kali㉿kali)-[~/file_ds]  
$ cat file8.txt  
this is file8
```

6.Copy a file.

```
(kali㉿kali)-[~/file_ds]  
$ cp file8.txt copy_file8.txt
```

7.Rename a file

```
(kali㉿kali)-[~/file_ds]  
$ mv file9.txt renamed_file9.txt
```

8. Move a file to another directory: mkdir backup mv copy_file1.txt backup/

```
(kali㉿kali)-[~/file_ds]  
$ mkdir backup
```

9. Append content to a file: echo "Additional content" >> file1.txt

```
(kali㉿kali)-[~/file_ds]  
$ echo "additional content" >> file8.txt
```

10. Delete a file: rm renamed_file2.txt

```
(kali㉿kali)-[~/file_ds]  
$ rm renamed_file9.txt
```

11. Verify changes using: Ls

```
(kali㉿kali)-[~/file_ds]  
$ ls  
backup  copy_file8.txt  file8.txt
```

Expected Output

- Files created, copied, renamed, and deleted successfully.
- File contents displayed correctly.
- Output redirection works as expected.

Result

Linux file operations including copying, moving, renaming, deleting files, and output redirection were successfully performed using command-line utilities.