Installation manual SiteOpt: an Open-source R-package for Site Selection and Portfolio Optimization

Payman Ghasemi Saghand, Zulqarnain Haider, Hadi Charkhgard, Mitchell Eaton, Julien Martin, Simeon Yurek, Bradley J. Udell

1 Installation files

Please download the installation files for SCIP and Julia from the following link:


https://usf.box.com/s/hkj2t1be3is0zcm8je1manze9k9gy6ob

2 Installing Julia V1.3

1. Run "julia-1.3.1-win64.exe", and click on "Next"



2. Enter the desired installation location (in our example $E:\SiteOpt\Julia-1.3.1$), and click "Install"



3. The Julia is now installed. Click on "Finish"




4. In case of any problem, please refer to


https://julialang.org/downloads/platform/#windows

3 Setting up the environment variables for Julia


1. From "Control Panel" of Windows, go to "Systems and Security"




2. Go to "system"




3. In the new window, go to "Advanced system settings"



4. From the "Advanced" tab, click on "Environment Variables..."



5. In the "User Variables" window, click on "Path"




6. Click on "New", and enter the location where you installed the julia and add \bin to it (in our example E:\SiteOpt\Julia-1.3.1\bin)



4 Installing SCIP V6.0.2


- 1. Run "SCIPOptSuite-6.0.2-win64-VS15.exe"
- 2. Click on "Next", read the license and click on "Accept" to agree with the terms and conditions




3. Select "Do not add SCIPOptSuite to the system PATH", and click "Next"



4. Enter your desired location for installation (in our example "E:\SiteOpt\SCIPOptSuite 6.0.2"), click "Next", and then click "Install"



5. The SCIP is now installed. Click on "Finish"




6. In case of any problem, please refer to


https://www.scipopt.org/doc/html/INSTALL.php

5 Setting up the environment variables for SCIP


1. From "Control Panel10" of Windows, go to "Systems and Security"



2. Go to "system"




3. In the new window, go to "Advanced system settings"



4. From the "Advanced" tab, click on "Environment Variables..."



5. In the "User Variables" window, click on "New", and in the new window, enter "SCIPOPTDIR" as the variable name and the installation location of SCIP as the variable value (in our example "E:\SiteOpt\SCIPOptSuite 6.0.2")



6. Click on "OK"

6 Installing SiteOpt in RStudio

1. To install "SiteOpt" in RStudio, we need Rtools" and "devtools" to be installed.

```
https://cran.r-project.org/bin/windows/Rtools/
https://cran.r-project.org/web/packages/devtools/index.html
```

- 2. To install "devtools", in the RStudio console enter "install.packages("devtools")"
- 3. Then, call the devtools library by entering "library(devtools)
- 4. To install SiteOpt, enter " devtools::install_github("paymanghasemi/SiteOpt")"

```
Comoble Nermind × Jobs ×

-/**

R version 3.6.3 (2020-02-29) -- "Molding the Windsock"
copyright (C) 2020 The & Foundation for Statistical Computing
Platform: x86_64-e44-eningui2/c66 (64-bt)

R is free software and comes with ABSOLUTELY NO WARRANTY,
YOU are welcome to redistribute it under certain conditions.
Type "Iterate" (or "Iterate") for distribution details.

Natural language support but running in an English locale

R is a collaborative project with many contribution.
Type "contributors()" for more information and
'citation()" on hos to cite or R packages in publications.

Type "demo()" for some demos, 'help()" for on-line help, or
'help, star()" for an invi. brower interface to help,

Type "(0)" to quit R.

'Install_scaless("Gencolor")
Installing package into 'c:/\users_fayman/Documents/R.win-library/3.6'
(a: 'lib' is unspecified)

trying UML 'https://cran.rstudio.com/bin/windows/contrib/3.6/deutools_2.3.0.zip'
content type 'application(rs)' length 35020 bytes (342 ex)

package "devolos' successfully unpacked and MOS sums checked

The dominaded binary packages are in

C\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\underliness'\un
```

- 5. After installing SiteOpt, enter " *SiteOpt::Setup()* " to setup SiteOpt for use. This functions needs to be called only once and when the SiteOpt is being installed for the first time. (This function will install "JuMP" package in Julia, and make sure that "JuMP" works properly with "SCIP" package in Julia)
- 6. After entering "SiteOpt::Setup()", please refer to the link that the function provides to read the terms and conditions of SiteOpt, and enter "1" to agree to them.
- 7. After agreeing to the terms and conditions, a line will be printed pointing out the environment variable of Julia. Please make sure the location is the same as the address you defined as the environment variable of Julia

8. In case of any problem, please refer to

https://jump.dev/JuMP.jl/v0.21.6/installation/

Error in SiteOpt::Setup()

In case of encountering an error in this function, take the following steps:

1. Open the "Command Prompt" of windows, and enter "julia". The result should be the same as the following figure, and in case of an error, make sure you have properly defined the environment variable of Julia



- 2. Then, enter the following codes in the Julia interface opened in windows command prompt.
 - · import Pkg
 - Pkg.add(Pkg.PackageSpec(;name="JuMP", version="0.21"))
 - Pkg.add(Pkg.PackageSpec(;name="SCIP", version="0.9.3"))
 - Pkg.build("SCIP")
 - import JuMP
 - · import SCIP
- 3. In case of any error, please contact payman@usf.edu