Created 6/25/03; small edits: 07/18/2015



on More Memory Access

Instructions: For each question, choose the single best answer. Make your choice by clicking on its button. You can change your answers at any time. When the quiz is graded, the correct answers will appear in the box after each question.

What is the smallest addressable unit of main memory?				
A.	byte			
○ B.	bit			
○ C.	nibble			
○ D.	halfword			
А				

- 2. Which of the following instructions does sign extension?
 - O **A**. Ibu
 - B. Ib
 - C. add
 - \bigcirc **D.** Ihu
 - В
- 3. Say that:
 - Memory at 0x10000000 contains 0x80
 - Register \$5 contains 0x1000000

What is put in register \$8 after 1b \$8,0(\$5) is executed?

○ A.	0x8	QΩ	Q Q	Q Q	r
U / A.	$\mathbf{v}_{\mathbf{A}}\mathbf{o}$	oo	oo	oo	u

- B. 0x00000080
- **C.** 0x80000000
- OxFFFFFF80

D

4. What instruction is used to store a byte to memory?

- OA. sb
- OB. sbu
- **C**. 1b
- OD. sw

Α

5. Say that:

- Memory at 0x10000000 contains 0x80
- Memory at 0x10000001 contains 0x00
- Register \$5 contains 0x10000000

Say that the MIPS chip is running in <u>little-endian</u> mode (as does SPIM on an Intel computer). What is put in register \$8 after $\verb§1h $8,0 (\$5)$ is executed?$

- A. 0xFFFFFF80
- B. 0x88888888
- C. 0x00000080
- **D.** 0x80000000

С

6. Say that:

Memory at 0x1000000 contains 0x80

- Memory at 0x10000001 contains 0x00
- Register \$5 contains 0x10000000

Say that the MIPS chip is running in <u>big-endian</u> mode (as does SPIM on an Apple computer). What is put in register \$8 after **1h** \$8,0(\$5) is executed?

- A. 0xFFFF8000
- **B.** 0xFFFFFF80
- \bigcirc **C.** 0x00000080
- Ox8000000

Α

- 7. Which one of the following address are half-word aligned?
 - A. 0x01004F35
 - **B.** 0x01004F37
 - **C**. 0x01004F3A
 - D. 0x01004F3F

С

- 8. Say that data is in memory and the base register has been initialized correctly. You have the following program:
 - lh \$5,0(\$10) lb \$6,4(\$10)

addu \$7,\$5,\$4

What does the addu instruction do?


- A. It performs the binary addition algorithm on whatever 32-bit patterns are in registers \$4 and \$5.
- **B.** It performs a 16-bit addition because that is the size of the largest operand.
- C. It performs an 8-bit addition.

/2016		Quiz on Extended Assembler
	OD. sizes.	The instruction causes a trap because the operands are not the same
	Α	
9. V	hich of	the following assembler directives reserves 12 ₁₀ bytes of memory?
	○ A .	.word 3
	○ B.	.byte 12
	○ C .	.block 6
	D.	.space 12
	D	
prod lor	cessor. ng int	h to speed up the execution of a C program. The program runs on a 32-bit ou notice that the variables in the program are a mix of short int, int and variables. The program does a great deal of integer arithmetic. How might you is program?
	A.	Make as many variables of type int as is possible.
	○ B.	Make as many variables of type short int as is possible.
	OC.	Make all variables as small as is needed for the range of values they are d to hold.
	O D.	Shorten the names of all the variables.
	Α	
		image is stored in a file. The pixels of the image represent a gray level of 0 to a struction are you likely to use in loading a register with the value of a pixel?
	○ A.	lb
	A.B.	lb lbu

- 12. How does SPIM display the data section of simulated main memory?
 - A. One byte per address in columns.
 - **B.** In groups of 4-byte words with the highest address on the right.
 - O. In groups of 4-byte words with the lowest address on the right.
 - D. This depends on the type of data in memory.

С

grade quiz The number you got right:







If you have returned here from another page, or have re-loaded this page, you will need to click again on each of your choices for the grading program to work correctly. You may want to press the SHIFT KEY while clicking to clear the old answers.