

DEFAULT KEYMAP



Remember these Shortcuts

Smart code completion	^ û Space
Search everywhere	Double û
Show intention actions and quick-fixes	#4
Generate code	%N , ^↔
Parameter info	 ₩P
Extend selection	\#↑
Shrink selection	\#↑
Recent files popup	₩E
Rename	û F6

General

Open corresponding tool window	₩0₩9
Save all	₩S
Synchronize	Y√₩
Toggle maximizing editor	₩ f F12
Inspect current file with current profile	1位7
Quick switch current scheme	^§,^`
Open Settings dialog	₩,
Open Project Structure dialog	₩;
Find Action	光 A

Debugging

Step over/into	F8 / F7
Smart step into / Step out	մ F7 / մ F8
Run to cursor	∵F9
Evaluate expression	∵F8
Resume program	ж∖R
Toggle breakpoint	⋇ F8
View breakpoints	ж û F8

Search / Replace

Search everywhere	Double û
Find	₩F
Find next/previous	#G/#ûG
Replace	₩R
Find in path	₩ûF
Replace in path	ЖûR
Select next occurrence	^ G
Select all occurrences	^ # G
Unselect occurrence	^ G

-Productivity Boosters

Editing

Ealting	
Basic code completion	^ Space
Smart code completion	^û Space
Complete statement	₩û↔
Parameter info (within method call arguments)	ЖР
Quick documentation lookup	^ J,
External Doc	<u> </u>
Brief Info	∺ + mouse
Show descriptions of error at caret	₩ F1
Generate code	%N,^↩
Override methods	^0
Implement methods	^
Surroundwith	#∵ T
Comment / uncomment with line comment	₩/
Comment / uncomment with block comment	
Extend selection	\
Shrink selection	Z.†
Context info	^û Q
Show intention actions and quick-fixes	7-
Reformat code	#√L
Optimize imports	^\\0
Auto-indent line(s)	17^
Indent / unindent selected lines	→ı/û→ı
Cut current line to clipboard	₩X
Copy current line to clipboard	ЖC
Paste from clipboard	₩V
Paste from recent buffers	₩ûV
Duplicate current line	₩D
Delete line at caret	#≪
Smart line join	^ûJ
Smart line split	* ←
Start new line	⊕
Toggle case for word at caret or selected block	ж 企U
Select till code block end / start	# 습]/#습[
Delete to word end	√⊠
Delete to word start	\⊠
Expand / collapse code block	₩+/₩-
Expand all	総分+
Collapse all	光 ① -
Close active editor tab	₩W

Refactoring

F5
F6
₩ Delete
☆ F6
^ T
₩F6
илж
Mン器
V √ Ж
₩∖F
₩√C
₩∖₽

Navigation

Mavigation	
Go to class	жо
Go to file	光 企 O
Go to symbol	∺∖o
Go to next / previous editor tab	^←/^→
Go back to previous tool window	F12
Go to editor (from tool window)	5
Hide active or last active window	合め
Go to line	₩L
Recent files popup	₩E
Navigate back / forward	#\ ← \#\→
Navigate to last edit location	ж ☆≪
Select current file or symbol in any view	₹ F1
Go to declaration	₩B, ₩Click
Go to implementation(s)	∺∖B
Open quick definition lookup	∑Space, #Y
Go to type declaration	^ ûB
Go to super-method/super-class	₩U
Go to previous / next method	^ † /^↓
Move to code block end / start	#]/# [
File structure popup	₩ F12
Type hierarchy	^H
Method hierarchy	жûн
Call hierarchy	^\H^
Next / previous highlighted error	F2 / ☆ F2
Edit source / View source	F4/₩↓
Show navigation bar	∵Home
Toggle bookmark	F3
Toggle bookmark with mnemonic	₹F3
Go to numbered bookmark	^O^9
Show bookmarks	₩ F3

Compile and Run

Make project	%F9
Compile selected file, package or module	 # û F9
Select configuration and run / debug	^∖R/D
Run/Debug	^R/D
Run context configuration from editor	^ûR,^ûD

Usage Search

Find usages / Find usages in file	₹ F7/ ₩ F7
Highlight usages in file	ж ₽ F 7
Show usages	% ₹ F7

VCS / Local History

Commit project to VCS	жĸ
Update project from VCS	₩ T
Push commits	ж û K
'VCS' quick popup	^ V

Live Templates

Live remplaces		
Surround with Live Template	β√J	
Insert Live Template	¥.I	