



PARTNER PLATFORM

Product Requirements Document & Technical Specification

Version 1.0 — August 2026 — All four dashboards — Single platform

Covers:	Individual dashboard · Institution dashboard · The Travela dashboard · Admin dashboard
Stack:	Next.js · Node.js · PostgreSQL · AzamPay · Tailwind CSS
Platforms:	Web application (all dashboards) · Mobile app (future phase)
Status:	Authoritative — supersedes all prior specifications

PART 1

Overview & Context

What Pazo is, who it serves, and what this document covers

1.1 About Pazo

Pazo is a referral and partner commission platform. It enables businesses to build structured referral programmes where agents, institutions, and other partners share referral links, QR codes, or referral codes with potential customers. When those customers sign up and make a purchase, the partner earns a commission — automatically tracked, calculated, and paid through Pazo.

The first integration is with The Travela (thetravela.com) — an eSIM and data connectivity platform selling instant mobile data bundles to travellers across Africa. Pazo powers The Travela's entire partner programme: individual agents (travel bloggers, tour guides, drivers), institutional partners (hotels, airlines, tourism boards, travel agencies), and The Travela's own business oversight dashboard.

1.2 What This Document Covers

This document is the combined Product Requirements Document (PRD) and Technical Specification for the Pazo partner platform. It covers all four dashboards that make up the platform:

#	Dashboard	Who Uses It	Access
1	Individual Partner Dashboard	Travel bloggers, tour guides, drivers, influencers — individual people referring customers	Web (mobile-first)
2	Institution Partner Dashboard	Hotels, airlines, tourism boards, travel agencies — organisations referring customers	Web (desktop + mobile)
3	Business Dashboard (The Travela)	The Travela operations team — manages the entire partner programme	Web (desktop)
4	Admin Dashboard (Pazo)	Pazo internal team — manages all businesses, all partners, all transactions	Web (desktop)

1.3 Platform Architecture Summary

One platform, one API, one database

- All four dashboards are role-scoped views of the same web application.
- A single shared RESTful backend API serves all dashboards.
- A single PostgreSQL database stores all data.
- Role detection at login routes each user to their correct dashboard.
- The Travela's website integrates via two API endpoints (referral register + payment webhook).
- Pazo never processes card payments — The Travela's own payment processor handles those.
- Pazo holds a pre-loaded wallet per business and disburses commissions from that wallet.

Layer	Technology	Purpose
Frontend	Next.js (React)	All four dashboards — role-scoped single web app
Styling	Tailwind CSS	Design system — consistent across all dashboards
Backend	Node.js + Express (or Next.js API routes)	REST API serving all clients
Database	PostgreSQL	Single shared database — all users, transactions, referrals
Auth	JWT + bcrypt + OTP via SMS	Phone number + password login for all roles
Payments	AzamPay (USSD)	Mobile money disbursements to individual agents
Hosting	Cloud (TZ/EA region)	Data must stay in Tanzania or East Africa
Domain	travela.pazo.africa	Landing page + partner portal entry point

1.4 User Roles

Role Key	Display Name	Description	Login Method
individual	Individual Partner	Person referring customers via referral link/QR/code	Phone + password
institution	Institution Partner	Organisation referring customers — monthly payouts	Email + password
business_owner	Business Owner (The Travela)	The Travela operations team managing the programme	Email + password
admin	Pazo Admin	Pazo internal team — full platform control	Email + password
super_admin	Pazo Super Admin	Senior Pazo staff — can modify system config	Email + password

Note: Customers (the end users who use referral codes) are NOT platform users. They have no account on Pazo. A customer's phone number is captured at transaction time for loyalty purposes only.

PART 2

Individual Partner Dashboard

PRD + Technical Specification — all screens, fields, and logic

2.1 Overview

The individual partner dashboard is a mobile-first web application for people who refer customers to The Travele using their personal referral code, link, or QR code. It covers the full lifecycle: account creation, referral code generation, earnings tracking, wallet management, and profile management.

2.2 Account Creation — Signup Flow

The signup flow is three steps: personal details → referral code creation → phone OTP verification. All three steps must be completed before the account is active.

Step 1 — Personal Details

Field	Type	Required	Validation	Notes
First name	Text	Yes	Min 2 chars, max 50	
Last name	Text	Yes	Min 2 chars, max 50	
Email address	Email	Yes	Valid email format, unique in system	Used for notifications
WhatsApp number	Phone	Yes	Tanzania format — 0754 000 000 or +255	For WhatsApp commission notifications
Phone number	Phone	Yes	Tanzania format, unique in system	Used for login and OTP verification
Password	Password	Yes	Min 8 chars, 1 number, 1 uppercase	Stored as bcrypt hash

Step 2 — Create Referral Code

Field	Type	Required	Validation	Notes
Referral code	Text	Yes	Letters and numbers only. Min 4, max 10 chars. No spaces. Uppercase enforced. Must be unique across entire platform.	Permanent — cannot be changed after creation. Auto-generates referral link and QR code on save.

Referral code rules

- Code is stored in UPPERCASE regardless of what the user types.
- Real-time uniqueness check as the user types (debounced 400ms).
- On valid code entry, the system previews the generated referral link below the field.
- Generated link format: `https://thetravela.com/signup?ref={CODE}`
- QR code is generated server-side from the referral link immediately after account creation.
- Code is permanent. There is no change or reset function.

Step 3 — OTP Verification

Item	Detail
OTP delivery	SMS to the phone number entered in Step 1
OTP format	6 digits
OTP expiry	5 minutes from send time
Max attempts	3 incorrect attempts locks the number for 30 minutes
Resend	Available after 60 seconds. Max 3 resends per session.
On success	Account created. User redirected to home dashboard. Welcome notification sent.

2.3 Login

Field	Type	Validation
Phone number	Phone	Must match a registered individual account
Password	Password	Verified against bcrypt hash

Login behaviour

- 5 failed attempts: account locked for 30 minutes. User notified via SMS.
- Forgot password: enter phone number → OTP → set new password.
- JWT issued on success. Refresh token stored securely. Session duration: 30 days of activity.
- Role detected server-side: 'individual' role → Individual dashboard loaded.

2.4 Home Dashboard — Screen Specification

Section	Content	Action
Wallet hero card	Account balance (TZS), "Available to withdraw" label	Taps: Withdraw, History, Wallet — all route to Wallet tab
Quick stats row	Total referrals (all time), Total link clicks (all time)	Taps to Referral Code tab
Referral code card	Code in large text, referral link URL, Copy link button, View QR button, Share button	Copy copies to clipboard. View QR goes to My Code tab.
Recent activity feed	Last 10 transactions/events — commission earned items and new referral signup items	Tap "See all" routes to Wallet tab

Activity feed item types

Type	Icon	Title	Subtitle	Value shown
Commission earned	Money icon, green bg	Commission earned	Bundle type · date · time	+TZS {amount}
New referral signup	Link icon, teal bg	New referral	Someone signed up with your code · date	+1 user
Withdrawal	Arrow icon, amber bg	Withdrawal	To mobile money · date · masked number	-TZS {amount}

Note: Tourist personal data (name, email) is NEVER shown in the activity feed. Referral events show only the event type and date.

2.5 Wallet Screen

Element	Content / Behaviour
Balance hero	Full account balance in TZS, large display. "Withdraw to mobile money" button.
Tab: Earnings	All commission transactions — bundle type, date/time, status badge (Paid / Pending), amount. Paginated, newest first.
Tab: Withdrawals	All withdrawal transactions — masked mobile money number, date/time, status badge (Completed / Processing), amount. Paginated.
Tab: Balance	Running balance history — each entry shows the balance after each transaction (earning or withdrawal). Current balance highlighted at bottom.
Withdraw sheet	Bottom sheet modal: available balance chip, amount input (TZS, numeric), linked account display (read-only), Confirm button.

Withdrawal rules

- Minimum withdrawal: TZS 5,000 (configurable by admin).
- Maximum withdrawal per request: full balance.
- Withdrawal routes to the linked mobile money account only.

- Processing time: immediate for mobile money (AzamPay). System marks as 'Processing' then 'Completed' on AzamPay callback.
- Withdrawal history is permanent and cannot be deleted by the user.

2.6 My Code Screen

Section	Content	Actions
Code hero	Referral code in large text on teal/navy gradient background. "Permanent — cannot be changed" label.	Visual only
Stats row	Total signups (referrals used this code to create account), Total link clicks, Conversion rate (signups/clicks %)	Visual only
Referral link box	Full referral URL displayed. Copy button.	Copy to clipboard. Toast confirmation.
QR code	Generated QR code displayed. "Download QR code (PNG)" button.	Download saves PNG to device.
Share options grid	Copy code, WhatsApp, Instagram, More options	Each opens respective share action or native share sheet.

QR code specification

- Generated server-side from the referral link URL.
- Format: PNG, 1000x1000px for print quality, with Pazo logo watermark in centre.
- Displayed in app at 140x140px.
- Download delivers the full 1000px version.
- QR encodes: `https://thetravela.com/signup?ref={CODE}`
- Scanning opens browser to that URL with ref parameter pre-loaded.

2.7 Profile Screen

Section	Fields shown	Editable	Notes
Avatar + name header	Initials avatar, full name, referral code	No	Avatar generated from initials
Personal information	Full name, phone number (login), WhatsApp number, email address	Yes — via Edit modal	Changing phone number requires new OTP verification

Section	Fields shown	Editable	Notes
Withdrawal account	Mobile money number (masked), verification status	Yes — via Edit modal	Changing mobile money number requires OTP on new number
Referral code	Referral code displayed	No — permanent	Warning: "This code cannot be changed"
Sign out	Red sign-out button at bottom	N/A	Clears JWT and refresh token. Returns to login.

2.8 Notifications

Trigger	Delivery	Message
Commission earned	In-app + SMS	"You earned TZS {amount} on a {bundle} — {date} at {time}"
Commission pending	In-app	"A commission of TZS {amount} is pending. It will be paid when available."
New referral signup	In-app	"Someone signed up using your referral code."
Withdrawal completed	In-app + SMS	"TZS {amount} has been sent to your mobile money account."
Welcome (on signup)	In-app + SMS	"Welcome to Pazo, {name}! Your referral code is {code}."

PART 3

Institution Partner Dashboard

PRD + Technical Specification

3.1 Overview

The institution dashboard serves organisations — hotels, airlines, tourism boards, travel agencies, airports — that refer customers to The Travela at scale. The core screens and logic are identical to the individual dashboard with two key differences: institutions are paid monthly (not instantly) and institutions log in with email rather than phone.

Feature	Individual	Institution
Login	Phone + password	Email + password
OTP verification	Phone OTP on signup	Email OTP on signup
Commission payout	Immediate to mobile money on each transaction	Accumulated monthly — auto-paid on 1st of month
Payout destination	Linked mobile money account	Linked bank account or mobile money
Wallet balance	Shows real-time withdrawable balance	Shows accumulated balance for current month
Withdrawal	Self-serve via app	Not self-serve — auto-disbursed by Pazo on 1st
Monthly statements	Not available	Downloadable PDF per month
Signup process	Self-serve — 3 steps	Submitted to Pazo team — reviewed within 24 hours

3.2 Signup & Onboarding

Institution signup is a single form submission that goes to the Pazo team for review. There is no self-serve account creation — accounts are created manually by the Pazo admin team after review.

Field	Required	Notes
Organisation name	Yes	
Industry / type	Yes	Dropdown: Hospitality, Transport, Tourism, Government, Travel agency, Other
Contact person name	Yes	
Contact email	Yes	Used for login. Must be unique. Receives account setup email.

Field	Required	Notes
Contact phone	Yes	For OTP and WhatsApp notifications
Payout account	Yes	Bank account details or mobile money number for monthly disbursements

Post-submission flow

- Submission goes to Pazo admin queue (visible in Admin dashboard).
- Pazo team reviews within 24 hours and approves or declines.
- On approval: Pazo admin creates the institution account, generates the referral code, and sends login credentials by email.
- Institution receives email with: login URL, credentials, referral code, referral link, and QR code attachment.
- Institution logs in and completes their profile.

3.3 Institution-Specific Screens

Monthly Payouts Screen (institution only)

Column	Content
Month	e.g. August 2026
Total referrals	Number of new signups attributed to institution that month
Total sales generated	Sum of all purchases by referred customers that month (TZS)
Commission earned	Commission amount for the month (TZS)
Status	Paid (with date) or Upcoming (with expected date)
Statement	Download PDF statement for that month

Wallet / Balance Screen (institution version)

Element	Content
Balance card	"Accumulated balance this month" — running total of commissions earned since last payout
Next payout date	"Next automatic payout: 1 August 2026" — always shows the 1st of next month
Tab: Earnings	Same as individual — all commission transactions, no tourist personal data
Tab: Payout history	All monthly payouts received — month, amount, date, bank reference, status
Tab: Balance	Monthly balance summary — opening, commissions earned, payout made, closing balance per month

3.4 Notifications (institution)

Trigger	Delivery	Message
Commission earned	In-app	"Commission of TZS {amount} added to your monthly balance — {date}"
Monthly payout sent	In-app + Email	"Your monthly payout of TZS {amount} has been sent to your account — {date}"
New referral signup	In-app	"Someone signed up using your organisation's referral code."
Account approved	Email	"Your Pazo partner account is ready. Log in here: {url}"

PART 4

Business Dashboard — The Travela

PRD + Technical Specification

4.1 Overview

The business dashboard is the control centre for The Travela. It gives their operations team full visibility into the referral programme: all partners, all referral activity, all commissions paid, and wallet management. This is a desktop-first web interface.

4.2 Overview Dashboard — Home Screen

Card / Section	Metric	Notes
Active partners	Count of all active individual + institution partners	Change vs last 30 days
Referrals this month	New signups attributed to referral codes this month	Change vs last month
Sales through referrals	Total TZS value of purchases by referred customers this month	First purchases + top-ups combined
Commissions paid	Total TZS paid out to all partners this month	Change vs last month
Wallet balance	Current pre-loaded wallet balance	Warning badge if below threshold
Daily sales chart	Bar chart of referral-driven sales per day for last 30 days	Hover shows date + amount

4.3 Partners Screen

Column	Content	Sortable	Filterable
Partner name	Name + type badge (Individual / Institution)	Yes	By type
Referral code	Their code	No	Search
Referrals this month	New signups this month	Yes	No

Column	Content	Sortable	Filterable
Total referrals	All-time signups	Yes	No
Sales generated	TZS value this month	Yes	No
Commission earned	TZS this month	Yes	No
Payout method	Instant (individual) or Monthly (institution)	No	By type
Status	Active / Suspended / Inactive	No	By status
Actions	View detail, suspend, export	N/A	N/A

Clicking a partner row opens a partner detail side panel showing: their profile, referral link, QR code, full commission history, and payout history.

4.4 Referral Activity Screen

Shows every instance of a referral code being used at signup. One row per customer signup.

Column	Content	Notes
Customer ID	Anonymised external ID from The Travela	Never shows name, email, or personal data
Partner	Name of the referring partner	
Signup date	Date customer created their Travela account	
First purchase date	Date of their first payment (if made)	Empty if not yet purchased
Total purchases	Count of all purchases by this customer	
Total value	Sum of all purchase amounts (TZS)	
Status	Referred (no purchase yet) / Active (has purchased)	

4.5 Commission History Screen

Column	Content
Date & time	Full timestamp of commission event
Partner	Partner name and code
Transaction type	First purchase or Top-up
Bundle	e.g. Tanzania 7-Day 5GB
Purchase amount	TZS paid by customer
Commission	TZS paid to partner (% of purchase amount)
Platform fee	TZS retained by Pazo
Status	Paid / Pending / Failed

4.6 Wallet Screen

Element	Content / Behaviour
Wallet balance card	Current balance in TZS, prominent display. Low-balance warning if below alert threshold.
Top-up instructions	Bank transfer details for topping up the wallet. Not a self-serve payment — The Travela wires funds manually.
Alert threshold setting	The Travela can set the balance level at which they receive a low-balance alert. Default: TZS 500,000.
Transaction history	Every deduction (commission paid to a partner) and every top-up received. Date, type, amount, running balance.
Pending commissions	Any commissions that could not be paid due to insufficient balance — partner name, amount, date, status.

4.7 Settings Screen

Setting	Description	Who can change
Commission rate	Percentage of each purchase paid to all partners. Applied to all transactions.	Business owner only
Wallet alert threshold	Balance level that triggers a low-balance notification	Business owner only
API key	The API key used by The Travela website to authenticate with Pazo. View and regenerate.	Business owner only
Notification email	Email address to receive platform alerts and reports	Business owner only

Setting	Description	Who can change
Team members	Add or remove staff who can access the business dashboard (read-only vs full access)	Business owner only

PART 5

Admin Dashboard — Pazo

PRD + Technical Specification

5.1 Overview

The Pazo admin dashboard is the internal control plane for the Pazo team. It gives full visibility into all businesses, all partners, all transactions, and all commissions across the entire platform. It also manages institution onboarding, monthly payouts, and system configuration.

5.2 Admin Home — Platform Overview

Metric	Content
Total businesses	Count of registered businesses (e.g. The Travela + future clients)
Total individual partners	All individual accounts across all businesses
Total institution partners	All institution accounts across all businesses
Total transactions today	Commission transactions processed today
Total commissions paid today	TZS paid to partners today
Platform fees today	TZS retained by Pazo today
Pending commissions	Total TZS value of commissions not yet paid (wallet insufficient)
Pending institution approvals	Institution registrations awaiting admin review

5.3 Business Management Screen

Column / Action	Detail
Business name	Name, website, category
API key status	Active / Revoked
Wallet balance	Current balance in TZS
Total partners	Active individual + institution count
Total transactions	All-time transaction count
Commission rate	Current rate set for this business
Status	Active / Suspended

Column / Action	Detail
Actions	View full detail, edit settings, suspend, view wallet history, regenerate API key, export data

5.4 Partner Management Screen

Column	Detail
Partner name	Full name (individual) or organisation name (institution)
Type	Individual / Institution
Business	Which business they belong to
Referral code	Their code
Status	Active / Suspended / Pending (institution awaiting approval)
Total referrals	All-time count
Total earnings	All-time TZS earned
Last active	Date of last commission event
Actions	View full detail, approve institution, suspend, view transaction history, send notification

5.5 Institution Approval Queue

Column	Detail
Organisation name	
Type / Industry	As submitted in the registration form
Contact person	Name and email
Contact phone	
Submitted at	Date and time of submission
Actions	Approve (opens account creation modal), Decline (sends email to contact)

Account creation on approval

- Admin clicks Approve and is shown an account creation modal.
- Admin sets: referral code for the institution, confirms payout account details, sets commission rate (inherits from business default or custom).
- System creates the institution account, generates referral link and QR, sends welcome email to the contact.
- Institution appears in the Partners list with 'Active' status.

5.6 Transaction Monitor Screen

Filter	Options
Date range	Custom date picker, presets: today, last 7 days, last 30 days, this month
Business	Dropdown of all businesses
Partner	Search by name or code
Status	All, Paid, Pending, Failed
Transaction type	All, First purchase, Top-up

Column	Detail
Date & time	Full timestamp
Business	Business name
Partner	Partner name and code
Bundle	e.g. Tanzania 7-Day 5GB
Customer ID	Anonymised external ID — no personal data
Purchase amount	TZS
Commission	TZS to partner
Platform fee	TZS to Pazo
Status	Paid / Pending / Failed
Actions	View detail, mark as resolved (for disputes), export row

5.7 Monthly Payout Processing Screen

On the 1st of each month, Pazo admin processes all pending institution payouts. This screen shows all institutions with accumulated balances and enables batch payout processing.

Element	Detail
Payout summary card	Total institutions with pending payouts, total TZS to be paid out this cycle
Institution payout table	Institution name, accumulated balance, payout account, status (queued / processing / paid)
Process all button	Triggers AzamPay (or bank transfer) payout to all institutions simultaneously
Process individual button	Trigger payout for a single institution if needed outside the monthly cycle
Payout history	All past monthly payout batches with total paid, institutions count, and date

5.8 Communications Screen

Feature	Detail
Send SMS	Compose and send SMS to: all partners, all individuals, all institutions, specific business partners, specific partner by phone
Send email	Compose and send email to same audience segments
In-app announcement	System-wide banner shown to all partners on next login
Notification templates	Create and manage reusable templates for common notification types
Send history	Log of all communications sent — date, audience, message, delivery stats

5.9 System Configuration Screen

Setting	Default	Effect
Default commission rate	Set per business	Applied to all new partners of that business
Minimum withdrawal (individual)	TZS 5,000	Individual cannot withdraw less than this
Institution payout day	1st of each month	Day Pazo auto-processes institution payouts
OTP expiry	5 minutes	How long OTP codes remain valid
Session duration	30 days	JWT validity period
Low wallet alert threshold	Set per business	When business wallet triggers alert
Platform fee %	Set per business	Percentage of purchase retained by Pazo (separate from commission)

PART 6

API Specification

All endpoints — authentication, referrals, transactions, payouts, admin

6.1 API Conventions

Convention	Detail
Base URL	https://api.pazo.africa/v1
Auth — platform users	Authorization: Bearer {JWT} on all protected endpoints
Auth — business API (webhook)	Authorization: Bearer {api_key} — static key per business
Response format	JSON — always { success: bool, data: {}, error: string }
Amounts	Always integer TZS — no decimals. e.g. 30840 not 30840.50
Timestamps	ISO 8601 UTC — e.g. 2026-08-14T10:42:00Z
Pagination	?page=1&limit=20 on all list endpoints. Response includes total, page, pages.
Errors	400 validation, 401 unauth, 403 forbidden, 404 not found, 409 conflict, 500 server error

6.2 Auth Endpoints

Method	Path	Auth	Description
POST	/auth/request-otp	None	Send OTP to phone or email. Body: { phone? email? type: "signup" "login" "reset" }
POST	/auth/verify-otp	None	Verify OTP. Returns temp token. Body: { phone? email?, otp }
POST	/auth/register/individual	Temp token	Create individual account. Body: all signup fields + referral_code
POST	/auth/register/institution	None	Submit institution registration for admin review. Body: all institution fields
POST	/auth/login	None	Login. Body: { phone or email, password, role }. Returns JWT + refresh token.
POST	/auth/refresh	Refresh token	Renew JWT.
POST	/auth/logout	JWT	Invalidate refresh token.

Method	Path	Auth	Description
POST	/auth/forgot-password	None	Trigger OTP for password reset. Body: { phone }
POST	/auth/reset-password	Temp token	Set new password. Body: { password }
GET	/auth/check-code/{code}	None	Check if referral code is available. Returns { available: bool }

6.3 Individual Partner Endpoints

Method	Path	Auth	Description
GET	/individual/me	individual JWT	Get own profile
PUT	/individual/me	individual JWT	Update profile fields. Body: any updatable fields.
GET	/individual/me/wallet	individual JWT	Get balance, earnings history, withdrawal history, balance history
POST	/individual/me/withdraw	individual JWT	Request withdrawal. Body: { amount_tzs }
GET	/individual/me/referral	individual JWT	Get referral code, link, QR URL, stats (clicks, signups, conversion)
GET	/individual/me/transactions	individual JWT	Get commission transaction history. Paginated.
GET	/individual/me/notifications	individual JWT	Get notification feed. Paginated.
PUT	/individual/me/notifications/{id}/read	individual JWT	Mark notification as read.

6.4 Institution Partner Endpoints

Method	Path	Auth	Description
GET	/institution/me	institution JWT	Get institution profile
PUT	/institution/me	institution JWT	Update profile
GET	/institution/me/wallet	institution JWT	Accumulated balance, payout history, earnings history
GET	/institution/me/payouts	institution JWT	Monthly payout history. Each entry includes downloadable statement URL.
GET	/institution/me/referral	institution JWT	Referral code, link, QR URL, stats
GET	/institution/me/transactions	institution JWT	Commission transaction history. No customer personal data.
GET	/institution/me/statements/{month}	institution JWT	Download monthly statement PDF. Month format: YYYY-MM

6.5 Business (The Travela) Endpoints

Method	Path	Auth	Description
GET	/business/me/overview	business JWT	Dashboard overview stats
GET	/business/me/partners	business JWT	List all partners with stats. Sortable, filterable, paginated.
GET	/business/me/partners/{id}	business JWT	Individual partner or institution detail
PUT	/business/me/partners/{id}/suspend	business JWT	Suspend a partner
GET	/business/me/referrals	business JWT	All referral signup events. Anonymised. Paginated.
GET	/business/me/commissions	business JWT	All commission transactions. Filterable by date, partner, status.
GET	/business/me/wallet	business JWT	Wallet balance and transaction history
PUT	/business/me/settings	business JWT	Update commission rate, alert threshold, notification email
POST	/business/me/api-key/regenerate	business JWT	Regenerate API key

6.6 Integration Endpoints — For The Travela Website

These two endpoints are called by The Travela's website — not by platform users

- Authentication: Authorization: Bearer {api_key} — The Travela's static API key.
- These are the only two integration points. Everything else is handled by Pazo internally.

POST /integrations/referrals/register

Item	Detail
Purpose	Called when a tourist creates a Travela account, if they arrived via a referral link or entered a code
Body	{ referral_code: string, tourist_id: string }
Logic	1. Validate API key → find business. 2. Find partner with this referral_code for this business. 3. Check no existing referral for tourist_id + business_id pair. 4. Create referral row. 5. Return partner info.
Success 200	{ success: true, partner_id, partner_name, commission_rate }
Invalid code 404	{ success: false, error: "Referral code not found" }
Already registered 200	{ success: true, message: "Tourist already linked — referral unchanged" }
Bad auth 401	{ success: false, error: "Invalid API key" }

POST /integrations/transactions

Item	Detail
Purpose	Called after every confirmed card payment on The Travela website — first purchases and top-ups
Body	{ tourist_id, amount_tzs: integer, bundle_type: string, transaction_type: "first_purchase" "topup", transaction_reference: string, payment_confirmed_at: ISO8601 }
Logic	1. Validate API key. 2. Look up referral by tourist_id + business_id. 3. If no referral: return commission 0. 4. Calculate commission: amount_tzs × commission_rate. 5. Calculate platform fee. 6. Check business wallet balance. 7. If sufficient: deduct, credit partner, create transaction (paid), send notification. 8. If insufficient: create transaction (pending), notify business and admin.
Success paid 200	{ success: true, commission_tzs, platform_fee_tzs, commission_status: "paid" }
Success pending 200	{ success: true, commission_tzs, commission_status: "pending", reason: "insufficient_wallet_balance" }
No referral 200	{ success: true, commission_tzs: 0, message: "No referral for this tourist" }
Retry logic	The Travela must retry on 5xx: up to 3 attempts with exponential backoff (5s, 15s, 45s). Log all failures.

6.7 Admin Endpoints

Method	Path	Description
GET	/admin/overview	Platform stats
GET	/admin/businesses	All businesses. Filterable, paginated.
GET/P UT	/admin/businesses/{id}	Business detail and settings update
GET	/admin/partners	All partners across all businesses. Filterable, paginated.
GET/P UT	/admin/partners/{id}	Partner detail and status update
GET	/admin/institutions/pending	Institution registrations awaiting approval
POST	/admin/institutions/{id}/approve	Approve institution — body: { referral_code }
POST	/admin/institutions/{id}/decline	Decline with reason
GET	/admin/transactions	All transactions. Full filter set.
GET	/admin/payouts/monthly/pending	All institution payouts due this month
POST	/admin/payouts/monthly/process	Trigger monthly payout batch
POST	/admin/payouts/monthly/{id}/process	Process single institution payout
POST	/admin/comms/sms	Send bulk SMS
POST	/admin/comms/email	Send bulk email
GET/P UT	/admin/config	System configuration read and update

Method	Path	Description
GET	/admin/audit-log	All admin actions with timestamp and actor

PART 7

Database Schema

All tables, columns, types, and relationships

7.1 Schema Overview

Table	Purpose	Key relationships
users	All platform users — all roles in one table	Parent to all role-specific profile tables
individual_profiles	Individual partner profile data	user_id → users
institution_profiles	Institution partner profile data	user_id → users
business_profiles	Business (client) profile data	user_id → users
businesses	Business entity — holds wallet, API key, commission rate	Linked to business_profiles via business_id
partners	Every partner (individual + institution) linked to a business	user_id → users, business_id → businesses
referrals	Each tourist-to-partner link created at signup	partner_id → partners, business_id → businesses
transactions	Every commission event from a payment webhook	referral_id → referrals, partner_id → partners
withdrawals	Every individual partner withdrawal request	partner_id → partners
institution_payouts	Monthly payout records for institutions	partner_id → partners
notifications	In-app notification feed for all users	user_id → users
audit_log	Every admin action on the platform	admin_user_id → users

7.2 users table

Column	Type	Constraints	Notes
id	UUID	PK, default gen_random_uuid()	

Column	Type	Constraints	Notes
email	VARCHAR(255)	UNIQUE, nullable	Null for individuals who log in by phone only
phone	VARCHAR(20)	UNIQUE, nullable	Null for institution/business/admin accounts that use email only
password_hash	VARCHAR(255)	NOT NULL	bcrypt, cost factor 12
role	ENUM	NOT NULL	'individual', 'institution', 'business_owner', 'admin', 'super_admin'
status	ENUM	NOT NULL, default active	'active', 'suspended', 'deactivated', 'pending_approval'
email_verified	BOOLEAN	default false	
phone_verified	BOOLEAN	default false	
created_at	TIMESTAMPTZ	NOT NULL, default now()	
updated_at	TIMESTAMPTZ	NOT NULL, default now()	Auto-updated via trigger
last_login_at	TIMESTAMPTZ	nullable	
failed_login_count	INT	default 0	Reset on successful login
locked_until	TIMESTAMPTZ	nullable	Set after 5 failed logins — 30 min lock

7.3 individual_profiles table

Column	Type	Notes
id	UUID	PK
user_id	UUID	FK → users.id, UNIQUE
first_name	VARCHAR(100)	NOT NULL
last_name	VARCHAR(100)	NOT NULL
whatsapp_number	VARCHAR(20)	NOT NULL
mobile_money_number	VARCHAR(20)	Nullable until verified and linked
mobile_money_verified	BOOLEAN	default false
wallet_balance_tzs	BIGINT	default 0 — balance in TZS as integer
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.4 institution_profiles table

Column	Type	Notes
id	UUID	PK
user_id	UUID	FK → users.id, UNIQUE
organisation_name	VARCHAR(255)	NOT NULL
industry_type	VARCHAR(100)	e.g. Hospitality, Transport, Tourism, Government, Travel agency, Other
contact_person_name	VARCHAR(200)	NOT NULL
payout_account	VARCHAR(255)	Bank account or mobile money details for monthly payouts
payout_account_verified	BOOLEAN	default false
accumulated_balance_tzs	BIGINT	default 0 — resets to 0 after each monthly payout
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.5 businesses table

Column	Type	Notes
id	UUID	PK
name	VARCHAR(255)	e.g. The Travela
website	VARCHAR(255)	e.g. thetravela.com
api_key_hash	VARCHAR(255)	Hashed API key for webhook authentication
commission_rate	DECIMAL(5,4)	e.g. 0.0800 for 8%. Applied to all partners of this business.
platform_fee_rate	DECIMAL(5,4)	e.g. 0.0100 for 1%. Retained by Pazo per transaction.
wallet_balance_tzs	BIGINT	default 0 — pre-loaded by business, debited per commission
wallet_alert_threshold_tzs	BIGINT	default 500000 — low-balance alert trigger
notification_email	VARCHAR(255)	Receives platform alerts and reports
status	ENUM	'active', 'suspended'
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.6 partners table

Column	Type	Notes
id	UUID	PK
user_id	UUID	FK → users.id
business_id	UUID	FK → businesses.id

Column	Type	Notes
partner_type	ENUM	'individual', 'institution'
referral_code	VARCHAR(20)	UNIQUE, UPPERCASE, immutable after creation
commission_rate_override	DECIMAL(5,4)	Nullable — if set, overrides business default for this partner
total_referrals	INT	Denormalised counter — incremented on each referral signup
total_earnings_tzs	BIGINT	Denormalised — all-time commissions earned
status	ENUM	'active', 'suspended', 'inactive'
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.7 referrals table

Column	Type	Notes
id	UUID	PK
partner_id	UUID	FK → partners.id
business_id	UUID	FK → businesses.id
tourist_external_id	VARCHAR(255)	Opaque ID from The Travela system. NOT a name or email. UNIQUE per business.
signup_date	TIMESTAMPTZ	When referral was registered (tourist account created)
first_purchase_date	TIMESTAMPTZ	Nullable — set on first transaction received for this tourist
total_purchases	INT	Running count of all payment webhooks received for this tourist
total_value_tzs	BIGINT	Running total of all purchase amounts
status	ENUM	'referred' (no purchase yet), 'active' (has purchased), 'inactive'
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.8 transactions table

Column	Type	Notes
id	UUID	PK
referral_id	UUID	FK → referrals.id
partner_id	UUID	FK → partners.id
business_id	UUID	FK → businesses.id

Column	Type	Notes
external_tx_ref	VARCHAR(255)	The Travela's own payment reference — for reconciliation
bundle_type	VARCHAR(100)	e.g. 'Tanzania 7-Day 5GB'
transaction_type	ENUM	'first_purchase', 'topup'
amount_tzs	BIGINT	Full purchase amount paid by tourist
commission_tzs	BIGINT	Amount paid to partner
platform_fee_tzs	BIGINT	Amount retained by Pazo
commission_rate_applied	DECIMAL(5,4)	Rate at time of transaction — historical record
commission_status	ENUM	'paid', 'pending', 'failed'
paid_at	TIMESTAMPTZ	Nullable — when commission was actually disbursed
webhook_received_at	TIMESTAMPTZ	When The Travela sent the webhook
created_at	TIMESTAMPTZ	NOT NULL, default now()

7.9 withdrawals table

Column	Type	Notes
id	UUID	PK
partner_id	UUID	FK → partners.id — individual partners only
amount_tzs	BIGINT	Withdrawal amount requested
mobile_money_number	VARCHAR(20)	Destination — snapshot of account at time of withdrawal
status	ENUM	'processing', 'completed', 'failed'
azampay_reference	VARCHAR(255)	Nullable — AzamPay transaction reference
requested_at	TIMESTAMPTZ	NOT NULL, default now()
completed_at	TIMESTAMPTZ	Nullable — set on AzamPay callback success

7.10 institution_payouts table

Column	Type	Notes
id	UUID	PK
partner_id	UUID	FK → partners.id — institution partners only
payout_month	DATE	First day of the month this payout covers — e.g. 2026-08-01
amount_tzs	BIGINT	Total payout amount for the month

Column	Type	Notes
transaction_count	INT	Number of commission transactions included in this payout
payout_account_snapshot	VARCHAR(255)	Payout account at time of disbursement — for audit
status	ENUM	'queued', 'processing', 'completed', 'failed'
processed_by	UUID	FK → users.id — admin who triggered the payout
processed_at	TIMESTAMPTZ	When payout was triggered
completed_at	TIMESTAMPTZ	Nullable — when disbursement confirmed
statement_url	VARCHAR(500)	URL to generated PDF statement for this payout

7.11 notifications table

Column	Type	Notes
id	UUID	PK
user_id	UUID	FK → users.id — who sees this notification
type	VARCHAR(50)	e.g. 'commission_paid', 'commission_pending', 'new_referral', 'withdrawal_complete', 'welcome', 'monthly_payout', 'low_wallet_balance'
title	VARCHAR(255)	Short notification title
message	TEXT	Full notification message
data	JSONB	Optional — related IDs (transaction_id, referral_id etc)
is_read	BOOLEAN	default false
created_at	TIMESTAMPTZ	NOT NULL, default now()

PART 8

Non-Functional Requirements & Constraints

Performance, security, privacy, and build rules

8.1 Performance

Metric	Target
API response time (read)	95th percentile under 500ms
API response time (write)	95th percentile under 800ms
Webhook processing	Commission calculated and notification sent within 3 seconds of webhook receipt
Page load	First contentful paint under 2 seconds on 4G connection
Uptime	99.5% monthly — planned maintenance excluded
Concurrent users	Platform must handle 500 concurrent sessions at launch. Horizontally scalable to 5,000.

8.2 Security

Requirement	Implementation
HTTPS	All traffic — no HTTP allowed. HSTS enforced.
Passwords	bcrypt with cost factor 12. Never stored in plain text. Never logged.
JWT	RS256 signing. Access token: 15 minutes. Refresh token: 30 days.
API keys	Stored as SHA-256 hashes. Displayed to user only once on creation.
OTP	Cryptographically random 6-digit code. Rate limited. Expiry enforced server-side.
Input validation	All inputs validated server-side regardless of client validation. Parameterised queries only — no string concatenation in SQL.
Rate limiting	100 requests/minute per IP on public endpoints. 1000/minute per authenticated user.
Audit logging	Every admin action logged with: actor, action, affected resource, timestamp, IP address.
Data at rest	Database encrypted at rest (AES-256). Backups encrypted.
PII	Tourist external IDs are the only 'customer' data stored. No tourist names, emails, or phone numbers are stored in Pazo's database.

8.3 Data & Privacy

Rule	Detail
Data location	All data stored in Tanzania or East Africa region. No data stored in EU or US.
Tourist personal data	Pazo stores ONLY the tourist_external_id — an opaque string from The Travela. No names, emails, phone numbers, or payment details.
Partner data retention	Partner data retained for 7 years after account closure (regulatory requirement).
Transaction data retention	Transaction records retained permanently — financial audit trail.
Right to deletion	Partner can request account deletion. PII removed within 30 days. Transaction records anonymised but retained for audit.
Consent	Explicit consent captured at signup for data processing and notifications.

8.4 What Is NOT Built in This Version

Feature	Reason / Future plan
Mobile app (iOS / Android)	Web only in this version. Mobile app planned as Phase 2.
Business subscription billing	Free access in v1.0. Subscription tiers introduced in future version.
Corporate campaign module (Pazo SME)	Travela integration only in this build. SME and creator features are a separate future build.
Creator content submission / portfolio	Not applicable to the Travela referral model.
Customer accounts or loyalty points	Customers are not platform users. No customer login or points system in this build.
Corporate self-serve portal	Corporate clients are onboarded manually. Self-serve portal is a future version.
AzamPay integration for institution payouts	Institution payouts v1 are processed manually by admin. AzamPay automation in v2.
Swahili language support	English only in this version.

8.5 Build Sequence

Phase	What to Build	Prerequisite
1 — Foundation	Project setup, DB schema, auth system (OTP, JWT, all roles), basic routing	None

Phase	What to Build	Prerequisite
2 — Individual dashboard	All individual screens, referral code generation, QR generation, wallet	Phase 1
3 — Institution dashboard	Institution screens (reuse individual components), monthly payout tracking	Phase 2
4 — Integration API	Two webhook endpoints, referral register endpoint, commission engine, pending logic	Phase 2
5 — Business dashboard	The Travela overview, partners, referrals, commissions, wallet, settings	Phase 4
6 — Admin dashboard	User management, institution approval, transaction monitor, monthly payout processing	Phase 5
7 — Notifications	In-app feed, SMS via gateway, email notifications	Phase 4
8 — Polish & seed	Realistic demo data, UI polish, error states, mobile responsiveness	Phase 6
9 — Production deploy	Cloud hosting, domain, SSL, environment config, monitoring	Phase 8

8.6 Demo Credentials

Account	Login	Password	Dashboard
Individual (Amina Hassan)	Phone: 0754 892 001	Demo2026!	Individual dashboard
Institution (Serena Hotel)	Email: serena@demo.pazo.africa	Demo2026!	Institution dashboard
The Travela	Email: demo@thetravela.com	Demo2026!	Business dashboard
Pazo Admin	Email: admin@pazo.africa	Admin2026!	Admin dashboard

Note: Demo accounts use seed data only. No real transactions or real mobile money numbers are used in the demo environment.