# **AUTO**

POPULATION SIZE, MIGRATION, DIVERGENCE, ASSIGNMENT, HISTORY

Bayesian inference using the structured coalescent

Migrate-n version 5.0.0a [May-20-2017]

Using Intel AVX (Advanced Vector Extensions)

Compiled for PARALLEL computer architectures

One master and 100 compute nodes are available.

Program started at Sun Aug 13 19:48:15 2017

Program finished at Sun Aug 13 21:25:44 2017 [Runtime:0000:01:37:29]



### **Options**

Datatype: DNA sequence data

Inheritance scalers in use for Thetas:

All loci use an inheritance scaler of 1.0

[The locus with a scaler of 1.0 used as reference]

Random number seed: (with internal timer) 557167786

Start parameters:

Theta values were generated Using a percent value of the prior

M values were generated Using a percent value of the prior

Connection matrix:

m = average (average over a group of Thetas or M,

s = symmetric migration M, S = symmetric 4Nm,

0 = zero, and not estimated,

\* = migration free to vary, Thetas are on diagonal

1

d = row population split off column population, D = split and then migration

Population

1 Romanshorn 0

Order of parameters:

1  $\Theta_1$  <displayed>

Mutation rate among loci: Mutation rate is constant for all loci

Analysis strategy: Bayesian inference

**Exponential Distribution** -Population size estimation:

Proposal distributions for parameter

Parameter Proposal Theta Metropolis sampling M Metropolis sampling Divergence Metropolis sampling Divergence Spread Metropolis sampling Genealogy Metropolis-Hastings

Prior distribution for parameter

Parameter Delta Prior Minimum Mean Maximum Bins UpdateFreq Theta -11 Uniform 0.000000 0.050 0.100 0.010 1500 0.20000

[-1 -1 means priors were set globally]

Markov chain settings: Long chain

Number of chains 50000 Recorded steps [a] 200 Increment (record every x step [b] Number of concurrent chains (replicates) [c]

20000000 Visited (sampled) parameter values [a\*b\*c] 10000 Number of discard trees per chain (burn-in)

Multiple Markov chains:

Static heating scheme 4 chains with temperatures

> 1000000.00 3.00 1.50 1.00

Swapping interval is 1

Print options:

Data file: infile.0.7 NO

Haplotyping is turned on:

Output file: outfile\_0.7\_0.9

bayesfile Posterior distribution raw histogram file:

bayesallfile\_0.7\_0.9 Print data: No

Print genealogies [only some for some data type]: None

Raw data from the MCMC run:

# Data summary

Data file: infile.0.7 Datatype: Sequence data Number of loci: 100

Mutation	nmodel:			
Locus Sublocus		Mutationmodel	Mutationmodel parameters	
1	1	Jukes-Cantor	[Basefreq: =0.25]	
2	1	Jukes-Cantor	[Basefreq: =0.25]	
3	1	Jukes-Cantor	[Basefreq: =0.25]	
4	1	Jukes-Cantor	[Basefreq: =0.25]	
5	1	Jukes-Cantor	[Basefreq: =0.25]	
6	1	Jukes-Cantor	[Basefreq: =0.25]	
7	1	Jukes-Cantor	[Basefreq: =0.25]	
8	1	Jukes-Cantor	[Basefreq: =0.25]	
9	1	Jukes-Cantor	[Basefreq: =0.25]	
10	1	Jukes-Cantor	[Basefreq: =0.25]	
11	1	Jukes-Cantor	[Basefreq: =0.25]	
12	1	Jukes-Cantor	[Basefreq: =0.25]	
13	1	Jukes-Cantor	[Basefreq: =0.25]	
14	1	Jukes-Cantor	[Basefreq: =0.25]	
15	1	Jukes-Cantor	[Basefreq: =0.25]	
16	1	Jukes-Cantor	[Basefreq: =0.25]	
17	1	Jukes-Cantor	[Basefreq: =0.25]	
18	1	Jukes-Cantor	[Basefreq: =0.25]	
19	1	Jukes-Cantor	[Basefreq: =0.25]	
20	1	Jukes-Cantor	[Basefreq: =0.25]	
21	1	Jukes-Cantor	[Basefreq: =0.25]	
22	1	Jukes-Cantor	[Basefreq: =0.25]	
23	1	Jukes-Cantor	[Basefreq: =0.25]	
24	1	Jukes-Cantor	[Basefreq: =0.25]	
25	1	Jukes-Cantor	[Basefreq: =0.25]	
26	1	Jukes-Cantor	[Basefreq: =0.25]	
27	1	Jukes-Cantor	[Basefreq: =0.25]	
28	1	Jukes-Cantor	[Basefreq: =0.25]	
29	1	Jukes-Cantor	[Basefreq: =0.25]	
30	1	Jukes-Cantor	[Basefreq: =0.25]	
31	1	Jukes-Cantor	[Basefreq: =0.25]	
32	1	Jukes-Cantor	[Basefreq: =0.25]	
33	1	Jukes-Cantor	[Basefreq: =0.25]	
34	1	Jukes-Cantor	[Basefreq: =0.25]	

35	1	Jukes-Cantor	[Basefreq: =0.25]
36	1	Jukes-Cantor	[Basefreq: =0.25]
37	1	Jukes-Cantor	[Basefreq: =0.25]
38	1	Jukes-Cantor	[Basefreq: =0.25]
39	1	Jukes-Cantor	[Basefreq: =0.25]
40	1	Jukes-Cantor	[Basefreq: =0.25]
41	1	Jukes-Cantor	[Basefreq: =0.25]
42	1	Jukes-Cantor	[Basefreq: =0.25]
43	1	Jukes-Cantor	[Basefreq: =0.25]
44	1	Jukes-Cantor	[Basefreq: =0.25]
45	1	Jukes-Cantor	[Basefreq: =0.25]
46	1	Jukes-Cantor	[Basefreq: =0.25]
47	1	Jukes-Cantor	[Basefreq: =0.25]
48	1	Jukes-Cantor	[Basefreq: =0.25]
49	1	Jukes-Cantor	[Basefreq: =0.25]
50	1	Jukes-Cantor	[Basefreq: =0.25]
51	1	Jukes-Cantor	[Basefreq: =0.25]
52	1	Jukes-Cantor	[Basefreq: =0.25]
53	1	Jukes-Cantor	[Basefreq: =0.25]
54	1	Jukes-Cantor	[Basefreq: =0.25]
55	1	Jukes-Cantor	[Basefreq: =0.25]
56	1	Jukes-Cantor	[Basefreq: =0.25]
57	1	Jukes-Cantor	[Basefreq: =0.25]
58	1	Jukes-Cantor	[Basefreq: =0.25]
59	1	Jukes-Cantor	[Basefreq: =0.25]
60	1	Jukes-Cantor	[Basefreq: =0.25]
61	1	Jukes-Cantor	[Basefreq: =0.25]
62	1	Jukes-Cantor	[Basefreq: =0.25]
63	1	Jukes-Cantor	[Basefreq: =0.25]
64	1	Jukes-Cantor	[Basefreq: =0.25]
65	1	Jukes-Cantor	[Basefreq: =0.25]
66	1	Jukes-Cantor	[Basefreq: =0.25]
67	1	Jukes-Cantor	[Basefreq: =0.25]
68	1	Jukes-Cantor	[Basefreq: =0.25]
69	1	Jukes-Cantor	[Basefreq: =0.25]
70	1	Jukes-Cantor	[Basefreq: =0.25]
71	1	Jukes-Cantor	[Basefreq: =0.25]
72	1	Jukes-Cantor	[Basefreq: =0.25]
73	1	Jukes-Cantor	[Basefreq: =0.25]
74	1	Jukes-Cantor	[Basefreq: =0.25]
75	1	Jukes-Cantor	[Basefreq: =0.25]
76	1	Jukes-Cantor	[Basefreq: =0.25]
77	1	Jukes-Cantor	[Basefreq: =0.25]
78	1	Jukes-Cantor	[Basefreq: =0.25]
79	1	Jukes-Cantor	[Basefreq: =0.25]

				AUTO 5
80	1	Jukes-Cantor	[Basefreq: =0.25]	
81	1	Jukes-Cantor	[Basefreq: =0.25]	
82	1	Jukes-Cantor	[Basefreq: =0.25]	
83	1	Jukes-Cantor	[Basefreq: =0.25]	
84	1	Jukes-Cantor	[Basefreq: =0.25]	
85	1	Jukes-Cantor	[Basefreq: =0.25]	
86	1	Jukes-Cantor	[Basefreq: =0.25]	
87	1	Jukes-Cantor	[Basefreq: =0.25]	
88	1	Jukes-Cantor	[Basefreq: =0.25]	
89	1	Jukes-Cantor	[Basefreq: =0.25]	
90	1	Jukes-Cantor	[Basefreq: =0.25]	
91	1	Jukes-Cantor	[Basefreq: =0.25]	
92	1	Jukes-Cantor	[Basefreq: =0.25]	
93	1	Jukes-Cantor	[Basefreq: =0.25]	
94	1	Jukes-Cantor	[Basefreq: =0.25]	
95	1	Jukes-Cantor	[Basefreq: =0.25]	
96	1	Jukes-Cantor	[Basefreq: =0.25]	
97	1	Jukes-Cantor	[Basefreq: =0.25]	
98	1	Jukes-Cantor	[Basefreq: =0.25]	
99	1	Jukes-Cantor	[Basefreq: =0.25]	
100	1	Jukes-Cantor	[Basefreq: =0.25]	
Sites per	locus			
Locus		Sites		

Locus	Sites
1	10000
2	10000
3	10000
4	10000
5	10000
6	10000
7	10000
8	10000
9	10000
10	10000
11	10000
12	10000
13	10000
14	10000
15	10000
16	10000
17	10000
18	10000
19	10000
20	10000

21	10000
22	10000
23	10000
24	10000
25	10000
26	10000
27	10000
28	10000
29	10000
30	10000
31	10000
32	10000
33	10000
34	10000
35	10000
36	10000
37	10000
38	10000
39	10000
40	10000
41	10000
42	10000
43	10000
44	10000
45	10000
46	10000
47	10000
48	10000
49	10000
50	10000
51	10000
52	10000
53	10000
54	10000
55	10000
56	10000
57	10000
58	10000
59	10000
60	10000
61	10000
62	10000
63	10000
64	10000
65	10000

66	10000				
67	10000				
68	10000				
69	10000				
70	10000				
71	10000				
72	10000				
73	10000				
74	10000				
75	10000				
76	10000				
77	10000				
78	10000				
79	10000				
80	10000				
81	10000				
82	10000				
83	10000				
84	10000				
85	10000				
86	10000				
87	10000				
88	10000				
89	10000				
90	10000				
91	10000				
92	10000				
93	10000				
94	10000				
95	10000				
96	10000				
97	10000				
98	10000				
99	10000				
100	10000				
Site rate	e variation and probat	oilities:			
Locus S	Sublocus Region type	Rate of change	Probability	Patch size	
1	1 1	1.000	1.000	1.000	
2	1 1	1.000	1.000	1.000	
3	1 1	1.000	1.000	1.000	
4	1 1	1.000	1.000	1.000	
5	1 1	1.000	1.000	1.000	
6	1 1	1.000	1.000	1.000	

7	1	1	1.000	1.000	1.000	
8	1	1	1.000	1.000	1.000	
9	1	1	1.000	1.000	1.000	
10	1	1	1.000	1.000	1.000	
11	1	1	1.000	1.000	1.000	
12	1	1	1.000	1.000	1.000	
13	1	1	1.000	1.000	1.000	
14	1	1	1.000	1.000	1.000	
15	1	1	1.000	1.000	1.000	
16	1	1	1.000	1.000	1.000	
17	1	1	1.000	1.000	1.000	
18	1	1	1.000	1.000	1.000	
19	1	1	1.000	1.000	1.000	
20	1	1	1.000	1.000	1.000	
21	1	1	1.000	1.000	1.000	
22	1	1	1.000	1.000	1.000	
23	1	1	1.000	1.000	1.000	
24	1	1	1.000	1.000	1.000	
25	1	1	1.000	1.000	1.000	
26	1	1	1.000	1.000	1.000	
27	1	1	1.000	1.000	1.000	
28	1	1	1.000	1.000	1.000	
29	1	1	1.000	1.000	1.000	
30	1	1	1.000	1.000	1.000	
31	1	1	1.000	1.000	1.000	
32	1	1	1.000	1.000	1.000	
33	1	1	1.000	1.000	1.000	
34	1	1	1.000	1.000	1.000	
35	1	1	1.000	1.000	1.000	
36	1	1	1.000	1.000	1.000	
37	1	1	1.000	1.000	1.000	
38	1	1	1.000	1.000	1.000	
39	1	1	1.000	1.000	1.000	
40	1	1	1.000	1.000	1.000	
41	1	1	1.000	1.000	1.000	
42	1	1	1.000	1.000	1.000	
43	1	1	1.000	1.000	1.000	
44	1	1	1.000	1.000	1.000	
45	1	1	1.000	1.000	1.000	
46	1	1	1.000	1.000	1.000	
47	1	1	1.000	1.000	1.000	
48	1	1	1.000	1.000	1.000	
49	1	1	1.000	1.000	1.000	
50	1	1	1.000	1.000	1.000	
51	1	1	1.000	1.000	1.000	

			4 000	4.000	4.000	
52	1	1	1.000	1.000	1.000	
53	1	1	1.000	1.000	1.000	
54	1	1	1.000	1.000	1.000	
55	1	1	1.000	1.000	1.000	
56	1	1	1.000	1.000	1.000	
57	1	1	1.000	1.000	1.000	
58	1	1	1.000	1.000	1.000	
59	1	1	1.000	1.000	1.000	
60	1	1	1.000	1.000	1.000	
61	1	1	1.000	1.000	1.000	
62	1	1	1.000	1.000	1.000	
63	1	1	1.000	1.000	1.000	
64	1	1	1.000	1.000	1.000	
65	1	1	1.000	1.000	1.000	
66	1	1	1.000	1.000	1.000	
67	1	1	1.000	1.000	1.000	
68	1	1	1.000	1.000	1.000	
69	1	1	1.000	1.000	1.000	
70	1	1	1.000	1.000	1.000	
71	1	1	1.000	1.000	1.000	
72	1	1	1.000	1.000	1.000	
73	1	1	1.000	1.000	1.000	
74	1	1	1.000	1.000	1.000	
75	1	1	1.000	1.000	1.000	
76	1	1	1.000	1.000	1.000	
77	1	1	1.000	1.000	1.000	
78	1	1	1.000	1.000	1.000	
79	1	1	1.000	1.000	1.000	
80	1	1	1.000	1.000	1.000	
81	1	1	1.000	1.000	1.000	
82	1	1	1.000	1.000	1.000	
83	1	1	1.000	1.000	1.000	
84	1	1	1.000	1.000	1.000	
85	1	1	1.000	1.000	1.000	
86	1	1	1.000	1.000	1.000	
87	1	1	1.000	1.000	1.000	
88	1	1	1.000	1.000	1.000	
89	1	1	1.000	1.000	1.000	
90	1	1	1.000	1.000	1.000	
91	1	1	1.000	1.000	1.000	
92	1	1	1.000	1.000	1.000	
93	1	1	1.000	1.000	1.000	
94	1	1	1.000	1.000	1.000	
95	1	1	1.000	1.000	1.000	
96	1	1	1.000	1.000	1.000	

97	1	1	1.000	1.000	1.000	
98	1	1	1.000	1.000	1.000	
99	1	1	1.000	1.000	1.000	
100	1	1	1.000	1.000	1.000	
Population		ı	1.000	1.000	Locus	Gene copies
1 Roman					1	10
i Koman	3110111_0				2	10
					3	10
					4	10
					5	10
					6	10
					7	10
					8	10
					9	10
					10	10
					11	10
					12	10
					13	10
					14	10
					15	10
					16	10
					17	10
					18	10
					19	10
					20	10
					21	10
					22	10
					23	10
					24	10
					25	10
					26	10
					27	10
					28	10
					29	10
					30	10
					31	10
					32	10
					33	10
					34	10
					35	10
					36	10
					37	10
					38	10
					39	10
					40	10
					-	

4		10
4	2 1	10
4	3 1	10
4	4 1	10
4		10
4		10
4		10
4		10
4		10
5		10
5		10
5.		10
5.		10
5		10
5		10
5		10
5		10
5		10
5		10
6		10
6		10
6.		10
6		10
6		10
6		10
6		10
6	7 1	10
6	8 1	10
6	9 1	10
7	0 1	10
7	<b>1</b> 1	10
7.	2 1	10
7	3 1	10
7	4 1	10
7	5 1	10
7		10
7		10
7.		10
7		10
8		10
8		10
8.		10
8		10
8		10
8		10
Migrate 5.0 0a: (http://nongen.sc.fsu.edu) [nrogram run.on.19:48:15]		

	86	10	
	87	10	
	88	10	
	89	10	
	90	10	
	91	10	
	92	10	
	93	10	
	94	10	
	95	10	
	96	10	
	97	10	
	98	10	
	99		
		10	
Total of all and locate	100	10	
Total of all populations	1	10	
	2	10	
	3	10	
	4	10	
	5	10	
	6	10	
	7	10	
	8	10	
	9	10	
	10	10	
	11	10	
	12	10	
	13	10	
	14	10	
	15	10	
	16	10	
	17	10	
	18	10	
	19	10	
	20	10	
	21	10	
	22	10	
	23	10	
	24	10	
	25	10	
	26		
		10	
	27	10	
	28	10	
	29	10	
	30	10	

31	10
32	10
33	10
34	10
35	10
36	10
37	10
38	10
39	10
40	10
41	10
42	10
43	10
44	10
45	10
46	10
47	10
48	10
49	10
50	10
51	10
52	10
53	10
54	10
55	10
56	10
57	10
58	10
59	10
60	10
61	10
62	10
63	10
64	10
65	10
66	10
67	10
68	10
69	10
70	10
71	10
72	10
73	10
74	10
75	10

	76	10
	77	10
	78	10
	79	10
	80	10
	81	10
	82	10
	83	10
	84	10
	85	10
	86	10
	87	10
	88	10
	89	10
	90	10
	90 91	
		10
	92	10
	93	10
	94	10
	95	10
	96	10
	97	10
	98	10
	99	10
1	00	10
		·

# Bayesian Analysis: Posterior distribution table

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	$\Theta_1$	0.00000	0.00153	0.00303	0.00473	0.01060	0.00383	0.00441
2	$\Theta_1$	0.00160	0.00700	0.00943	0.01227	0.03467	0.01363	0.01631
3	$\Theta_1$	0.00000	0.00060	0.00170	0.00260	0.00520	0.00210	0.00194
4	$\Theta_1$	0.00000	0.00173	0.00303	0.00427	0.00720	0.00337	0.00349
5	$\Theta_1$	0.00000	0.00087	0.00190	0.00280	0.00473	0.00217	0.00201
6	$\Theta_1$	0.00000	0.00140	0.00257	0.00367	0.00600	0.00283	0.00283
7	$\Theta_1$	0.00027	0.00287	0.00477	0.00727	0.01567	0.00610	0.00704
8	$\Theta_1$	0.00000	0.00013	0.00083	0.00153	0.00307	0.00137	0.00087
9	$\Theta_1$	0.00000	0.00093	0.00190	0.00287	0.00467	0.00217	0.00202
10	$\Theta_1$	0.00013	0.00227	0.00370	0.00520	0.00893	0.00417	0.00439
11	$\Theta_1$	0.00000	0.00013	0.00090	0.00160	0.00313	0.00143	0.00091
12	$\Theta_1$	0.00000	0.00153	0.00277	0.00387	0.00627	0.00297	0.00302
13	$\Theta_1$	0.00000	0.00140	0.00263	0.00373	0.00620	0.00290	0.00293
14	$\Theta_1$	0.00000	0.00107	0.00223	0.00320	0.00527	0.00243	0.00238
15	$\Theta_1$	0.00000	0.00027	0.00103	0.00180	0.00360	0.00157	0.00111
16	$\Theta_1$	0.00000	0.00060	0.00150	0.00233	0.00407	0.00183	0.00156
17	$\Theta_1$	0.00000	0.00027	0.00103	0.00180	0.00333	0.00150	0.00108
18	$\Theta_1$	0.00020	0.00240	0.00390	0.00547	0.00953	0.00443	0.00467

19	$\Theta_1$	0.00000	0.00127	0.00250	0.00353	0.00587	0.00270	0.00271
20	$\Theta_1$	0.00000	0.00153	0.00283	0.00407	0.00693	0.00317	0.00324
21	$\Theta_1$	0.00000	0.00107	0.00223	0.00327	0.00560	0.00257	0.00248
22	$\Theta_1$	0.00000	0.00173	0.00310	0.00433	0.00727	0.00343	0.00355
23	$\Theta_1$	0.00000	0.00087	0.00197	0.00287	0.00493	0.00223	0.00208
24	$\Theta_1$	0.00000	0.00153	0.00283	0.00407	0.00707	0.00323	0.00332
25	$\Theta_1$	0.00000	0.00153	0.00303	0.00453	0.00940	0.00363	0.00404
26	$\Theta_1$	0.00000	0.00260	0.00450	0.00700	0.01620	0.00590	0.00697
27	$\Theta_1$	0.00013	0.00313	0.00630	0.01113	0.02480	0.00777	0.00865
28	$\Theta_1$	0.00000	0.00153	0.00283	0.00407	0.00693	0.00317	0.00326
29	$\Theta_1$	0.00000	0.00080	0.00183	0.00273	0.00460	0.00210	0.00193
30	$\Theta_1$	0.00013	0.00227	0.00370	0.00513	0.00887	0.00410	0.00435
31	$\Theta_1$	0.00000	0.00093	0.00197	0.00293	0.00493	0.00223	0.00211
32	$\Theta_1$	0.00000	0.00153	0.00290	0.00433	0.00800	0.00343	0.00361
33	$\Theta_1$	0.00000	0.00073	0.00170	0.00260	0.00440	0.00203	0.00180
34	$\Theta_1$	0.00093	0.00093	0.00357	0.00660	0.00660	0.00403	0.00423
35	$\Theta_1$	0.00000	0.00020	0.00097	0.00167	0.00327	0.00150	0.00101
36	$\Theta_1$	0.00000	0.00107	0.00210	0.00313	0.00513	0.00237	0.00229
37	$\Theta_1$	0.00000	0.00047	0.00137	0.00220	0.00393	0.00177	0.00144
38	$\Theta_1$	0.00133	0.00293	0.00417	0.00560	0.00833	0.00517	0.00576
39	$\Theta_1$	0.00000	0.00113	0.00237	0.00340	0.00600	0.00263	0.00263
40	$\Theta_1$	0.00000	0.00107	0.00217	0.00320	0.00533	0.00243	0.00237
41	$\Theta_1$	0.00087	0.00360	0.00570	0.00853	0.01913	0.00730	0.00851

ocus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
42	$\Theta_1$	0.00207	0.00400	0.00537	0.00700	0.01020	0.00643	0.00697
43	$\Theta_1$	0.00600	0.01227	0.02197	0.03147	0.04607	0.02403	0.02882
44	$\Theta_1$	0.00000	0.00053	0.00143	0.00227	0.00400	0.00183	0.00152
45	$\Theta_1$	0.00000	0.00067	0.00163	0.00253	0.00433	0.00197	0.00172
46	$\Theta_1$	0.00000	0.00167	0.00290	0.00407	0.00667	0.00317	0.00326
47	$\Theta_1$	0.00000	0.00127	0.00243	0.00353	0.00580	0.00270	0.00267
48	$\Theta_1$	0.00000	0.00040	0.00130	0.00213	0.00420	0.00177	0.00142
49	$\Theta_1$	0.00027	0.00247	0.00397	0.00547	0.00960	0.00450	0.00474
50	$\Theta_1$	0.00000	0.00013	0.00083	0.00153	0.00307	0.00137	0.00086
51	$\Theta_1$	0.00000	0.00167	0.00297	0.00420	0.00647	0.00330	0.00338
52	$\Theta_1$	0.00000	0.00027	0.00110	0.00187	0.00347	0.00157	0.00116
53	$\Theta_1$	0.00000	0.00087	0.00197	0.00287	0.00480	0.00223	0.00207
54	$\Theta_1$	0.00000	0.00067	0.00163	0.00253	0.00427	0.00197	0.00173
55	$\Theta_1$	0.00000	0.00033	0.00117	0.00193	0.00360	0.00163	0.00124
56	$\Theta_1$	0.00000	0.00087	0.00203	0.00307	0.00600	0.00243	0.00240
57	$\Theta_1$	0.00000	0.00107	0.00223	0.00320	0.00533	0.00243	0.00239
58	$\Theta_1$	0.00000	0.00053	0.00143	0.00227	0.00393	0.00177	0.00149
59	$\Theta_1$	0.00000	0.00167	0.00323	0.00487	0.00980	0.00397	0.00436
60	$\Theta_1$	0.00007	0.00007	0.00077	0.00133	0.00133	0.00137	0.00078
61	$\Theta_1$	0.00000	0.00067	0.00170	0.00253	0.00427	0.00197	0.00174

62	$\Theta_1$	0.00033	0.00287	0.00490	0.00800	0.01793	0.00677	0.00788
63	$\Theta_1$	0.00007	0.00227	0.00370	0.00520	0.00907	0.00417	0.00443
64	$\Theta_1$	0.00000	0.00053	0.00143	0.00227	0.00393	0.00177	0.00147
65	$\Theta_1$	0.00000	0.00060	0.00150	0.00233	0.00400	0.00183	0.00154
66	$\Theta_1$	0.00000	0.00180	0.00330	0.00487	0.00920	0.00390	0.00422
67	$\Theta_1$	0.00000	0.00067	0.00163	0.00253	0.00433	0.00197	0.00174
68	$\Theta_1$	0.00173	0.00493	0.00717	0.01000	0.01847	0.00850	0.00926
69	$\Theta_1$	0.00000	0.00140	0.00263	0.00373	0.00620	0.00290	0.00294
70	$\Theta_1$	0.00000	0.00047	0.00137	0.00213	0.00380	0.00170	0.00139
71	$\Theta_1$	0.00000	0.00087	0.00190	0.00280	0.00473	0.00217	0.00199
72	$\Theta_1$	0.00000	0.00087	0.00203	0.00300	0.00560	0.00237	0.00229
73	$\Theta_1$	0.00000	0.00013	0.00090	0.00160	0.00313	0.00143	0.00090
74	$\Theta_1$	0.00000	0.00207	0.00363	0.00533	0.01107	0.00437	0.00493
75	$\Theta_1$	0.00000	0.00047	0.00137	0.00220	0.00387	0.00177	0.00144
76	$\Theta_1$	0.00000	0.00000	0.00070	0.00133	0.00287	0.00130	0.00073
77	$\Theta_1$	0.00000	0.00140	0.00263	0.00373	0.00620	0.00290	0.00292
78	$\Theta_1$	0.00073	0.00307	0.00470	0.00640	0.01127	0.00530	0.00568
79	$\Theta_1$	0.00000	0.00080	0.00183	0.00273	0.00460	0.00210	0.00191
80	$\Theta_1$	0.00000	0.00087	0.00197	0.00287	0.00487	0.00223	0.00208
81	$\Theta_1$	0.00000	0.00140	0.00263	0.00373	0.00613	0.00290	0.00292
82	$\Theta_1$	0.00000	0.00107	0.00217	0.00320	0.00527	0.00243	0.00236
83	$\Theta_1$	0.00033	0.00247	0.00390	0.00533	0.00913	0.00430	0.00454
84	$\Theta_1$	0.00000	0.00160	0.00290	0.00413	0.00700	0.00323	0.00333

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
85	$\Theta_1$	0.00340	0.00587	0.00870	0.01227	0.01787	0.01043	0.01151
86	$\Theta_1$	0.00467	0.00720	0.01077	0.01487	0.02027	0.01270	0.01402
87	$\Theta_1$	0.00087	0.00233	0.00343	0.00453	0.00633	0.00390	0.00407
88	$\Theta_1$	0.00000	0.00167	0.00297	0.00427	0.00733	0.00337	0.00348
89	$\Theta_1$	0.00000	0.00100	0.00210	0.00307	0.00513	0.00237	0.00225
90	$\Theta_1$	0.00000	0.00020	0.00097	0.00167	0.00327	0.00150	0.00101
91	$\Theta_1$	0.00233	0.00413	0.00670	0.01027	0.01593	0.00890	0.01067
92	$\Theta_1$	0.00000	0.00167	0.00297	0.00413	0.00693	0.00323	0.00334
93	$\Theta_1$	0.00000	0.00060	0.00163	0.00253	0.00487	0.00203	0.00184
94	$\Theta_1$	0.00180	0.00307	0.00470	0.00700	0.00967	0.00650	0.00772
95	$\Theta_1$	0.00000	0.00100	0.00210	0.00307	0.00513	0.00237	0.00226
96	$\Theta_1$	0.00000	0.00000	0.00070	0.00133	0.00287	0.00130	0.00072
97	$\Theta_1$	0.00000	0.00087	0.00197	0.00287	0.00480	0.00223	0.00207
98	$\Theta_1$	0.00000	0.00053	0.00150	0.00233	0.00433	0.00190	0.00159
99	$\Theta_1$	0.00000	0.00127	0.00243	0.00353	0.00587	0.00270	0.00270
100	$\Theta_1$	0.00000	0.00020	0.00097	0.00167	0.00327	0.00150	0.00102
All	$\Theta_1$	0.00020	0.00140	0.00177	0.00213	0.00327	0.00197	0.00180


Citation suggestions:

Beerli P., 2006. Comparison of Bayesian and maximum-likelihood inference of population genetic parameters. Bioinformatics 22:341-345

Beerli P., 2007. Estimation of the population scaled mutation rate from microsatellite data, Genetics, 177:1967-1968.

Beerli P., 2009. How to use MIGRATE or why are Markov chain Monte Carlo programs difficult to use?						
In Population Genetics for Animal Conservation, G. Bertorelle, M. W. Bruford, H. C. Hauffe, A. Rizzoli,						
and C. Vernesi, eds., vol. 17 of Conservation Biology, Cambridge University Press, Cambridge UK, pp. 42-79.						

# Bayesian Analysis: Posterior distribution over all loci



## Log-Probability of the data given the model (marginal likelihood)

Use this value for Bayes factor calculations:  $BF = Exp[\ ln(Prob(D \mid thisModel) - ln(\ Prob(\ D \mid otherModel)) \\ or \ as \ LBF = 2 \ (ln(Prob(D \mid thisModel) - ln(\ Prob(\ D \mid otherModel))) \\ shows the \ support for \ thisModel]$ 

Locus	TI(1a)	BTI(1b)	SS(2)	HS(3)
1	-15110.83	-14788.22	-14832.43	-14903.59
2	-16298.33	-15897.31	-15957.84	-16007.77
3	-16557.12	-15474.45	-15377.82	-15453.99
4	-14330.46	-14045.78	-14091.68	-14157.81
5	-14151.93	-13881.18	-13919.12	-13992.62
6	-14371.54	-14052.95	-14089.84	-14158.85
7	-21373.75	-20365.04	-20357.85	-20412.83
8	-14083.96	-13814.54	-13839.29	-13925.49
9	-14282.24	-13978.09	-14014.02	-14085.74
10	-15083.77	-14591.86	-14607.13	-14670.16
11	-14071.85	-13802.75	-13826.77	-13915.02
12	-14345.22	-14038.69	-14078.05	-14146.42
13	-14306.64	-14024.89	-14069.03	-14138.37
14	-14363.81	-14039.32	-14072.67	-14143.05
15	-21331.25	-18098.27	-17613.97	-17691.23
16	-14154.49	-13880.75	-13915.20	-13992.73
17	-14164.24	-13883.27	-13912.63	-13994.64
18	-14329.21	-14057.45	-14106.70	-14172.46
19	-14284.65	-14017.37	-14061.74	-14133.60
20	-14682.86	-14333.56	-14369.11	-14440.43
21	-14752.08	-14306.08	-14320.29	-14390.26
22	-14301.75	-14017.35	-14063.27	-14128.93
23	-14210.43	-13931.64	-13969.20	-14044.88
24	-14989.55	-14520.43	-14536.25	-14602.05
25	-15688.58	-15068.41	-15064.12	-15128.48
26	-15590.64	-15234.26	-15284.38	-15345.77
27	-15362.54	-14903.68	-14934.71	-14995.36
28	-14385.43	-14085.98	-14127.85	-14195.20
29	-14213.13	-13930.08	-13967.80	-14041.47

Migrate 5.0.0a: (http://popgen.sc.fsu.edu) [program run on 19:48:15]

30	-14328.82	-14054.50	-14102.76	-14170.93
31	-14254.40	-13966.58	-14005.01	-14078.39
32	-14749.14	-14436.87	-14481.61	-14546.85
33	-14154.52	-13879.87	-13917.54	-13991.12
34	-14298.21	-14031.18	-14078.68	-14146.97
35	-14071.99	-13805.24	-13831.76	-13916.41
36	-14209.21	-13930.53	-13970.52	-14043.54
37	-14100.19	-13835.06	-13869.98	-13948.40
38	-15375.10	-14847.13	-14862.35	-14921.98
39	-14786.54	-14359.42	-14379.09	-14447.97
40	-14202.18	-13929.76	-13970.06	-14041.18
41	-16563.51	-15920.85	-15931.50	-15986.29
42	-15064.21	-14729.25	-14781.21	-14839.98
43	-16388.34	-15982.87	-16046.08	-16095.93
44	-14163.03	-13899.11	-13936.44	-14013.09
45	-14195.48	-13908.39	-13943.83	-14019.09
46	-14430.56	-14108.15	-14147.61	-14214.90
47	-14368.21	-14051.30	-14086.88	-14157.26
48	-16063.66	-15640.28	-15667.37	-15743.25
49	-14391.44	-14127.48	-14180.18	-14244.14
50	-14056.52	-13792.20	-13815.87	-13904.71
51	-14263.32	-13994.65	-14040.84	-14108.30
52	-14082.69	-13817.46	-13844.91	-13928.50
53	-14212.25	-13923.98	-13962.09	-14033.79
54	-14191.10	-13904.27	-13939.09	-14014.09
55	-14092.76	-13824.76	-13854.40	-13936.01
56	-15335.46	-14676.64	-14652.94	-14724.24
57	-14198.09	-13925.12	-13966.33	-14037.69
58	-14135.48	-13865.76	-13899.38	-13978.72
59	-14995.54	-14611.58	-14647.80	-14711.13
60	-14041.73	-13779.51	-13802.57	-13892.63
61	-14198.86	-13909.12	-13944.22	-14019.07
62	-15038.55	-14699.40	-14748.19	-14808.94
63	-14743.85	-14389.39	-14427.00	-14491.14
64	-14142.76	-13867.89	-13899.87	-13977.52
65	-14135.40	-13864.72	-13899.36	-13977.70
66	-15565.73	-14932.78	-14923.31	-14987.37
67	-14136.55	-13867.00	-13901.99	-13978.91
68	-14957.23	-14588.14	-14633.22	-14690.06
69	-14258.96	-13974.11	-14016.68	-14085.43
70	-14137.07	-13861.37	-13895.33	-13973.20
71	-14377.08	-14050.68	-14080.61	-14155.78
72	-22218.81	-18705.51	-18184.18	-18251.02
73	-14054.18	-13791.30	-13816.57	-13904.14
74	-18503.53	-17181.37	-17072.58	-17132.49

All	-1489913.61	-1446791.66	-1448611.32	-1455686.61
100	-14073.38	-13807.38	-13833.02	-13918.55
99	-14237.51	-13960.96	-14001.91	-14074.25
98	-14550.20	-14151.67	-14165.18	-14243.28
97	-14174.12	-13899.75	-13939.03	-14011.12
96	-14048.69	-13781.34	-13803.01	-13892.96
95	-14293.72	-13987.30	-14022.81	-14094.52
94	-15232.02	-14896.51	-14948.71	-15007.73
93	-21670.27	-19431.68	-19161.78	-19230.35
92	-14379.68	-14070.26	-14111.39	-14178.21
91	-16943.03	-16460.22	-16508.76	-16563.12
90	-14094.64	-13818.91	-13846.97	-13930.00
89	-14158.97	-13889.69	-13929.29	-14003.39
88	-14585.42	-14227.89	-14261.09	-14328.85
87	-14767.81	-14381.71	-14413.73	-14477.75
86	-15556.57	-15087.39	-15124.58	-15177.89
85	-15114.64	-14814.33	-14876.24	-14932.96
84	-14294.01	-14012.28	-14055.32	-14125.72
83	-14455.14	-14142.46	-14187.08	-14250.44
82	-14340.48	-14070.29	-14115.80	-14185.78
81	-14374.76	-14105.18	-14151.42	-14219.57
80	-14166.62	-13894.70	-13933.36	-14006.50
79	-14174.33	-13896.54	-13934.29	-14008.53
78	-14600.97	-14278.45	-14325.37	-14385.79
77	-14307.33	-14038.09	-14084.08	-14153.66
76	-14053.41	-13788.96	-13811.91	-13902.15
75	-14122.88	-13853.02	-13886.09	-13965.51

- (1a) TI: Thermodynamic integration: log(Prob(D|Model)): Good approximation with many temperatures(1b) BTI: Bezier-approximated Thermodynamic integration: when using few temperatures USE THIS!
- (2) SS: Steppingstone Sampling (Xie et al 2011)
- (3) HS: Harmonic mean approximation: Overestimates the marginal likelihood, poor variance [Scaling factor = 261.476339]

#### Citation suggestions:

Beerli P. and M. Palczewski, 2010. Unified framework to evaluate panmixia and migration direction among multiple sampling locations, Genetics, 185: 313-326.

Palczewski M. and P. Beerli, 2014. Population model comparison using multi-locus datasets. In M.-H. Chen, L. Kuo, and P. O. Lewis, editors, Bayesian Phylogenetics: Methods,

Algorithms, and Applications, pages 187-200. CRC Press, 2014.

Xie W., P. O. Lewis, Y. Fan, L. Kuo, and M.-H. Chen. 2011. Improving marginal likelihood estimation for Bayesian phylogenetic model selection. Systematic Biology, 60(2):150â 160, 2011.

# Acceptance ratios for all parameters and the genealogies

Parameter	Accepted changes	Ratio	
$\Theta_1$	173932815/399994788	0.43484	
Genealogies	284144698/1600005212	0.17759	

# MCMC-Autocorrelation and Effective MCMC Sample Size

Parameter	Autocorrelation	Effective Sampe Size
$\Theta_1$ Genealogies	0.07005 0.10435	8805106.85 8218738.08

# Average temperatures during the run

# Chain Temperatures 1 0.00000

3 0.000004 0.00000

0.00000

2

Adaptive heating often fails, if the average temperatures are very close together try to rerun using static heating! If you want to compare models using marginal likelihoods then you MUST use static heating

#### Potential Problems

This section reports potential problems with your run, but such reporting is often not very accurate. Whith many parameters in a multilocus analysi s, it is very common that some parameters for some loci will not be very informative, triggering suggestions (for example to increase the prior ran ge) that are not sensible. This suggestion tool will improve with time, therefore do not blindly follow its suggestions. If some parameters are fla

gged, inspect the tables carefully and judge wether an action is required. For example, if you run a Bayesian inference with sequence data, for mac roscopic species there is rarely the need to increase the prior for Theta
beyond 0.1; but if you use microsatellites it is rather common that your prior distribution for Theta should have
a range from 0.0 to 100 or more. With many populations (>3) it is also very common that some migration rou
tes are estimated poorly because the data contains little or no information for that route. Increasing the range will
not help in such situations, reducing number of parameters may help in such situations.
No warning was recorded during the run
Two warning was recorded during the run