

AUTO

POPULATION SIZE, MIGRATION, DIVERGENCE, ASSIGNMENT, HISTORY

Bayesian inference using the structured coalescent

Migrate-n version 5.0.2a [January-5-2018]

Using Intel AVX (Advanced Vector Extensions)

Compiled for PARALLEL computer architectures

One master and 8 compute nodes are available.

Program started at Sun Jan 7 11:15:40 2018

Program finished at Sun Jan 7 11:21:57 2018 [Runtime:0000:00:06:17]



Options

Datatype:

DNA sequence data

Inheritance scalers in use for Thetas:

All loci use an inheritance scaler of 1.0

[The locus with a scaler of 1.0 used as reference]

Random number seed:

(with internal timer)

753320324

Start parameters:

Theta values were generated

Using a percent value of the prior

M values were generated

Using a percent value of the prior

Connection matrix:

m = average (average over a group of Thetas or M,

s = symmetric migration M, S = symmetric 4Nm,

0 = zero, and not estimated,

* = migration free to vary, Thetas are on diagonal

d = row population split off column population, D = split and then migration

Population 1

1 Romanshorn_0 *

Order of parameters:

1 Θ_1

<displayed>

Mutation rate among loci:

Mutation rate is constant for all loci

Analysis strategy:

Bayesian inference

-Population size estimation:

Exponential Distribution

Proposal distributions for parameter

Parameter	Proposal
Theta	Metropolis sampling
M	Metropolis sampling
Divergence	Metropolis sampling
Divergence Spread	Metropolis sampling
Genealogy	Metropolis-Hastings

Prior distribution for parameter

Parameter		Prior	Minimum	Mean	Maximum	Delta	Bins	UpdateFreq
1	Theta -11	Uniform	0.000000	0.050	0.100	0.010	1500	0.20000

[-1 -1 means priors were set globally]

Markov chain settings:

Long chain

Number of chains

1

Recorded steps [a]

5000

Increment (record every x step [b])

20

Number of concurrent chains (replicates) [c]

2

Visited (sampled) parameter values [a*b*c]

200000

Number of discard trees per chain (burn-in)

1000

Multiple Markov chains:

Static heating scheme

4 chains with temperatures

1000000.00

3.00

1.50

1.00

Swapping interval is 1

Print options:

Data file:

infile.1.0

Haplotyping is turned on:

NO

Output file:

outfile_1.0_1.0

Posterior distribution raw histogram file:

bayesfile

Raw data from the MCMC run:

bayesallfile_1.0_1.0

Print data:

No

Print genealogies [only some for some data type]:

None

Data summary

Data file:	infile.1.0
Datatype:	Sequence data
Number of loci:	100

Mutationmodel:

Locus	Sublocus	Mutationmodel	Mutationmodel parameters
-------	----------	---------------	--------------------------

1	1	Jukes-Cantor	[Basefreq: =0.25]
2	1	Jukes-Cantor	[Basefreq: =0.25]
3	1	Jukes-Cantor	[Basefreq: =0.25]
4	1	Jukes-Cantor	[Basefreq: =0.25]
5	1	Jukes-Cantor	[Basefreq: =0.25]
6	1	Jukes-Cantor	[Basefreq: =0.25]
7	1	Jukes-Cantor	[Basefreq: =0.25]
8	1	Jukes-Cantor	[Basefreq: =0.25]
9	1	Jukes-Cantor	[Basefreq: =0.25]
10	1	Jukes-Cantor	[Basefreq: =0.25]
11	1	Jukes-Cantor	[Basefreq: =0.25]
12	1	Jukes-Cantor	[Basefreq: =0.25]
13	1	Jukes-Cantor	[Basefreq: =0.25]
14	1	Jukes-Cantor	[Basefreq: =0.25]
15	1	Jukes-Cantor	[Basefreq: =0.25]
16	1	Jukes-Cantor	[Basefreq: =0.25]
17	1	Jukes-Cantor	[Basefreq: =0.25]
18	1	Jukes-Cantor	[Basefreq: =0.25]
19	1	Jukes-Cantor	[Basefreq: =0.25]
20	1	Jukes-Cantor	[Basefreq: =0.25]
21	1	Jukes-Cantor	[Basefreq: =0.25]
22	1	Jukes-Cantor	[Basefreq: =0.25]
23	1	Jukes-Cantor	[Basefreq: =0.25]
24	1	Jukes-Cantor	[Basefreq: =0.25]
25	1	Jukes-Cantor	[Basefreq: =0.25]
26	1	Jukes-Cantor	[Basefreq: =0.25]
27	1	Jukes-Cantor	[Basefreq: =0.25]
28	1	Jukes-Cantor	[Basefreq: =0.25]
29	1	Jukes-Cantor	[Basefreq: =0.25]
30	1	Jukes-Cantor	[Basefreq: =0.25]
31	1	Jukes-Cantor	[Basefreq: =0.25]
32	1	Jukes-Cantor	[Basefreq: =0.25]
33	1	Jukes-Cantor	[Basefreq: =0.25]
34	1	Jukes-Cantor	[Basefreq: =0.25]

35	1	Jukes-Cantor	[Basefreq: =0.25]
36	1	Jukes-Cantor	[Basefreq: =0.25]
37	1	Jukes-Cantor	[Basefreq: =0.25]
38	1	Jukes-Cantor	[Basefreq: =0.25]
39	1	Jukes-Cantor	[Basefreq: =0.25]
40	1	Jukes-Cantor	[Basefreq: =0.25]
41	1	Jukes-Cantor	[Basefreq: =0.25]
42	1	Jukes-Cantor	[Basefreq: =0.25]
43	1	Jukes-Cantor	[Basefreq: =0.25]
44	1	Jukes-Cantor	[Basefreq: =0.25]
45	1	Jukes-Cantor	[Basefreq: =0.25]
46	1	Jukes-Cantor	[Basefreq: =0.25]
47	1	Jukes-Cantor	[Basefreq: =0.25]
48	1	Jukes-Cantor	[Basefreq: =0.25]
49	1	Jukes-Cantor	[Basefreq: =0.25]
50	1	Jukes-Cantor	[Basefreq: =0.25]
51	1	Jukes-Cantor	[Basefreq: =0.25]
52	1	Jukes-Cantor	[Basefreq: =0.25]
53	1	Jukes-Cantor	[Basefreq: =0.25]
54	1	Jukes-Cantor	[Basefreq: =0.25]
55	1	Jukes-Cantor	[Basefreq: =0.25]
56	1	Jukes-Cantor	[Basefreq: =0.25]
57	1	Jukes-Cantor	[Basefreq: =0.25]
58	1	Jukes-Cantor	[Basefreq: =0.25]
59	1	Jukes-Cantor	[Basefreq: =0.25]
60	1	Jukes-Cantor	[Basefreq: =0.25]
61	1	Jukes-Cantor	[Basefreq: =0.25]
62	1	Jukes-Cantor	[Basefreq: =0.25]
63	1	Jukes-Cantor	[Basefreq: =0.25]
64	1	Jukes-Cantor	[Basefreq: =0.25]
65	1	Jukes-Cantor	[Basefreq: =0.25]
66	1	Jukes-Cantor	[Basefreq: =0.25]
67	1	Jukes-Cantor	[Basefreq: =0.25]
68	1	Jukes-Cantor	[Basefreq: =0.25]
69	1	Jukes-Cantor	[Basefreq: =0.25]
70	1	Jukes-Cantor	[Basefreq: =0.25]
71	1	Jukes-Cantor	[Basefreq: =0.25]
72	1	Jukes-Cantor	[Basefreq: =0.25]
73	1	Jukes-Cantor	[Basefreq: =0.25]
74	1	Jukes-Cantor	[Basefreq: =0.25]
75	1	Jukes-Cantor	[Basefreq: =0.25]
76	1	Jukes-Cantor	[Basefreq: =0.25]
77	1	Jukes-Cantor	[Basefreq: =0.25]
78	1	Jukes-Cantor	[Basefreq: =0.25]
79	1	Jukes-Cantor	[Basefreq: =0.25]

80	1	Jukes-Cantor	[Basefreq: =0.25]
81	1	Jukes-Cantor	[Basefreq: =0.25]
82	1	Jukes-Cantor	[Basefreq: =0.25]
83	1	Jukes-Cantor	[Basefreq: =0.25]
84	1	Jukes-Cantor	[Basefreq: =0.25]
85	1	Jukes-Cantor	[Basefreq: =0.25]
86	1	Jukes-Cantor	[Basefreq: =0.25]
87	1	Jukes-Cantor	[Basefreq: =0.25]
88	1	Jukes-Cantor	[Basefreq: =0.25]
89	1	Jukes-Cantor	[Basefreq: =0.25]
90	1	Jukes-Cantor	[Basefreq: =0.25]
91	1	Jukes-Cantor	[Basefreq: =0.25]
92	1	Jukes-Cantor	[Basefreq: =0.25]
93	1	Jukes-Cantor	[Basefreq: =0.25]
94	1	Jukes-Cantor	[Basefreq: =0.25]
95	1	Jukes-Cantor	[Basefreq: =0.25]
96	1	Jukes-Cantor	[Basefreq: =0.25]
97	1	Jukes-Cantor	[Basefreq: =0.25]
98	1	Jukes-Cantor	[Basefreq: =0.25]
99	1	Jukes-Cantor	[Basefreq: =0.25]
100	1	Jukes-Cantor	[Basefreq: =0.25]

Sites per locus

Locus	Sites
1	10000
2	10000
3	10000
4	10000
5	10000
6	10000
7	10000
8	10000
9	10000
10	10000
11	10000
12	10000
13	10000
14	10000
15	10000
16	10000
17	10000
18	10000
19	10000
20	10000

21	10000
22	10000
23	10000
24	10000
25	10000
26	10000
27	10000
28	10000
29	10000
30	10000
31	10000
32	10000
33	10000
34	10000
35	10000
36	10000
37	10000
38	10000
39	10000
40	10000
41	10000
42	10000
43	10000
44	10000
45	10000
46	10000
47	10000
48	10000
49	10000
50	10000
51	10000
52	10000
53	10000
54	10000
55	10000
56	10000
57	10000
58	10000
59	10000
60	10000
61	10000
62	10000
63	10000
64	10000
65	10000

66	10000
67	10000
68	10000
69	10000
70	10000
71	10000
72	10000
73	10000
74	10000
75	10000
76	10000
77	10000
78	10000
79	10000
80	10000
81	10000
82	10000
83	10000
84	10000
85	10000
86	10000
87	10000
88	10000
89	10000
90	10000
91	10000
92	10000
93	10000
94	10000
95	10000
96	10000
97	10000
98	10000
99	10000
100	10000

Site rate variation and probabilities:

Locus	Sublocus	Region	type	Rate of change	Probability	Patch size
-------	----------	--------	------	----------------	-------------	------------

1	1	1		1.000	1.000	1.000
2	1	1		1.000	1.000	1.000
3	1	1		1.000	1.000	1.000
4	1	1		1.000	1.000	1.000
5	1	1		1.000	1.000	1.000
6	1	1		1.000	1.000	1.000

7	1	1	1.000	1.000	1.000
8	1	1	1.000	1.000	1.000
9	1	1	1.000	1.000	1.000
10	1	1	1.000	1.000	1.000
11	1	1	1.000	1.000	1.000
12	1	1	1.000	1.000	1.000
13	1	1	1.000	1.000	1.000
14	1	1	1.000	1.000	1.000
15	1	1	1.000	1.000	1.000
16	1	1	1.000	1.000	1.000
17	1	1	1.000	1.000	1.000
18	1	1	1.000	1.000	1.000
19	1	1	1.000	1.000	1.000
20	1	1	1.000	1.000	1.000
21	1	1	1.000	1.000	1.000
22	1	1	1.000	1.000	1.000
23	1	1	1.000	1.000	1.000
24	1	1	1.000	1.000	1.000
25	1	1	1.000	1.000	1.000
26	1	1	1.000	1.000	1.000
27	1	1	1.000	1.000	1.000
28	1	1	1.000	1.000	1.000
29	1	1	1.000	1.000	1.000
30	1	1	1.000	1.000	1.000
31	1	1	1.000	1.000	1.000
32	1	1	1.000	1.000	1.000
33	1	1	1.000	1.000	1.000
34	1	1	1.000	1.000	1.000
35	1	1	1.000	1.000	1.000
36	1	1	1.000	1.000	1.000
37	1	1	1.000	1.000	1.000
38	1	1	1.000	1.000	1.000
39	1	1	1.000	1.000	1.000
40	1	1	1.000	1.000	1.000
41	1	1	1.000	1.000	1.000
42	1	1	1.000	1.000	1.000
43	1	1	1.000	1.000	1.000
44	1	1	1.000	1.000	1.000
45	1	1	1.000	1.000	1.000
46	1	1	1.000	1.000	1.000
47	1	1	1.000	1.000	1.000
48	1	1	1.000	1.000	1.000
49	1	1	1.000	1.000	1.000
50	1	1	1.000	1.000	1.000
51	1	1	1.000	1.000	1.000

52	1	1	1.000	1.000	1.000
53	1	1	1.000	1.000	1.000
54	1	1	1.000	1.000	1.000
55	1	1	1.000	1.000	1.000
56	1	1	1.000	1.000	1.000
57	1	1	1.000	1.000	1.000
58	1	1	1.000	1.000	1.000
59	1	1	1.000	1.000	1.000
60	1	1	1.000	1.000	1.000
61	1	1	1.000	1.000	1.000
62	1	1	1.000	1.000	1.000
63	1	1	1.000	1.000	1.000
64	1	1	1.000	1.000	1.000
65	1	1	1.000	1.000	1.000
66	1	1	1.000	1.000	1.000
67	1	1	1.000	1.000	1.000
68	1	1	1.000	1.000	1.000
69	1	1	1.000	1.000	1.000
70	1	1	1.000	1.000	1.000
71	1	1	1.000	1.000	1.000
72	1	1	1.000	1.000	1.000
73	1	1	1.000	1.000	1.000
74	1	1	1.000	1.000	1.000
75	1	1	1.000	1.000	1.000
76	1	1	1.000	1.000	1.000
77	1	1	1.000	1.000	1.000
78	1	1	1.000	1.000	1.000
79	1	1	1.000	1.000	1.000
80	1	1	1.000	1.000	1.000
81	1	1	1.000	1.000	1.000
82	1	1	1.000	1.000	1.000
83	1	1	1.000	1.000	1.000
84	1	1	1.000	1.000	1.000
85	1	1	1.000	1.000	1.000
86	1	1	1.000	1.000	1.000
87	1	1	1.000	1.000	1.000
88	1	1	1.000	1.000	1.000
89	1	1	1.000	1.000	1.000
90	1	1	1.000	1.000	1.000
91	1	1	1.000	1.000	1.000
92	1	1	1.000	1.000	1.000
93	1	1	1.000	1.000	1.000
94	1	1	1.000	1.000	1.000
95	1	1	1.000	1.000	1.000
96	1	1	1.000	1.000	1.000

97	1	1	1.000	1.000	1.000	
98	1	1	1.000	1.000	1.000	
99	1	1	1.000	1.000	1.000	
100	1	1	1.000	1.000	1.000	
Population			Locus		Gene copies	
1 Romanshorn_0			1		10	
			2		10	
			3		10	
			4		10	
			5		10	
			6		10	
			7		10	
			8		10	
			9		10	
			10		10	
			11		10	
			12		10	
			13		10	
			14		10	
			15		10	
			16		10	
			17		10	
			18		10	
			19		10	
			20		10	
			21		10	
			22		10	
			23		10	
			24		10	
			25		10	
			26		10	
			27		10	
			28		10	
			29		10	
			30		10	
			31		10	
			32		10	
			33		10	
			34		10	
			35		10	
			36		10	
			37		10	
			38		10	
			39		10	
			40		10	

41	10
42	10
43	10
44	10
45	10
46	10
47	10
48	10
49	10
50	10
51	10
52	10
53	10
54	10
55	10
56	10
57	10
58	10
59	10
60	10
61	10
62	10
63	10
64	10
65	10
66	10
67	10
68	10
69	10
70	10
71	10
72	10
73	10
74	10
75	10
76	10
77	10
78	10
79	10
80	10
81	10
82	10
83	10
84	10
85	10

	86	10
	87	10
	88	10
	89	10
	90	10
	91	10
	92	10
	93	10
	94	10
	95	10
	96	10
	97	10
	98	10
	99	10
	100	10
Total of all populations	1	10
	2	10
	3	10
	4	10
	5	10
	6	10
	7	10
	8	10
	9	10
	10	10
	11	10
	12	10
	13	10
	14	10
	15	10
	16	10
	17	10
	18	10
	19	10
	20	10
	21	10
	22	10
	23	10
	24	10
	25	10
	26	10
	27	10
	28	10
	29	10
	30	10

31	10
32	10
33	10
34	10
35	10
36	10
37	10
38	10
39	10
40	10
41	10
42	10
43	10
44	10
45	10
46	10
47	10
48	10
49	10
50	10
51	10
52	10
53	10
54	10
55	10
56	10
57	10
58	10
59	10
60	10
61	10
62	10
63	10
64	10
65	10
66	10
67	10
68	10
69	10
70	10
71	10
72	10
73	10
74	10
75	10

76	10
77	10
78	10
79	10
80	10
81	10
82	10
83	10
84	10
85	10
86	10
87	10
88	10
89	10
90	10
91	10
92	10
93	10
94	10
95	10
96	10
97	10
98	10
99	10
100	10

Bayesian Analysis: Posterior distribution table

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
1	Θ_1	0.00347	0.00647	0.00877	0.01140	0.01960	0.00997	0.01070
2	Θ_1	0.00433	0.00820	0.01077	0.01427	0.02793	0.01263	0.01360
3	Θ_1	0.00247	0.00627	0.00830	0.01087	0.02413	0.00950	0.01017
4	Θ_1	0.00440	0.00680	0.00903	0.01193	0.01820	0.01050	0.01134
5	Θ_1	0.00200	0.00447	0.00623	0.00820	0.01400	0.00703	0.00752
6	Θ_1	0.00333	0.00613	0.00830	0.01093	0.01927	0.00957	0.01037
7	Θ_1	0.00673	0.00920	0.01217	0.01613	0.02300	0.01437	0.01578
8	Θ_1	0.00527	0.00793	0.00917	0.01067	0.01560	0.01063	0.01153
9	Θ_1	0.00287	0.00580	0.00777	0.01033	0.01840	0.00897	0.00985
10	Θ_1	0.00153	0.00393	0.00550	0.00727	0.01233	0.00617	0.00656
11	Θ_1	0.00340	0.00480	0.00663	0.00900	0.01160	0.00763	0.00822
12	Θ_1	0.00360	0.00653	0.00877	0.01153	0.02000	0.01017	0.01093
13	Θ_1	0.00587	0.00680	0.00983	0.01433	0.01647	0.01143	0.01226
14	Θ_1	0.00460	0.00747	0.00870	0.00987	0.01580	0.01003	0.01082
15	Θ_1	0.00360	0.00660	0.00883	0.01160	0.02033	0.01017	0.01102
16	Θ_1	0.00380	0.00700	0.00937	0.01207	0.02100	0.01057	0.01140
17	Θ_1	0.00213	0.00480	0.00650	0.00860	0.01467	0.00737	0.00791
18	Θ_1	0.00367	0.00680	0.00910	0.01200	0.02127	0.01057	0.01143

19	Θ_1	0.00440	0.00733	0.00850	0.00980	0.01580	0.00990	0.01078
20	Θ_1	0.00280	0.00707	0.00937	0.01227	0.02713	0.01077	0.01156
21	Θ_1	0.00580	0.00960	0.01117	0.01287	0.02067	0.01277	0.01379
22	Θ_1	0.00267	0.00533	0.00723	0.00953	0.01647	0.00830	0.00892
23	Θ_1	0.00193	0.00440	0.00610	0.00813	0.01380	0.00697	0.00740
24	Θ_1	0.00560	0.01040	0.01157	0.01293	0.02493	0.01343	0.01464
25	Θ_1	0.00480	0.00733	0.00850	0.00980	0.01473	0.00990	0.01065
26	Θ_1	0.00387	0.00600	0.00723	0.00860	0.01227	0.00823	0.00879
27	Θ_1	0.00467	0.00720	0.00837	0.00960	0.01413	0.00957	0.01024
28	Θ_1	0.00353	0.00620	0.00830	0.01100	0.01793	0.00963	0.01029
29	Θ_1	0.00127	0.00367	0.00523	0.00700	0.01180	0.00590	0.00625
30	Θ_1	0.00300	0.00580	0.00790	0.01033	0.01787	0.00903	0.00971
31	Θ_1	0.00293	0.00560	0.00750	0.01000	0.01727	0.00877	0.00940
32	Θ_1	0.00127	0.00347	0.00503	0.00660	0.01120	0.00557	0.00591
33	Θ_1	0.00613	0.00760	0.01130	0.01647	0.02073	0.01303	0.01417
34	Θ_1	0.00133	0.00340	0.00497	0.00660	0.01053	0.00550	0.00588
35	Θ_1	0.00140	0.00367	0.00523	0.00693	0.01187	0.00583	0.00622
36	Θ_1	0.00427	0.00767	0.01010	0.01340	0.02327	0.01177	0.01269
37	Θ_1	0.00493	0.00833	0.01103	0.01427	0.02527	0.01263	0.01371
38	Θ_1	0.00180	0.00427	0.00597	0.00793	0.01360	0.00677	0.00724
39	Θ_1	0.00027	0.00227	0.00363	0.00480	0.00787	0.00390	0.00403
40	Θ_1	0.00293	0.00567	0.00763	0.01007	0.01753	0.00877	0.00944
41	Θ_1	0.00000	0.00173	0.00297	0.00407	0.00647	0.00323	0.00324

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
42	Θ_1	0.00400	0.00720	0.00950	0.01267	0.02227	0.01117	0.01205
43	Θ_1	0.00713	0.00947	0.01237	0.01633	0.02193	0.01443	0.01564
44	Θ_1	0.00267	0.00560	0.00757	0.00993	0.01707	0.00857	0.00924
45	Θ_1	0.00893	0.01580	0.01757	0.01973	0.04013	0.02097	0.02265
46	Θ_1	0.00373	0.00667	0.00890	0.01160	0.02007	0.01017	0.01093
47	Θ_1	0.00167	0.00400	0.00563	0.00740	0.01267	0.00637	0.00675
48	Θ_1	0.00220	0.00593	0.00630	0.00667	0.01360	0.00710	0.00760
49	Θ_1	0.00247	0.00507	0.00697	0.00907	0.01560	0.00790	0.00844
50	Θ_1	0.00273	0.00567	0.00770	0.01000	0.01713	0.00870	0.00930
51	Θ_1	0.00640	0.00860	0.01323	0.02227	0.03027	0.01583	0.01732
52	Θ_1	0.00340	0.00640	0.00857	0.01127	0.01940	0.00983	0.01060
53	Θ_1	0.00400	0.00573	0.00797	0.01100	0.01513	0.00923	0.01016
54	Θ_1	0.00180	0.00427	0.00590	0.00780	0.01340	0.00670	0.00714
55	Θ_1	0.00193	0.00453	0.00630	0.00827	0.01447	0.00717	0.00768
56	Θ_1	0.00553	0.00940	0.01230	0.01613	0.02880	0.01430	0.01569
57	Θ_1	0.00420	0.00687	0.00823	0.00967	0.01507	0.00943	0.01009
58	Θ_1	0.00007	0.00193	0.00317	0.00433	0.00693	0.00343	0.00349
59	Θ_1	0.00193	0.00447	0.00617	0.00813	0.01393	0.00697	0.00745
60	Θ_1	0.00400	0.00727	0.00957	0.01267	0.02160	0.01110	0.01197
61	Θ_1	0.00420	0.00760	0.01023	0.01347	0.02460	0.01190	0.01303

62	Θ_1	0.00547	0.00967	0.01137	0.01313	0.02267	0.01303	0.01406
63	Θ_1	0.00787	0.01227	0.01363	0.01533	0.02393	0.01597	0.01720
64	Θ_1	0.00133	0.00360	0.00517	0.00680	0.01160	0.00577	0.00616
65	Θ_1	0.00340	0.00653	0.00870	0.01140	0.01933	0.00990	0.01058
66	Θ_1	0.00493	0.00747	0.00863	0.01000	0.01467	0.01003	0.01076
67	Θ_1	0.00273	0.00567	0.00757	0.01013	0.01807	0.00883	0.00958
68	Θ_1	0.00680	0.00967	0.01390	0.02000	0.02987	0.01617	0.01779
69	Θ_1	0.00453	0.00907	0.01017	0.01120	0.02220	0.01170	0.01272
70	Θ_1	0.00487	0.00713	0.00837	0.00973	0.01367	0.00963	0.01039
71	Θ_1	0.00247	0.00513	0.00697	0.00920	0.01573	0.00797	0.00851
72	Θ_1	0.00280	0.00540	0.00737	0.00967	0.01647	0.00843	0.00896
73	Θ_1	0.00553	0.00913	0.01210	0.01587	0.02793	0.01417	0.01548
74	Θ_1	0.00207	0.00500	0.00677	0.00893	0.01667	0.00770	0.00819
75	Θ_1	0.00267	0.00540	0.00730	0.00960	0.01627	0.00837	0.00894
76	Θ_1	0.00507	0.00867	0.01130	0.01480	0.02507	0.01303	0.01403
77	Θ_1	0.00280	0.00567	0.00757	0.01007	0.01747	0.00877	0.00939
78	Θ_1	0.00327	0.00593	0.00803	0.01060	0.01780	0.00923	0.01016
79	Θ_1	0.00440	0.00687	0.00797	0.00913	0.01340	0.00917	0.00991
80	Θ_1	0.00440	0.00753	0.00983	0.01293	0.02160	0.01137	0.01214
81	Θ_1	0.00607	0.01033	0.01183	0.01340	0.02313	0.01377	0.01514
82	Θ_1	0.00080	0.00300	0.00443	0.00593	0.01007	0.00490	0.00521
83	Θ_1	0.00073	0.00293	0.00443	0.00580	0.00987	0.00483	0.00508
84	Θ_1	0.00693	0.01213	0.01457	0.01773	0.03533	0.01737	0.01926

Locus	Parameter	2.5%	25.0%	Mode	75.0%	97.5%	Median	Mean
85	Θ_1	0.00147	0.00520	0.00710	0.00933	0.02367	0.00810	0.00874
86	Θ_1	0.00387	0.00700	0.00923	0.01227	0.02140	0.01077	0.01170
87	Θ_1	0.00133	0.00360	0.00517	0.00680	0.01160	0.00577	0.00612
88	Θ_1	0.00193	0.00473	0.00650	0.00860	0.01567	0.00737	0.00787
89	Θ_1	0.00367	0.00727	0.00977	0.01287	0.02440	0.01130	0.01230
90	Θ_1	0.00167	0.00240	0.00477	0.00753	0.00880	0.00530	0.00555
91	Θ_1	0.00260	0.00533	0.00723	0.00940	0.01607	0.00817	0.00875
92	Θ_1	0.00273	0.00560	0.00757	0.00980	0.01673	0.00850	0.00912
93	Θ_1	0.00340	0.00667	0.00883	0.01167	0.02067	0.01023	0.01099
94	Θ_1	0.00347	0.00660	0.00870	0.01153	0.01973	0.01010	0.01080
95	Θ_1	0.00453	0.00520	0.00803	0.01207	0.01333	0.00923	0.00989
96	Θ_1	0.00613	0.00767	0.01010	0.01320	0.01660	0.01177	0.01280
97	Θ_1	0.00220	0.00487	0.00663	0.00880	0.01493	0.00757	0.00810
98	Θ_1	0.00300	0.00573	0.00763	0.01007	0.01707	0.00877	0.00935
99	Θ_1	0.00620	0.01127	0.01443	0.01847	0.03813	0.01690	0.01829
100	Θ_1	0.00227	0.00480	0.00657	0.00873	0.01520	0.00757	0.00814
All	Θ_1	0.00553	0.00687	0.00783	0.00880	0.01007	0.00790	0.00783


Citation suggestions:

Beerli P., 2006. Comparison of Bayesian and maximum-likelihood inference of population genetic parameters.
 Bioinformatics 22:341-345

Beerli P., 2007. Estimation of the population scaled mutation rate from microsatellite data,
 Genetics, 177:1967-1968.

Beerli P., 2009. How to use MIGRATE or why are Markov chain Monte Carlo programs difficult to use?
 In Population Genetics for Animal Conservation, G. Bertorelle, M. W. Bruford, H. C. Hauffe, A. Rizzoli,
 and C. Vernesi, eds., vol. 17 of Conservation Biology, Cambridge University Press, Cambridge UK, pp. 42-79.

Bayesian Analysis: Posterior distribution over all loci



Log-Probability of the data given the model (marginal likelihood)

Use this value for Bayes factor calculations:

$BF = \text{Exp}[\ln(\text{Prob}(D \mid \text{thisModel}) - \ln(\text{Prob}(D \mid \text{otherModel}))]$

or as $LBF = 2 (\ln(\text{Prob}(D \mid \text{thisModel}) - \ln(\text{Prob}(D \mid \text{otherModel})))$

shows the support for thisModel]

Locus	TI(1a)	BTI(1b)	SS(2)	HS(3)
1	-15954.43	-15376.02	-15398.49	-15446.52
2	-17199.02	-16567.19	-16597.75	-16641.37
3	-16324.30	-15685.06	-15700.44	-15748.59
4	-16077.48	-15454.26	-15470.51	-15516.77
5	-16576.99	-15838.69	-15834.47	-15885.76
6	-15966.77	-15371.49	-15389.63	-15438.01
7	-17577.63	-16601.10	-16566.23	-16610.95
8	-16425.18	-15733.15	-15739.59	-15790.57
9	-16210.86	-15518.80	-15521.11	-15570.77
10	-15789.98	-15121.45	-15119.94	-15171.63
11	-15991.53	-15444.75	-15473.77	-15521.73
12	-17502.98	-16344.12	-15396.83	-16314.66
13	-16367.32	-15694.05	-15474.99	-15750.23
14	-16327.76	-15733.93	-15742.48	-15806.07
15	-16118.43	-15525.66	-15549.55	-15594.69
16	-16121.19	-15481.47	-15404.30	-15540.90
17	-16170.09	-15503.54	-15127.18	-15557.93
18	-15504.75	-15005.50	-15035.50	-15085.68
19	-16487.74	-15919.86	-15952.30	-15999.09
20	-17048.09	-16151.76	-15480.04	-16169.36
21	-17056.20	-16299.48	-15559.09	-16346.69
22	-16471.18	-15758.50	-15759.21	-15808.35
23	-15443.07	-14911.39	-14933.48	-14986.38
24	-17785.15	-16743.86	-15708.87	-16740.77
25	-16758.44	-15942.45	-15515.32	-15973.22
26	-16462.52	-15886.29	-15038.29	-15963.31
27	-16025.82	-15436.73	-15459.29	-15505.08
28	-16567.95	-15843.36	-15844.68	-15891.06
29	-15330.48	-14768.24	-14782.77	-14834.76

30	-16800.00	-15893.41	-14939.72	-15907.31
31	-17188.96	-16144.50	-16086.63	-16134.56
32	-15936.42	-15265.52	-15263.58	-15317.94
33	-16443.68	-15807.53	-15828.84	-15872.36
34	-15282.49	-14743.50	-14762.58	-14813.76
35	-15495.82	-14904.79	-14791.68	-14967.95
36	-16099.73	-15518.38	-15464.31	-15588.77
37	-16576.90	-15976.76	-15853.18	-16051.16
38	-15767.34	-15141.43	-15151.00	-15203.02
39	-15452.39	-14788.90	-14780.13	-14835.91
40	-16410.16	-15686.46	-15271.36	-15733.60
41	-14816.52	-14314.11	-14323.95	-14385.71
42	-17870.85	-16690.42	-14931.67	-16659.59
43	-16655.70	-16005.04	-15838.93	-16069.01
44	-16097.30	-15429.72	-14795.31	-15484.75
45	-16800.23	-16240.58	-15554.05	-16323.67
46	-16623.25	-15837.27	-15157.53	-15873.08
47	-15931.66	-15258.49	-15258.52	-15309.19
48	-16399.28	-15819.72	-15686.16	-15895.62
49	-16056.12	-15422.65	-14336.34	-15486.48
50	-15911.40	-15300.68	-15316.18	-15366.52
51	-17225.72	-16511.19	-16527.21	-16568.31
52	-16184.91	-15582.31	-15603.14	-15650.42
53	-16867.83	-16012.96	-15991.08	-16037.81
54	-16202.81	-15521.01	-15262.70	-15578.16
55	-16129.89	-15595.47	-15627.31	-15676.88
56	-17177.25	-16398.92	-16285.82	-16443.48
57	-16872.00	-15986.03	-15445.87	-16004.16
58	-14927.35	-14405.85	-14415.96	-14474.46
59	-15675.80	-15132.30	-15158.07	-15206.32
60	-17537.67	-16422.93	-15529.99	-16401.58
61	-16704.74	-15934.06	-15611.39	-15976.19
62	-16861.90	-16201.00	-15635.72	-16265.10
63	-17581.39	-16700.60	-16529.24	-16728.36
64	-16300.48	-15463.66	-15432.86	-15484.67
65	-16333.45	-15646.08	-15650.97	-15700.65
66	-17407.91	-16345.65	-14429.87	-16335.43
67	-15731.87	-15149.67	-15164.21	-15214.66
68	-18822.14	-17549.23	-16362.91	-17511.43
69	-16581.17	-15853.73	-15855.52	-15900.99
70	-16766.71	-16031.30	-16032.62	-16079.49
71	-15935.56	-15391.17	-15419.90	-15471.77
72	-16592.87	-16007.92	-16036.72	-16084.13
73	-17133.04	-16431.42	-15657.39	-16491.71
74	-16492.78	-15649.04	-15622.88	-15671.62

75	-17363.79	-16420.84	-15167.96	-16432.78
76	-18051.44	-17002.83	-16040.56	-17002.06
77	-16290.93	-15564.84	-15561.35	-15607.99
78	-16754.17	-16159.97	-15854.54	-16236.76
79	-16759.85	-15867.39	-15426.24	-15884.37
80	-16906.53	-16197.73	-16041.70	-16253.39
81	-17867.03	-17015.50	-15633.11	-17053.13
82	-15265.21	-14706.17	-14717.96	-14771.74
83	-15428.29	-14874.86	-14891.73	-14945.64
84	-18481.99	-17357.10	-15570.09	-17352.13
85	-16001.23	-15359.59	-15369.51	-15417.27
86	-16485.09	-15794.06	-15802.90	-15848.70
87	-17547.33	-16118.95	-15835.60	-16033.28
88	-16453.52	-15632.03	-15607.64	-15660.36
89	-16404.52	-15863.94	-14731.11	-15947.60
90	-15674.37	-15037.60	-14901.66	-15096.93
91	-16126.45	-15530.31	-15550.01	-15598.40
92	-16908.84	-15907.49	-15854.75	-15902.34
93	-16270.99	-15591.18	-15373.76	-15648.13
94	-16817.20	-15983.52	-15615.09	-16011.26
95	-16179.14	-15509.46	-15515.89	-15564.54
96	-16529.06	-15893.21	-15912.60	-15958.85
97	-15862.01	-15320.70	-15046.17	-15397.29
98	-15881.82	-15301.14	-15321.44	-15372.36
99	-17907.14	-17002.45	-15561.76	-17029.09
100	-15989.50	-15366.93	-15380.77	-15428.65
All	-1648317.16	-1575958.24	-1547346.00	-1580706.66
(1a) TI: Thermodynamic integration: log(Prob(D Model)): Good approximation with many temperatures				
(1b) BTI: Bezier-approximated Thermodynamic integration: when using few temperatures USE THIS!				
(2) SS: Steppingstone Sampling (Xie et al 2011)				
(3) HS: Harmonic mean approximation: Overestimates the marginal likelihood, poor variance				
[Scaling factor = 197.007887]				
Citation suggestions:				
Beerli P. and M. Palczewski, 2010. Unified framework to evaluate panmixia and migration direction among multiple sampling locations, Genetics, 185: 313-326.				
Palczewski M. and P. Beerli, 2014. Population model comparison using multi-locus datasets. In M.-H. Chen, L. Kuo, and P. O. Lewis, editors, Bayesian Phylogenetics: Methods, Algorithms, and Applications, pages 187-200. CRC Press, 2014.				
Xie W., P. O. Lewis, Y. Fan, L. Kuo, and M.-H. Chen. 2011. Improving marginal likelihood estimation for Bayesian phylogenetic model selection. Systematic Biology, 60(2):150â 160, 2011.				

Acceptance ratios for all parameters and the genealogies

Parameter	Accepted changes	Ratio
Θ_1	2687853/3997815	0.67233
Genealogies	618607/16002185	0.03866

Average temperatures during the run

Chain	Temperatures
-------	--------------

1	0.00000
2	0.00000
3	0.00000
4	0.00000

Adaptive heating often fails, if the average temperatures are very close together try to rerun using static heating! If you want to compare models using marginal likelihoods then you **MUST** use static heating

Potential Problems

This section reports potential problems with your run, but such reporting is often not very accurate. With many parameters in a multilocus analysis, it is very common that some parameters for some loci will not be very informative, triggering suggestions (for example to increase the prior range) that are not sensible. This suggestion tool will improve with time, therefore do not blindly follow its suggestions. If some parameters are flagged, inspect the tables carefully and judge whether an action is required. For example, if you run a Bayesian inference with sequence data, for macroscopic species there is rarely the need to increase the prior for Theta beyond 0.1; but if you use microsatellites it is rather common that your prior distribution for Theta should have a range from 0.0 to 100 or more. With many populations (>3) it is also very common that some migration routes are estimated poorly because the data contains little or no information for that route. Increasing the range will not help in such situations, reducing number of parameters may help in such situations.

No warning was recorded during the run