WIP work in progress n8n Node Reference Table

n8n Node Reference Table

Node	Parameters	Settings	What It Does	JSON Input	JSON Output	Key Transformations
Webhook	Method: Post, Path: 7c0ac26b-acb4-447f-8904-f0e6d8c75aff (it's the unique identifier for the webhook), Response Mode: inmediately (this is the response to postman	Auth,: none (no need for passwords) , Response Code: by default a 200 or it returns a json output or what i want it to return	Receives HTTP requests	HTTP request	n8n data format. In this case a pdf	HTTP → n8n format.
pinecone vector store	Credential to connect with (the account)	——-	receives a pdf and stores it	file: binary data	json	pdf ⟶ json (but first it does it through the default loader)
Default Data Loader	Type of data: Binary (so it's anything that's not a .txt)		Loads the file from webhook and transforms it into text for pinecone	pdf	Text	
embedding			LEFT FLOW:			

Node	Parameters	Settings	What It Does	JSON Input	JSON Output	Key Transformations
model			converts your PDF chunks into vectors before storing them in Pinecone RIGHT FLOW: converts the user's question into a vector so Pinecone can find similar chunks — you can see it connected to the VectorDB node via the `Embedding*` input			
Vector DB (replaced by pinecone store vector			Reads/retrieves relevant PDF chunks			

Node	Parameters	Settings	What It Does	JSON Input	JSON Output	Key Transformations
cause it failed)						
HTTP Request	Method, URL, Auth While the **URL** tells the server *where* to go and the **Method (POST)** tells the server *what* to do, the **Body** is the "container" for the actual data you want to transport.	Response Format, Headers	Makes API calls	n8n data	API response	n8n → API → n8n
Chats messages received			input of a query for ai agent	json		
OpenAI chat model	Specify the model	Resource, Options	Calls OpenAI API	Prompt data	AI response	Text generation
Serpapi	Serpapi account			json	None	
Simple memory		none	Stores in memory as a list and remembers the settings	Stores all queries as a list	outputs only the first on the list	

Node	Parameters	Settings	What It Does	JSON Input	JSON Output	Key Transformations
			of the ai agent			
Set	Keep Fields, Values	Assignments	Transforms fields	Any JSON	Modified JSON	Field manipulation
Function	Function Code	Mode	Executes JavaScript	Any JSON	Any JSON	Custom transformation
IF	Condition, Value1, Operation, Value2	Combine Conditions	Routes based on condition	Any JSON	Same JSON (routed)	Conditional routing
Switch	Rules	Mode	Multi-way routing	Any JSON	Same JSON (routed)	Multi-route
Merge	Mode	Options	Combines data streams	Multiple items	Merged items	Data combination
Split In Batches	Batch Size	Options	Splits into batches	Array	Batches	Array splitting
Wait	Amount, Unit	Resume	Pauses workflow	Any JSON	Same JSON (delayed)	Time delay
Code	Code	Language	Executes code	Any JSON	Any JSON	Code execution
Notion	Operation, Resource	Database, Page	Notion API calls	n8n data	Notion response	Database operations

Submission Guidelines

What to submit:

1. Your comprehensive node analysis table (markdown or spreadsheet)
2. For each node analyzed, include:
    - Screenshots of node configuration
    - Example input/output JSON
    - Explanation of transformations
3. A summary document covering:
    - Most commonly used nodes
    - Node selection guidelines
    - Common patterns and combinations
    - Tips for debugging node issues

Success criteria:

- [ ] Analyzed at least 10 different nodes
- [ ] Documented parameters, settings, and behaviors
- [ ] Understood JSON transformations
- [ ] Created comprehensive reference table
- [ ] Provided examples for each node

Extension Activities (Optional)

1. **Analyze more nodes:** Study additional nodes (Google Sheets, Slack, etc.)
2. **Create node combinations:** Document common node patterns
3. **Build debugging guide:** Create guide for troubleshooting node issues
4. **Performance analysis:** Measure node execution times
5. **Create templates:** Build reusable node configurations

Resources

- n8n Node Documentation
- n8n Expressions Guide
- n8n Community Forum

Troubleshooting

Issue: Node not transforming data as expected

- **Solution:** Check expressions use correct syntax (`{{ $json.field }}`), verify data structure matches expectations

Issue: JSON structure unclear

- **Solution:** Use Set node to inspect data, add Function node to log structure, check n8n execution log

Issue: Node parameters confusing

- **Solution:** Read node-specific documentation, test with simple data first, use node tooltips