

Agricultural Shocks and Long-Term Conflict Risk: Evidence from Desert Locust Swarms

Pierre E. Biscaye[†]

WORKING PAPER

This version: October 27, 2023

[Latest version available here.](#)

Please contact before citing.

Abstract

Civil conflict inflicts many harms on economies and society and a growing literature links agricultural shocks to short-term risk of violent conflict. This paper analyzes the impact of a severe shock to agricultural production—exposure to a desert locust swarm, effectively an agriculture-specific natural disaster—on conflict over the long term. I use difference-in-differences and event study approaches to identify causal impacts of swarm exposure on conflict across 0.25° grid cells in Africa and the Arabian peninsula from 1997-2018. Swarms do not increase the probability of violent conflict in the year of exposure. Results indicate that reduced returns to banditry targeting agricultural output offset reduced opportunity costs of fighting related to agriculture. Average long-term effects are large, however: cells exposed to a locust swarm are 0.8 percentage points (43%) more likely to experience violent conflict on average over the following 10-15 years. The risk of protests and riots also increases. Swarm exposure does not cause new conflict onset but affects conflict incidence, with effects concentrated in years and areas with groups actively engaged in violent conflict. Reduced cereal yields after swarm exposure are consistent with a wealth shock leading to an agricultural productivity trap, lowering the opportunity cost of fighting. This wealth mechanism is a potentially important channel relating economic shocks to the long-term incidence of violent conflict.

JEL codes: Q54; D7; Q10; O13; N57

Keywords: conflict; agriculture; desert locusts; natural disasters; Africa

I thank Ethan Ligon, Ted Miguel, and Maximilian Auffhammer for their advice, guidance, and support throughout this project. I also thank Daniel Agness, Kirill Borusyak, Alain de Janvry, Joel Ferguson, Ethan Kapstein, Jeremy Magruder, Betty Sadoulet, Jed Silver, Sofia Villas-Boas, and seminar participants at UC Berkeley, Princeton University, ESOC 2022, PacDev 2023, MWIEDC 2023, the 2023 AAEA Annual Meeting, and the 2023 WEAI Graduate Student Workshop for helpful comments. All errors are my own.

[†] Department of Agricultural and Resource Economics, University of California at Berkeley;
pbiscaye@berkeley.edu.

1 Introduction

Violent civil conflict—between actors within states and sometimes spilling over—has been increasing in recent decades, especially in Africa and the Middle East.¹ Such conflict harms lives, health, and living standards of affected populations and can slow or reverse economic growth and development as time and investment are allocated to destruction rather than production (Blattman and Miguel 2010; Fang et al. 2020), with potentially broader impacts through economic instability and migrant flows. Understanding the drivers of civil conflict therefore has important implications for policy. A large economic literature explores the impacts of agricultural shocks on conflict risk—a primary concern given the prominence of agricultural livelihoods in many of the areas most affected by civil conflict and the threat to agriculture posed by climate change. These studies focus on short-term impacts on conflict and the evidence linking decreases in agricultural production to conflict risk is limited by identification challenges.²

This paper analyzes the impact of a severe shock to agricultural production—exposure to a desert locust swarm—on conflict risk over the long term. Desert locusts are the world’s most dangerous and destructive migratory pest (Cressman, Van der Elstraeten, and Pedrick 2016; Lazar et al. 2016) and effectively constitute an agriculture-specific natural disaster. The arrival of a locust swarm often leads to complete destruction of agricultural production and other vegetation (Symmons and Cressman 2001; Thomson and Miers 2002), without the effects on infrastructure or human physiology which may result from weather shocks. Desert locusts swarms—with billions of locusts covering tens of square kilometers—make daily flights as a cohesive unit, typically downwind. Swarm movements can be predicted but with a great deal of uncertainty and there are no effective means for farmers to prevent damages even with awareness of the potential threat of locust swarms. This creates quasi-random variation in the areas exposed to agricultural destruction in a swarm’s migratory path. Swarms continue migrating and reproducing until they are controlled by pesticides or reach areas with scarce vegetation, where they die out. They do not increase long-term risk from pests in affected areas or otherwise affect agricultural production fundamentals.

¹See Cederman and Pengl (2019) for a review of recent conflict trends using data from the Uppsala Conflict Data Program.

²Several studies have found that shocks to agricultural prices increase conflict incidence (e.g., Dube and Vargas 2013; Fjelde 2015; McGuirk and Burke 2020; Ubilava, Hastings, and Atalay 2022). Impacts on agricultural productivity are speculated to explain the widely-studied relationship between climate or weather deviations and conflict risk (see Burke, Hsiang, and Miguel (2015), Carleton, Hsiang, and Burke (2016), Dell, Jones, and Olken (2014), Hsiang and Burke (2013), Kouibi (2019), and Mach et al. (2019) for reviews), though weather may affect conflict through mechanisms other than agriculture and some studies find results that are not consistent with effects through agricultural productivity (e.g., Bollfrass and Shaver 2015; Sarsons 2015).

These characteristics make locust swarms a useful natural experiment for analyzing how agricultural production shocks affect the risk of conflict.

Using data on the location and timing of desert locust swarm observations from the Food and Agricultural Organization of the United Nations and of conflict events from the Armed Conflict Location & Event Data Project (ACLED) and Uppsala Conflict Data Program (UCDP) I estimate a model of conflict at the annual level for 0.25° (around $28 \times 28\text{km}$) grid cells between 1997-2018 across Africa and the Arabian peninsula.³ As severe agricultural shocks may have persistent effects on wealth and productivity, I use difference-in-differences and event study designs defining exposure to a locust swarm as a permanent treatment. I estimate average impacts on different types of conflict of locust swarm exposure in two-way fixed effects regressions with cell and country-by-year fixed effects, controlling for annual rainfall, temperature, and population to account for potential time-varying differences in cells affected by locust swarms. I test for parallel pre-trends and estimate dynamic impacts over time using event study models from the recent literature on difference-in-differences with staggered treatment timing (Borusyak, Jaravel, and Spiess 2021; Callaway and Sant'Anna 2021). I explore patterns in calendar time using an event study of the 2003-2005 major desert locust upsurge, which accounts for 73% of swarm exposure events in the sample period. I control for baseline differences characteristics of cells exposed to swarms by applying inverse propensity weights calculated using pre-exposure characteristics (Stuart et al. 2014).

Locust swarms increase the probability of any violent conflict event occurring in a 0.25° grid cell by 0.8 percentage points (43%) on average in years after exposure to the swarm, compared to unaffected areas. Impacts are entirely driven by cells with crop or pasture land, and by swarms arriving in crop cells during the main growing season in particular. The estimated effects of having been affected by a locust swarm are large relative to the effects of annual weather deviations. Experiencing 100mm higher rainfall or 1°C higher temperature than average in a year both increase the risk of violent conflict by 0.5 percentage points. The event studies show no significant impacts of locust swarms on violent conflict in the year of exposure or the following year. The increase in conflict risk is largest 8-12 years after swarm arrival and remains significant 14 years after exposure. The results are robust to a variety of alternative specifications. I show that alternative specifications defining shock exposure as temporary result in downward-biased estimates of the short-term impacts of both locust swarms and severe drought on violent conflict, as both increase long-term conflict risk.

³I include all countries where at least 10 locust swarms are reported during the sample period. Torngren Wartin (2018), an unpublished master's thesis from Stockholm University, estimates short-term impacts of desert locusts on conflict in Africa using similar data. Torngren Wartin (2018) focuses on potential measurement issues around short-term impacts which I discuss in Section 6.4. He does not consider long-term impacts of locust swarms or mechanisms that are the main contributions of this paper.

I interpret the results through the lens of a commonly-used model of individual occupation choice between production and conflict (Chassang and Padró i Miquel 2009; Dal Bó and Dal Bó 2011; McGuirk and Burke 2020). In the model, agricultural shocks affect the short-term risk of conflict by changing both the returns to engaging in agricultural production—the *opportunity cost* mechanism—and the returns to fighting over agricultural output—the *predation* mechanism. The predation mechanism is particularly relevant for violent conflict over outputs (i.e., banditry), and less so non-violent conflict such as on protests or riots. I expand the model to allow past agricultural production shocks to affect conflict risk through a *wealth* mechanism. The initial wealth shock causes productivity traps which leads to persistent reductions in the opportunity cost of fighting.

Null effects of locust swarms on violent conflict in the short term contrast with effects of rainfall and temperature deviations. There are two main potential explanations for this difference. First, weather deviations affect conflict risk through mechanisms other than agricultural productivity such as impacts on physiology, psychology, and infrastructure.⁴ I find that the association between rainfall and violent conflict does not vary significantly by agricultural land cover, suggesting these channels may be more important than effects on agricultural production. Second, the level of destruction of locust swarms may have different implications for short-term violent conflict: there is no local agricultural output for fighting groups to capture. As suggested by the simple model, the probability of protests and riots—where participation is also affected by opportunity costs but not by reduced returns to banditry—does increase in the year of exposure. This indicates that the null short-term impact of locust swarm exposure on violent conflict risk is due in part to the predation mechanism offsetting the opportunity cost mechanism. The fall in opportunity costs may also be limited by relief efforts. I find evidence that international agricultural aid flows increase to countries after exposure to locust swarms, which could dissuade affected individuals from engaging in violent conflict.

Long-term average increases in violent conflict risk following exposure to locust swarms are consistent with predictions in the simple model based on a wealth shock leading to a productivity trap. Using geospatial data from the Demographic and Health Survey (DHS) AReNA database (IFPRI 2020), I show that NDVI falls in the first year of swarm exposure and that cereal yields decrease by 108kg/ha (6%) on average in years after exposure relative to unaffected areas, indicating a persistent decrease in agricultural productivity consistent with a wealth mechanism. Swarm exposure only increases long-term risk of violent conflict involving non-state actors and of protests/riots, which would be expected to be affected by

⁴Dell, Jones, and Olken (2012, 2014) and Mellon (2022) document a wide variety of channels through which temperature and rainfall can affect the economy and society.

changes in individuals' opportunity costs, with limited effects on violent conflict involving state actors, which would not. This evidence supports the argument that long-term impacts of locust swarm exposure on the risk of violent conflict are due to a persistent reduction in the opportunity cost of fighting.

This reduction does not uniformly increase long-term conflict risk. Long-term impacts are driven entirely by cells and periods where there are groups actively engaged in civil conflict in the surrounding area or in the cell the previous year. The prevalence of civil conflict in the sample countries starts increasing around 2011 and the majority of swarm exposure comes from the 2003-2005 upsurge, explaining the lag between exposure and the largest increases in violent conflict in the event studies. The formation of fighting groups following some precipitating event⁵ reduces the cost to individuals of engaging in fighting and indicates higher expected benefits. This makes it more likely that a switch from agriculture to fighting for individuals with a persistently lower agricultural productivity is optimal, as compared to other periods where the net returns to fighting are low. Locust swarm exposure thus affects conflict incidence over the long-term but does cause the onset of new conflicts.

This paper makes several contributions to the literature. First, while a relationship between weather deviations and conflict has been repeatedly demonstrated the mechanisms driving this impact are not fully understood (Mach et al. 2020). Weather shocks affect a variety of economic and social outcomes in addition to reducing agricultural labor productivity and agricultural output (Dell, Jones, and Olken 2012, 2014; Mellon 2022), and some papers cast doubt on the agricultural channel by finding that impacts of weather on conflict do not vary by sensitivity or presence of agricultural production (Bollfrass and Shaver 2015; Sarsons 2015). This paper addresses these limitations by testing the impacts on conflict risk of locust swarms, an agricultural shock that does not affect other economic outcomes. I compare impacts by land cover and timing of swarm exposure and show further evidence that impacts of rainfall shocks do not vary by agricultural land cover. I also explicitly consider the implications of the offsetting opportunity cost and predation mechanisms for different types of conflict following an agricultural productivity shock.⁶

Second, I analyze long-term impacts of an economic shock on conflict to further our

⁵Global food price shocks, the Arab Spring, and the spread of terrorist organization in many sample countries are among the proximate causes of conflict onset in the study period.

⁶Little attention is given to the predation mechanism in the climate-conflict literature. Studies showing evidence of opportunity cost and predation mechanisms in agriculture have primarily explored impacts on conflict risk of changes in global prices of agricultural goods (e.g., Dube and Vargas 2013; Fjelde 2015; McGuirk and Burke 2020) rather than shocks to local agricultural production. McGuirk and Nunn (2021) is an exception, analyzing impacts of drought on conflict between pastoralists and farmers. Changing the quantity of local agricultural output may have different effects on violent conflict than changing its value, particularly when much of production is for household consumption.

understanding of the drivers of conflict (e.g., Bazzi and Blattman 2014; Blattman and Miguel 2010; Cervellati, Esposito, and Sunde 2022; Collier and Hoeffler 1998; Dube and Vargas 2013; Hodler and Raschky 2014; McGuirk and Burke 2020; Miguel, Satyanath, and Sergenti 2004), and the role of agricultural production in particular (e.g., Crost et al. 2018; Guardado and Pennings 2021; Harari and La Ferrara 2018; McGuirk and Nunn 2021; Von Uexkull et al. 2016). Studies of the impacts of agricultural shocks on conflict have focused on the short-term—impacts in the same year and potentially the following year.⁷ I consider the possibility of long-term impacts through a wealth mechanism, and test for this channel by examining long-term impacts of desert locust swarms on measures of agricultural productivity. The significant increases in long-term conflict risk suggest that studies focusing on short-term impacts of economic shocks may be misspecified if they define the shock ‘treatment’ as temporary.

Third, I add to a broader literature on the impacts of environmental shocks and natural disasters. Many papers have explored the dynamics of poverty traps, including the impacts of environmental shocks (e.g., Carter and Barrett 2006; Carter et al. 2007; Lybbert et al. 2004), but these have not been related to conflict risk. More generally, the evidence on long-term impacts of disasters such as hurricanes and droughts is limited, inconclusive, and focused on a small number of outcomes (see Botzen, Deschenes, and Sanders (2019) and Klomp and Valckx (2014) for reviews). I study how the impacts of desert locust swarms—an extreme shock to agricultural production akin to a natural disaster—on conflict risk evolve over time and test whether patterns are consistent with a productivity trap.

Finally, this paper also contributes to a small literature studying economic impacts of desert locusts beyond immediate crop destruction and costs of control operations (see e.g., Thomson and Miers 2002), and to a slightly larger literature on the long-term impacts of agricultural pests (Baker, Blanchette, and Eriksson 2020; Banerjee et al. 2010). The range of many agricultural pests is expanding due to climate change and globalization, and though locust outbreaks have become less frequent in recent decades due to increased monitoring desert locusts are ideally situated to benefit from climate change (ASU 2020). Marending and Tripodi (2022) use panel data from the Ethiopia Socioeconomic Survey and find that exposure to desert locust swarms in Ethiopia decreases farm profits by 20-48% two harvest seasons after swarm arrival. A set of papers use Demographic and Health Survey (DHS) data and variation in swarm exposure across birth cohorts and over space to show negative impacts

⁷Crost et al. (2018) and Harari and La Ferrara (2018) estimate effects of weather shocks on conflict 2 and 4 years afterward. Iyigun, Nunn, and Qian (2017) is an exception, considering long-run effects on conflict risk of a *positive* agricultural productivity shock from the introduction of the potato to the Eastern Hemisphere. To my knowledge, no study has explored long-term impacts on conflict risk of a negative shock to agricultural production.

on school enrollment and educational attainment (De Vreyer, Guilbert, and Mesple-Somps (2015)) and on child anthropometric outcomes (Conte, Tapsoba, and Piemontese 2021; Le and Nguyen 2022; Linnros 2017). These papers illustrate how locust swarm exposure can adversely affect long-term productivity and human capital, but I am not aware of any study considering the impacts of a pest shock on conflict. I find persistent decreases in agricultural productivity and increases in conflict risk following exposure to a locust swarm, which should be considered in determining policy around desert locust prevention and control.

The remainder of the paper is organized as follows. Section 2 provides background on desert locusts and summarizes the literature on agricultural shocks and conflict. Section 3 presents a conceptual framework of how agricultural shocks affect occupational choice and the decision to fight through income-related mechanisms. Section 4 describes the data used in the analyses and Section 5 outlines the empirical approach. Section 6 shows the results for the impacts of locust swarm exposure on conflict. Section 7 discusses the results in light of the conceptual framework and presents additional analyses testing the mechanisms behind the estimated effects. Section 8 concludes.

2 Background

2.1 Desert locusts


Desert locusts (*Schistocerca gregaria*) are a species of grasshopper always present in small numbers in desert ‘recession’ areas from Mauritania to India.⁸ They usually pose little threat to livelihoods but favorable climate conditions in breeding areas—periods of repeated rainfall and vegetation growth overlapping with the breeding cycle—can lead to exponential population growth. Unique among grasshopper species, after reaching a particular population density locusts undergo a process of ‘gregarization’ wherein they mature physically and begin to move as a cohesive unit (Symmons and Cressman 2001). In the adult locust stage—lasting 2-4 months—after developing wings, gregarization leads to the formation of ‘swarms’. In this paper I focus exclusively on locust swarms, which are much more mobile and destructive than other groupings of desert locusts. Climate change is expected to increase the risk of locust swarm formation, as desert locusts can easily withstand elevated temperatures and the increased frequency of extreme weather events can create conditions conducive to exponential population growth (ASU 2020).

Figure 1 displays the locations of all desert locust swarm observations recorded in the

⁸Additional detail on desert locusts is included in Appendix B. Any time I use ‘locusts’ in this paper I am referring exclusively to desert locusts.

FAO Locust Watch database by year. As illustrated by the figure, locust swarms are not observed with any regularity over time and only in a few countries have locations been exposed to more than one swarm. Which locations are exposed to a locust swarm during an upsurge—a major outbreak of locust swarms from breeding areas which affects multiple countries—depends on which breeding areas fostered initial swarm formation and on wind patterns in the months following swarm formation. The countries affected by the 2003-2005 upsurge (in green in [Figure 1](#)), which originated from multiple small outbreaks in Summer 2003 in the Western Sahel, are not the same as those exposed to the 2019-2021 upsurge (in red), which originated in the southern Arabian Peninsula. Conditional on being in the migratory path of a locust swarm, swarm flight patterns create further variation in exposure as some areas in the flight path are flown over and spared any damages.⁹

[Figure 1: FAO Locust Watch swarm observations by year](#)



Note: Map created by authors using all recorded locust swarms in the FAO Locust Watch database.

Desert locusts are migratory rather than endemic, moving on after consuming available vegetation without permanently changing local agricultural pest risk. Locust swarm migration follows wind patterns which tend to bring them to breeding areas in time for seasonal breeding. Swarms generally fly downwind and can easily move 100km or more in a day even with minimal wind (FAO and WMO [2016](#)).¹⁰ Locusts live 2-6 months and swarms continue

⁹[Figure B4](#) shows an example of local variation in exposure to the 2003-2005 upsurge in Mali.

¹⁰Swarms do not always fly with prevailing winds and may wait for warmer winds which lead to seasonal breeding areas (FAO and WMO [2016](#)). Small random deviations in the positions of individuals in the swarm can also sometimes alter the course of the swarm's flight.

breeding and migrating until dying out from a combination of migration to unfavorable habitats, limited vegetation in breeding areas, and control operations (Symmons and Cressman 2001).

Locust swarms vary in density and extent. The average swarm includes around 50 locusts per m^2 and can cover tens of square kilometers, including billions of locusts (Symmons and Cressman 2001). About half of swarms exceed 50km 2 in size (FAO and WMO 2016). Locusts consume any available vegetation without preference for different types of crops (Lecoq 2003). A small swarm covering one square kilometer consumes as much food in one day as 35,000 people and the median swarm consumes 8 million kg of vegetation per day (Food and Agriculture Organization of the United Nations (FAO) 2023a).

The arrival of a swarm can lead to the total destruction of local agricultural output (Symmons and Cressman 2001; Thomson and Miers 2002). During the 2003-2005 locust upsurge in North and West Africa, 100, 90, and 85% losses on cereals, legumes, and pastures respectively were recorded, affecting more than 8 million people and leading to 13 million hectares being treated with pesticides (Showler 2019). Over 40 million people in 10 countries faced severe food insecurity due to crop destruction as a result of the most recent 2019-2021 upsurge (Food and Agriculture Organization of the United Nations (FAO) 2022a). An important result of the local variation in locust swarm damages during upsurges is that macro level impacts may be muted, since upsurges occur in periods of positive rainfall shocks in breeding areas which tend to be associated with better agricultural conditions in surrounding countries. Several studies find that impacts of locust upsurges on national agricultural output and on prices are minimal, despite devastating losses in affected areas (Joffe 2001; Krall and Herok 1997; Showler 2019; Zhang et al. 2019).

Farmers have no proven effective recourse when faced with the arrival of a locust swarm (Dobson 2001; Hardeweg 2001; Thomson and Miers 2002). The only current viable method of swarm control is direct spraying with pesticides, which can take days to have effects as well as being slow and costly to organize and requiring robust locust control infrastructure (Cressman and Ferrand 2021). Knowledge of locust breeding patterns and swarm flight characteristics inform efforts to predict locust swarm formation and movements, but forecasts remain highly imprecise (Latchininsky 2013). Farmers in affected areas report viewing locust swarms as an unpredictable natural disaster that is the government's responsibility to address (Thomson and Miers 2002). Households use a variety of measures to cope with short-term food security and livelihood effects of locust outbreaks. In addition to seeking help from social networks and food aid, households commonly report selling animals and other assets, consuming less food, sending household members away, taking loans and cutting expenses, and consuming seed stocks as coping strategies (Thomson and Miers 2002). A

swarm exposure shock therefore represents a shock to income and household wealth as well as a shock to agricultural productivity in the year of exposure.

The characteristics of desert locust swarms make them a useful natural experiment for analyzing the impacts of agricultural production shocks on the risk of conflict. The arrival of a swarm is effectively a locally and temporally concentrated natural disaster where all crops and pastureland are at risk (Hardeweg 2001), but other aspects of the economy are importantly unaffected. Whereas impacts of temperature or rainfall deviations on conflict might go through channels other than agricultural production, such as effects on infrastructure or physiology, impacts of locust swarms should be restricted to this channel. The level of damage to agriculture from swarms arriving during the crop growing season and lack of tools for farmers to prevent damages imply more severe reductions in agricultural production than moderate weather deviations. Decreased wealth following such a catastrophic shock may be more likely to persist and affect agricultural labor productivity in following seasons, increasing the potential for long-term impacts on conflict through the opportunity cost channel.

2.2 Agricultural shocks and conflict

A growing literature explores the impacts of climate or weather on conflict (see Burke, Hsiang, and Miguel (2015), Carleton, Hsiang, and Burke (2016), Dell, Jones, and Olken (2014), Hsiang and Burke (2013), Kouibi (2019), and Mach et al. (2019) for reviews), primarily analyzing impacts of deviations of rainfall or temperature from historical norms. Most studies find that weather shocks increase short-term conflict risk, with meta-analyses finding a mean increase in the risk of conflict of between 5-10% for a one standard deviation increase in a weather shock variable and more consistent positive effects of temperature increases (Burke, Hsiang, and Miguel 2015; Carleton, Hsiang, and Burke 2016).¹¹ These results have important implications for conflict risk as climate change increases the frequency and severity of weather shocks.

The majority of papers in the climate-conflict literature focus on income-related mechanisms, following early work in Miguel, Satyanath, and Sergenti (2004). Arguments typically follow the models in Chassang and Padró i Miquel (2009) and Dal Bó and Dal Bó (2011), discussing how weather affects agricultural labor productivity and therefore the opportunity cost of engaging in conflict for agricultural producers—a large share of the population in the largely low- and middle-income countries studied. Many studies use variation by land cover or timing relative to show support for this mechanism (e.g., Caruso, Petrarca, and Ricciuti

¹¹Most studies reporting null effects use country-level data (e.g., Buhaug et al. 2015; Ciccone 2013; Couttenier and Soubeyran 2014; Klomp and Bulte 2013).

2016; Crost et al. 2018; Harari and La Ferrara 2018; McGuirk and Nunn 2021; Von Uexkull 2014). Discussion of offsetting changes in the returns to conflict from capture of agricultural output is typically limited. If the predation or rapacity mechanism is mentioned it is presented as being outweighed by the opportunity cost mechanism.

Weather affects the economy and society through multiple channels besides agricultural production (Dell, Jones, and Olken 2012, 2014; Mellon 2022), and studies have pointed to physiological, psychological, and infrastructural effects of weather shocks in explaining impacts on conflict (Baysan et al. 2019; Carleton, Hsiang, and Burke 2016; Chemin, De Laat, and Haushofer 2013; Dell, Jones, and Olken 2014; Hsiang and Burke 2013; Sarsons 2015; Witsenburg and Adano 2009). A few studies have also cast doubt on the importance of the agriculture channel. Sarsons (2015) shows that rainfall shocks in India predict riot incidence similarly across districts where rainfall has different effects on income due to access to irrigation dams. Bollfrass and Shaver (2015) find that positive temperature deviations in sub-Saharan Africa increase conflict even in areas without significant agricultural production. Reviews of the climate-conflict literature agree that the mechanisms remain unclear and deepening insight into them is highlighted as a priority for future climate-conflict research in Mach et al. (2020). An important advantage of analyzing the effects of locust swarm exposure is that the only active channel should be agricultural destruction, allowing a cleaner identification of the importance of income-related mechanisms.

Income mechanisms have been discussed and tested in the literature on the drivers of conflict more generally including studies looking at changes in the value of agricultural labor or output not related to production shocks. Several studies have shown that plausibly exogenous changes in prices of agricultural commodities affect the risk local conflict in areas producing the affected goods (Bazzi and Blattman 2014; Dube and Vargas 2013; Fjelde 2015; McGuirk and Burke 2020; Ubilava, Hastings, and Atalay 2022). A recent literature explores how the onset of harvest season in agricultural areas affects economic incentives to fight (Guardado and Pennings 2021; Hastings and Ubilava 2023). These studies illustrate different ways in which agricultural shocks affect both the opportunity cost of fighting related to agricultural labor productivity and the returns to predatory capture of agricultural output. In some cases the opportunity cost mechanism appears to dominate (Bazzi and Blattman 2014; Dube and Vargas 2013; Fjelde 2015; Guardado and Pennings 2021), while in others the predation mechanism is decisive (Ubilava, Hastings, and Atalay 2022), sometimes within the same context (Hastings and Ubilava 2023; McGuirk and Burke 2020). Studies identifying results consistent with predation or banditry emphasize the role of armed groups such as militias or insurgents which coordinate such attacks. It is not clear whether the opportunity cost or predation mechanism would dominate for a shock to agricultural production. Locust

swarms can entirely destroy agricultural output, sharply reducing both agricultural labor productivity and the returns to predation over agricultural output. I return to this in the conceptual framework in Section 3.

The majority of studies on agricultural shocks and conflict focus on impacts within the same time period, with a few exceptions. Crost et al. (2018) and Harari and La Ferrara (2018) find that growing season weather shocks have inconsistent effects on conflict in the same year, but consistently increase conflict risk the following year. Harari and La Ferrara (2018) finds some persistence of impacts up to 4 years afterward. Crost et al. (2018) argue that lagged effects on conflict could be due to storage and savings offsetting effects in the same year. This appears inconsistent with effects driven by reduced opportunity costs as the largest impacts on agricultural labor productivity should be realized in the same season as the rainfall shock, unless wealth effects reduce subsequent productivity. To my knowledge, only Iyigun, Nunn, and Qian (2017) consider how an agricultural shock impacts conflict in the long term. They find that introducing potatoes to Europe, the Near East, and North Africa led to a large and permanent reduction in the risk of conflict in subsequent centuries by comparing changes in areas with different suitability for potato cultivation. A paucity of evidence on long-term impacts is a limitation of the literature on natural disasters more generally (Botzen, Deschenes, and Sanders 2019), and particularly in low-income countries (Baseler and Hennig 2023).

3 Conceptual framework

The primary models cited in literature on climate or price shocks and conflict are models of occupational choice (Roy 1951) where actors allocate their labor between productive activities and fighting. Chassang and Padró i Miquel (2009) develop a bargaining model of conflict where groups allocate labor to crop production or fighting over land. Dal Bó and Dal Bó (2011) model individuals choosing between a labor-intensive sector, a capital-intensive sector, and an ‘appropriation’ sector fighting over output. McGuirk and Burke (2020) develop this model to allow both factor and output conflict and incorporate consumers who may also engage in fighting. The models illustrate how shocks to productive sectors affect the risk of conflict through changes in opportunity costs of fighting and returns to capture of factors or output (or ‘predation’).

I present a stylized model of occupational choice similar to these models to build intuition and generate hypotheses about the effect of agricultural shocks—and locust swarms in particular—on conflict through income-based mechanisms. The conflict modeled here should be thought of as civil conflict initiated by non-state actors, the main focus of the literature

on agriculture shocks and conflict.¹²

Consider a simple model where two actors i and j make occupation decisions to maximize net returns in a given time period. For simplicity I discuss the case of exclusive occupation decisions, such that labor allocations are either 0 or 1 and there are no returns from activities with no labor. Actor i allocates one unit of labor L_i to either agricultural production with net returns $F^A(L_i^A, S_i, W_i, X_i)$, non-agricultural work with net returns $F^N(L_i^N, X_i)$, or conflict with net returns $F^C(L_i^C, X_i, I_j, W_j, X_j)$, where j indexes the other party. I focus on decisions to engage in violent conflict, but consider implications for other types of conflict in the discussion of mechanisms. Returns to all activities are affected by actor and location characteristics X such as level of education, fighting ability, and land quality.

Net returns to agricultural production are affected by agricultural shocks S , which may vary across actors. Agricultural production is a concave function of S , with $\frac{\partial F^A}{\partial S} < 0$ and $\frac{\partial^2 F^A}{\partial S^2} < 0$. A larger S therefore reduces agricultural labor productivity—the *opportunity cost mechanism*.

Agricultural production also depends on wealth W with $\frac{\partial F^A}{\partial W} > 0$ as wealth allows more investment in inputs and productive assets. Wealth in period t is a function of income I from activities in period $t-1$, with $\frac{\partial W_t}{\partial I_{t-1}} > 0$. Wealth is therefore decreasing in agricultural shocks since these reduce returns to agricultural production. Effects on wealth create a relationship between past agricultural shocks S_{t-s} and agricultural labor productivity in period t , where $s \in [1, \tau]$ for some τ . We can write $F_t^A = F^A(L_t^A, S_t, W_t(\{S_{t-s}\}_{s=1}^\tau), X_t)$, with $\frac{\partial F_t^A}{\partial W_t} > 0$ and therefore $\frac{\partial F_t^A}{\partial S_{t-s}} < 0$. I refer to this long-term impact on agricultural labor productivity as the *wealth mechanism*. This mechanism has not been discussed in the literature on agricultural shocks and conflict, which focuses on short-term effects. Agricultural shocks thus have both productivity and income effects, the latter of which can lead to persistent changes in occupation decisions.

Net returns to non-agricultural work F^N are based on the most productive activity available outside of own agricultural production. As a simplifying assumption, I suppress the dependence of non-agricultural returns on S and W . Returns to non-agricultural work thus set a lower bound on how far the opportunity cost of fighting may fall following a negative agricultural shock.

The potential net returns to i of engaging in violent conflict with j , $F^C(L_i^C, X_i, I_j, W_j, X_j)$, depend on j 's income $I_j = F^A(L_j^A, S_j, W_j, X_j) + F^N(L_j^N, X_j)$ and wealth W_j . We can think of these as output and factors of production, respectively. Returns are received only if i is

¹²The implications would be similar for interpersonal conflict such as theft (Becker 1968), as violent conflict over output is effectively a form of organized theft, but data limitations preclude empirical analysis of impacts of locust shocks on interpersonal conflict.

successful in fighting j where this probability depends on characteristics X_i and X_j . Costs of fighting are incurred with certainty and include economic, social, and emotional costs as well as risk of injury or death. Costs of fighting will be lower and the probability of victory will be higher if i is able to join a fighting group. If i decides to fight, j also incurs costs regardless of their own occupation decision.

An agricultural shock S_j affects i 's returns to fighting in the same period by changing j 's agricultural output, with $\frac{\partial F^C}{\partial S_j} < 0$ and $\frac{\partial^2 F^C}{\partial S_j^2} < 0$. This is the *short-term predation mechanism*. Past agricultural shocks will affect j 's wealth through the wealth mechanism. This will reduce both the output and the factors that i can capture, with $\frac{\partial F_t^C}{\partial S_{j,t-s}} < 0$. This is the *long-term predation mechanism*.

The actor's problem in period t can be presented as choosing their labor allocation $L_{i,t}$ to maximize income $I_{i,t}$ given some current and past shock realizations S_i, S_j . For simplicity and intuition I ignore uncertainty in returns and suppose that decisions are made (or equivalently, updated) after the agricultural shocks in the period are realized.

$$\begin{aligned} \max_{L_{i,t}^A, L_{i,t}^N, L_{i,t}^C} I_{i,t} = & F^A(L_{i,t}^A, S_{i,t}, W_{i,t}(\{S_{i,t-s}\}_{s=1}^\tau), X_{i,t}) + F^N(L_{i,t}^N, X_{i,t}) \\ & + F^C(L_{i,t}^C, X_{i,t}, I_{j,t}, W_{j,t}(\{S_{j,t-s}\}_{s=1}^\tau), X_{j,t}) \\ \text{subject to } L_{i,t}^O \in \{0, 1\}, \quad F^O(0, \cdot) = 0, \quad \text{and } \sum_O L_{i,t}^O = 1 \text{ for } O \in \{A, N, C\} \\ & \frac{\partial F^A}{\partial S_{i,t}} < 0; \quad \frac{\partial^2 F^A}{\partial S_{i,t}^2} < 0; \quad \frac{\partial F^C}{\partial S_{j,t}} < 0; \quad \frac{\partial^2 F^C}{\partial S_{j,t}^2} < 0 \\ & \frac{\partial F^A}{\partial S_{i,t-s}} < 0; \quad \frac{\partial F^C}{\partial S_{j,t-s}} < 0 \end{aligned}$$

This yields

$$\begin{aligned} L_{i,t}^C = 1 \text{ iff } & F^C(1, X_{i,t}, I_{j,t}, W_{j,t}(\{S_{j,t-s}\}_{s=1}^\tau), X_{j,t}) \\ & > \max(F^A(1, S_{i,t}, W_{i,t}(\{S_{i,t-s}\}_{s=1}^\tau), X_{i,t}), F^N(1, X_{i,t})) \end{aligned}$$

In words: actor i chooses to engage in violent conflict if the net returns from fighting exceed their opportunity cost: the highest net returns they could receive from choosing another occupation.

If i and j are located in the same area (in this paper, a grid cell), either actor deciding to fight will lead to conflict in the area. If they are located in different areas, conflict occurs in the location of the actor being attacked. In the analysis I test sensitivity of the results to using larger grid cells to capture such spillovers of conflict from the areas affected by

agricultural shocks. If conflict is displaced from the location experiencing the agricultural shock, we might observe a negative association between the shock and conflict at small scales but a positive association at larger scales.

3.1 Effects of agricultural shocks on conflict

The effect of an agricultural shock on the decision to fight in the same time period is ambiguous, particularly if there is a strong positive correlation between the two actors' shocks, as in most agricultural shocks. In the data for this paper, the correlation between a grid cell being exposed to a desert locust swarm and the share of neighboring cells exposed in a given year is 0.76, smaller than the correlation in annual total rainfall or maximum temperature (both nearly 1) but still large.

When the shocks are correlated, larger $S_{i,t}$ will decrease i 's returns to agricultural production but also be associated with a decrease in the returns to fighting as $S_{j,t}$ is also large. If conflict is primarily over factors of production (wealth), the correlated shock $S_{j,t}$ will not significantly affect returns to fighting in the same time period so the opportunity cost effect from $S_{i,t}$ should dominate and the probability of conflict will increase. If conflict is primarily over output (i.e., banditry), the correlated shock $S_{j,t}$ could decrease returns to fighting sufficiently to make this unattractive even in a situation with decreased agricultural labor productivity, potentially decreasing the probability of fighting.

Attacks targeting agricultural output are an important type of violent conflict in the sample countries. Banditry and raiding are common, notably targeting livestock but also high-value and easy to steal crops. For example, 17% of households surveyed in the Mopti region of Mali in 2012 report banditry attacks in the past year (Masset et al. 2019). McGuirk and Burke (2020) summarize multiple examples of raiding and looting of food in different countries following food price spikes in 2008 and 2010-11 which are captured in the ACLED conflict data used in this paper. They also show that the cell level measures of violent conflict used in this paper are significantly correlated with micro-level measures of predatory conflict from Afrobarometer household surveys.

In the case of desert locust swarms, the destruction of agricultural production is extreme, meaning the optimal decision will be to shift occupation out of agriculture. Moreover, swarms consume all types of vegetation and there are no effective methods for farmers to limit damage to their output. Levels of agricultural destruction will therefore be similar across individuals with different characteristics. The severe destruction will make banditry or fighting over output in the affected area less attractive. These offsetting effects on the opportunity cost of fighting and the returns to fighting mean the impact of a locust swarm on the probability

of violent conflict in the same period is unclear.

The same mechanisms also apply for shocks to agricultural production from weather deviations but to a lesser extent, as these will have more heterogeneous and less severe effects on production which imply less of a decrease in the returns to fighting over output. Locust swarms also lead to high levels of temporary out-migration (Thomson and Miers 2002; The World Bank 2020), and increases in national and international relief efforts. Both of these may make violent conflict less likely following a locust shock than following a less severe weather shock.

It is not obvious *a priori* whether out-migration and increased relief to affected areas or reduced returns to banditry will be more important in offsetting the reduced opportunity cost of fighting from a locust swarm shock. One approach to distinguishing these is to consider impacts of the shock on different types of conflict. Protests and riots are a non-violent form of conflict whose objective is not the capture of agricultural output or wealth and thus will not be affected by the predation mechanism. Comparing impacts of swarm exposure on violent conflict events and on protests and riots therefore represents a test of the importance of the short-run predation mechanism. If it is important, the effect of exposure should be larger for protests and riots than for violent conflict, since the predation mechanism will tend to decrease violent conflict but not protests and riots.

The long-term effects of past agricultural shocks $S_{i,t-s}$ on the decision to engage in conflict in period t also involve offsetting mechanisms. The returns to both agricultural production and to fighting will be higher than in the short-term, but lower than before in affected areas relative to unaffected areas as the wealth mechanism decreases agricultural labor productivity.

Which effect is stronger will depend on the correlation between the shocks and the relative recovery trajectories of affected individuals. Although locust swarms damage agricultural output similarly across individuals with different characteristics, effects on wealth will vary. Some individuals will have access to more resources allowing them to recover their agricultural productivity, while others will fall into a low-productivity trap. Individuals with persistently lower agricultural productivity will be more likely to switch to fighting. Productivity traps may be particularly likely following desert locust swarm exposure due to the severity of the income shock and lack of access to financial markets for many farm households in countries affected by locusts, but severe weather shocks may also lead to productivity traps. If swarm exposure results in a productivity trap through a wealth mechanism, this should be observable in long-term impacts on measures of assets and agricultural productivity.

To the extent wealth and agricultural productivity are lower on average in areas affected by a past agricultural shock, the returns to banditry will also be lower. As with short-term

impacts of an agricultural shock, to the extent the predation mechanism is important we would expect larger long-term impacts on protests and riots than on violent conflict.

Whether a long-term productivity reduction increases the risk of violent conflict depends on the relative magnitudes of the reductions in productivity and in returns to banditry, but also on the absolute returns to banditry. Decreases in agricultural productivity will not be expected to increase violent conflict if the returns to banditry are very low (or negative). Since violent conflict is not the norm in most locations and periods, it implies the returns are generally low. A persistent decrease in agricultural productivity would therefore be expected to increase conflict risk only in locations or periods where the returns to fighting are higher.

One measure of variation in returns to fighting is the activity of groups engaged in violent conflict. The possibility of joining such a group reduces the costs of fighting and increases the probability of success. While there is evidence that agricultural shocks motivate the formation of fighting groups and cause the onset of new violent conflict immediately following the shock (Harari and La Ferrara 2018; McGuirk and Burke 2020), it is not clear whether lower productivity in the long term after a shock would lead fighting groups to form in the absence of some precipitating event. Given some proximate cause for groups to form and engage in violent conflict, individuals with lower productivity should be more likely to join.

To summarize, the model informs a set of testable prediction for the impacts of exposure to a locust swarm on conflict risk:

1. If effects on the opportunity cost of engaging in conflict are an important mechanism, locust swarms should increase the likelihood of protests and riots in the year of exposure. The impact on the likelihood of violent conflict in the year of exposure is ambiguous.
2. If locust swarm exposure has long-term effects through a wealth mechanism, this should be observable through long-term reductions in agricultural productivity. The impact on the long-term likelihood of violent conflict is ambiguous.
3. If effects on the returns to banditry or predation are an important mechanism, locust swarms should have a larger impact on the likelihood of protests and riots than on the likelihood of violent conflict in both the year of exposure and in the long term.
4. If the returns to predation are an important mechanism, swarm exposure should increase the incidence of violent conflict in later periods when fighting groups are active.

4 Data

The Locust Watch database ([FAO 2022](#)) reports observations of desert locust swarms as well as smaller concentrations of locusts from 1985 to the present. I consider only data on locust swarms which pose the greatest threat to agriculture and whose flight patterns create local variation in exposure. The Locust Watch data include latitude, longitude, and date of swarm observations. Locust observations are recorded by national locust control and monitoring officers on the ground, but incorporate reports from agricultural extension agents, government officials, and other sources. Local farmer scouts are also often trained in locust monitoring and reporting ([Thomson and Miers 2002](#)).

A concern might be that locust reporting might be correlated with violent conflict. Showler and Lecoq ([2021](#)) review how insecurity has affected national and international desert locust control operations from 1985-2020 across countries where locusts are active. They mention Chad, Mali, Somalia, Sudan, Western Sahara, and Yemen as countries with areas where insecurity has constrained locust control operations in certain periods since 1997. This concern is the focus of Torngren Wartin ([2018](#))'s analysis of the impact of locusts on conflict, which uses similar data but ignores the potential long-term effects of desert locust swarms, modeling them as temporary shocks.

Insecurity is likely less of a constraint for locust monitoring than for control operations. FAO locust monitoring guidelines discuss conducting aerial surveys and using reports from local scouts, agricultural extension agents, security forces, and other sources ([Cressman 2001](#), which would allow reporting even in insecure areas. The Locust Watch data includes observations of locust swarms even in countries and periods where Showler and Lecoq ([2021](#)) indicate control operations have not been possible. For example, the authors mention that control operations in Western Sahara have been largely infeasible due to Polisario activity over the whole sample period, but 166 swarms have been recorded there in 9 different years from 1996-2018. None of the monthly FAO locust swarm bulletins published during the 2003-2005 upsurge—the major locust event in the sample period—mention issues related to insecurity affecting locust monitoring efforts. The share of cells within 50km of a locust swarm observation in a given year that have reports of both violent conflict and a locust swarm in the cell is 27% in the set of countries Showler and Lecoq ([2021](#)) indicate pose challenges for locust control, similar but below the 34% in all other countries. I test the sensitivity of the results to excluding the countries listed in the report as potential locations of locust swarm underreporting, and to imputing ‘missing’ locust swarms near the locations of reported swarms.

Data on conflict events come from the Armed Conflict Location & Event Data Project

(ACLED) database (Raleigh et al. 2010). The database records the location, date, actors, and nature of conflict events globally starting from 1997 by compiling and validating reports from traditional media at different levels, from institutions and organizations, from local partners in each country, and from verified new media sources. The analysis focuses on events categorized by ACLED as “violent conflict,” which includes battles, explosions, and violence against civilians. I also test impacts on protest and riot events recorded by ACLED and on larger-scale violent conflicts from the Uppsala Conflict Data Program (UCDP; Sundberg and Melander 2013) and distinguish between conflict that does and does not involve a non-state actor, as these types of conflict will involve different mechanisms. The UCDP database is similar to the ACLED database but goes back to 1989 and only records conflicts involving at least one “organized actor” and resulting in at least 25 battle-related deaths in a calendar year. The ACLED database has no organized actor or minimum death threshold requirements. McGuirk and Burke (2020) characterizes ACLED events as more likely to represent conflict over outputs (i.e., banditry) and UCDP events as more likely to represent conflict over territory and factors of production.

I collapse the data to a raster grid with annual observations for cells with a 0.25° resolution (15 arcminutes, approximately 28×28 km). Analyzing impacts at this spatial level reduces potential measurement error about the specific areas affected by swarm and conflict events and allows me to leverage local variation in swarm presence created by their flight patterns. Nearly all swarms will be contained within 0.25° cells ($\sim 784\text{km}^2$), except those near cell boundaries. I test for robustness to analyzing data at the level of 0.5° and 1° cells, which will also capture potential spillovers from swarm exposure (McGuirk and Nunn 2021). In each cell and year I measure whether any locust swarm and conflict event was recorded.

I determine the country and highest sub-national administrative level in which each cell lies using country boundaries from the Global Administrative Areas (2021) database v3.6. I use sub-national boundaries to create a set of 170 regions, all of which include at least 32 individual grid cells. These regions are either existing sub-national administrative units or combinations of adjacent units within the same country. I cluster standard errors at the level of these regions.


Given the role of weather in desert locust biology, its importance in determining agricultural production, and the well-documented relationship between weather variations and conflict, all analyses control for local weather to isolate the impact of locust swarm exposure. I measure total annual precipitation (in mm) and maximum temperature (in $^{\circ}\text{C}$) using high-resolution monthly data from WorldClim available through 2018.¹³ I also incorporate raster population data for every 5 years from CIESIN 2018, linearly interpolating within

¹³CRU-TS 4.03 (Harris et al. 2014) downscaled with WorldClim 2.1 (Fick and Hijmans 2017).

cells between years where the population is estimated, and raster data on land cover in 2000 from CIESIN, giving the share of land cover in each cell that is cropland and pasture (Ramankutty et al. 2010). I include additional cell characteristics from the PRIO-GRID dataset (Tollefson, Strand, and Buhaug 2012), assigning all 0.25° cells the values for the 0.5° cell in which they are located.

Since ACLED records conflicts beginning in 1997 and the weather data are available until 2018, the analysis sample includes observations from 1997 to 2018. I restrict the analysis to countries with at least 10 locust swarm observations in this period. These countries include all of North Africa, most of the Arabian Peninsula and West Africa, and the Horn of Africa. The resulting analysis sample covers 22 years across 24,460 cells, for a total of 538,086 observations. Figure 2 visualizes swarm exposure, violent conflict incidence, and agricultural land cover for the sample countries. Summary stats are included in Table A1.

Figure 2: Swarm exposure, violent conflict incidence, and land cover in sample countries



Note: Land used for agriculture includes crop land and pasture land. Panels B and D show most clearly which countries in West, Central, and East Africa are excluded from the study sample.

A locust swarm is recorded in the Locust Watch database between 1985-2021 for 18% of cells, and 63% of cells are within 100km of a locust swarm report (Figure 2 Panel B). For each cell, I identify the first year after 1989 in which a locust swarm is recorded (Figure 2 Panel A), and define a cell as exposed to a locust swarm in each following year and not exposed in all other years or if no locust swarm is ever observed.¹⁴ Locations where locust

¹⁴A major locust upsurge occurred from 1985-1989. 1,195 cells where a locust swarm was recorded between 1985 and 1989 but in no year afterward are treated as not exposed to locust swarms during the 1997-2018 sample period. Treatment timing for another 997 cells where a locust swarm was recorded between 1985-1989

swarms are observed in more than one year (12.6% of exposed cells) are not distinguished from those where they are observed only once. Cells exposed to a swarm before 1997 (in dark blue in [Figure 2](#) Panel A) are treated during the entire sample period and are therefore dropped from the analyses, while cells exposed to a swarm after 2018 (in red) are considered not treated during the sample period. 7.5% of cells are exposed to a swarm during the sample period, including 5.4% exposed during the 2003-2005 upsurge (in teal).

Fourteen percent of cells experienced at least one violent conflict event, in 3.4 different years on average ([Figure 2](#) Panel C). Protests and riot events and large-scale violent conflict events as defined in the UCDP are both recorded at least once in 8% of cells. About half the cells (54%) in the sample include some agricultural land: 53% have pasture land while 29% have crop land. Across all cells, the mean share of land allocated to agriculture is 24% ([Figure 2](#) Panel D), with 19% pasture land and 5% crop land.

5 Empirical approach

I estimate the causal impacts of locust swarms on conflict using a difference-in-differences approach allowing for long-term effects of this agricultural shock. Cells are defined exposed to or affected by a locust swarm in all years starting from the first year a swarm is observed, and not exposed before or if no locust swarm is ever observed.

I estimate both static average impacts of locust swarm exposure using two-way fixed effects (TWFE) models and dynamic impacts over time using event study approaches. The TWFE linear probability models take the form:

$$Conflict_{ict} = \alpha + \beta Exposed_{ict} + \delta X_{ict} + \gamma_{ct} + \mu_i + \epsilon_{ict} \quad (1)$$

where i indexes cells, c countries, and t years. $Conflict$ is a dummy variable for observing any conflict event and $Exposed$ is a dummy variable for having been exposed to a locust swarm. The primary specifications focus on impacts on violent conflict using the ACLED data. I consider effects on other measures of conflict in tests of the impact mechanisms. γ_{ct} are country-by-year fixed effects, and μ_i are cell fixed effects. X_{ict} is a vector of time-varying controls at the cell level. Standard errors (SEs) are clustered at the sub-national region level (170 clusters) to allow for correlation in the errors within nearby areas over time.¹⁵

is based on the first year after this period that a locust swarm was recorded. The results are robust to basing treatment timing on the first year any swarm is recorded in a cell in the Locust Watch database.

¹⁵This is likely more restrictive than necessary and will lead to a conservative interpretation of the results. Patterns of statistical significance are largely unchanged when using two-way clustered errors at the year and region level and using Conley (1999) Heteroskedasticity and Autocorrelation-Consistent (HAC) SEs allowing for spatial correlation over 100 and 500km and serial correlation over 0 or 10 time periods, following Hsiang

I estimate event study models considering the 14 years before and after locust swarm exposure using the staggered treatment difference-in-differences methods developed in Borusyak, Jaravel, and Spiess (2021) and Callaway and Sant'Anna (2021), with the same fixed effects and clustering as in Equation 1.¹⁶ These two event study approaches deal with concerns with TWFE estimators when there is heterogeneity in treatment effects by time since treatment or across treatment cohorts, which can lead to ‘forbidden’ comparisons between late- and early-treated groups and negative weighting of effects for certain treatment groups or periods (Goodman-Bacon 2021). Both methods effectively estimate an average treatment effect on the treated in each time period separately for groups exposed in different years g . Event study estimates are then calculated by taking weighted averages of these treatment effects. The main difference between the two approaches is that Callaway and Sant'Anna (2021) take as a base value the year prior to treatment while the Borusyak, Jaravel, and Spiess (2021) imputation estimator makes comparisons against the average over all pre-treatment periods (Roth et al. 2023). The methods imply different assumptions about parallel trends but generally give quite similar results.

In addition to the staggered treatment estimates considering all swarm exposure events I also specifically analyze impacts of exposure to the 2003-2005 major desert locust upsurge, dropping cells exposed to swarms in other years. This is the only major locust upsurge in the sample period (1997-2018), and accounts for 72% of first cell locust swarm exposure. This is a ‘canonical’ difference-in-differences analysis with the upsurge ‘treatment’ occurring in the same period for all treated units and a comparison group that never receives this treatment. I treat 2004 as the year of first exposure as the small number of swarms in 2003 at the beginning of the upsurge arrived in the last months of the year. Trends for violent conflict events and locust swarms prior to the upsurge are similar across cells that were and were not affected by the 2003-2005 upsurge supporting the parallel trends assumption, and locust swarm presence is similar following the upsurge (Figure A1).

To test for heterogeneity in the impacts of swarms, I estimate Equation 1 fully interacting the right-hand side variables with another variable of interest. I test robustness of the results to different controls and fixed effects, restrictions of the analysis sample, cell sizes, and clustering of SEs. Results of robustness tests are included in Appendix C. I also present results of a ‘temporary effects’ approach to estimating short-term impacts of locust swarm exposure that does not account for persistent effects of exposure on conflict risk following the methods commonly used in the climate-conflict literature with panel grid cell data, and (2010)’s approach.

¹⁶Specifically, I use the Stata packages *did_imputation* (Borusyak, Jaravel, and Spiess 2021) and *csdid* (Callaway and Sant'Anna 2021), and generate event study plots using Stata’s *event_plot* package (Borusyak, Jaravel, and Spiess 2021).

discuss the resulting bias.

The key identifying assumption of this design is that trends in conflict risk would be parallel over time in affected and unaffected areas in the absence of locust swarm exposure. I find no significant differences by swarm exposure in the pre-exposure periods, indicating no differential conflict risk pre-trends ([Figure 3](#)). Though this does not preclude the possibility that trends would differ in the years after swarm exposure for reasons unrelated to agricultural destruction, it is an encouraging sign that the parallel trends assumption may be likely to hold.

Cells exposed to a locust swarm during the sample period have different baseline characteristics than unexposed cells which are largely consistent with desert locusts rarely being observed in the interior of the Sahara desert (as shown in [Figure 2](#)); among cells with agricultural land only mean annual rainfall and the share of crop land differ with exposure status ([Table A2](#)). Differences are similar when comparing cells exposed to the 2003-2005 locust upsurge to unexposed cells. Baseline differences are not a concern if they only affect levels of civil conflict and not trends. Cell fixed effects control for time invariant cell characteristics that might affect the risk of conflict such as distance to major cities or country boundaries, topography, and agricultural suitability, as well as factors affecting risk of locust exposure such as distance from locust breeding areas and typical seasonal wind patterns. country-by-year fixed effects flexibly control for factors varying over time at the country that might affect conflict risk and the impact of agricultural shocks, such as food price shocks, weather patterns, the policy environment and national economic and social conditions. Importantly, they also control for trends in violent conflict incidence, which increases over the sample period. To isolate impacts of locust swarm exposure from other potentially time-varying factors affecting conflict risk, I include controls for characteristics that differ between exposed and unexposed cells. In particular, my preferred specification includes total annual precipitation (in mm), the maximum annual temperature (in °C), and annual population.^{[17](#)}

I test the robustness of the results to efforts to increase the plausibility of the parallel trends assumption by imposing different constraints on the areas included in the comparison sample and to using inverse propensity weights based on the estimated probability of locust swarm exposure ([Stuart et al. 2014](#)).^{[18](#)} The main results for exposure to the 2003-2005 up-

¹⁷Results are robust to including squared temperature and rainfall terms or used logged versions and to including 1 year weather lags. I do not have time-varying data on land cover, but results are not sensitive to accounting for changes in crop land over time as documented in [Xiong et al. \(2017\)](#).

¹⁸I calculate propensity scores using a logit regression with a dummy for being exposed to a locust swarm on baseline cell characteristics and mean weather and country fixed effects. I calculate inverse propensity weights as $\frac{1}{p}$ for cells that were exposed and $\frac{1}{1-p}$ for cells that were not, where p is the estimated probability of swarm exposure. I assign cells with estimated probabilities outside the range of common support a weight of 0. I separately calculate inverse propensity weights for any swarm exposure and for exposure during the

surge include these inverse propensity weights, which account for this upsurge only affecting certain countries. Exposed and non-exposed cells are well-balanced on baseline characteristics after include these inverse propensity weights (Table C1), suggesting the parallel trends assumption may be more likely to hold.

Another identification assumption relevant to the event study designs with staggered treatment timing is the no anticipation assumption: knowledge of future treatment timing does not affect current outcomes (Roth et al. 2023). The FAO Desert Locust Watch publishes monthly forecasts of areas predicted to be at risk of locust swarm exposure but the predictions include a great deal of uncertainty due to unpredictable variation in swarm flight patterns. Consequently, areas forecast to be at risk are generally quite large, the majority of which end up not being affected by locusts.¹⁹ Populations may expect a higher probability of swarm exposure in years of major upsurges but cannot perfectly anticipate timing of exposure. Anticipation may also have limited effects as there are no effective methods of defending vegetation against locust swarms, and farmers in at-risk areas typically describe locust prevention and control as out of their hands and the responsibility of governments (Thomson and Miers 2002).

6 Results

6.1 Dynamic impacts of swarm exposure on violent conflict

Figure 3 Panel A presents event study estimates of the impacts of swarm exposure on the risk of violent conflict over time using the staggered treatment timing difference-in-differences approach developed in Borusyak, Jaravel, and Spiess (2021). The pattern of results is similar using the Callaway and Sant’Anna (2021) method (Figure C1).²⁰ There is no significant difference in conflict risk between cells that are and are not exposed to locusts in the years prior to exposure, supporting the parallel trends assumption.²¹

The point estimate for the effect on violent conflict risk in the year locusts arrive is


2003-2005 upsurge.

¹⁹Monthly forecasts during the major upsurge in 2004 on average covered 40.6% of 0.25° cells in sample countries. 78% of recorded swarms across were in areas forecast to be at risk in the month the swarm was observed, and being mentioned in a monthly forecast is associated with a significant but small 2% increase in the likelihood of being exposed to a locust swarm.

²⁰The main estimates do not include weather or population controls due to challenges getting the estimates to converge with the *did_imputation* package implementing the Borusyak, Jaravel, and Spiess (2021) method. I present results from both the Borusyak, Jaravel, and Spiess (2021) and Callaway and Sant’Anna (2021) methods with different fixed effects and controls in Figure C1.

²¹The average difference in the pre-exposure period is -0.005. None of the 14 pre-exposure period differences are significantly different from 0 and I fail to reject that pre-period differences are jointly equal to 0 ($p=0.191$).

Figure 3: Impacts of exposure to locust swarms on violent conflict risk over time



Note: The dependent variable is a dummy for any violent conflict event observed.

Panel A shows event study results for impacts of exposure to any locust swarm on violent conflict risk over time using the Borusyak, Jaravel, and Spiess (2021) approach. Estimated impacts in each time period are weighted averages across effects for swarm exposure in particular years. Time period 0 is the year of swarm exposure. A joint test that the pre-exposure coefficients equal 0 gives $p = 0.191$.

Panel B shows coefficients for the interaction of a dummy for being exposed to a 2003-2005 upsurge swarm with year using 2003 as the reference period. In the top left is the result from a joint test of the hypothesis that all pre-upsurgre coefficients equal 0. Estimates from the same specification with binned years are reported at the bottom of the figure. Proportional effects are relative to the probability of observing any violent conflict during the particular time period. p -values are for tests of the null of 0 impact of the upsurge in each period.

Shading and bars represent 95% confidence intervals using SEs clustered at the sub-national region level. All regressions include country-by-year and cell fixed effects. The analyses in Panel B also includes controls for rainfall, temperature, and population and inverse propensity weights. Observations are grid cells approximately 28x28km by year. Locust swarm exposure is based on the first year a locust swarm is observed in a cell. Cells with locust swarms observed before the start of the sample period are not included in the analyses, and cells exposed outside of 2003-2005 are not included in Panel B.

-0.002 but not statistically significant. All other estimated treatment effects are positive and statistically significant. Impacts in years 1-6 post-exposure are relatively smaller—the average effect is a 1.2 percentage point increase in conflict risk—and for 3 of years the effects are only marginally statistically significant. The impacts are larger in years 7-14 post-exposure and are highly significant after year 7 even as the standard errors are larger with more time since exposure. Swarm exposure causes an average increase in violent conflict risk in a given year of 2.8 percentage points over these periods. Standard errors on the treatment effects are slightly larger when clustering at the country instead of the sub-national region level, and the effects in periods 3 and 6 are no longer significant at a 90% confidence level (Figure C1).²²

Figure 3 Panel B shows the results of an event study analysis of the 2003-2005 upsurge using inverse propensity weights to account for differences in which areas were affected by this upsurge. Effects are all estimated relative to 2003, when a few locust swarms were

²²The CS and BJS event study packages in Stata are not compatible with two-way clustering of SEs. Additional treatment effects may lose statistical significance if also clustering SEs by year but most effects are likely to remain significant, based on the differences by SE clustering for the TWFE estimates (Figure C5).

observed near the end of the year. There are no significant differences in the risk of violent conflict between areas exposed to locust swarms during this upsurge and areas that were not in the years preceding the upsurge, though the coefficient for 2000 is large. I cannot reject the joint hypothesis that the pre-trend coefficients are equal to 0 ($p=0.128$), again supporting the assumption of parallel trends between these areas if not for the locust swarm exposure.

There is no significant impact of locust exposure on the risk of conflict in the main years of the upsurge, 2004 and 2005. The point estimate for 2005 is slightly negative, as in the exposure year estimates in [Figure 3 Panel A](#). Estimated impacts of the 2003-2005 upsurge on conflict in the following years are almost all positive (the coefficient for 2009 is slightly negative), and generally become larger in magnitude over time starting after 2009.

The estimated effects for individual years are only statistically significant at a 90% confidence level or greater for 2013 and 2015-2017. Looking at average estimates over bins of years leads to more precise estimates. Being exposed to a 2003-2005 upsurge swarm does not significantly affect violent conflict risk from 2006-2012, but increases the risk by 2.1 percentage points on average between 2013-2015 and by 3.3 percentage points between 2016-2018, and these effects are statistically significant. This is similar to the time frame for the largest swarm exposure treatment effects in [Figure 3 Panel A](#). An advantage of the upsurge event study is the ability to compare effects against violent conflict incidence in control areas at different points in time. As violent conflict in the sample countries increased over time due to a variety of factors ([Figure A1 Panel A](#)), the effect of the upsurge represents a 67% increase in violent conflict risk relative to unaffected areas from 2013-2018. Treatment effect estimates without inverse propensity weights are statistically significant starting in 2009 and somewhat larger, with upsurge exposure increasing violent conflict risk by 2.0 percentage points in 2010-2012, by 2.6 in 2013-2015, and by 3.7 in 2016-2018 ([Figure C4](#)).

In summary, after null effects on violent conflict risk in the short-term immediately following swarm exposure (with a negative point estimate), the probability of any violent conflict event is significantly higher than in unaffected cells in the years post-exposure. The largest impacts on conflict risk are realized around 7-14 years after swarm exposure. Patterns are similar when considering impacts of the exposure to the 2003-2005 locust upsurge in particular, though treatment effects are not significant for the first several years after exposure. The large and statistically significant increases in violent conflict risk in areas affected by the upsurge from 2013-2018 (8-14 years after exposure) align with the periods of highest estimated effects in the main event study and also with the timing of a general increase in violent conflict in the study sample.

6.2 Average impacts of swarm exposure on violent conflict

I now estimate average long-term impacts of swarm exposure to compare estimated effects against those of weather deviations and test heterogeneity by land cover. [Table 1](#) presents estimates of [Equation 1](#) analyzing average impacts of having been exposed to a desert locust swarm in the years following exposure. Column (1) shows that cells exposed to locust swarms are 2.1 percentage points more likely to experience any violent conflict in a given year in the period after swarm exposure, roughly the average of the treatment effects in [Figure 3](#). This represents an 88% increase over the mean probability of any violent conflict event in a year for cells not exposed to locusts.

This effect is large compared to the effects of weather deviations. An increase in annual precipitation of 100mm relative to the average in the cell increases the probability of violent conflict in the same year by 0.3 percentage points (13%), while an increase in the maximum annual temperature of 1°C relative to the average increases conflict risk in the same year by 0.5 percentage points (21%). These effects fall in the upper middle range of estimates reported in Burke, Hsiang, and Miguel ([2015](#))'s meta-analysis of the impacts of weather deviations on conflict. Cell population is also positively associated with conflict risk, with an increase of 10,000 people associated with a 0.5 percentage point (21%) increase in the probability of any violent conflict event in a year.

The impact of locust exposure remains statistically significant at the 99% confidence level under other forms of standard error clustering, including two-way clustering at the region and year level and using Conley ([1999](#)) SEs allowing for spatial correlation within 100 and 500km and serial correlation over 0 or 10 years ([Figure C5](#)). Associations between weather deviations and population and violent conflict risk are also statistically significant at the 95% confidence level or greater under all clustering choices. Clustering at the sub-national region level consistently leads to SEs at least as large as Conley SEs allowing for spatial correlation within 500km and serial correlation over 10 years, implying the main SEs I report with region clustering may underestimate statistical significance of certain estimates.

Columns (2) and (3) show results interacting the right-hand side variables with dummy variables for whether a cell has any agricultural (crop or pasture) land or any crop land, respectively, using measures of land cover from 2000 (Ramankutty et al. [2010](#)).²³ Locust

²³Southward expansion of the Sahara desert, anti-desertification efforts, deforestation, changing seasonal distribution of precipitation, and expansion of farming in traditional pastureland have all contributed to changing land cover over the study period (Davis [2022](#); Liu and Xue [2020](#); Rahimi et al. [2021](#)). Xiong et al. ([2017](#)) report that from 2003-2014 croplands increased by 1 Mha per year on average. As a result, some areas with cropland will be inaccurately classified as non-agricultural in this analysis based on land cover in 2000, which would reduce the estimated difference in impact by cell land cover. Results in Tables 1 and 2 are similar when defining crop cells as those with any cropland in either Ramankutty et al. ([2010](#)) or Xiong et al. ([2017](#)).

Table 1: Average impacts of exposure to locust swarms on violent conflict risk

Outcome: Any violent conflict event	(1)	(2)	(3)
	All land	Any crop or pasture land	Any crop land
Affected by any locust swarm	0.021*** (0.006)	0.006 (0.005)	0.010** (0.005)
Total annual rainfall (100 mm)	0.003*** (0.001)	0.003 (0.002)	0.003* (0.001)
Max annual temperature (deg C)	0.005*** (0.002)	0.003** (0.001)	0.003** (0.001)
Population (10,000s)	0.005*** (0.001)	0.004** (0.002)	0.010*** (0.003)
Affected by any locust swarm × Land =1		0.018** (0.007)	0.027*** (0.009)
Total annual rainfall (100 mm) × Land =1		0.000 (0.002)	0.001 (0.002)
Max annual temperature (deg C) × Land =1		0.002 (0.002)	0.005** (0.002)
Population (10,000s) × Land =1		0.002 (0.002)	-0.004 (0.003)
Observations	505679	499651	499651
Outcome mean, no swarms	0.024	0.023	0.023
Country-Year FE	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes

Note: The dependent variable is a dummy for any violent conflict event observed. Cells are regarded as ‘affected’ by locust swarms for all years starting from the first year in which a swarm is recorded in the cell. The ‘Land=1’ rows show the coefficients for the interaction of right-hand side variables with cell land cover dummies indicated in the column heading. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

swarm exposure in non-agricultural cells (46% of the sample) has no significant effect on subsequent violent conflict risk, while in agricultural cells conflict risk increases by 2.4 percentage points. Locust swarms increase violent conflict risk by 3.7 percentage points in crop cells (29% of the sample) compared to 1.0 percentage points in non-crop cells (35% of which have pasture land), indicating that impacts on crop production drive most of the effect on conflict risk but impacts on pasture also explain part of the total effect. These results are consistent with locust swarms representing shocks that affect the economy and society solely through their impacts on agricultural production.

There is no significant difference in the effects of rainfall deviations by land cover, consistent with previous work questioning whether agricultural mechanisms explain the relationship between rainfall and conflict (Bollfrass and Shaver 2015; Sarsons 2015). Impacts of temperature deviations on conflict risk are larger in cells with crop land, where a 1°C hotter year increases conflict risk by 0.8 percentage points. The association between population and conflict risk does not vary significantly with land cover.

Table 2 shows the TWFE results weighting observations by the inverse of the estimated

propensity to have been exposed to a locust swarm during the study period. The pattern of results is similar to [Table 1](#), with smaller estimated magnitudes except for impacts in cells with crop land. On average, locust swarm exposure significantly increases conflict risk by 0.8 percentage points (43%) in subsequent years. Estimated effects in cells without pasture or crop land are close to zero and not statistically significant. Impacts are driven particularly by cells with any cropland where the risk of violent conflict increases by 3 percentage points, compared to an increase of 1.5 percentage points in cells with either crop or pasture land.

Table 2: Average impacts of exposure to locust swarms on violent conflict risk, with inverse propensity weights

Outcome: Any violent conflict event	Any swarm exposure			2003-2005 swarm exposure		
	(1)	(2)	(3)	(4)	(5)	(6)
	All land	Any crop or pasture land	Any crop land	All land	Any crop or pasture land	Any crop land
Affected by any locust swarm	0.008* (0.004)	-0.002 (0.003)	-0.003 (0.003)	0.011* (0.006)	0.002 (0.007)	-0.001 (0.005)
Total annual rainfall (100 mm)	0.005** (0.002)	0.006** (0.003)	0.005** (0.002)	0.004* (0.002)	0.006 (0.006)	0.004 (0.003)
Max annual temperature (deg C)	0.005*** (0.002)	0.002 (0.002)	0.003* (0.002)	0.007*** (0.003)	0.006** (0.003)	0.006** (0.003)
Population (10,000s)	0.007*** (0.001)	0.010*** (0.003)	0.014*** (0.003)	0.007*** (0.001)	0.001 (0.002)	0.004 (0.003)
Affected by any locust swarm × Land=1		0.017** (0.007)	0.033** (0.014)		0.014* (0.008)	0.032** (0.013)
Total annual rainfall (100 mm) × Land=1		-0.001 (0.003)	0.001 (0.004)		-0.003 (0.006)	-0.001 (0.003)
Max annual temperature (deg C) × Land=1		0.004** (0.002)	0.007** (0.003)		0.002 (0.002)	0.003 (0.004)
Population (10,000s) × Land=1		-0.004 (0.003)	-0.008*** (0.003)		0.006** (0.003)	0.003 (0.003)
Observations	473754	473754	473754	419748	419748	419748
Outcome mean, no swarms, Land=1	0.018	0.018	0.018	0.019	0.019	0.019
Country-Year FE	Yes	Yes	Yes	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes	Yes	Yes	Yes
IPW	Yes	Yes	Yes	Yes	Yes	Yes

Note: The dependent variable is a dummy for any violent conflict event observed. Cells are regarded as ‘affected’ by locust swarms for all years starting from the first year in which a swarm is recorded in the cell. The ‘Land=1’ rows show the coefficients for the interaction of right-hand side variables with cell land cover dummies indicated in the column heading. Inverse propensity weights are applied in all regressions and are calculated separately based on estimates of the propensities of cells to have been exposed to any swarm and to the 2003-2005 upsurge. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

The average estimated effect of swarm exposure in all cells is only marginally significant at the 90% confidence level when including inverse propensity weights but remains significant with alternative SE clustering with the exception of two-way clustering by region and year. While the significance of the overall effect is sensitive to alternative specifications, the large effect on violent conflict risk cells with any crop land is very robust ([Figure C7](#)).

The pattern of swarm exposure impacts is very similar when specifically analyzing the 2003-2005 locust upsurge ([Table 2](#) columns 4-6). This is not surprising since the 2003-2005

upsurge was the main swarm exposure event in the sample period. Column (4) shows that upsurge exposure is associated with a 1.1 percentage point (60%) increase in violent conflict risk over the following years on average. Columns (5) and (6) show that there are again no impacts in cells with no crop or pasture land, and that impacts are particularly large in cells with crop land: a 3.2 percentage point increase in the probability of any violent conflict event.

The heterogeneity in TWFE results by land cover are consistent with locust swarm exposure only affecting outcomes through agricultural destruction, and particularly through damages to crop land. I further test this channel by analyzing impacts of the 2003-2005 upsurge by timing of swarm exposure relative to the local crop calendar. Crop damages—and therefore the magnitude of the wealth shock—will be largest for swarms arriving during the crop growing season. Off-season swarms may also affect livelihoods through destruction of livestock pasture, tree and perennial crops, and forest resources, but I expect the wealth reduction from such damages to be less important than from crop destruction.

I categorize swarms as arriving during particular stages of the crop production cycle by matching the month in which a swarm is observed to country-level crop calendars for staple grains and main cash crops from The United States Department of Agriculture (USDA) (2022).²⁴ The off season—between harvesting and planting—lasts between 3 and 6 months in most of the sample countries, with an average of slightly over 4 months.²⁵

Most 2003-2005 upsurge swarms were recorded during months of the main growing season, which covers a greater share of the year, and the majority of swarms were in cells with no crop land, unsurprising as only 29% of cells have any crop land ([Figure A4](#)). [Table 3](#) presents the results for average long-term impacts of the upsurge on violent conflict risk by cell land cover and the season of swarm exposure.²⁶ The pattern of results is similar for the full sample (Column 1) and when restricting control cells to those within 100km of an upsurge swarm observation (Column 2); I discuss the results for the full sample.

As shown in [Table 2](#), impacts are larger for crop cells than for non-crop cells, and the difference is driven by exposure to upsurge swarms that arrived during the country's crop growing season ($p=0.012$). Areas affected by upsurge swarms that arrived during the growing season are 3.1 percentage points more likely to experience violent conflict in a given year

²⁴[Figure A2](#) shows example crop calendars from Libya and Mali. In countries with different agricultural cycles by crop, I identify the crop activity associated with the most commonly grown crops each month.

²⁵[Figure A3](#) shows the share of sample cells at different stages of agricultural cycle by month and the counts of locust swarms during the sample period observed by season and region. I do not distinguish between planting, growing, and harvest season swarms in the analysis as the months assigned to these periods are approximate and effects should largely be similar.

²⁶I use Stata's *xlincom* command to estimate standard errors for the sum of the base and interaction terms for crop cells.

Table 3: Average impacts of exposure to 2003-2005 upsurge swarms on conflict risk, by timing of upsurge swarms and land cover

Outcome: Any violent conflict event	(1)	(2)
	All cells	W/in 100km of upsurge
Affected by off season upsurge swarm	0.010	0.009
Non-crop cell	(0.010)	(0.010)
Affected by off season upsurge swarm	0.016	0.016
Crop cell	(0.013)	(0.013)
<i>p</i> , diff. in off season upsurge swarm effect	0.604	0.526
Affected by growing season upsurge swarm	-0.004	-0.005
Non-crop cell	(0.004)	(0.004)
Affected by growing season upsurge swarm	0.031**	0.040***
Crop cell	(0.013)	(0.012)
<i>p</i> , diff. in growing season upsurge swarm effect	0.012	0.001
<i>p</i> , non-crop off season = growing season	0.176	0.171
<i>p</i> , crop off season = growing season	0.343	0.145
Observations	400668	180999
Outcome mean post-2005, no upsurge	0.019	0.023
Country-Year FE	Yes	Yes
Cell FE	Yes	Yes
Controls	Yes	Yes
Inverse propensity weights	Yes	Yes

Note: The results in each column are from a single regression of a dummy for any violent conflict event on indicators of 2003-2005 upsurge swarm exposure by season and controls all interacted with a dummy for any crop land cover in a cell. The columns indicate the subset of cells considered. For each interaction, I show the coefficient for the swarm variable when there is no cropland, the sum of this coefficient and the interaction with land cover (with standard errors calculated using Stata's *xtincom* command), and the *p*-value for the test that the coefficient on the interaction is equal to 0. I also include *p*-values for the tests that the effects of upsurge swarm exposure in different seasons are the same by land cover. Cells are regarded as ‘affected’ by a 2003-2005 upsurge swarm for all years starting from the first year in which a swarm is recorded in the cell. Cells exposed in other years are not included. Inverse propensity weights calculated based on estimates of the propensities of cells to have been exposed to any swarm during the upsurge are included. Controls include annual total rainfall, maximum temperature, and population, and their interactions with the crop land indicator. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* *p* < 0.1, ** *p* < 0.05, *** *p* < 0.01

after the upsurge ended, a large and statistically significant effect. The estimated impact of growing season upsurge swarms in crop cells is approximately double that of off season upsurge swarms but I cannot reject equality (*p*=0.343), as the estimates are somewhat imprecise due to the small numbers of crop cells exposed to the upsurge in different seasons. Exposure to upsurge swarms during the off season or in cells with no crop land does not significantly affect conflict risk, though point estimates for impacts of off season swarms in crop and non-crop cells are relatively large indicating potential impacts on pasture land.

These results are consistent with long-term impacts of the upsurge driven by destruction of agricultural production by swarms arriving in crop cells during the main growing season. The finding relates to recent studies showing that the impact of weather shocks on conflict risk varies depending on whether the timing of the shock is such that it is likely to decrease agricultural productivity (Caruso, Petrarca, and Ricciuti 2016; Crost et al. 2018; Harari and

La Ferrara 2018).

6.3 Robustness

I test the sensitivity of the results to various alternative specifications and estimate similar impacts of locust swarm exposure on violent conflict risk. The results are included in [Appendix C](#). In this section I summarize the main sensitivity checks and discuss any differences.

Estimated impacts are largely unchanged when varying the set of control variables included. Dropping weather and population controls leads to slightly larger magnitude effects on violent conflict risk and greater statistical significance in the main event study but do not affect the upsurge event study. Dynamic effects of upsurge exposure are also very similar when interacting the weather and population controls with year. TWFE estimates with and without inverse propensity weights are similar without controls and when including 1 year lags of rainfall and maximum temperature as additional controls.

Across all analyses the estimated treatments effect sizes are slightly larger and standard errors are smaller when using sub-national region-by-year fixed effects instead of country-by-year fixed effects. More local time fixed effects control for the possibility that swarm migratory paths may overlap with parts of countries with greater future risk of violent conflict. The similarity of the results increases confidence that the estimates reflect true long-term causal effects of swarm exposure. Using year fixed effects results in a similar pattern of treatment effects as in [Figure 3](#), with larger magnitudes particularly in years 8-10, but estimated treatment effects in years 12-14 are smaller and not statistically significant. Upsilon treatment effects are slightly larger with year fixed effects with no changes in statistical significance. TWFE estimates are smaller with year fixed effects and lose significance when also including inverse propensity weights, though impacts in crop cells remain significant. These differences across fixed effects indicate that impacts of swarm exposure are most notable when comparing exposed cells to nearby unexposed cells.

Results are similar when restricting the sample of control cells to those within 100km of any locust swarm exposure (shown in [Figure 2](#)), which reassures that the results are not driven by comparisons between exposed cells and unexposed desert cells with low conflict risk. I also obtain similar results when systematically omitting countries from certain regions (North, West, and East African and the Arabian Peninsula). This addresses concerns that the long-term impacts on violent conflict may be spurious and due to swarm exposure during the sample period being correlated with factors driving later conflict emergence. For example, dropping North Africa ensures that results are not driven by the Arab Spring and dropping

Arabia ensures results are not driven by the civil war in Yemen.²⁷

I exclude countries listed in Showler and Lecoq (2021) as areas where insecurity limited desert locust control operations during the sample period to addresses concerns about possible unreported locust swarms correlated with conflict risk. Estimated impacts on violent conflict risk of locust swarm exposure events are slightly smaller when dropping these countries from the sample.²⁸ This could indicate that some swarms were not reported in insecure areas and the cells are classified as not exposed to a swarm, biasing the estimated effect of exposure downward. In general, unreported swarms would bias the estimates downward if they also increase violent conflict risk on average, but they would bias estimates upward if swarms are more likely to be unreported in areas with persistently low risk of violent conflict. Both types of bias may exist and partially offset. The similarity of the results when excluding the most insecure countries from the sample and robustness to including inverse propensity weights (which exclude cells with low estimated probability of any locust swarm being reported) increase confidence that bias from unreported swarms is unlikely to be driving the estimated impacts of exposure on violent conflict risk.

Finally, I consider differences in estimates at the 0.5° and 1° cell levels. Using larger grid cells addresses several potential measurement issues. First, it minimizes the possibility that the area exposed to a locust swarm recorded in a cell exceeds the boundaries of the cell. Second, it reduces concerns about nearby areas that might have been affected by unreported swarms since the entire cell is considered exposed if any swarm is reported within it. Third, it limits the potential for conflict spillovers outside the cell. Downsides to analyzing impacts in a more coarse grid are dilution of treatment intensity (as the share of the cell affected by swarms weakly decreases with cell size) and the loss of local variation in swarm exposure, which the previous robustness checks show is important for estimating the impacts on violent conflict risk.

The pattern of dynamic swarm exposure effects over time is similar at different levels. Estimated magnitudes increase with cell size (though not in proportion to mean conflict risk) but the standard errors do as well. In the full event study, the negative effect in the year of exposure becomes statistically significant while some of the effects in years 1-6 and

²⁷Cells in the Arabian peninsula first exposed to locust swarms during an outbreak in 2007 experienced a much larger increase in subsequent conflict risk than other cells first exposed to swarms during the sample period. The 2003-2005 locust upsurge largely did not affect Arabian cells, so estimates from the analysis of the impact of locust exposure during that upsurge will not be affected by the factors influencing the differential effect of locust exposure in Arabia.

²⁸This is true when considering all locust swarm exposure events. Estimated impacts of the 2003-2005 upsurge are slightly larger when dropping these countries. The difference is likely because two of these countries, Yemen and Somalia, are already excluded from the upsurge analysis as the 2003-2005 upsurge did not affect these countries.

11-14 lose significance. Average impacts increase from a 2.1 percentage point rise in violent conflict risk at the 0.25° cell level to a 2.4pp increase at the 0.5° level and 4.1pp at the 1° levels, with the largest impacts concentrated in years 7-10 post-exposure.²⁹ Changes are similar for average impacts of the 2003-2005 locust upsurge using inverse propensity weights, though effects in individual years are noisier and lose statistical significance at the 1° level in particular.³⁰ Larger estimated magnitudes when using larger grid cells despite dilution of treatment intensity suggest violent conflict spills over outside exposed areas, though not in the year of swarm exposure. Nearby cells not exposed to locust swarms may be targets for predatory attacks as they are likely to have greater wealth in the long-term, having been spared the major income shock. Focusing on 0.25° cells may therefore underestimate the full effect of swarm exposure on violent conflict in affected areas.

6.4 Assumptions about effects of shocks over time

The results show that locust swarm exposure causes a large and persistent long-term increase in violent conflict risk. Central to this analysis is the modeling assumption that swarm exposure may have long-term effects through a wealth mechanism. If we did not recognize the potential for these long-term impacts, we might be tempted to model the effect of the shock as temporary. Such an approach would consider cells as affected by locust swarms only in the years in which swarms are recorded, rather than in all subsequent years.

This is effectively the approach used in studies of weather or price shocks and conflict which also use grid cell panel data.³¹ This literature has overwhelmingly focused on the short-term and assumes effects of shocks are temporary. A common empirical approach is a distributed lag two-way fixed effects model which takes the form:

$$Conflict_{ict} = \alpha + \beta_1 Shock_{ic,t} + \beta_2 Shock_{ic,t-1} + \delta X_{ict} + \gamma_{ct} + \mu_i + \epsilon_{ict} \quad (2)$$

This follows the persistent effects model in Equation 1 with the exception that instead of the *Shock* variable representing a permanent treatment status over subsequent years, in this temporary effects model the years following a shock are treated as unaffected except as captured by the one year lag. This lag allows for limited delays or persistence in impacts of the shock (Burke, Hsiang, and Miguel 2015).

²⁹With inverse propensity weights, impacts of swarm are not significant at the 0.5 or 1° levels on average but are significant and larger for cells with crop land.

³⁰Estimates of the impacts of the upsurge in individuals years are larger in aggregated cells and more consistently statistically significant when not including inverse propensity weights.

³¹See for example Fjelde (2015), Harari and La Ferrara (2018), McGuirk and Burke (2020), McGuirk and Nunn (2021), and Ubilava, Hastings, and Atalay (2022). These studies analyze the impact of various shocks on conflict in Africa, and vary in their choice of controls and in the size of grid cells they analyze but all use a similar econometric specification.

[Table 4](#) presents the results comparing the impacts of locust swarms and of severe drought on violent conflict risk when using Equations [1](#) and [2](#). Column (1) presents temporary effects model estimates of the impacts of locust swarms on conflict risk in the year of exposure and following year, ignoring potential long-term impacts. A locust swarm is associated with a highly significant 1.5 percentage point *decrease* in the probability of any violent conflict in the same year relative to unaffected cells. Locust swarm exposure the previous year does not significantly affect conflict risk, but the point estimate is also negative.

Importantly, with cell fixed effects these impacts are estimated relative to conflict risk in other years in the same cell where locust swarms are not observed, including years after exposure to a locust swarm. As shown again in Column (2), a long-term effects model shows that locust swarm exposure increases conflict risk on average in subsequent years. This implies that the estimate from Column (1) will be biased downward as a result of comparing conflict risk in the year locusts are observed against later years with no locust swarms but higher conflict risk *caused* by swarm exposure. The event study analysis gives a non-significant point estimate of -0.002 for the impact on conflict risk in the year of swarm exposure ([Figure 3](#)). This is larger than the estimate in Column (1) and I can reject equality with high confidence ($p=0.009$), consistent with downward bias of the temporary effects estimate.

Torngren Wartin ([2018](#)) estimates a version of [Equation 2](#) with a similar sample as in this paper to analyze the impact of desert locusts on conflict.³² He finds that locust swarms are associated with a significant 1.3 percentage point decrease in the probability of any violent conflict event in the year of exposure, similar to the 1.5 percentage point effect I estimate in [Table 4](#). He interprets the result as suggesting endogenous underreporting of locust swarm presence correlated with violent conflict, and does not consider potential bias from ignoring long-term impacts of swarm exposure on conflict risk. The much larger event study estimate for the impact of swarms on conflict in the same year suggests a large share of the magnitude of the negative estimate from the temporary effects regression can instead be attributed to downward bias from ignoring long-term impacts.

Endogenous underreporting of locust swarms may be a potential source of additional downward bias as discussed in [subsection 6.3](#), though the main results are robust to dropping countries where insecurity has created difficulties for desert locust control operations. Violent conflict the previous year is associated with a lower probability of reporting a locust swarm in the current year ([Table C2](#), Column 1), so I test the sensitivity of the results in [Table 4](#)

³²His analysis is at the level of 0.5° and 0.1° cells with somewhat different controls for lagged locust presence and weather. He considers locust swarms and bands together while I focus on more destructive swarms alone, and includes some African countries with very few locust swarm observations over time while excluding Arabian countries with extensive locust activity.

Table 4: Impacts of agricultural shocks on the conflict risk, treating shocks as temporary vs. persistent

	(1) Locust swarms Temporary effects	(2) Persistent effects	(3) Drought Temporary effects	(4) Persistent effects
Any swarm in cell	-0.015*** (0.004)			
Any swarm in cell previous year	-0.006 (0.004)			
Affected by any locust swarm		0.021*** (0.005)		
Any drought in year			0.004 (0.003)	
Any drought previous year			0.002 (0.002)	
Affected by any drought				0.005** (0.002)
Year 0 event study estimate	-0.002 (0.003)		0.009*** (0.003)	
<i>p</i> -value, equality of estimates	0.009		0.198	
Observations	508269	482691	408744	408752
Country-Year FE	Yes	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes

Note: The dependent variable is a dummy for any violent conflict event observed. Locust swarm and drought exposure in columns (1) and (3) is based only on whether the shock was observed in a particular year. Cells are considered ‘affected’ by any locust swarm or any drought in columns (2) and (4) for all years after these shocks are first observed in the cell. At the bottom of columns (1) and (3) I show coefficients for the treatment effect in the year of exposure from a persistent effects event study specification along with the *p*-value for the test of equality of the coefficients. Controls in all regressions include total cell population and current and prior year measures of total rainfall and maximum annual temperature. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* *p* < 0.1, ** *p* < 0.05, *** *p* < 0.01

Column (1) to controlling for any violent conflict in the previous year, dropping cells which experienced conflict the previous year, and dropping the countries where Showler and Lecoq (2021) indicate insecurity has prevented control operations (Table C2). The estimated effect is similar across all specifications—between a 1 and 1.5 percentage point decrease in conflict risk for a locust swarm in the same year. These results indicate that while insecurity may affect locust monitoring activities, measurement error in swarm observations correlated with conflict does not drive the negative effect of locust swarms on conflict in the temporary effects specification. Instead, the result is due to misspecification in a setting where effects of the shock are persistent.

I conduct a similar test of bias in temporary effects estimates of the impact of agricultural shocks on conflict for a measure of drought based on the Standardized Precipitation and Evapotranspiration Index (SPEI, Begueria et al. 2014), using data from 1996-2014 included in the PRIO-GRID database. I define a cell as experiencing a drought shock in a particular year if there are at least 4 consecutive months where the SPEI is below -1.5 (deviations

within 1 indicate near normal conditions). This could be considered a severe drought. As with locust swarm exposure, for the persistent effects model I identify the first year in which a cell experiences such a drought and consider cells to be ‘affected’ in all subsequent years.

[Table 4](#) Column (3) shows that a temporary effects estimate gives no significant impact of a drought in the same year on the probability of any violent conflict, with a point estimate of 0.4 percentage points. Column (4) shows that in a persistent effects model conflict risk increases by a significant 0.5 percentage points on average in years following a severe drought.³³ If this impact is not entirely concentrated in the short-term, this implies that the temporary effects estimate will be biased downward. [Figure 4](#) shows the results from an event study of drought exposure. Pre-exposure coefficients are small in magnitude and not statistically significant, with the exception of the period 8 years before exposure to a drought. Conflict risk increases by a statistically significant 0.9 percentage points in the year of exposure. Point estimates for years 1-7 post-exposure are not statistically significant except for year 5, while effects in years 8-10 post-exposure are large and statistically significant. While I cannot reject that the estimates for impact of drought on violent conflict risk in the year of exposure are the same ($p=0.198$), the misspecified temporary effects model would indicate no effect of drought exposure on conflict in the same year while the persistent effects model shows that violent conflict does increase significantly.

This result provides some evidence that studies analyzing short-term impacts of weather shocks on conflict using specifications similar to [Equation 2](#) and ignoring possible long-term effects of these shocks may generate downward-biased short-term impact estimates to the extent the long-term effect is an increase in conflict risk.

7 Mechanisms


7.1 Short-term

The short-term impacts of locust swarm exposure provide evidence that negative agricultural production shocks need not increase the risk of conflict in the same year. This contrasts with much of the literature on climate and conflict, though [Crost et al. \(2018\)](#) and [Harari and La Ferrara \(2018\)](#) both find that growing season weather shocks have inconsistent effects on conflict in the same year while increasing conflict risk the following year, which is the result they emphasize.

One possibility for impacts that go through damages to agricultural production is that a shock late in one year may not affect production until the following year. This is unlikely

³³Estimates are the same when not including controls for current and lagged rainfall and temperature.

Figure 4: Average impact of drought exposure on conflict risk over time



Note: Event study results for impacts of exposure to any drought on violent conflict risk over time using the Borusyak, Jaravel, and Spiess (2021) approach. All regressions include country-by-year and cell fixed effects. Drought exposure is based on the first year a drought (4 consecutive months with SPEI<-1.5) is observed in a cell; cells with drought observed before the start of the sample period are not included in the analysis. Estimated impacts in each time period are weighted averages across effects for drought exposure in particular years. The time period 0 is the year of drought exposure. The shaded areas represent 95% confidence intervals. Treatment effects are based on comparisons against the pre-exposure period. Observations are grid cells approximately 28×28km by year. SEs are clustered at the sub-national region level.

to fully explain the null short-term effect of locust swarms as in nearly all sample countries the harvest for main crops is completed in the same calendar year that crops are planted (Figure A3 Panel A). This would also not explain a difference in the impact of swarm exposure and weather deviations.

Psychological mechanisms may explain part of the null short-term impact of locust swarms on violent conflict, particularly through religious connotations. The dominant religion in the sample countries is Islam, where locusts are mentioned as both a punishment from Allah and as a sign of Judgment Day (*Qayamat*). Exposure to a locust swarm may therefore elicit different responses than weather deviations. Future research could evaluate whether locust swarms increase religiosity, which may affect the perceived returns to fighting by increasing social, emotional, and supernatural costs, but the fact that violent conflict increases starting 2 years after swarm exposure (Figure 3) suggests the effects of such mechanisms are likely to be limited.

Temporary migration out of affected cells may also play a role. Over 8 million people were displaced across East Africa as a result of the 2019-2021 locust outbreak (The World

Bank 2020), and temporary migration in search of work is a common response to locust crop destruction (Thomson and Miers 2002). This response indicates that short-term migration is a better outside option following an agricultural shock than fighting for many households. Population displacement may be greater for more severe agricultural shocks such as the arrival of a locust swarm than for rainfall and temperature deviations. The departure of people from locust-affected areas may decrease the risk of conflict as there are fewer people to potentially engage in fighting, given that cell population is positively and significantly correlated with the risk of violent conflict in the sample (Table 1).³⁴ Impacts of swarm exposure on violent conflict may then be realized with a delay when displaced populations return and are faced with the effects of the severe income shock from locust destruction.

Another possibility is that relief efforts increase the opportunity cost of fighting by providing another source of livelihood that is presumably not available to fighters and deters individuals from engaging in violent conflict. On the other hand, aid may also increase incidence of violent conflict if it serves as a target for predation or banditry (Nunn and Qian 2014), so the net effect of any increase in aid on violent conflict risk following a shock is unclear. Country-level annual data on international development flows to agriculture (which includes food aid) from FAOSTAT (2023) provide some indication of temporarily increased relief following exposure to desert locust swarms, though with a short delay (Table A3). Agricultural development flows increase by 185 million USD (20%) the year after a country experiences any locust swarm, and by 313 million USD (32%) the year after swarms arrived during the major 2003-2005 locust upsurge which drew significant international attention and support. The fact that aid only increases significantly with a 1 year delay after swarm exposure suggests it is unlikely to explain null effects on violent conflict in the year of exposure.

The simple model of occupational choice suggests an alternative explanation for a null short-term effect of an agricultural shock on violent conflict: offsetting impacts on the opportunity cost and predation mechanisms. Studies of the impacts of weather shocks on conflict argue that the opportunity cost mechanism is likely to dominate when agricultural productivity falls because of the labor-intensity of agriculture in low-and middle-income countries. But studies of shocks to agricultural prices have shown instances where the predation mechanism outweighs the opportunity cost mechanism: McGuirk and Burke (2020) and Ubilava, Hastings, and Atalay (2022) both document increases in violent conflict in cells producing agricultural goods following increases in the global price of these goods.

³⁴Out-migration may increase the likelihood of conflict in nearby areas if it increases competition over local output and resources (as in McGuirk and Nunn (2021)), to the extent locusts are driving out-migration the evidence indicates that this is not leading to short-term conflict spillovers as the estimated impact in the year of exposure remains negative when analyzing impacts in 0.5 and 1° cells.


Populations exposed to desert locust swarms will see their agricultural productivity drop severely, lowering the opportunity cost of fighting. The same destruction of agricultural output reduces the returns to conflict over output in exposed areas, deterring banditry and predatory attacks. Given violent conflict is typically not the optimal occupation choice, net returns are likely to be particularly low or potentially negative following destruction by a locust swarm. This destruction would not reduce the returns to non-violent conflict. In particular, participation in protests and riots does not depend on the availability of agricultural output to capture as the objective is to obtain resources or concessions from the state. But participation should still be affected by opportunity costs related to agricultural productivity, so we would expect an increase following an agricultural shock.

Differences in the event study results for the impacts of swarm exposure on violent conflict involving non-state actors and on protests and riots shown in [Figure 5](#) support the argument that the null short-term impact of locust swarm exposure on violent conflict risk is due to the predation mechanism offsetting the opportunity cost mechanism. The event study point estimate for the impact on violent conflict involving non-state actors in the year of swarm exposure is -0.002 compared to +0.002 for protests and riots. Though neither effect is statistically significant and I cannot reject that they are the same ($p=0.232$), the difference in sign aligns with expectations. The difference is more clear for upsurge swarm exposure. The estimated effect of exposure in 2005 is -0.010 for violent conflict risk compared to +0.011 for protests and riots, the latter of which is statistically significant in line with the model predictions. I can reject that the effects are the same ($p=0.007$).

In summary, null effects of locust swarm exposure on violent conflict risk in the same appear to be driven by reduced returns to predation or banditry. Psychological effects, out-migration, and aid relief may also suppress the short-term likelihood of violent conflict but cannot explain the differential effect of swarm exposure on violent non-state conflict and protests and riots.

Why do reduced returns to predation not lead to null short-term effects of weather shocks on violent conflict risk? First, destruction of agricultural production is likely more severe and uniform during a locust swarm shock than a rainfall or temperature deviation. More agricultural output may therefore be available to bandits following a weather shock. Second and potentially more important, the effect of weather shocks on violent conflict may primarily go through channels other than agricultural production. I find no significant difference in the effects of rainfall deviations by land cover while higher temperatures significantly increase conflict risk in both agricultural and non-agricultural areas ([Table 1](#)), echoing previous work finding impacts of rainfall on conflict that cannot be explained by agricultural mechanisms (Bollfrass and Shaver [2015](#); Sarsons [2015](#)).

Figure 5: Impacts of swarm exposure on conflict risk over time, by conflict type



Note: The dependent variables are dummies for any conflict event being observed in a cell in a year, with the conflict type specified in the panel title. Panels A, C, and E replicate Figure 3 Panel A with different cell sizes. Panels B, D, and F replicate Figure 3 Panel B with different cell sizes. See the figure note for Figure 3 for more detail. Shading and bars represent 95% confidence intervals using SEs clustered at the sub-national region level. In panels B, D, and F, estimates from the same specification with binned years are reported at the bottom of the figure.

7.2 Long-term

Locust swarm exposure causes a significant and persistent increase in the long-term risk of violent conflict. In the simple model of occupational choice, the likelihood of conflict increases if either the opportunity cost of fighting falls or if the returns to fighting increase. Locust swarms do not have any effect that could lead to long-term increases agricultural production or wealth, which suggests the impact on violent conflict risk must be driven by decreases in opportunity costs of fighting.

Event study results for different types of conflict in [Figure 5](#) are consistent with such a mechanism. Long-term impacts on violent conflict risk are driven by conflict involving non-state actors (Panels A and B), which includes groups such as identity/political militias, rebel groups, and terrorist organizations. Effects on violent conflict not involving non-state actors (Panels C and D) are smaller for the event study across all swarm exposure events, and small and not statistically significant for the event study of the 2003-2005 locust upsurge.³⁵ Swarm exposure significantly increases the long-term risk of protests and riots with a similar pattern of smaller impacts in the first 7 years and much larger increases afterward, though the estimates for years 13 and 14 are noisy (Panels E and F). The 2003-2005 upsurge increased the risk of violent conflict involving non-state actors by 2.6 percentage points on average over 2013-2018 and the risk of protests or riots by 3.7 percentage points, compared to no effect for violent conflict involving no non-state actors. Larger impacts on protests and riots are in line with predictions base don the simple model. Impacts of swarm exposure are therefore largely limited to types of conflict that involve individual decisions to participate which would be affected by opportunity costs of fighting/protesting.

If long-term impacts on conflict risk are due to persistent decreases in agricultural productivity reducing the opportunity cost of fighting, this should be observable in effects on productivity in affected areas. Marending and Tripodi ([2022](#)) find that agricultural profits of households in parts of Ethiopia exposed to locust swarms in 2014 were 20-48% lower two harvest seasons after swarm arrival. This indicates that impacts on agricultural productivity are not limited to the year of swarm exposure.

Data from the DHS AReNA database ([IFPRI 2020](#)) provide additional evidence of long-term reductions in agricultural productivity following swarm exposure. The DHS AReNA database includes geolocated data on cereal yields at the level of household survey clusters for 40 surveys from 9 countries in the study sample conducted between 1992 and 2018, as

³⁵Conflicts with no non-state actors are almost equally split between violence against civilians and engagements between different factions of state governments. Nearly all of the latter are a result of the civil war in Yemen, which explains the null effects in Panel D since Yemen is dropped by the inverse propensity weights in the analysis of the 2003-2005 upsurge. Dropping Yemen from the main event study sample reduces the magnitude and significance of the treatment effects in Panel C.

well as monthly Normalized Difference Vegetation Index (NDVI) measures at the cluster locations over this time frame. NDVI is a commonly-used satellite-based measure of vegetation greenness which in crop land can be considered a rough proxy for agricultural production. I collapse these data to the level of annual 0.25° cells.

Table 5 Column 1 shows that in cells where DHS surveys have been conducted in the sample countries between 2000-2019, NDVI falls significantly in years where a locust swarm is observed in a cell. The magnitude of the effect is similar to the effect of a 1°C increase in annual maximum temperature. The effect is likely an underestimate of the level of local agricultural destruction as not all parts of a 0.25° ($28 \times 28\text{km}$) cell will be affected by a locust swarm, and because locust swarms may arrive and damage crops after peak crop growth and NDVI, unlike a temperature increase which would prevent crops reaching peak growth over a broader area. The average effect of locust swarm exposure on maximum NDVI in subsequent years is a fairly precise 0, consistent with locust swarms not affecting agricultural productivity fundamentals (Column 2).

While this might suggest no persistent impacts on agricultural labor productivity, Column 4 shows that household reports of cereal yields fall by a statistically significant 108 kg/ha (5.4%) on average in years after locust swarm exposure. This is larger than the effect of a decrease of 100mm of rainfall in the same year or a 1°C increase in maximum temperature. This decrease emerges from the first year after locust swarm exposure (though it is not statistically significant), but is not observed in the year of exposure where there is no significant effect on yield (Column 3). No effect on yield in the year of exposure may be a result of two factors. First, in some countries and years survey timing will involve asking about cereal yields over a season that ended before swarms arrived. Second, yield is typically reported as output over area harvested, and consequently will not capture damages on plots where crops are completely destroyed so there is no harvest.

A significant average decrease in cereal yield in areas exposed to locust swarms in the following years relative to unexposed areas is consistent with the wealth mechanism described in the conceptual framework. Locust swarms do not affect local agricultural productivity fundamentals, but damages to agriculture from locust exposure result in an income and wealth shock. Adoption of agricultural insurance is very low in the sample countries, access to credit is constrained, and local risk sharing networks may be insufficient to help affected households recover from the extent of damage caused by locust swarms. Household coping strategies involve drawing down wealth to deal with the income and food security shock. The severity of this shock can be seen from the long-term negative impacts of locust swarm exposure on children's education (De Vreyer, Guilbert, and Mesple-Somps 2015) and health (Conte, Tapsoba, and Piemontese 2021; Le and Nguyen 2022; Linnros 2017). Reduced

Table 5: Impacts of locust swarm exposure on NDVI and cereal yield

	(1) Max annual NDVI	(2) Max annual NDVI	(3) Cereal yield (kg/ha)	(4) Cereal yield (kg/ha)
Any swarm in cell during the year	-0.011*** (0.003)		12.089 (56.931)	
Any swarm in cell previous year	0.001 (0.004)		-92.298 (63.350)	
Affected by any locust swarm		0.000 (0.002)		-108.396* (60.008)
Total annual rainfall during the year (100 mm)	-0.000 (0.001)	-0.000 (0.001)	13.121** (5.936)	17.176** (7.036)
Total annual rainfall previous year (100 mm)	0.002*** (0.000)	0.002*** (0.000)	11.869 (8.912)	7.626 (8.851)
Max annual temperature during the year (deg C)	-0.012*** (0.002)	-0.012*** (0.002)	-61.194 (47.327)	-86.411* (48.322)
Max annual temperature previous year (deg C)	-0.001 (0.002)	-0.001 (0.002)	41.207 (45.119)	57.616 (43.341)
Population (10,000s)	-0.000*** (0.000)	-0.000*** (0.000)	0.045 (1.264)	0.119 (1.379)
Observations	54412	51961	4181	3750
Outcome mean, no swarms	0.537	0.551	1942.460	1987.031
Country-Year FE	Yes	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes	Yes

Note: Outcome variables are from the DHS AReNA database ([IFPRI 2020](#)) at the level of the clusters where DHS surveys are conducted. Maximum NDVI is measured based on satellite data for the location of each survey cluster each month from 2000-2019; I take the maximum value each year. Cereal crop yield in kg/ha is measured based on survey reports and averaged at the cluster level for years in which surveys are conducted in specific clusters. I collapse these data to the level of 28×28km grid cells by year taking means of the outcome variables. All regressions include country-by-year and location fixed effects. SEs are clustered at the sub-national region level.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

household wealth would decrease access to productive inputs in subsequent years, which would explain a persistent decrease in cereal yields. A null long-term effect on maximum NDVI despite decreased cereal yields may reflect an increase in area cultivated within a cell or substitution to crops with higher NDVI levels. But reduced cereal yields implies lower agricultural productivity and therefore a lower opportunity cost of fighting in areas exposed to locust swarms, which would increase the probability of violent conflict.

The wealth mechanism alone would suggest that impacts of swarm exposure on conflict risk should fall over time if households gradually recover or should be fairly stable if the shock creates a productivity trap. The fact that long-term impacts of swarm exposure are not consistent over time and are largest in a period starting around 8 years after exposure suggests

some heterogeneity in impacts by time-varying conditions affecting either opportunity costs or returns to fighting.

The largest effects of upsurge swarm exposure coincide with the years when the general risk of conflict increased across the sample countries ([Figure A1](#)), indicating heterogeneity by the returns to fighting. Reduced opportunity costs of fighting will only result in increased violent conflict if the net returns to fighting are sufficiently high to make switching from productive activities to fighting optimal. The net returns to fighting are likely to be greater when fighting with a group. While individuals might engage in crime, violent conflict is generally a collective activity. Having a group reduces the social, emotional, and monetary costs of fighting and increases the probability of victory. Participation in organized fighting groups may also provide utility beyond what is obtained from successful banditry.

[Table 6](#) shows the estimates from testing whether long-term impacts swarm exposure vary by the presence of groups active in violent conflict the previous year or in the surrounding cells. Results are similar when considering any swarm exposure and when focusing on the 2003-2005 upsurge. Impacts of swarm exposure on violent conflict risk are driven entirely by effects in areas and periods with groups engaging in violent conflict, as predicted. This is consistent with [Figure 3](#) showing significant impacts of upsurge exposure are delayed until years when violent conflict incidence was greatest in the sample countries.

Table 6: Average impacts of exposure to locust swarms on violent conflict risk, by presence of groups active in civil conflict

Outcome: Any violent conflict event	(1) Any exposure	(2) 2003-2005 exposure	(3) Any exposure	(4) 2003-2005 exposure
Exposed to locust swarm	0.002 (0.003)	0.003 (0.004)	0.001 (0.003)	0.002 (0.004)
Any violent conflict in cell previous year	0.299 (0.218)	0.275 (0.274)		
Exposed to locust swarm × Any violent conflict in cell previous year	0.081*** (0.028)	0.160*** (0.031)		
Any violent conflict elsewhere in 1 degree cell			0.132 (0.092)	0.210** (0.105)
Exposed to locust swarm × Any violent conflict elsewhere in 1 degree cell			0.049*** (0.014)	0.056*** (0.017)
Observations	452218	400668	452218	400668
Outcome mean post-2005, no swarm exposure	0.018	0.019	0.018	0.019
p-value: coefficients shown all =0	0.031	<0.001	0.007	0.016
Country-Year FE	Yes	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes	Yes
Controls	Yes	Yes	Yes	Yes
IPW	Yes	Yes	Yes	Yes

Note: The dependent variable is a dummy for any violent conflict event observed. Cells are regarded as ‘affected’ by locust swarms for all years starting from the first year in which a swarm is recorded in the cell. Analyses of the 2003-2005 upsurge exclude cells exposed in other years from the sample. Inverse propensity weights are applied in all regressions and are calculated separately based on estimates of the propensities of cells to have been exposed to any swarm and to the 2003-2005 upsurge. Controls include annual total rainfall, maximum temperature, and population, and their interactions with the conflict activity variables. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Swarm exposure magnifies the correlations in violent conflict activity over time and space. Cells exposed to any swarm (the 2003-2005 upsurge) are 8.1 percentage points (16.0pp) more likely to have any violent conflict if there was violent conflict in the cell the previous year, relative to unexposed cells, and 4.9pp (5.6pp) more likely if there is violent conflict in any of the cells in the surrounding 1° cell.³⁶ Being exposed to an upsurge swarm thus makes cells significantly more likely to engage in violent conflict when it emerges, even years after exposure.

In summary, long-term impacts of locust swarm exposure on conflict risk can be explained by persistent decreases in opportunity costs of fighting. These decreases are the result of reductions in agricultural productivity, consistent with an initial wealth shock affecting long-term access to productive resources. The decrease in opportunity cost does not cause outbreaks of new violent conflicts but rather affects the locations and duration of violent conflicts after these emerge due to other proximate causes, when net returns to fighting are high enough to make a switch to fighting optimal.

8 Conclusion

Desert locust swarms can have devastating consequences for local agriculture, and this paper shows that exposure to a locust swarm significantly increases long-term conflict risk, both violent and non-violent. The mechanism is a persistent reduction in the opportunity cost of fighting, as swarm exposure causes a long-term decrease in cereal yields. This effect implies that short-term efforts to provide food aid and other relief to populations affected by locust swarms—and potentially other economic shocks—have been insufficient to prevent some households falling into productivity traps and more support is required to facilitate full recovery.

Locust swarms have no significant effect on violent conflict in the year of exposure and the following year, though they do increase the probability of protests or riots. This indicates that reduced returns to predatory attacks over agricultural output following locust may discourage violent conflict and offset the reduced opportunity costs of fighting for agricultural producers. Relief efforts may also play a role, as international agricultural aid increases in the year after countries are affected by locust swarms. Geographically-disaggregated data on relief could be useful to test whether such support deters short-term conflict and limits

³⁶Because swarm exposure affects long-term conflict risk it is not orthogonal to conflict in the previous year nor likely to surrounding conflict in the same year, though I reject that the interacted terms are jointly equal to 0 with a high level of confidence. These results should therefore be considered as illustrative of differences in upsurge impacts by the broader conflict environment rather than accurately estimating differences in the causal impacts.

the extent of the wealth shock and long-term increase in conflict risk.

The lack of immediate impacts of swarm exposure on violent conflict and the long-term decrease in the opportunity costs of fighting mean locust swarms do not increase conflict onset but rather make affected areas more likely to become involved in periods of elevated civil conflict. This contrasts with prior studies finding price (McGuirk and Burke 2020) and drought (Harari and La Ferrara 2018) shocks cause the onset of new conflict, but is consistent with Bazzi and Blattman (2014), who find that commodity price shocks primarily affect conflict incidence and not conflict onset. Many factors have contributed to the increased onset and incidence of violent conflict in the sample countries in this period, including the Arab Spring, several civil wars, insurgencies, and the spread of terrorist organizations. The results illustrate how failing to support communities affected by disasters to fully recover can increase the incidence of future conflict and influence which areas become involved.

The long-run results are consistent with a wealth mechanism where the initial shock to agricultural production income and coping strategies lead to persistently lower wealth and productivity. Further research on impacts of economic shocks on household measures of productivity (as in Marending and Tripodi 2022), labor supply, food security, and wealth would help further explore how temporary shocks to productivity can have persistent effects on the opportunity cost of fighting by also creating a shock to wealth.

The findings suggest future avenues of research in the literature on climate and conflict. I show that the methods typically used in this literature, which treat shocks as only affecting conflict risk in the short-term, can result in downward-biased estimates of short-term effects when the shocks have long-term impacts. Event study analyses of severe weather shocks such as droughts could show the extent and patterns of long-term impacts on conflict risk and how this affects estimates of short-term effects. Although not a focus of this paper, the lack of variation in the impacts of rainfall and temperature deviations on violent conflict risk by land cover cast further doubt on whether effects on agricultural production are the primary mechanism. The association between climate and conflict has been demonstrated in a wide variety of settings but the mechanisms remain unclear (Mach et al. 2020). A better understanding of the different mechanisms is essential to determining the appropriate policy responses.

The results also have implications for estimates of the economic and social costs of desert locust outbreaks. In addition to short-term impacts on agricultural production, incomes, and food security, previous studies have found that children exposed to locust swarms have worse education and health outcomes (Conte, Tapsoba, and Piemontese 2021; De Vreyer, Guilbert, and Mesple-Somps 2015; Le and Nguyen 2022; Linnros 2017). This study shows that swarm exposure also increases the long-term risk of conflict, which imposes further costs.

Past research on desert locusts has argued that limited impacts of outbreaks on aggregate national measures of agricultural production may mean expensive locust monitoring and control operations have limited net economic benefits (Joffe 2001; Krall and Herok 1997), though others have argued that local damages are extensive and motivate continued proactive locust control efforts (Showler 2019; Zhang et al. 2019). Decisions about proactive locust control versus potential alternative responses—for example, increasing adoption of agricultural insurance or relying entirely on disbursement of relief after locust damages (Hardeweg 2001)—should take the broader economic and social impacts of agricultural destruction by locusts into consideration. These costs should also motivate increased cross-country communication and collaboration in response to threats of locust swarms, particularly in light of the recent 2019-2021 outbreak..

Beyond contributing to our understanding of the relationship between agricultural productivity shocks and conflict risk, the findings are also relevant for considering multilateral policy around climate change mitigation and adaptation. Climate change is increasing the frequency and severity of agricultural shocks, including by creating conditions suitable for desert locust swarm formation. These shocks impose additional costs on society through their impacts on conflict risk which should be considered when weighing the costs and benefits of potential actions to reduce and respond to risks from agricultural shocks.

References

- ASU. 2020. *The Global Locust Initiative*. Arizona State University, <https://sustainability.asu.edu/global-locust-initiative/>.
- Baker, Richard B, John Blanchette, and Katherine Eriksson. 2020. “Long-run impacts of agricultural shocks on educational attainment: Evidence from the boll weevil”. *The Journal of Economic History* 80 (1): 136–174.
- Banerjee, Abhijit, et al. 2010. “Long-run health impacts of income shocks: Wine and phylloxera in nineteenth-century France”. *The Review of Economics and Statistics* 92 (4): 714–728.
- Baseler, Travis, and Jakob Hennig. 2023. *Disastrous displacement: the long-run impacts of landslides*. World Bank Policy Research Working Paper 10535.
- Baysan, Ceren, et al. 2019. “Non-economic factors in violence: Evidence from organized crime, suicides and climate in Mexico”. *Journal of Economic Behavior & Organization* 168:434–452.
- Bazzi, Samuel, and Christopher Blattman. 2014. “Economic shocks and conflict: Evidence from commodity prices”. *American Economic Journal: Macroeconomics* 6 (4): 1–38.
- Becker, Gary S. 1968. “Crime and punishment: An economic approach”. *Journal of Political Economy* 76 (2): 169–217.
- Begueria, Santiago, et al. 2014. “Standardized precipitation evapotranspiration index (SPEI) revisited: parameter fitting, evapotranspiration models, tools, datasets and drought monitoring”. *International journal of climatology* 34 (10): 3001–3023.
- Blattman, Christopher, and Edward Miguel. 2010. “Civil war”. *Journal of Economic Literature* 48 (1): 3–57.
- Bollfrass, Alexander, and Andrew Shaver. 2015. “The effects of temperature on political violence: global evidence at the subnational level”. *PLoS One* 10 (5): e0123505.
- Borusyak, Kirill, Xavier Jaravel, and Jann Spiess. 2021. “Revisiting event study designs: Robust and efficient estimation”. *arXiv preprint 2108.12419*.
- Botzen, WJ Wouter, Olivier Deschenes, and Mark Sanders. 2019. “The economic impacts of natural disasters: A review of models and empirical studies”. *Review of Environmental Economics and Policy*.
- Brader, L, et al. 2006. *Towards a more effective response to desert locusts and their impacts on food security, livelihoods and poverty*. Multilateral evaluation of the 2003–05 Desert locust campaign. Food and Agriculture Organisation, Rome.
- Buhaug, Halvard, et al. 2015. “Climate variability, food production shocks, and violent conflict in Sub-Saharan Africa”. *Environmental Research Letters* 10 (12): 125015.
- Burke, Marshall, Solomon M Hsiang, and Edward Miguel. 2015. “Climate and conflict”. *Annual Review of Economics*.
- Callaway, Brantly, and Pedro HC Sant’Anna. 2021. “Difference-in-differences with multiple time periods”. *Journal of econometrics* 225 (2): 200–230.

- Carleton, Tamara, Solomon M Hsiang, and Marshall Burke. 2016. "Conflict in a changing climate". *The European Physical Journal Special Topics* 225 (3): 489–511.
- Carter, Michael R., and Christopher B Barrett. 2006. "The economics of poverty traps and persistent poverty: An asset-based approach". *The Journal of Development Studies* 42 (2): 178–199.
- Carter, Michael R., et al. 2007. "Poverty traps and natural disasters in Ethiopia and Honduras". *World development* 35 (5): 835–856.
- Caruso, Raul, Ilaria Petrarca, and Roberto Ricciuti. 2016. "Climate change, rice crops, and violence: Evidence from Indonesia". *Journal of Peace Research* 53 (1): 66–83.
- Cederman, Lars-Erik, and Yannick Pengl. 2019. *Global conflict trends and their consequences*. ETH Zürich Working Paper.
- Cervellati, Matteo, Elena Esposito, and Uwe Sunde. 2022. "Epidemic shocks and civil violence: Evidence from malaria outbreaks in Africa". *Review of Economics and Statistics* 104 (4): 780–796.
- Chassang, Sylvain, and Gerard Padró i Miquel. 2009. "Economic shocks and civil war". *Quarterly Journal of Political Science* 4 (3): 211–28.
- Chemin, Matthieu, Joost De Laat, and Johannes Haushofer. 2013. "Negative rainfall shocks increase levels of the stress hormone cortisol among poor farmers in Kenya". Available at SSRN 2294171.
- Ciccone, Antonio. 2013. "Estimating the effect of transitory economic shocks on civil conflict". *Review of Economics and Institutions* 4 (2): Article 1.
- CIESIN. 2018. *Gridded Population of the World, Version 4 (GPWv4): Population Count, Revision 11*. Center for International Earth Science Information Network - CIESIN - Columbia University. Palisades, NY: NASA Socioeconomic Data and Applications Center (SEDAC). <https://doi.org/10.7927/H4JW8BX5>.
- Collier, Paul, and Anke Hoeffler. 1998. "On economic causes of civil war". *Oxford Economic Papers* 50 (4): 563–573.
- Conley, Timothy G. 1999. "GMM estimation with cross sectional dependence". *Journal of Econometrics* 92 (1): 1–45.
- Conte, Bruno, Augustin Tapsoba, and Lavinia Piemontese. 2021. "The Power of Markets: Impact of Desert Locust Invasions on Child Health".
- Couttenier, Mathieu, and Raphael Soubeyran. 2014. "Drought and civil war in sub-saharan africa". *The Economic Journal* 124 (575): 201–244.
- Cressman, Keith. 2001. *Desert Locust Guidelines: Survey*. Food and Agriculture Organization of the United Nations (FAO).
- Cressman, Keith, and Cyril Ferrand. 2021. *Signs of hope in East Africa, as control campaign tames locust upsurge*. FAO Newsroom, <https://www.fao.org/news/story/en/item/1393635/icode/>.
- Cressman, Keith, and Robert Stefanski. 2016. *Weather and Desert Locusts*. Food and Agriculture Organization of the United Nations (FAO).

- Cressman, Keith, Alice Van der Elstraeten, and Clare Pedrick. 2016. *eLocust3: An innovative tool for crop pest control*. Food and Agriculture Organization of the United Nations (FAO).
- Crost, Benjamin, et al. 2018. "Climate change, agricultural production and civil conflict: Evidence from the Philippines". *Journal of Environmental Economics and Management* 88:379–395.
- Dal Bó, Ernesto, and Pedro Dal Bó. 2011. "Workers, warriors, and criminals: social conflict in general equilibrium". *Journal of the European Economic Association* 9 (4): 646–677.
- Davis, Marion. 2022. *Pastoralism, farming and a changing climate in the Sahel region*. Stockholm Environment Institute (SEI).
<https://www.sei.org/featured/pastoralism-farming-climate-in-sahel/>.
- De Vreyer, Philippe, Nathalie Guilbert, and Sandrine Mesple-Somps. 2015. "Impact of natural disasters on education outcomes: evidence from the 1987–89 locust plague in Mali". *Journal of African Economies* 24 (1): 57–100.
- Dell, Melissa, Benjamin F Jones, and Benjamin A Olken. 2012. "Temperature shocks and economic growth: Evidence from the last half century". *American Economic Journal: Macroeconomics* 4 (3): 66–95.
- . 2014. "What do we learn from the weather? The new climate-economy literature". *Journal of Economic literature* 52 (3): 740–798.
- Dobson, Hans M. 2001. *Desert locust guidelines: control*. Food and Agriculture Organization of the United Nations.
- Dube, Oeindrila, and Juan F Vargas. 2013. "Commodity price shocks and civil conflict: Evidence from Colombia". *The Review of Economic Studies* 80 (4): 1384–1421.
- Fang, Xiangming, et al. 2020. *The economic consequences of conflict in Sub-Saharan Africa*. IMF Working Paper 20/221.
- Fick, Stephen E, and Robert J Hijmans. 2017. "WorldClim 2: new 1-km spatial resolution climate surfaces for global land areas". *International Journal of Climatology* 37 (12): 4302–4315.
- Fjelde, Hanne. 2015. "Farming or fighting? Agricultural price shocks and civil war in Africa". *World Development* 67:525–534.
- Food and Agriculture Organization of the United Nations (FAO). 2023a. *Desert Locust*. FAO, <https://www.fao.org/locusts/en>.
- . 2022a. *Desert Locust upsurge may be declining but remaining swarms require vigilance in East Africa and Yemen*. FAO Newsroom,
<https://www.fao.org/newsroom/detail/desert-locust-upsurge-may-be-declining-but-remaining-swarms-require-vigilance-in-east-africa-and-yemen/en>.
- . 2023b. *Development flows to agriculture*. FAOSTAT,
<https://www.fao.org/faostat/en/#data/EA/visualize>.
- . 2022b. *Locust Watch: Desert Locust*. FAO Locust Watch,
<http://www.fao.org/ag/locusts/en/info/info/index.html>.

- Food and Agriculture Organization of the United Nations (FAO) and World Meteorological Organization (WMO). 2016. *Weather and desert locusts*. World Meteorological Organization: WMO, No. 1175.
- Global Administrative Areas (GADM). 2021. *Database of global administrative boundaries v3.6*. GADM, <https://gadm.org/>.
- Goodman-Bacon, Andrew. 2021. “Difference-in-differences with variation in treatment timing”. *Journal of Econometrics* 225 (2): 254–277.
- Guardado, Jenny, and S Pennings. 2021. *The seasonality of conflict*. World Bank Policy Research Working Paper 9373.
- Harari, Mariaflavia, and Eliana La Ferrara. 2018. “Conflict, climate, and cells: a disaggregated analysis”. *Review of Economics and Statistics* 100 (4): 594–608.
- Hardeweg, Bernd. 2001. *A conceptual framework for economic evaluation of Desert locust management interventions*. Vol. Special Issue No. 5.
- Harris, IPDJ, et al. 2014. “Updated high-resolution grids of monthly climatic observations—the CRU TS3. 10 Dataset”. *International Journal of Climatology* 34 (3): 623–642.
- Hastings, Justin, and David Ubilava. 2023. “Agricultural Shocks and Social Conflict in Southeast Asia”. *arXiv preprint arXiv:2304.10027*.
- Hodler, Roland, and Paul A Raschky. 2014. “Economic shocks and civil conflict at the regional level”. *Economics Letters* 124 (3): 530–533.
- Hsiang, Solomon M. 2010. “Temperatures and cyclones strongly associated with economic production in the Caribbean and Central America”. *Proceedings of the National Academy of Sciences* 107 (35): 15367–15372.
- Hsiang, Solomon M, and Marshall Burke. 2013. “Climate, conflict, and social stability: what does the evidence say?” *Climatic Change* 123 (1): 39–55.
- International Food Policy Research Institute (IFPRI). 2020. *AReNA’s DHS-GIS Database V1*. Harvard Dataverse, <https://doi.org/10.7910/DVN/OQIPRW>.
- Iyigun, Murat, Nathan Nunn, and Nancy Qian. 2017. *The long-run effects of agricultural productivity on conflict, 1400-1900*. National Bureau of Economic Research WP24066.
- Joffe, Steen. 2001. *Economic and policy issues in desert locust management: A preliminary analysis*. FAO/EMPRES Workshop on Economics in Desert Locust Management.
- Klomp, Jeroen, and Erwin Bulte. 2013. “Climate change, weather shocks, and violent conflict: A critical look at the evidence”. *Agricultural Economics* 44 (s1): 63–78.
- Klomp, Jeroen, and Kay Valckx. 2014. “Natural disasters and economic growth: A meta-analysis”. *Global Environmental Change* 26:183–195.
- Koubi, Vally. 2019. “Climate change and conflict”. *Annual Review of Political Science* 22:343–360.
- Krall, S, and C Herok. 1997. “Economics of desert locust control”. In *New Strategies in Locust Control*, 401–413. Springer.

- Latchininsky, Alexandre V. 2013. "Locusts and remote sensing: a review". *Journal of Applied Remote Sensing* 7 (1): 075099–075099.
- Lazar, Mohammed, et al. 2016. "Importance of solitarious desert locust population dynamics: lessons from historical survey data in Algeria". *Entomologia Experimentalis et Applicata* 161 (3): 168–180.
- Le, Kien, and My Nguyen. 2022. "Desert locust swarms and child health". *Economics & Human Biology* 44:101094.
- Lecoq, Michel. 2003. "Desert locust threat to agricultural development and food security and FAO/international role in its control". Presented at the Eighth Arab Congress of Plant Protection.
- Linnros, Evelina. 2017. *Plant pests and child health: evidence from locust infestations in West Africa*. Working Paper, Expert Group for Aid Studies (EBA).
- Liu, Ye, and Yongkang Xue. 2020. "Expansion of the Sahara Desert and shrinking of frozen land of the Arctic". *Scientific Reports* 10 (1): 1–9.
- Lybbert, Travis J, et al. 2004. "Stochastic wealth dynamics and risk management among a poor population". *The Economic Journal* 114 (498): 750–777.
- Mach, Katharine J, et al. 2019. "Climate as a risk factor for armed conflict". *Nature* 571 (7764): 193–197.
- Mach, Katharine J, et al. 2020. "Directions for research on climate and conflict". *Earth's Future* 8 (7): e2020EF001532.
- Marending, Myriam, and Stefano Tripodi. 2022. *Gone with the wind: the welfare effect of desert locust outbreaks*. Copenhagen Business School Working Paper.
- Masset, Edoardo, et al. 2019. *Impact of conflict on agriculture in Mali*. International Food Policy Research Institute.
- McGuirk, Eoin F, and Nathan Nunn. 2021. *Transhumant Pastoralism, Climate Change, and Conflict in Africa*. National Bureau of Economic Research WP28243.
- McGuirk, Eoin, and Marshall Burke. 2020. "The economic origins of conflict in Africa". *Journal of Political Economy* 128 (10): 3940–3997.
- Mellon, Jonathan. 2022. *Rain, Rain, Go Away: 192 Potential Exclusion-Restriction Violations for Studies Using Weather as an Instrumental Variable*. Available at SSRN 3715610.
- Miguel, Edward, Shanker Satyanath, and Ernest Sergenti. 2004. "Economic shocks and civil conflict: An instrumental variables approach". *Journal of Political Economy* 112 (4): 725–753.
- Nunn, Nathan, and Nancy Qian. 2014. "US food aid and civil conflict". *American Economic Review* 104 (6): 1630–1666.
- Rahimi, Jaber, et al. 2021. "Beyond livestock carrying capacity in the Sahelian and Sudanian zones of West Africa". *Scientific Reports* 11 (1): 1–15.

- Raleigh, Clionadh, et al. 2010. "Introducing ACLED: an armed conflict location and event dataset: special data feature". *Journal of Peace Research* 47 (5): 651–660.
- Ramankutty, Navin, et al. 2010. "Global Agricultural Lands: Croplands/Pastures, 2000". Socioeconomic Data and Applications Center (SEDAC),
<http://sedac.ciesin.columbia.edu/es/aglands.html>.
- Renier, Cécile, et al. 2015. "A dynamic vegetation senescence indicator for near-real-time desert locust habitat monitoring with MODIS". *Remote Sensing* 7 (6): 7545–7570.
- Roth, Jonathan, et al. 2023. "What's trending in difference-in-differences? A synthesis of the recent econometrics literature". *Journal of Econometrics*.
- Roy, Andrew Donald. 1951. "Some thoughts on the distribution of earnings". *Oxford Economic Papers* 3 (2): 135–146.
- Samil, Hadia Mohammed Osman Ahmed, et al. 2020. "Predicting regional locust swarm distribution with recurrent neural networks". *arXiv preprint arXiv:2011.14371*.
- Sarsons, Heather. 2015. "Rainfall and conflict: A cautionary tale". *Journal of Development Economics* 115:62–72.
- Showler, Allan T. 2019. "Desert locust control: the effectiveness of proactive interventions and the goal of outbreak prevention". *American Entomologist* 65 (3): 180–191.
- Showler, Allan T, and Michel Lecoq. 2021. "Incidence and ramifications of armed conflict in countries with major desert locust breeding areas". *Agronomy* 11 (1): 114.
- Stuart, Elizabeth A, et al. 2014. "Using propensity scores in difference-in-differences models to estimate the effects of a policy change". *Health Services and Outcomes Research Methodology* 14:166–182.
- Sundberg, Ralph, and Erik Melander. 2013. "Introducing the UCDP georeferenced event dataset". *Journal of Peace Research* 50 (4): 523–532.
- Symmons, PM, and K Cressman. 2001. *Desert locust guidelines: biology and behaviour*. Food and Agriculture Organization of the United Nations.
- The United States Department of Agriculture (USDA). 2022. *Crop Calendar Charts*. Foreign Agricultural Service, International Production Assessment Division.
<https://ipad.fas.usda.gov/ogamaps/cropcalendar.aspx>.
- The World Bank. 2020. *The locust crisis: The World Bank's response*. Factsheet.
<https://www.worldbank.org/en/news/factsheet/2020/04/27/the-locust-crisis-the-world-banks-response>.
- Thomson, Anne, and Henrietta Miers. 2002. "Assessment of the socio-economic impact of desert locusts and their control". *UK Department for International Development: London, UK*: 37.
- Tollefsen, Andreas Forø, Håvard Strand, and Halvard Buhaug. 2012. "PRIO-GRID: A unified spatial data structure". *Journal of Peace Research* 49 (2): 363–374.
- Torngren Wartin, August Sergej. 2018. *The Sound of Their Wings: Desert Locusts and Conflicts in Africa*. Stockholm University Working Paper. Available at SSRN:
<https://ssrn.com/abstract=4467022>.

- Ubilava, David, Justin V Hastings, and Kadir Atalay. 2022. “Agricultural Windfalls and the Seasonality of Political Violence in Africa”. *American Journal of Agricultural Economics* DOI: 10.1111/ajae.12364.
- Von Uexkull, Nina. 2014. “Sustained drought, vulnerability and civil conflict in Sub-Saharan Africa”. *Political Geography* 43:16–26.
- Von Uexkull, Nina, et al. 2016. “Civil conflict sensitivity to growing-season drought”. *Proceedings of the National Academy of Sciences* 113 (44): 12391–12396.
- Witsenburg, Karen M, and Wario R Adano. 2009. “Of rain and raids: Violent livestock raiding in northern Kenya”. *Civil Wars* 11 (4): 514–538.
- Xiong, Jun, et al. 2017. “Automated cropland mapping of continental Africa using Google Earth Engine cloud computing”. *ISPRS Journal of Photogrammetry and Remote Sensing* 126:225–244.
- Zhang, Long, et al. 2019. “Locust and grasshopper management”. *Annual Review of Entomology* 64 (1): 15–34.

Appendix A: Additional Figures and Tables

Table A1: Summary statistics

Panel A: Yearly variables

	Mean	SD	Min	25 th	50 th	75 th	Max	N
Any violent conflict event - ACLED	0.02	0.14	0.0	0.0	0.0	0.0	1.0	538086
Any protest or riot event - ACLED	0.01	0.10	0.0	0.0	0.0	0.0	1.0	538086
Any violent conflict event - UCDP	0.01	0.10	0.0	0.0	0.0	0.0	1.0	538086
Any swarm in cell	0.00	0.07	0.0	0.0	0.0	0.0	1.0	538086
Any swarm within 100km outside cell	0.04	0.21	0.0	0.0	0.0	0.0	1.0	538086
Any swarm within 100-250km of cell	0.11	0.31	0.0	0.0	0.0	0.0	1.0	538086
Population (10,000s)	1.70	9.10	0.0	0.0	0.2	1.0	749.8	538083
Total annual rainfall (100 mm)	2.47	3.80	0.0	0.3	0.9	3.0	43.4	532498
Max annual temperature (deg C)	37.54	5.17	12.4	33.8	38.1	41.4	49.0	532498

Panel B: Fixed variables

	Mean	SD	Min	25 th	50 th	75 th	Max	N
Any ACLED violent conflict event in cell in any year	0.14	0.35	0.0	0.0	0.0	0.0	1.0	24460
Any protest/riot event in cell in any year	0.08	0.27	0.0	0.0	0.0	0.0	1.0	24460
Any UCDP violent conflict event in cell in any year	0.08	0.27	0.0	0.0	0.0	0.0	1.0	24460
Any locust swarm reported, 1985-2021	0.18	0.38	0.0	0.0	0.0	0.0	1.0	24460
Any swarms within 100 km in any year	0.63	0.48	0.0	0.0	1.0	1.0	1.0	24460
First exposed to locust swarm in sample period (1997-2018)	0.07	0.26	0.0	0.0	0.0	0.0	1.0	24460
First exposed to locust swarm in 2003-2005 upsurge	0.05	0.23	0.0	0.0	0.0	0.0	1.0	24460
Any cropland or pasture in cell	0.54	0.50	0.0	0.0	1.0	1.0	1.0	23923
Share of crop and pasture land in cell	0.24	0.32	0.0	0.0	0.0	0.5	1.0	23923
Any pasture in cell	0.53	0.50	0.0	0.0	1.0	1.0	1.0	23923
Share of pasture in cell	0.19	0.27	0.0	0.0	0.0	0.3	1.0	23923
Any cropland in cell	0.29	0.45	0.0	0.0	0.0	1.0	1.0	23923
Share of cropland in cell	0.05	0.13	0.0	0.0	0.0	0.0	1.0	23923

Note: Observations are grid cells approximately 28×28km by year.


Table A2: Balance by exposure to any locust swarm during full sample period and during 2003-2005 upsurge

	No sample period exposure N	Any sample period exposure Mean (SD)	No sample period exposure N	2003-2005 swarm exposure Mean (SD)	2003-2005 swarm exposure Difference (SE)
Panel A: All cells					
Population in 2000 (10,000s)	23242	1.30 (6.39)	22748	1.30 (6.39)	1.07 (0.86)
Gross cell product in 2005 (USD PPP)	21931	0.25 (0.95)	21513	0.25 (0.95)	0.16 (0.11)
Mean of cell nightlights 1996-2012 (0-1)	22982	0.05 (0.04)	22490	0.05 (0.04)	0.01 (0.01)
First month rainy season	22982	6.29 (3.33)	22490	6.29 (3.33)	0.43 (0.35)
Percent of cell covered by crop land in 2000	22714	4.80 (13.33)	22225	4.80 (13.33)	1.41 (0.99)
Percent of cell covered by pasture land in 2000	22714	17.95 (27.26)	22225	17.95 (27.26)	11.66*** (2.98)
Mean annual rainfall 1997-2018 (dm)	22988	2.50 (3.83)	22494	2.50 (3.83)	0.06 (0.36)
Mean annual max temperature 1997-2018 (deg C)	22988	37.60 (5.19)	22494	37.60 (5.19)	-1.21** (0.60)
Joint significance			F = 8.01 p < 0.001		F = 3.29 p < 0.001
Panel B: Cells with agricultural land					
Population in 2000 (10,000s)	12093	2.30 (8.39)	11729	2.30 (8.39)	0.62 (1.05)
Gross cell product in 2005 (USD PPP)	11170	0.32 (1.09)	10878	0.32 (1.09)	0.13 (0.12)
Mean of cell nightlights 1996-2012 (0-1)	12077	0.05 (0.04)	11713	0.05 (0.04)	0.01 (0.01)
First month rainy season	12077	6.34 (2.96)	11713	6.34 (2.96)	0.13 (0.38)
Percent of cell covered by crop land in 2000	12093	9.35 (17.43)	11729	9.35 (17.43)	-1.28 (1.31)
Percent of cell covered by pasture land in 2000	12093	35.02 (29.18)	11729	35.02 (29.18)	3.49 (2.47)
Mean annual rainfall 1997-2018 (dm)	12093	4.35 (4.55)	11729	4.35 (4.55)	-1.28*** (0.44)
Mean annual max temperature 1997-2018 (deg C)	12093	34.89 (5.06)	11729	34.89 (5.06)	1.15* (0.61)
Joint significance			F = 3.99 p < 0.001		F = 2.25 p = 0.026

Note: The table shows results from separate bivariate regressions of baseline or mean cell outcomes on locust swarm exposure. The rows indicate which dependent variable is used. The first set of columns compares cells where a swarm was first observed between 1998-2018 ('Any sample period exposure') to cells where no swarm was observed from 1990-2018. The second set of columns compares cells where a swarm was first observed during the major 2003-2005 locust upsurge ('2003-2005 swarm exposure') to the same control cells. Panel A includes all cells while Panel B includes only cells with agricultural land. I include results of joint tests that there is no relationship between any of the characteristics and swam exposure. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.

* p < 0.1, ** p < 0.05, *** p < 0.01


Figure A1: Trends in swarm and violent conflict events over time, by experience of 2003-2005 locust upsurge




Note: The figures shows the share of cells experiencing any locust swarm or violent conflict event by year, separately for cells that did and did not experience any locust swarms during the 2003-2005 upsurge. Observations are grid cells approximately 28×28km by year.

Figure A2: Example crop calendars

Libya – Crop Calendar




Mali – Crop Calendar



Source: U.S. Department of Agriculture Foreign Agricultural Service, International Production Assessment Division (USDA 2022).

Note: The Libya crop calendar is fairly representative of other North African countries, and the Mali crop calendar is fairly representative of other West African countries.

Figure A3: Timing of locust swarm arrival by phase of crop calendar and region



Note: Agricultural activities by month are determined by assigning each cell with any crop land the primary activity for that month in the country in which it is located, using USDA 2022 crop calendars. Land cover in the year 2000 is from Ramankutty et al. (2010). Locust swarm observations are matched to agricultural activities based on the location and month of their arrival.

Figure A4: Count of locust swarms recorded during the 2003-2005 upsurge by swarm timing and land cover




Table A3: Correlations between locust swarm exposure and international development flows to agriculture

Outcome: Development flows to agriculture (2021 USD millions)	(1)	(2)
Any swarm in year	93.4 (145.8)	
Any swarm previous year	185.0* (92.7)	
Any swarm in year during upsurge		159.7 (171.5)
Any swarm previous year during upsurge		312.9** (141.8)
Observations	936	936
Outcome mean, no swarms	932.8	965.8
Country FE	Yes	Yes
Year FE	Yes	Yes

Note: This table shows estimates of the correlation between any locust swarm being recorded in a country in a given year and total international development flows to agriculture received (FAOSTAT 2023). The first two rows consider locust swarms recorded at any point in the sample period (1997-2018). The second two rows consider only locust swarms recorded during the major 2003-2005 locust upsurge which received significant international attention. Regressions are at the country-year level and include country and year fixed effects. SEs clustered at the country level are in parentheses.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$


Appendix B: Desert locust background

The desert locust is considered the world's most dangerous and destructive migratory pest (Cressman, Van der Elstraeten, and Pedrick 2016; Lazar et al. 2016). Locusts consume any available vegetation, and swarms frequently lead to the total destruction of local agricultural output (Showler 2019). Damages from locust shocks can be extreme, with a small swarm covering one square kilometer can consume as much food in one day as 35,000 people. During the last locust upsurge in 2003-2005 in North and West Africa, 100, 90, and 85% losses on cereals, legumes, and pastures respectively were recorded, affecting more than 8 million people (Renier et al. 2015; Brader et al. 2006). Damages to crops alone were estimated at \$2.5 billion USD and \$450 million USD was required to bring an end to the upsurge (ASU 2020).

In the most recent upsurge from 2019-2021 in East Africa and the Arabian Peninsula, over 40 million people in 10 countries faced severe food insecurity due to crop destruction. Locust control operations undertaken by the United Nations Food and Agriculture Organization (FAO) and its partners, primarily via ground and aerial spraying of pesticides, and global food aid efforts helped reduce the damages (Food and Agriculture Organization of the United Nations (FAO) 2022a). The FAO estimates that 3.5 million people were affected by locust destruction, but that control efforts saved agricultural production worth \$1.7 billion USD.

Small numbers of locusts are always present in desert 'recession' areas from Mauritania to India (Figure B1). The population can grow exponentially under favorable climate conditions: periods of repeated rainfall and vegetation growth overlapping with the breeding cycle. The 2019-2021 upsurge persisted in large part because of repeated heavy precipitation out of season due to cyclones, prompting explosive reproduction (Cressman and Ferrand 2021). The 2003-2005 upsurge was initiated by good rainfall over the summer of 2003 across four separate breeding areas. This was followed by two days of unusually heavy rains in October 2003 from Senegal to Morocco, after which environmental conditions were favorable for reproduction over the following 6 months (FAO and WMO 2016).


Figure B1: Desert locust recession and breeding areas



Unique among grasshopper species, after reaching a particular population density desert locusts undergo a process of ‘gregarization’ wherein they mature physically and form large bands or swarms which move as a cohesive unit (Symmons and Cressman 2001). Locust bands may extend over several kilometers and alternate between roosting and marching, typically downwind (FAO and WMO 2016). Locust swarms form when bands of locusts remain highly concentrated when they reach the adult stage and become able to fly. This formation of swarms can lead to ‘outbreaks,’ where locusts spread out from their largely desert initial breeding areas. Locusts in swarms have increased appetites and accelerated reproductive cycles, and are thus particularly threatening to agriculture. The FAO distinguishes different levels of locust swarm activity (Symmons and Cressman 2001). I use the terms ‘outbreak’ and ‘upsurge’ interchangeably to refer to any locust swarm activity. By the FAO definition ‘outbreaks’ refer to localized increases in locust numbers while ‘upsurges’ refer to broader and more sustained locust activities. A third level, ‘plagues,’ is characterized by larger and more widespread locust infestations. Few locust swarms are observed outside of major outbreaks, as conditions favoring swarm formation tend to produce large swarms which reproduce and spread rapidly and are very difficult to control.

As illustrated by [Figure B2](#), locust swarms are not observed with any regularity over time or space. Desert locusts are migratory, moving on after consuming all available vegetation, and outside of outbreak periods are ultimately restricted to desert ‘recession’ areas. Unlike many other insect species, therefore, the arrival of a desert locust swarm does not signal a permanent change in local agricultural pest risk. Instead, the arrival of a swarm can be considered a locally and temporally concentrated natural disaster where all crops and pastureland are at risk (Hardeweg 2001).


Figure B2: Desert locust swarm observations by year



The frequency of large-scale outbreaks has fallen since around the 1980s ([Figure B3](#)), in large part due to increases in coordinated preventive operations (Cressman and Stefanski

2016), as shown by the figure below. Given their tolerance for extreme heat and responsiveness to periods of heavy precipitation, however, climate change might create conditions conducive to more frequent desert locust outbreaks.

Figure B3: Desert locust observations by year



Source: Cressman and Stefanski (2016), Figure 6.

Farmers have no proven effective recourse when faced with the arrival of a locust swarm, though activities such as setting fires, placing nets on crops, and making noise are commonly attempted. While these may slow damage they have little effect on locust population or total damages (Dobson 2001; Hardeweg 2001; Thomson and Miers 2002). Locust outbreaks end due to a combination of migration to unfavorable habitats, failure of seasonal rains in breeding areas, and control operations (Symmons and Cressman 2001). The only current viable method of swarm control is direct air or ground spraying with pesticides (Cressman and Ferrand 2021). These control operations do not prevent immediate agricultural destruction as they take some time to kill the targeted locusts, but will limit their spread. The 2003-2005 locust upsurge ended due to lack of rain and colder temperatures which slowed down the breeding cycle, combined with intensive ground and aerial spraying operations which treated over 130,000km² at a cost of over US\$400 million (FAO and WMO 2016).

Desert locust control is most effective before locust populations surge, and the FAO manages an international network of early monitoring, warning, and prevention systems in support of this goal (Zhang et al. 2019). While improvements in desert locust management have been largely effective in reducing the frequency of outbreaks (as seen in Figure B3), many challenges remain. Desert locust breeding areas are widespread and often in remote or

insecure areas. Small breeding groups are easy to miss by monitors, and swarms can migrate quickly. In addition, control operations are slow and costly, resources for monitoring and control are limited outside of upsurges, and the cross-country nature of the threat creates coordination issues. Insecurity may also limit locust control activities (Showler and Lecoq 2021).


Locust swarms vary in their density and extent (Symmons and Cressman 2001). The average swarm includes around 50 locusts per m^2 with a range from 20-150, and can cover under 1 square kilometers to several hundred (Symmons and Cressman 2001). About half of swarms exceed 50km² in size (FAO and WMO 2016), meaning swarms typically include over a billion individuals. Swarms fly downwind from a few hours after sunrise to an hour or so before sunset when they land and feed. Swarms do not always fly with prevailing winds and may wait for warmer winds. Small deviations in the positions of individual locusts in the swarm can also lead to changes in swarm flight trajectory, making their movements difficult to predict. Seasonal changes in these winds tend to bring locusts to seasonal breeding areas at times when rain and the presence of vegetation is most likely, allowing them to continue breeding (FAO and WMO 2016).

These movement characteristics inform efforts to predict locust swarm movements, but these remain highly imprecise. The desert locust bulletins produced monthly by the FAO include forecasts of areas at risk of desert locust activity, but the areas described are quite large, often encompassing several countries in periods with increased swarms. While breeding regions and the broad areas at risk over different time periods can generally be predicted with some accuracy (Latchininsky 2013; Samil et al. 2020; Zhang et al. 2019), predicting specific local variation in swarm presence remains a challenge due to the multiple factors influencing specific flight patterns (FAO and WMO 2016).

Patterns in swarm movements lead to local variation in locust swarm exposure. After taking off, swarms fly for 9-10 hours rather than landing as soon as they encounter new vegetation. A swarm can easily move 100km or more in a day even with minimal wind (Symmons and Cressman 2001). Consequently, the flight path of a locust swarm will include both affected and unaffected areas, with the affected areas determined by largely by patterns of wind direction and speed over time from the initial swarm formation in breeding areas. An important result of the local variation in locust swarm damages during outbreaks is that macro level impacts may be muted, since outbreaks occur in periods of positive rainfall shocks which tend to increase agricultural production in unaffected areas. Several studies find that impacts of locust outbreaks on national agricultural output and on prices are minimal, despite devastating losses in affected areas (Joffe 2001; Krall and Herok 1997; Showler 2019; Thomson and Miers 2002; Zhang et al. 2019).

Figure B4 illustrates the variation in areas affected by locust swarms over space, showing reports of locust swarms in 2004—the peak of the 2003-2005 upsurge—around Mali. Swarm reports are densely clustered in the breeding areas in southern Mauritania where locust swarms reproduced in summer 2004. Outside of this area there is considerable variation in where swarms were reported, with distances between reported swarm over time consistent with typical flight distances. I leverage the quasi-random variation over both time and space in the areas affected by swarms to identify their impact on conflict.

Figure B4: Reports of locust swarms and violent conflict around Mali, selected years



Note: The figure illustrates the grid cells in which locust swarms were reported for the area around the country of Mali in 2004, the peak year of the 2003-2005 locust upsurge. Locust swarm reports are from the FAO Locust Watch database.

Appendix C: Robustness


Table C1: Balance by exposure to a locust swarm, including inverse propensity weights

	Never swarm N	Any swarm Mean (SD) treatment diff (SE)	Never swarm N	2003-2005 swarm Mean (SD) treatment diff (SE)
Population in 2000 (10,000s)	21536	1.26 (6.16)	21147	1.26 (6.15)
Gross cell product in 2005 (USD PPP)	21536	0.24 (0.92)	21147	0.24 (0.92)
Mean of cell nightlights 1996-2012 (0-1)	21536	0.05 (0.04)	21147	0.05 (0.04)
First month rainy season	21536	6.21 (3.34)	21147	6.22 (3.35)
Percent of cell covered by crop land in 2000	21536	4.97 (13.63)	21147	4.97 (13.62)
Percent of cell covered by pasture land in 2000	21536	16.42 (25.95)	21147	16.40 (25.94)
Mean annual rainfall 1997-2018 (dm)	21536	2.50 (3.90)	21147	2.50 (3.90)
Mean annual max temperature 1997-2018 (deg C)	21536	37.88 (5.12)	21147	37.89 (5.13)
Joint significance		$F = 0.99$ $p = 0.450$		$F = 0.95$ $p = 0.477$

Note: The table shows results from separate bivariate regressions of baseline or mean cell outcomes on locust swarm exposure, including inverse propensity weights. The rows indicate which dependent variable is used. Inverse propensity weights are calculated based on estimates of the propensities of cells to have been exposed to any swarm during the study period and to have been exposed during the 2003-2005 upsurge. The first set of columns compares cells where a swarm was first observed between 1998-2018 ('Any sample period exposure') to cells where no swarm was observed from 1990-2018. The second set of columns compares cells where a swarm was first observed during the major 2003-2005 locust upsurge ('2003-2005 swarm exposure') to the same control cells. At the bottom are results of joint tests that there is no relationship between any of the characteristics and swarm exposure. Observations are grid cells approximately 28×28km by year. SEs clustered at the sub-national region level are in parentheses.


* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$

Figure C1: Sensitivity of locust swarm exposure event study results




Each panel replicates Figure 3 Panel A but changes some aspect of the specification as indicated in the panel title. ‘BJS’ refers to the Borusyak, Jaravel, and Spiess (2021) method. ‘CS’ refers to the Callaway and Sant’Anna (2021) method. The BJS method calculates all effects relative to the full pre-exposure period. The CS method calculates pre-trend effects using adjacent years and treatment effects relative to the year prior to exposure. The CS *csdid* package did not converge with country-by-year FE and the BJS *did_impute* did not converge when including weather and population controls, so a more complete comparison of estimates was not possible. ‘SL2021’ countries in panel E refers to the countries listed in Showler and Lecoq (2021) as areas where insecurity has limited desert locust control operations during the sample period. See the figure note for Figure 3 for more detail.

Figure C2: Sensitivity of upsurge swarm exposure event study results




Note: Each panel replicates Figure 3 Panel B but changes some aspect of the specification as indicated in the panel title. 'SL2021' countries in panel E refers to the countries listed in Showler and Lecoq (2021) as areas where insecurity has limited desert locust control operations during the sample period. See the figure note for Figure 3 for more detail.

Figure C3: Locust swarm exposure event study results by cell size




Note: Panels A, C, and E replicate Figure 3 Panel A with different cell sizes. Panels B, D, and F replicate Figure 3 Panel B with different cell sizes. See the figure notes for Figure 3 for more detail. When collapsing to larger cells I take the maximum of the swarm exposure and violent conflict variables and the mean of control variables across smaller cells within the aggregate cell. Shading and bars represent 95% confidence intervals using SEs clustered at the sub-national region level. In panels B, D, and F, estimates from the same specification with binned years are reported at the bottom of the figure. Proportional effects are relative to the probability of observing any of the particular type of conflict during the particular time period. *p*-values are for tests of the null of 0 impact of the upsurge in each period. In the top left are the results from a joint test of the hypothesis that all pre-upsurge coefficients equal 0.

Figure C4: Upsurge swarm exposure event study by cell size, no inverse propensity weights




Note: The figure replicates [Figure 3](#) Panel B but without inverse propensity weights and with different cell sizes. See the figure note for [Figure 3](#) for more detail. When collapsing to larger cells I take the maximum of the swarm exposure and violent conflict variables and the mean of control variables across smaller cells within the aggregate cell.

Figure C5: Estimated coefficients from [Equation 1](#) with different SEs



Note: The outcome variable is a dummy for any violent conflict observed. The figure shows 95% confidence intervals for estimates from [Table 1](#) column (1) applying different clustering for the SEs. Observations are grid cells approximately 28×28km by year. Regressions also include country-by-year and cell FE.


Figure C6: Average impacts of locust swarm exposure on violent conflict risk, varying specifications and samples




Note: The outcome variable is a dummy for any violent conflict observed. The figure shows 95% confidence intervals for estimates from [Table 1](#) column (1) varying controls, fixed effects, cell size, and countries included in the sample. ‘SL2021’ countries are those listed in [Showler and Lecoq \(2021\)](#) as having areas where insecurity limited desert locust control operations during the sample period, and include Chad, Mali, Somalia, Sudan, Western Sahara, and Yemen. Observations are grid cells approximately 28×28km by year. Regressions all include cell FE as well as country-by-year FE unless otherwise stated. SEs are clustered at the sub-national region level.

Figure C7: Average impacts of locust swarm exposure on violent conflict risk with inverse propensity weights, varying specifications and samples

A) Overall effect across all cells



B) Effect on cells with any crop land



Note: The outcome variable is a dummy for any violent conflict observed. Panel A shows 95% confidence intervals for estimates from [Table 2](#) column (1) varying controls, fixed effects, cell size, and countries included in the sample. Panel B shows the same for the total effect in crop cells from [Table 2](#) column (3). ‘SL2021’ countries are those listed in Showler and Lecoq (2021) as having areas where insecurity limited desert locust control operations during the sample period, and include Chad, Mali, Somalia, Sudan, Western Sahara, and Yemen. Inverse propensity weights are applied in all regressions and are calculated separately based on estimates of the propensities of cells to have been exposed to any swarm and to the 2003–2005 upsurge. Observations are grid cells approximately 28×28km by year. Regressions all include cell FE as well as country-by-year FE unless otherwise stated. SEs are clustered at the sub-national region level. All estimates in Panel B except ‘No SL2021 countries’ are significant at a 10% confidence level or less.

Table C2: Temporary effects model impacts of locust swarms on the risk of conflict, controlling for insecurity

	(1)	(2)	(3)	(4) Violent conflict, no prior yr conflict	(5) Drop countries from Showler & Lecoq (2021)
	Locust swarm	Violent conflict	Violent conflict		
Any violent conflict in cell previous year	-0.004** (0.002)		0.236*** (0.021)		
Any swarm in cell		-0.015*** (0.004)	-0.012*** (0.003)	-0.010*** (0.003)	-0.014*** (0.005)
Any swarm in cell previous year	-0.020** (0.009)	-0.006 (0.004)	-0.004 (0.004)	0.001 (0.004)	-0.010*** (0.004)
Observations	508269	508269	508269	499306	341869
Outcome mean	0.005	0.020	0.020	0.011	0.013
Controls	Yes	Yes	Yes	Yes	Yes
Cell FE	Yes	Yes	Yes	Yes	Yes
Country-Year FE	Yes	Yes	Yes	Yes	Yes

Note: Columns indicate which dummy dependent variable is used. The first column tests impacts of prior year conflict on the probability of observing a locust swarm. The remaining columns test the impact of locust swarms on the probability of observing violent conflict; column (2) replicates column (1) from [Table 4](#). Column (5) drops Chad, Mali, Somalia, Sudan, Western Sahara, and Yemen from the analysis as countries discussed in Showler and Lecoq (2021) as having had insecurity issues potentially affecting desert locust control and monitoring operations during the study period. Observations are grid cells approximately 28×28km by year. All columns include cell and country-by-year FEs. SEs clustered at the sub-national region level are in parentheses.

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$