RingCentral Developers

WordPress Plugin Development with RingCentral's API

```
try {
   var resp = await
platform.post('/restapi/v1.0/account/~/ex
   'from': { 'phoneNumber': RINGCENTR/
   'to': { 'phoneNumber': RECIPIENT }
        'playPrompt': false
   })
   var jsonObj = await resp.json()
   console.log("Call placed. Call status
jsonObj.status.callStatus)
} catch (e) {
   console.log(e.message)
}
}
```

Peter MacIntyre


@pbmacintyre


Code and this slide deck: https://github.com/pbmacintyre/April_28_2022_RC_Meetup




WordPress Best Practices About Me

- Over 33 years experience in IT
- NomadPHP Certified Engineer
 - Wrote the test questions
- Twice Zend Certified Engineer (ZCE)
 - o ZCE 4.0 & 5.3
- Co-Founder & past Chair of Northeast PHP Conference
- Author / Co-Author of 6 PHP & related books
- Travel Blogger at: milesinmyshoes.com







WordPress Best Practices


About Me


Conference Speaker

- New Orleans, LA
- Köln, Germany
- Melbourne, Australia
- Winnipeg, Manitoba
- Boston, MA
- Washington, DC
- Las Vegas, NV
- Warsaw, Poland
- Verona, Italy

Live and work in P.E.I. Canada

paladin-bs.com





WordPress Best Practices Overview

WordPress is a great "multi-tool" to use for website development. It can be extended with themes and plugins in almost any direction.

This can prove to be problematic as well, since the more tools you add to it the slower it can run. Today we will be taking a high level look at some best practices on how to optimize your site from hosting considerations all the way to what to look for in a theme. Some recommended plugins will also be looked if time permits.



Plugin Development with API Overview

We will be looking at how to use the RingCentral SMS API within WordPress.

Specifically we will look at the steps to preparing the API and creating a small plugin that will interact with the API to send out SMS text messages. We will also take a look at the developer environment where we establish the connection to that specific part of the overall API ecosystem that RingCentral provides.



Agenda

1

Hosting Environment

- Hosting Features
- Security
- Software Versions
- CDN Options
- Peripheral Features
- Recommended Hosts

2

Themes

- Custom CSS
- Responsive Display
- Speed Optimization
- Page Builder Features
- Support / Documentation

Plugins

- Site Security
- Caching content
- Managing images
- Peace of mind backups

3

Plugin Development

- Setup environment
- Make RingCentral's SMS
 API available
- Create developer app for API calls
- Establish credentials
- Send test SMS messages

4

Plugin Extras

- Prepare code for translation
- Setup translation plugin
- Change display language

Loose Ends

- Additional resources
- Trivia give away
- Q & A time

Hosting Environment

```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/e
     'from': { 'phoneNumber': RINGCENTR
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call status
jsonObj.status.callStatus)
} catch (e) {
     console.log(e.message)
}
```





Hosting Environment

- a) Hosting Features
- b) Security
- c) Software Versions
- d) CDN Options
- e) Peripheral Features
- f) Recommended Hosts

©2021 RingCentral

Hosting Environment: Hosting Features

- a) Price
- b) Watch for introductory fees
- c) Traffic constraints, Upload / Download limitations
- d) Disk space / storage constraints
- e) Bandwidth constraints
- f) Backups, ease of recovery *
- g) Domain / subdomain limits?






Hosting Environment: Security

- a) HTTPS / SSL Certificate
- b) Spam protection on email
- c) Domain Privacy option
- d) Dedicated IP option

Hosting Environment: Software Versions


- a) cPanel or equivalent Latest stable version
- b) PHP 7.3 bare minimum
- c) Latest stable database and OS



Hosting Environment: Peripheral Features

- a) Quick WordPress install
- b) Voice / chat tech support
- c) FTP access
- d) No file size / count limits
- e) No database size limits
- f) Shared hosting or dedicated hosting options
- g) Affiliate Program *





Hosting Environment: Recommended Hosts

- a) Bluehost / Justhost
- b) Site Ground
- c) Go Daddy
- d) Hostgator

Theme Essentials

```
async function call_ringout() {
   try {
     var resp = await

platform.post('/restapi/v1.0/account/~/e:
        'from': { 'phoneNumber': RINGCENTR.
        'to': { 'phoneNumber': RECIPIENT }
        'playPrompt': false
    })
   var jsonObj = await resp.json()
     console.log("Call placed. Call status)
    status.callStatus)
   } catch (e) {
     console.log(e.message)
   }
```





Theme Essentials

- a) Custom CSS
- b) Responsive Display Options
- c) Speed optimization Features
- d) Header / Footer Settings
- e) Color / Font Options
- f) Page Builder Features
- g) Support / Documentation

©2021 RingCentral

Theme Essentials: Custom CSS

- a) Site wide effect
- b) Page by page option as well
- c) Sometimes overlaps with page builder tool
- d) If not available there are plugins with this capability.






Theme Essentials: Responsive Display

- a) Should be 85 to 90 % responsive
- b) 100% responsive is still hard to find
- c) That is why custom CSS availability is needed

Theme Essentials: Speed Optimizations

- a) Caching features
- b) Minify CSS & JS
- c) Lazy loading images
- d) Again if they are not here there are plugins to use





Theme Essentials: Header / Footer Settings

- Ability to put in your own sitewide JS or CSS code
- b) Google Analytics code is a great example
- c) Copyright or disclaimer links
 - footer example

Theme Essentials: Color / Font Options

- a) Ability to set sitewide color scheme for font, links, visited links, buttons, etc.
- Ability to use Google fonts or import your own fonts beyond internet defaults like Verdana






Theme Essentials: Page builder features

- a) Drag & drop page designer
- b) Often implemented by an embedded plugin like WP Bakery or Elementor
- c) If not theme embedded you can still buy these page builders separately

Theme Essentials: Support / Documentation

- a) Good Documentation
- b) How to videos
- c) How to / Getting started guides
- d) Community forums for user discussion, bug reporting, new features lists, etc.
- e) Ability to ask for specific help via email, chat, phone



Must Have Plugins

```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/ex
     'from': { 'phoneNumber': RINGCENTR/
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
   })
   var jsonObj = await resp.json()
   console.log("Call placed. Call status)
   jsonObj.status.callStatus)
   } catch (e) {
   console.log(e.message)
   }
}
```





Must Have Plugins

- Akismet
- WordFence Security
- All-in-One WP Migration
- W3 Total Cache
- EWWW Image Optimizer
- WP Rollback

24 ©2021 RingCentral

Must Have Plugins: Akismet

- a) Protects against most comment spam
- b) Built in to most WP basic installs
- Activated with free code from their website






Must Have Plugins: WordFence Security

- a) Protects against hacking and brute force attacks
- b) Lots of other site security features
- c) Lock out options / thresholds
- d) Plugin update notifications
- e) Pro Version

Must Have Plugins: All-in-One WP Migration

- a) Allows for complete site move between web locations
- b) Great for moving staging site to LIVE environment
- Doubles as a GREAT site backup / recovery tool
- d) Pro Version highly worth it
- e) "Extensions" add-on valuable too
 - i) Scheduled remote backups
 - ii) Multiple location options






Must Have Plugins:

W3 Total Cache

- a) Caches site content very well
- b) Great setup Wizard feature
- c) Minifies CSS and JS code
- d) Allows for lazy loading of site images

Must Have Plugins: **EWWW Image Optimizer**

- Removes META information when uploading to Gallery (smaller file size)
- b) Scans existing images
- c) Lazy loads images
- d) Pro Version





Must Have Plugins: WP Rollback

- that were approved by
 WordPress
- b) Allows for rolling back to older plugin versions if trouble occurs

Nice to Have Plugins

```
async function call_ringout() {
   try {
     var resp = await

platform.post('/restapi/v1.0/account/~/ex
     'from': { 'phoneNumber': RINGCENTR/
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call status)
     sonObj.status.callStatus)
     } catch (e) {
      console.log(e.message)
     }
}
```





Nice to Have Plugins

- Yoast Duplicate Post
- Maintenance Mode
- GDPR Cookie Consent
- WP Forms Lite
- DB for WP Forms
- Available Updates
- Yoast SEO

32 © 2021 RingCentral

- Yoast Duplicate Post
 - Quickly clone a page or post
 - Big time saver for layout and design across multiple pages or posts
- Maintenance Mode
 - Suspend Live site on the public side while working on the admin side
- GDPR Cookie Consent
 - EU Cookie compliance confirmation
- WP Forms Lite
 - Design & display contact forms on website

Nice to Have Plugins

DB for WP Forms

- Store contents of submitted forms in the DB
- Viewable in admin

Available Updates

- Separate page listing all plugins that are needing an update, saves a few mouse clicks
- Yoast SEO
 - SEO content for sitewide use
 - Can do SEO on a page by page, post by post level

Nice to Have Plugins

Plugin Development

```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/ex
     'from': { 'phoneNumber': RINGCENTR/
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call status)
     sonObj.status.callStatus)
     } catch (e) {
     console.log(e.message)
     }
}
```





Setup Environment & Best Practices


- Don't mess with WordPress Core!
- 2. Keep your code separate
- 3. Use WordPress API functions
- 4. Prefix your code
- 5. Use OOP whenever possible
- 6. Follow secure coding practices
- 7. Use WordPress functions over PHP's
- 8. Always use WP's database API




File Structures

wp-content → plugins:

- →plugin-name
 - →assets (screen shots)
 - →css
 - →images
 - →includes (most code here)
 - → RingCentral API Folders
 - →js
- →plugin-name.php
- →readme.txt
- →uninstall.php






Main plugin file

- Should have plugin info in comment block at the top of the file
- 2. Software License: GPL2 typically
- 3. Pre-defined constants plugin data
- Required resources (CSS, JavaScript, UD functions)
- 5. Admin Menu placement code, if needed
- 6. Triggers for install and activation of plugin






Plugin Fundamentals

Functions file under /includes folder

Call to RingCentral's API within the functions file: rc_sdk()

Sending SMS - call to: rc_send_sms() function, which calls the rc_sdk() function to re-connect to the SDK







©2021 RingCentral

Internationalization

```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/ex
     'from': { 'phoneNumber': RINGCENTRA
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call status
jsonObj.status.callStatus)
   } catch (e) {
     console.log(e.message)
   }
```





Prepare code for Translation

Best to be able to write the translation code while you build the plugin, but this rarely happens.

2 main functions to use

__() - 2 parameters, 1st is the text to be translated and 2nd is the domain (your plugin) where the text will reside. Returns translated text, if found, English text if not found.

and

_e() - Same as above, except output is sent to the browser right away.

https://developer.wordpress.org/plugins/internationalization/

Translation code examples


```
_e("Mobile Number",'ringcentral_sms');


$message = __('Adjust settings to your preferences!',
'ringcentral-sms');
```


Invocation code (in main plugin file):

```
function rc_sms_languages() {
    load_plugin_textdomain('ringcentral-sms', false,
'ringcentral-sms/languages');
```

add_action('plugins_loaded', 'rc_sms_languages');







```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/ex
     'from': { 'phoneNumber': RINGCENTRA
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call status)
     status.callStatus)
   } catch (e) {
     console.log(e.message)
   }
```





- WordPress.org
- Books
- Color Schemes
- Free stock images
- Speed testing your site
- HTTPS validating your site
- Conferences

©2021 RingCentral


- WordPress.org
 - Free Theme searching
 - Free Plugin searching
 - Lots of help & Documentation
- Commercial Plugin sites
 - Theme Forest monthly free items
 - Creative Market
- Books
 - WordPress Development In Depth phparch.com
 - Professional WordPress Plugin Development Wrox
- Color Schemes
 - paletton.com

- Free stock images
 - unsplash.com
 - o pexels.com
- Speed testing your site
 - o gtmetrix.com
 - o tools.pingdom.com
- HTTPS validating your site
 - whynopadlock.com
- Conferences
 - central.wordcamp.org
 - Midwest PHP

Trivia

```
async function call_ringout() {
   try {
     var resp = await
   platform.post('/restapi/v1.0/account/~/e
        'from': { 'phoneNumber': RINGCENTR
        'to': { 'phoneNumber': RECIPIENT }
        'playPrompt': false
     })
   var jsonObj = await resp.json()
      console.log("Call placed. Call statu
jsonObj.status.callStatus)
   } catch (e) {
      console.log(e.message)
   }
}
```






Trivia Question

Besides "Me", name one other thing that Prince Edward Island is famous for?

Trivia Question # 2

How many lines of code does it take to activate the RingCentral embedded Phone tool?



Q & A Time

```
async function call_ringout() {
   try {
     var resp = await

platform.post('/restapi/v1.0/account/~/e
     'from': { 'phoneNumber': RINGCENTR
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
   })
   var jsonObj = await resp.json()
   console.log("Call placed. Call statu
jsonObj.status.callStatus)
   } catch (e) {
   console.log(e.message)
   }
}
```



RingCentral Developers

Thank you.

peter@paladin-bs.com

developers.ringcentral.com

```
async function call_ringout() {
   try {
     var resp = await
platform.post('/restapi/v1.0/account/~/e
     'from': { 'phoneNumber': RINGCENTR
     'to': { 'phoneNumber': RECIPIENT }
     'playPrompt': false
     })
     var jsonObj = await resp.json()
     console.log("Call placed. Call statu
jsonObj.status.callStatus)
   } catch (e) {
     console.log(e.message)
   }
}
```

