

Submission Worksheet

Submission Data

Course: IT202-010-S2026

Assignment: IT202 Milestone 1 - 2026

Student: Pratik P. (pbp5)

Status: Submitted | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 0.00/10.00 (0.00%)

Started: 4/12/2026 1:13:21 PM

Updated: 4/13/2026 10:22:33 AM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-010-S2026/it202-milestone1-hq0016p5>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-010-S2026/it202-milestone-1-2026/view/pbp5>

Instructions

- Overview Link: <https://youtu.be/IDtqdaLwcVg>

1. Refer to Milestone1 of this doc:

<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWVwfo/view>

2. Ensure you read all instructions and objectives before starting.

3. Ensure you've gone through each lesson related to this Milestone

4. Switch to the Milestone1 branch

1. `git checkout Milestone1` (ensure proper starting branch)
2. `git pull origin Milestone1` (ensure history is up to date)

5. Fill out the below worksheet

- Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
- Ensure proper styling is applied to each page
- Ensure there are no visible technical errors; only user-friendly messages are allowed

6. Once finished, click "Submit and Export"

7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github

1. `git add .`
2. `git commit -m "adding PDF"`
3. `git push origin Milestone1`
4. On Github merge the pull request from Milestone1 to qa
5. On Github create a pull request from qa to prod and immediately merge. (This will trigger the prod deploy to make the heroku prod links work)

8. Upload the same PDF to Canvas

9. Sync Local

10. `git checkout qa`

11. `git pull origin qa`

Section #1: (2 pts.) Feature: User Will Be Able To Register A New Account

To Register A New Account

Progress: 100%

≡ Task #1 (0.67 pts.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer
- Show the relevant demo of each validation layer
- Briefly explain how the validation steps work at each layer

≡ Task #1 (0.33 pts.) - HTML Form/Validation

Progress: 100%

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

Part 1:

Progress: 100%

Details:

- Show the code related to the register page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)

```
<h3>Register</h3>
<form onsubmit="return validate(this)" method="POST">
  <div>
    <label for="email">Email</label>
    <input id="email" type="email" name="email" required />
  </div>
  <div>
    <label for="username">Username</label>
    <input type="text" name="username" required maxlength="30" pattern="[a-z0-9_\-]{1}" title="Lowercase letters, numbers, _ or - only"/>
  </div>
  <div>
    <label for="pw">Password</label>
    <input type="password" id="pw" name="password" required minlength="8" />
  </div>
  <div>
    <label for="confirm">Confirm</label>
    <input type="password" name="confirm" required minlength="8" />
  </div>
  <input type="submit" value="Register" />
</form>
<script>
```

html

ptp3-020-010-qa.onrender.com/project/register.php

Home · Highlands... Explore · Highlands... Dashboard · Ocean Degree W... Inbox (60) · ptp3... Search NUT Libr... Self Service · Stu... Pratik Patel | Hand... Learn · Dale The Goat · Z...

Login Register

Register

Email

Please include an '@' in the email address. johndoe is missing an '@'

Confirm

invalid email format

The screenshot shows a web browser window with the URL `http://js1202-010-qa.orender.com/project/register.php`. The page has a yellow background and a 'Register' form. The form fields are: Email (containing 'johndoe@j102'), Username (containing 'johndoe'), and Password (containing '12345678'). A red error message box is displayed below the Password field, stating: 'Please match the requested format, lowercase letters, numbers, _ or - only'. The browser's address bar and tabs are visible at the top.

invalid username format

The screenshot shows the same web browser window. The Username field now contains 'johndoe' and the Password field contains '12345678'. A red error message box is displayed below the Username field, stating: 'Please lengthen this text to 8 characters or more (you are currently using 1 character)'. The browser's address bar and tabs are visible at the top.

password length too short

 Saved: 4/12/2026 2:08:55 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

Email must math a certain format in which they must include the a singular @ symbol, usernames can only be lowercase letters, numbers, and can include _ or - in them, and passwords need to be a minimum of 8 charcters.

 Saved: 4/12/2026 2:08:55 PM

Task #2 (0.33 pts.) - JS Validation (validate() function)

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code related to the register page's validate() function
- Show examples of each validation message [username format, email format, password format, password doesn't match confirm](you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag

```

function validateForm() {
  // Create a variable to hold the error message
  let errorMessage = "";

  // Check if the username is valid
  if (!isValidUsername(username)) {
    errorMessage += "Invalid username format. Please use lowercase letters, numbers, and underscores only. Minimum 3 characters, maximum 20 characters.\n";
  }

  // Check if the email is valid
  if (!isValidEmail(email)) {
    errorMessage += "Invalid email format. Please use a valid email address.\n";
  }

  // Check if the password is valid
  if (!isValidPassword(password)) {
    errorMessage += "Invalid password format. Password must be at least 8 characters long, contain at least one uppercase letter, one lowercase letter, one number, and one special character.\n";
  }


  // Check if the password matches the confirm password
  if (password !== confirmPassword) {
    errorMessage += "Passwords do not match. Please re-enter the password.\n";
  }

  // If there is an error message, show it to the user
  if (errorMessage !== "") {
    document.getElementById("errorMessage").innerHTML = errorMessage;
    return false;
  }

  // If there is no error message, the form is valid
  return true;
}

// Call the validateForm function when the form is submitted
document.getElementById("registerForm").addEventListener("submit", validateForm);

```

register's validate function**js validation messages**

```

function isValidPassword(pass) {
  return pass.length >= 8;
}

function isValidEmail(email) {
  return /^[^\s@]+@[^\s@]+\.[^\s@]+$/.test(email.trim());
}

// Returns true if value is a valid username: lowercase, alphanumeric,
function isValidUsername(username) {
  return /^[a-z0-9_]+$/.test(username.trim());
}

// Returns true if both values are non-empty and match
function isValidConfirm(value, confirm) {
  return !!value && value === confirm;
}

```

helpers.js functions

Saved: 4/12/2026 3:05:22 PM

Part 2:**Details:**

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

isValid is set to true before validating password, email, and username. Email must math a certain format in which they must include the a singular @ symbol and also checks if the field is left empty, usernames can only be lowercase letters, numbers, and can include _ or - in them and checks if the field is empty, and passwords need to be a minimum of 8 charcters and they must match between new password and confirm password. If any of these conditions are not met, isValid will be set to false. isValid is returned at the end of the validation function.



Saved: 4/12/2026 3:05:22 PM

☰ Task #3 (0.33 pts.) - PHP Validation (steps before the DB call)

Progress: 100%

📁 Part 1:

Progress: 100%

Details:

- Show the code related to the register page's PHP validation
- Show examples of each validation message [username format, email format, password format, invalid password, password doesn't match confirm, username taken, email taken] (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag and temporarily override the validate() function or use the provided helper script in the instructions
- Include the outputs related to username/email already in use

```

1  <?php
2  // Register page validation
3  // Check if username is empty
4  if (empty($username)) {
5      $errors[] = "Username is required";
6  }
7  // Check if email is empty
8  if (empty($email)) {
9      $errors[] = "Email is required";
10 }
11 // Check if password is empty
12 if (empty($password)) {
13     $errors[] = "Password is required";
14 }
15 // Check if confirm password is empty
16 if (empty($confirm_password)) {
17     $errors[] = "Confirm password is required";
18 }
19 // Check if password and confirm password match
20 if ($password != $confirm_password) {
21     $errors[] = "Passwords do not match";
22 }
23 // Check if username is already taken
24 if (isset($username) && $username != "" && $username == $username_in_use) {
25     $errors[] = "Username is already taken";
26 }
27 // Check if email is already taken
28 if (isset($email) && $email != "" && $email == $email_in_use) {
29     $errors[] = "Email is already taken";
30 }
31 // If there are no errors, set isValid to true
32 if (empty($errors)) {
33     $isValid = true;
34 }
35 // If there are errors, set isValid to false
36 if (!empty($errors)) {
37     $isValid = false;
38 }
39 // Return isValid
40 return $isValid;
41

```

register php validation

Log in / Register

Forgot your password?

Invalid email address

Register

Username must be 3-30 characters, alphanumeric, and not only contain _ or -

Password must not be empty

Confirm password must not be empty

Password must be at least 8 characters long

Passwords must match

php validation messages

 Saved: 4/12/2026 3:18:40 PM

≡ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

hasError is set to false before validating password, email, and username. Email must math a certain format in which they must include the a singular @ symbol and also checks if the field is left empty, usernames can only be lowercase letters, numbers, and can include _ or - in them and checks if the field is empty, and passwords need to be a minimum of 8 charcters and they must match between new password and confirm password and must not be empty. If any of these conditions are not met, hasError will be set to true.

 Saved: 4/12/2026 3:18:40 PM

⇒ Task #2 (0.67 pts.) - Related URLs

Progress: 100%

Details:

- Include the direct link to this file from the Milestone branch (should end in `.php` , , zero credit if it does not)
- Include the render.com prod link to this file (Just grab the base prod url and manually enter the path to the file)
- Include the related pull request link for this feature

URL #1

https://github.com/pbp965/pbp5-IT202-010-Milestone1/public_html/project/register.php



URL

<https://github.com/pbp965/p>



URL #2

<https://pbp5-it202-010->



URL

<https://pbp5-it202-010-prod.c>



URL #3

[https://github.com/pbp965/pbp5-](https://github.com/pbp965/pbp5-IT2024-02)

IT2024-02



URL

<https://github.com/pbp965/p>

Saved: 4/12/2026 2:35:50 PM

Task #3 (0.67 pts.) - Database - Users table

Progress: 100%

Details:

- Add a screenshot of the database view from vs code showing a valid registered user (preferably a recent one during evidence capturing)

	id	email	password	created	modified	username
1	xpi@pbp5	5561E1D1-6045ed74	2025-04-12 18:025	2025-04-12 18:025		pbp5
2	jdoe@pbp5	5561E1D1-6045ed74	2025-04-12 18:025	2025-04-12 18:025		jdoe

new user "john doe" in db



Saved: 4/12/2026 2:37:27 PM

Section #2: (2 pts.) Feature: User Will Be Able To Login To Their Account

Progress: 100%

Task #1 (0.67 pts.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer (html, js, php)
- Show the relevant demo of each validation layer (html, js, php)
- Briefly explain how the validation steps work at each layer

Task #1 (0.33 pts.) - HTML Form/Validation

Progress: 100%

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

Part 1:

Progress: 100%

Details:

- Show the code related to the login page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)

```
<h3>Login</h3>
<form onsubmit="return validate(this)" method="POST">
  <div>
    <label for="email">Email or Username</label>
    <input id="email" type="text" name="email" required />
  </div>
  <div>
    <label for="pw">Password</label>
    <input type="password" id="pw" name="password" required minlength="8" />
  </div>
  <input type="submit" value="Login" />
</form>
<script>
```

login page html



password validation

 Saved: 4/12/2026 3:01:40 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

Password must be atleast a minimum length of 8 characters



Saved: 4/12/2026 3:01:40 PM

Task #2 (0.33 pts.) - JS Validation (validate() function)

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code related to the login page's validate() function
- Show examples of each validation message [username format, email format, password format] (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag

```
//script.js
function validate(form) {
  // TODO: Implement form validation (you'll do this on your own, thanks for asking)
  // Ensure it returns false for an error and true for success
  // TODO: pass
  // Date: 4/12/26
  let isValid = true;
  const email = form.email.value.trim();
  const un = form.username.value.trim();

  if (!isValid) {
    flash("Email or username must not be empty.", "danger");
    isValid = false;
  }
  else if (email.includes("@") && isValidEmail(email)) {
    flash("Please enter a valid email address.", "danger");
    isValid = false;
  }
  else if (un.includes("@") && isValidUsername(un)) {
    flash("Username must be lowercase, alphanumeric, and can only contain - or _.", "warning");
    isValid = false;
  }

  if (!isValidUsername(pass)) {
    flash("Password must be at least 8 characters.", "warning");
    isValid = false;
  }

  return isValid;
}

// 23:48 Function validate(form)
//script.js
```

js validation for login

pop6-202-010-qa-render

pop6-202-010-qa-render.com/project/login.php

Home - Highland... Explore - Highland... Dashboard - Duquien Degree W... Inbox (6) - pop6... Search NJIT Lib... Self Service - Stu... Pratik Patel | Hand... Learn - Dale The Coast - 2...

Login Register

JavaScript: Email or username must not be empty.

JavaScript: Password must be at least 8 characters.

Email or Username

Password

Login

js validation messages


```
function isValidPassword(pass) {
  return pass?.length >= 8;
}

function isValidEmail(email) {
  return /^[^@%]+\@([^\s@]+\.)+[\w-]+\.[a-z]{2,4}$/i.test(email?.trim());
}

// Returns true if value is a valid username: lowercase, alphanumeric,
function isValidUsername(username) {
  return /^[a-z0-9_-]+$/.test(username?.trim());
}

// Returns true if both values are non-empty and match
function isValidConfirm(value, confirm) {
  return value?.trim() === confirm?.trim() && value?.trim().length > 0;
}
```


php code for login



php validation messages



Saved: 4/12/2026 3:19:44 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

hasError is set to false before validating password, email, and username. Email must match a certain format in which they must include the a singular @ symbol and also checks if the field is left empty, usernames can only be lowercase letters, numbers, and can include _ or - in them and checks if the field is empty, and passwords need to be a minimum of 8 characters and must not be empty. If any of these conditions are not met, hasError will be set to true.



Saved: 4/12/2026 3:19:44 PM

Task #2 (0.67 pts.) - Related URLs

Progress: 100%

Details:

- Include the direct link to this file from the Milestone branch (should end in `.php` , , zero credit if it does not)
- Include direct link to the file on Render.com Prod (Just grab the base prod url and manually enter the path to the file)
- Include the related pull request link for this feature

URL #1

URL

https://github.com/pbp965/pbp5-IT202-010-Milestone1/public_html/project/login.php

URL #2

<https://pbp5-it202-010-prod.onrender.com/project/register.php>

URL #3

https://github.com/pbp965/pbp5-IT202-010-Milestone1/public_html/project/login.php

https://github.com/pbp965/pbp5-IT202-010-Milestone1/public_html/project/login.php

<https://pbp5-it202-010-prod.onrender.com/project/register.php>

https://github.com/pbp965/pbp5-IT202-010-Milestone1/public_html/project/login.php

Saved: 4/12/2026 3:20:29 PM

Task #3 (0.67 pts.) - User Session Evidence

Progress: 100%

Details:

- From the render.com logs (Logs tab), capture the session error_log
- It should show the id, username, email, and roles

```
03:21:02 PM [p0thn] [Sun Apr 12 19:21:02.557840 2026] [php:notice] [pid 19:tid 19] [client ::1:51568] Session: array (
  'user' => array (
    'id' => 2,
    'email' => 'joindoe@jit.edu',
    'username' => 'joindoe',
    'roles' => array (
    ),
  ),
  'referer' => 'https://pbp5-it202-010-prod.onrender.com/project/login.php'
```

render log

Saved: 4/12/2026 3:22:14 PM

Section #3: (1 pt.) Feature: User Will Be Able To Logout

Progress: 100%

Task #1 (1 pt.) - Evidence

Progress: 100%

Part 1:

Progress: 100%


Details:

Details:

- Show the successful logout message (visit the proper file on Render.com qa after a manual deploy)
- Show the code snippet of the logout page

```
You, 1 hour ago | 1 author (You)
1 <?php
2 ob_start();          You, 1 hour ago * attempting to fix header errors found on re
3 // require functions.php to pull in flash()
4 require(__DIR__ . "../lib/functions.php");
5 reset_session(); // clear session data and start a new session
6 flash("You have been logged out","success");
7 header("Location: " . get_url("login.php")); // redirect back to login
```

logout code



logout message

 Saved: 4/12/2026 3:30:12 PM

Part 2:

Progress: 100%

Details:

- Include the pull request url for this feature

URL #1

<https://github.com/pbp965/pbp5-IT2020-01/05>



URL

<https://github.com/pbp965/pbp5-IT2020-01/05>

 Saved: 4/12/2026 3:30:12 PM

Part 3:

Progress: 100%

Details:

- Briefly explain how the logout process works and how the user is officially logged off

Your Response:

Resets the session and redirects to the login page



Saved: 4/12/2026 3:30:12 PM

Section #4: (2 pts.) Feature: Security Rules


Progress: 100%

Task #1 (1 pt.) - Database Tables

Progress: 100%

Details:


- From the vs code mysql tool, show both the `Roles` and `UserRoles`



The screenshot shows the VS Code MySQL tool interface. The SQL editor contains the query: `SELECT * FROM `roles` LIMIT 100`. The results pane displays a table with the following data:

	id	name	description	active	created	modified
1	1	Admin		1	2025-04-11 17:51:53	2025-04-11 17:51:53

roles table



The screenshot shows the VS Code MySQL tool interface. The SQL editor contains the query: `SELECT * FROM `userRoles` LIMIT 100`. The results pane displays a table with the following data:

	id	userId	roleId	active	created	modified
1	1	1	1	1	2025-04-11 18:00:56	2025-04-11 18:00:56

user roles table



Saved: 4/12/2026 3:30:54 PM

Task #2 (1 pt.) - Demo Security Rules

Progress: 100%

Part 1:

Details:

- Show the message related to needing to be logged in (i.e., try to manually log in)
- Show the message related to not having the proper permission/role (i.e., try to access a restricted page)
- Include a snippet of the login check function
- Include a snippet of the role check function

```
function is_logged_in($redirect = false, $destination = "login.php")
{
    $isLoggedIn = isset($_SESSION["user"]);
    if ($redirect && !$isLoggedIn) {
        //if this triggers, the calling script won't receive a reply since die()/exit() terminates it
        flash("You must be logged in to view this page", "warning");
        $path = get_url($destination);

        die(header("Location: $path"));
    } <- #11-17 if ($redirect && !$isLoggedIn)
    return $isLoggedIn;
} <- #9-19 function is_logged_in($redirect = false, $destination = "login.php")
```

logged in

```
function has_role($role)
{
    if (is_logged_in() && isset($_SESSION["user"]["roles"])) {
        foreach ($_SESSION["user"]["roles"] as $r) {
            if ($r["name"] === $role) {
                return true;
            }
        } <- #23-27 foreach ($_SESSION["user"]["roles"] as $r)
    } <- #22-28 if (is_logged_in() && isset($_SESSION["user"]["roles"]))
    return false;
} <- #21-30 function has_role($role)
```

has role



Saved: 4/13/2026 10:01:22 AM

Part 2:

Details:

- Include the pull request url for this feature

URL #1

<https://github.com/pbp965/pbp5-IT2026-01/25>



URL

<https://github.com/pbp965/pbp5-IT2026-01/25>



Saved: 4/13/2026 10:01:22 AM

⇒ Part 3:

Progress: 100%

Details:

- Briefly explain how the login check code works
- Briefly explain how the role check code works

Your Response:

Login check works by figuring out if the user is logged in using `isset`, if they are not and are trying to view a page locked behind login, a warning message is displayed.

Role check works by checking if the user is logged in and checks whether the user has the appropriate role passed through as a parameter, if they do the function returns true, false otherwise.



Saved: 4/13/2026 10:01:22 AM

Section #5: (2 pts.) Feature: User Profile

Progress: 100%

≡ Task #1 (1 pt.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer (html, js, php)
- Show the relevant demo of each validation layer (html, js, php)
- Briefly explain how the validation steps work at each layer

≡ Task #1 (0.33 pts.) - HTML Form/Validation

Progress: 100%

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

🖼 Part 1:

Progress: 100%

Details:

- Show the code related to the profile page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)

```

<h3>Profile</h3>
<form method="POST" onsubmit="return validate(this);">
  <div class="mb-3">
    <label for="email">Email</label>
    <input type="email" name="email" id="email" value="{<php echo($email); >}" />
  </div>
  <div class="mb-3">
    <label for="username">Username</label>
    <input type="text" name="username" id="username" value="{<php echo($username); >}"
      required pattern="[a-z0-9_]{4,}" title="Lowercase letters, numbers, _ or - only" maxlength="20" />
  </div>
  <div class="mb-3">
    <div>DO NOT PRE-LEAVE PASSWORDS -->
    <div>Password Reset</div>
    <div>
      <input type="password" name="currentPassword" id="cp" />
    </div>
    <div>
      <input type="password" name="newPassword" id="np" />
    </div>
    <div>
      <input type="password" name="confirmPassword" id="conf" />
    </div>
  </div>
  <input type="submit" value="Update Profile" name="save" />
</form>

```

profile html

The screenshot shows a web browser displaying the profile page. The form fields are: Email (john), Username (john), Current Password, New Password, and Confirm Password. A red error message is displayed above the Email field: "Please include an '@' in the email address 'john' is missing an '@'". The "Update Profile" button is visible at the bottom.

invalid email address

The screenshot shows the profile page with the Username field containing "john". A red error message is displayed above the Username field: "Please match the requested format. Lowercase letters, numbers, _ or - only". The "Update Profile" button is visible at the bottom.

invalid username



Saved: 4/12/2026 3:43:12 PM


Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)


Your Response:



The screenshot shows a web browser window with the address bar displaying "pl05-0202-010-cau.ac.vn". The page content includes a registration form with the following error messages:

- Username must not be empty.
- Email must not be empty.
- Username must not be empty.
- Email must not be empty.
- Username must not be empty.
- Email must not be empty.
- New password must be at least 8 characters.

js validate



js validate 2



Saved: 4/12/2026 4:07:40 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

isValid is set to true before validating password, email, and username. Email must math a certain format in which they must include the a singular @ symbol and also checks if the field is left empty, usernames can only be lowercase letters, numbers, and can include _ or - in them and checks if the field is empty, and passwords need to be a minimum of 8 charcters and they must match between new password and confirm password. If any of these conditions are not met, isValid will be set to false. isValid is returned at the end of the validation function.



Saved: 4/12/2026 4:07:40 PM

Task #3 (0.33 pts.) - PHP Validation (steps before the DB call)

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code related to the profile page's PHP validation
- Show examples of each validation message [username format, email format,

- password format, invalid password doesn't match confirm, username taken, email taken] (you may be able to capture this in one or few screenshots) (visit the proper file on Render.com qa after a manual deploy)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag and temporarily override the `validate()` function or use the provided helper script in the instructions

```
// handle email/username update
if (isset($_POST["email"], $_POST["username"])) {
    $new_email = $_POST["email"];
    $new_username = $_POST["username"];
    $hasError = false;
    // validate format
    if (empty($new_email)) {
        //echo "Email must not be empty<br>";
        flash("Email must not be empty.", "danger");
        $hasError = true;
    }
    // Sanitize and validate email
    $new_email = sanitize_email($new_email);
    if (!is_valid_email($new_email)) {
        //echo "Invalid email address<br>";
        flash("Invalid email address.", "danger");
        $hasError = true;
    }
    // Sanitize and validate username
    if (!is_valid_username($new_username)) {
        //echo "Username must be lowercase, alphanumeric, and can only contain _ or -<br>";
        flash("Username must be lowercase, alphanumeric, and can only contain _ or -.", "danger");
        $hasError = true;
    }
}
```

php code

The screenshot shows a web browser window with the URL `psst-4202-010-qa.onrender.com/project/profile.php`. The page displays a "Profile" form with the following fields and messages:

- Email:** A text input field with the value `test@gmail.com`. A red error message above it says "Email must not be empty."
- Username:** A text input field with the value `Profile`. A red error message above it says "Invalid email address."
- Current Password:** A text input field with the value `password`.
- New Password:** A text input field.
- Confirm Password:** A text input field.
- Update Profile:** A button.

php validation messages

```
if (isset($_POST["currentPassword"], $_POST["newPassword"], $_POST["confirmPassword"])) {
    //check/update password
    $current_password = $_POST["currentPassword"];
    $new_password = $_POST["newPassword"];
    $confirm_password = $_POST["confirmPassword"];
    // require all 3 to be set before attempting to process
    $can_update = !empty($current_password) && !empty($new_password) && !empty($confirm_password);
    if ($can_update) {
        // check that new matches confirm (i.e., no typos)
        if (!is_valid_confirm($new_password, $confirm_password)) {
            flash("New passwords don't match", "warning");
        } else {
            //validate current password against password rules
            $hasError = false;
            if (!is_valid_password($new_password)) {
                //echo "Password too short<br>";
                flash("Password must be at least 8 characters long.", "danger");
                $hasError = true;
            }
            // Check if the new password is valid
            if (!is_valid_password($new_password)) {
                //echo "Invalid password<br>";
                flash("Invalid password.", "danger");
                $hasError = true;
            }
        }
    }
}
```

php code p2

The screenshot shows a web browser window with the URL `psst-4202-010-qa.onrender.com/project/profile.php`. The page displays a "Profile" form with the following fields and messages:

- Success Message:** A green message box at the top says "New password didn't match."
- Email:** A text input field with the value `test@gmail.com`.
- Username:** A text input field with the value `Profile`.
- Current Password:** A text input field with the value `password`.
- New Password:** A text input field.
- Confirm Password:** A text input field.
- Update Profile:** A button.

password p1



password p2



Saved: 4/12/2026 4:08:18 PM

Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

hasError is set to false before validating password, email, and username. Email must math a certain format in which they must include the a singular @ symbol and also checks if the field is left empty, usernames can only be lowercase letters, numbers, and can include _ or - in them and checks if the field is empty, and passwords need to be a minimum of 8 charcters and must not be empty. If any of these conditions are not met, hasError will be set to true.



Saved: 4/12/2026 4:08:18 PM

Task #2 (1 pt.) - Related URLs

Progress: 100%

Details:

- Include the direct link to this file from the Milestone branch (should end in `.php` , , zero credit if it does not)
- Include direct link to the file on Render.com Prod (Just grab the base prod url and manually enter the path to the file)
- Include the related pull request link for this feature

URL #1

https://github.com/pbp965/pbp5-IT2026-Milestone1/public_html/project/profile.php



URL

<https://github.com/pbp965/p>



URI #2

URI

Details:Include the link to the Pull Request (should end in `/pull/#`) (Milestone1 into qa)**URL #1**<https://github.com/pbp965/pbp5-IT202-010>

URL

<https://github.com/pbp965/pbp5-IT202-010>

Saved: 4/12/2026 4:14:16 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary

Projects • pbp5-IT202-010**5 hrs 51 mins** over the **Last 7 Days** in pbp5-IT202-010 under **all** branches. **overall time**

Files

1 hr 21 mins	public_html/project/login.php
1 hr 20 mins	public_html/project/profile.php
1 hr 10 mins	public_html/project/register.php
37 mins	public_html/project/helpers.js
24 mins	public_html/project/styles.css
12 mins	public_html/nav.php
11 mins	public_html/project/logout.php
10 mins	project/sql/DB - insert - admin - role.sql
8 mins	lib/helper.php
7 mins	...html/project/admin/assign...roles.php
2 mins	public_html/project/index.php
2 mins	public_html/project/admin/roles.php
1 min	public_html/project/setting.php
1 min	...html/project/admin/roles.php
52 secs	...html/project/admin/roles.php
45 secs	...html/project/admin/roles.php
30 secs	lib/get-url.php
20 mins	project/sql/DB - create - table - users.sql
14 mins	alter - template.sql
13 secs	...project/sql/DB - create - table - users.sql
11 mins	lib/helper.php
11 mins	lib/helper.php
10 secs	lib/helper.php
6 mins	lib/helper.php
6 mins	lib/helper.php
7 mins	...html/project/admin/roles.php
3 secs	lib/helper.php

Branches

5 hrs 14 mins	Milestone1
27 mins	Post-MST-Lower-Medium
5 secs	Unknown
2 secs	Post-MST-Lower-Medium

individual

Saved: 4/12/2026 4:15:28 PM

☰ Task #3 (0.33 pts.) - Reflection

Progress: 100%

⇒ Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

We learned how to create validations for JS, HTML, and PHP and we learned how to apply those applications with this milestone project. We also learned designing databases for our project and being able to manage this database.



Saved: 4/13/2026 10:09:34 AM

⇒ Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was editing the CSS style pages. We were given a less than ideal looking style page and our task was to "fix" the ugly style sheet.



Saved: 4/13/2026 10:11:28 AM

⇒ Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignments was getting the JS validations right. There

were instances where I made a validation and went to test it, but the incorrect message pops up (i.e. the PHP message). I was able to find the fault, however, and fixed it.



Saved: 4/13/2026 10:22:33 AM