


21 - Criar Analytical Model

1 Clique em "Data Builder"



2 Clique em "New Analytical Model"

Welcome to the Data Builder

Create views and tables to prepare data for your stories, and use entity-relationship models to visualize and make associations between artifacts.

All Files Tables Views E/R Models Analytic Models Flows Intelligent Lookups Task Chains Data Access Controls

New Table New Graphical View New SQL View New Entity - Relationship Model **New Analytical Model** New Data Flow New Replication Flow New Transformation Flow New Intelligent Lookup

Search In: "All"

List Objects In: All (48)

☐	Business Name	Technical Name	Type (Semantic Usage)	Space	Folder	Status
☐	VW_SalesOrderItems_00	VW_SalesOrderItems_00	View (Fact)	APOSTILA	-	🕒
☐	ER_Sales_00	ER_Sales_00	E/R Model	APOSTILA	-	-
☐	VW_SalesOrder_00	VW_SalesOrder_00	View (Dimension)	APOSTILA	-	🕒
☐	VW_Addresses_00	VW_Addresses_00	View (Dimension)	APOSTILA	-	🕒
☐	VW_BusinessPartners_00	VW_BusinessPartners_00	View (Dimension)	APOSTILA	-	🕒
☐	VW_Products_00	VW_Products_00	View (Dimension)	APOSTILA	-	🕒

3 Arraste a view "VW_SalesOrderItems_<SEU ID>" para o centro da tela

General View Edit Tools

Repository

All

Search In: "All"

All (2)

VW_SalesOrderItems_00

4VF_SalesOrderItems

It looks like you haven't added any data yet.

Drag and drop your data from the panel on the left over to this canvas.

Analytic Model Properties

New Analytical Model

Search

Measures (0)

No data found.

Dimensions (0)

No data found.

Variables (0)


No data found.

Data Access Controls (0)


No data found.

Filter (0)


4 Observe as associações que implementamos no Model Entity Relationship




5 Clique em "Select"



6 Clique em "Deploy"



7 Clique em "Business Name"



8 Entre com o valor "AN_Sales_<SEU ID>"

9 Clique sobre o nó "SALESORDERID"

The screenshot displays the SSDT interface for the 'AN_Sales_00' analytic model. The central diagram shows a 'Fact Sources (1)' box containing 'VW_SalesOrderItems_00' connected to 'PRODUCTID' and 'SALESORDERID' nodes. The 'SALESORDERID' node is highlighted with an orange circle. The right-hand 'Analytic Model Properties' pane shows the model's name, technical name, status (Deployed), and a list of measures: GROSSAMOUNT, NETAMOUNT, QUANTITY, and TAXAMOUNT.

10 Clique na direita da coluna "CREATEDAT"

The screenshot displays the SSDT interface for the 'AN_Sales_00 / SALESORDERID' dimension source. The central diagram is the same as in the previous screenshot. The right-hand 'Analytic Model Properties' pane shows the dimension source's data type (String(50)) and a list of attributes: CREATEDBY, CREATEDAT, CHANGEDBY, CHANGEDAT, PARTNERID, SALESORG, CURRENCY, and DELIVERYSTATUS. The 'CREATEDAT' attribute is highlighted with an orange circle, and its right-hand navigation arrow is also highlighted.

11 Clique em "Use Associated Dimension"

The screenshot displays the SAP Data Builder interface for an analytic model named "AN_Sales_00". The interface is divided into several sections:

- Repository:** Located on the left, it shows a list of data sources: "VW_SalesOrderItems_00" and "4VF_SalesOrderItems".
- Diagram:** The central workspace shows a "Fact Sources (1)" box containing "VW_SalesOrderItems_00". Two arrows point from this box to dimension boxes: "PRODUCTID" (linked to "VW_Products_00") and "SALESORDERID" (linked to "VW_SalesOrder_00").
- Analytic Model Properties:** On the right, this panel shows the configuration for the "SALESORDERID" dimension source attribute. The "Use Associated Dimension" checkbox is highlighted with an orange circle.

Analytic Model Properties Details:

- Dimension Source Attribute:** AN_Sales_00 / SALESORDERID / CREATEDAT
- Business Name:** CREATEDAT
- Technical Name of Attribute:** CREATEDAT_SALESORDERID
- Use Associated Dimension:** ☒ (highlighted with an orange circle)
- Source:** VW_SalesOrder_00
- Source Field:** CREATEDAT
- Data Type:** Date
- Semantic Type:** None
- Used in (0):** Dimension is not being used.

12 Clique novamente no nó "SALESORDERID"

The screenshot shows the SAP Data Builder interface for the 'Analytic Model - AN_Sales_00'. The central canvas displays a data model diagram with 'Fact Sources (1)' containing 'VW_SalesOrderItems_00'. This source is linked to 'PRODUCTID' (VW_Products_00) and 'SALESORDERID' (VW_SalesOrder_00). 'SALESORDERID' is further linked to 'CREATEDAT' (Time Dimension - Day). The right-hand 'Analytic Model Properties' pane is open, showing the configuration for the 'SALESORDERID' dimension source. The 'Business Name' is 'CREATEDAT', and the 'Technical Name of Attribute' is 'CREATEDAT_SALESORDERID'. The 'Source' is 'VW_SalesOrder_00' and the 'Source Field' is 'CREATEDAT'. The 'Data Type' is 'Date' and the 'Semantic Type' is 'None'. An orange circle highlights the 'SALESORDERID' node in the diagram and the 'SALESORDERID' text in the properties pane.

13 Clique na direita da coluna "PARTNERID"

This screenshot shows the same SAP Data Builder interface as the previous one, but with the 'Analytic Model Properties' pane expanded to show the 'Attributes (8)' section. The 'SALESORDERID' dimension source is selected. The attributes listed are: 'CREATEDBY', 'CREATEDAT', 'CHANGEDBY', 'CHANGEDAT', 'PARTNERID', 'SALESORG', 'CURRENCY', and 'DELIVERYSTATUS'. The 'PARTNERID' attribute is highlighted with an orange circle, and its right-hand navigation arrow is also circled in orange. A note above the attributes states: 'Technical names have "_SALESORDERID" as suffix.'

14 Clique em "Use Associated Dimension"

The screenshot displays the SAP Data Builder interface for an analytic model named "AN_Sales_00". The central workspace shows a diagram with a "Fact Sources (1)" box containing "VW_SalesOrderItems_00". This fact source is connected to two dimension tables: "PRODUCTID" (from "VW_Products_00") and "SALESORDERID" (from "VW_SalesOrder_00"). The "SALESORDERID" dimension is further connected to a "CREATEDAT" time dimension (Day).

On the right, the "Analytic Model Properties" pane is open, showing the configuration for the "Dimension Source Attribute" "AN_Sales_00 / SALESORDERID / PARTNERID". The "Business Name" is "PARTNERID" and the "Technical Name of Attribute" is "PARTNERID_SALESORDERID". The "Use Associated Dimension" checkbox is highlighted with an orange circle and is currently unchecked. Below this, the "Source" is "VW_SalesOrder_00", the "Source Field" is "PARTNERID", the "Data Type" is "Integer", and the "Semantic Type" is "None". The "Used in (0)" section indicates "Dimension is not being used."

15 Clique sobre o nó "PARTNERID"

The screenshot shows the Data Builder interface with the analytic model diagram in the center. The diagram illustrates a fact source 'VW_SalesOrderItems_00' connected to dimensions 'PRODUCTID', 'SALESORDERID', 'CREATEDAT', and 'PARTNERID'. The 'PARTNERID' node is highlighted with an orange circle. On the right, the 'Analytic Model Properties' pane is open for the 'PARTNERID' dimension source attribute. The properties include:

- Dimension Source Attribute:** AN_Sales_00 / SALESORDERID / PARTNERID
- Business Name:** PARTNERID
- Technical Name of Attribute:** PARTNERID_SALESORDERID
- ☒ Use Associated Dimension
- Technical Name of Dimension:** _PARTNERID_SALESORDE
- Source:** VW_SalesOrder_00
- Source Field:** PARTNERID
- Data Type:** Integer
- Semantic Type:** None
- Used in (0)**

At the bottom of the pane, it states: "Dimension is not being used."

16 Selecione todos os Atributos

The screenshot shows the Data Builder interface with the analytic model diagram in the center. The diagram is the same as in the previous step, but the 'PARTNERID' node is now highlighted with a blue border. On the right, the 'Analytic Model Properties' pane is open for the 'PARTNERID' dimension source attribute. The properties include:

- Dimension Source:** AN_Sales_00 / PARTNERID
- Technical Name of Dimension:** PARTNERID (SALESORDERID)
- Data Type:** Integer
- Semantic Type:** None
- Attributes (7):** A list of attributes is shown, all of which are selected (checked):
 - EMAILADDRESS
 - PHONENUMBER
 - FAXNUMBER
 - WEBADDRESS
 - ADDRESSID
 - COMPANYNAME
 - CURRENCY

A note above the attributes list states: "Technical names have '_PARTNERID' as suffix."

17 Clique na direita da coluna "ADDRESSID"

The screenshot displays the SAP Analytics Cloud Data Builder interface. On the left, the 'Repository' pane shows a list of data sources: 'All', 'VW_SalesOrderItems_00', and '4VF_SalesOrderItems'. The central workspace shows a fact table 'VW_SalesOrderItems_00' connected to three dimension tables: 'PRODUCTID' (VW_Products_00), 'SALESORDERID' (VW_SalesOrder_00), and 'PARTNERID' (VW_BusinessPartners_00). The 'PARTNERID' dimension is further connected to the 'ADDRESSID' (VW_Addresses_00) dimension. On the right, the 'Analytic Model Properties' pane is open, showing the 'Dimension Source' for 'PARTNERID (SALESORDERID)' with a data type of 'Integer' and a semantic type of 'None'. Below this, the 'Attributes (7)' section lists various attributes: 'EMAILADDRESS', 'PHONENUMBER', 'FAXNUMBER', 'WEBADDRESS', 'ADDRESSID', 'COMPANYNAME', and 'CURRENCY'. The 'ADDRESSID' attribute is highlighted with an orange circle, indicating the next step in the tutorial.

18 Clique em "Use Associated Dimension"

The screenshot shows the SAP Data Builder interface for the 'Analytic Model - AN_Sales_00'. The 'Repository' pane on the left lists 'VW_SalesOrderItems_00' and '4VF_SalesOrderItems'. The main workspace displays a fact table 'VW_SalesOrderItems_00' connected to dimensions: 'PRODUCTID' (VW_Products_00), 'SALESORDERID' (VW_SalesOrder_00), 'CREATEDAT' (Time Dimension - Day), 'PARTNERID' (VW_BusinessPartners_00), and 'ADDRESSID' (VW_Addresses_00). The 'Analytic Model Properties' pane on the right is open for the 'ADDRESSID' dimension. The 'Use Associated Dimension' checkbox is checked. The 'Source' is 'VW_BusinessPartners_00' and the 'Source Field' is 'ADDRESSID'. The 'Data Type' is 'Integer64' and the 'Semantic Type' is 'None'. The 'Used in (0)' section indicates the dimension is not being used.

19 Clique no nó "ADDRESSID"

The screenshot shows the same SAP Data Builder interface as in step 18. The 'ADDRESSID' node in the fact table diagram is highlighted with a blue border. The 'Analytic Model Properties' pane on the right remains open, showing the same configuration for the 'ADDRESSID' dimension. The 'Used in (0)' section indicates the dimension is not being used.

20 Seleccione todos os Atributos

The screenshot displays the SAP Data Builder interface for an analytic model named "AN_Sales_00". The interface is divided into several sections:

- Repository:** Located on the left, it shows a list of data sources including "VW_SalesOrderItems_00" and "4VF_SalesOrderItems".
- Layout:** The central workspace shows a "Top-Bottom" layout. It features a "Fact Sources (1)" box containing "VW_SalesOrderItems_00". Below this, there are dimension sources: "PRODUCTID" (VW_Products_00), "SALESORDERID" (VW_SalesOrder_00), "CREATEDAT" (Time Dimension - Day), and "PARTNERID" (VW_BusinessPartners_00). The "ADDRESS" (VW_Addresses_00) source is highlighted with a blue border.
- Analytic Model Properties:** On the right, this panel shows the "Dimension Source" as "AN_Sales_00 / ADDRESSID". Below this, the "Attributes (12)" section is expanded, showing a list of attributes with checkboxes for selection. The attributes listed are: CITY, POSTALCODE, STREET, BUILDING, COUNTRY, REGION, ADDRESSTYPE, VALIDITY_STARTDATE, VALIDITY_ENDDATE, LATITUDE, LONGITUDE, and LATLONG POINT. A note indicates that technical names have "_ADDRESSID" as a suffix.

An orange circle highlights the "Attributes (12)" section in the right-hand panel, indicating the step to select all attributes.


21 Clique no nó "CREATEDAT" e observe os Atributos

The screenshot shows the SAP Data Builder interface. In the center, a diagram illustrates the data model structure. A 'Fact Sources (1)' box contains 'VW_SalesOrderItems_00'. This box is connected to 'PRODUCTID' (VW_Products_00) and 'SALESORDERID' (VW_SalesOrder_00). 'SALESORDERID' is further connected to 'PARTNERID' (VW_BusinessPartners_00) and 'ADDRESSID' (VW_Addresses_00). The 'CREATEDAT' node, labeled 'Time Dimension - Day', is highlighted with an orange circle. On the right, the 'Analytic Model Properties' panel is open, showing the 'Dimension Source' as 'AN_Sales_00 / ADDRESSID'. Below this, the 'Attributes (12)' list is displayed, with a note: 'Technical names have "_ADDRESSID" as suffix.' The attributes listed are: CITY, POSTALCODE, STREET, BUILDING, COUNTRY, REGION, ADDRESSTYPE, VALIDITY_STARTDATE, VALIDITY_ENDDATE, LATITUDE, LONGITUDE, and LATLONG_POINT. All attributes are checked.

22 Clique em "Deploy"

The screenshot shows the SAP Data Builder interface. In the top toolbar, the 'Deploy' button (represented by a cloud icon) is highlighted with an orange circle. The central diagram is identical to the previous screenshot, showing the data model structure with 'CREATEDAT' highlighted. On the right, the 'Analytic Model Properties' panel is open, showing the 'Dimension Source' as 'AN_Sales_00 / CREATEDAT'. Below this, the 'Attributes (8)' list is displayed, with a note: 'Technical names have "_CREATEDAT" as suffix.' The attributes listed are: Date (String), Day of Week, Calendar Week, Calendar Month, Month, Calendar Quarter, Quarter, and Year. The 'Calendar Week', 'Calendar Month', 'Calendar Quarter', and 'Year' attributes are checked.

23 Depois do Deploy, clique em "Preview"



24 Abra o nó "ADDRESSID"

The screenshot shows the Power BI Data Modeler interface. The 'Available Objects' pane is open, displaying a list of dimensions. The 'ADDRESSID' dimension is highlighted with an orange circle. The 'Measures' pane on the left shows a table with columns: NETAMOUNT, GROSSAMOUNT, TAXAMOUNT, and their respective values: 767,800,762.00, 863,775,679.89, and 95,974,917. The 'Builder' pane on the right shows the 'Rows' section with 'No data' and the 'Columns' section with 'Measures' (NETAMOUNT, GROSSAMOUNT, TAXAMOUNT, QUANTITY).

25 Adicione a coluna "COUNTRY" às linhas

The screenshot shows the Power BI Data Modeler interface. The 'Available Objects' pane is open, displaying a list of dimensions. The 'COUNTRY' dimension is highlighted with an orange circle. The 'Measures' pane on the left shows the same table as in the previous screenshot. The 'Builder' pane on the right shows the 'Rows' section with 'COUNTRY' added, and the 'Columns' section with 'Measures' (NETAMOUNT, GROSSAMOUNT, TAXAMOUNT, QUANTITY).

26 Observe os dados

The screenshot displays the Power BI Data Builder interface. On the left, a table shows sales data grouped by country. The table has columns for Country, Net Amount, Gross Amount, and Tax. The data is sorted by country. In the center, the 'Available Objects' pane lists various fields from the data model, including geographical information, dates, and identifiers. An orange circle highlights the 'PRODUCTID' field. On the right, the 'Builder' pane shows the current model structure with 'COUNTRY' in the Rows section and measures (NETAMOUNT, GROSSAMOUNT, TAXAMOUNT, QUANTITY) in the Columns section.

Measures	NETAMOUNT	GROSSAMOUNT	TAXA
COUNTRY			
AU	8,170,089.00	9,191,348.20	1
CA	147,111,248.00	165,500,120.58	18
DE	149,293,193.00	167,954,807.21	18
DU	6,637,765.00	7,467,484.10	
FR	149,593,101.00	168,292,204.04	18
GB	152,704,107.00	171,792,085.07	19
IN	8,386,324.00	9,434,612.58	1
US	145,904,935.00	164,143,018.11	1E

Available Objects:

- LONGITUDE
- POSTALCODE
- REGION
- STREET
- VALIDITY_ENDDATE
- VALIDITY_STARTDATE
- CREATEDAT
- CURRENCY
- EXPECTEDDELIVERYDATE
- IETMATPSTATUS
- NOTEID
- OPITEMPOS
- PARTNERID
- PRODUCTID
- QUANTITYUNIT
- SALESORDERID
- SALESORDERITEM

Builder:

- Rows: COUNTRY
- Columns: NETAMOUNT, GROSSAMOUNT, TAXAMOUNT, QUANTITY