


31 - Configurar Tabela de Textos

1 Clique em "Data Builder"



2 Clique em "Tables"

Welcome to the Data Builder

Create views and tables to prepare data for your stories, and use entity-relationship models to visualize and make associations between artifacts.

All Files **Tables** Views E/R Models Analytic Models Flows Intelligent Lookups Task Chains Data Access Controls

New Table New Graphical View New SQL View New Entity - Relationship Model New Analytic Model New Data Flow New Replication Flow New Transformation Flow New Intelligent Lookup

Search In: "All"

List Objects In: All (50)

Business Name	Technical Name	Type (Semantic Usage)	Space	Folder	Status
☐ VW_ProductCategories_00	VW_ProductCategories_00	View (Dimension)	APOSTILA	-	🕒
☐ AN_Sales_00	AN_Sales_00	Analytic Model (Cube)	APOSTILA	-	🕒
☐ VW_BusinessPartners_00	VW_BusinessPartners_00	View (Dimension)	APOSTILA	-	🕒
☐ VW_Addresses_00	VW_Addresses_00	View (Dimension)	APOSTILA	-	🕒
☐ VW_SalesOrderItems_00	VW_SalesOrderItems_00	View (Fact)	APOSTILA	-	🕒
☐ ER_Sales_00	ER_Sales_00	E/R Model	APOSTILA	-	-
☐ VW_SalesOrder_00	VW_SalesOrder_00	View (Dimension)	APOSTILA	-	🕒

3 Clique em "TB_ProductTexts_<SEU ID>"

Welcome to the Data Builder

Create views and tables to prepare data for your stories, and use entity-relationship models to visualize and make associations between artifacts.

All Files **Tables** Views E/R Models Analytic Models Flows Intelligent Lookups Task Chains Data Access Controls

New Table

Search In: "All"

Search In: All (23)

Business Name	Technical Name	Type (Semantic Usage)	Space	Folder	Status
☐ TB_regions	TB_regions	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ REGIONS_00	REGIONS_00	Remote Table (Relational ...	APOSTILA	-	🕒
☐ COUNTRIES_00	COUNTRIES_00	Remote Table (Relational ...	APOSTILA	-	🕒
☐ TB_SalesOrderItems_00	TB_SalesOrderItems_00	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ TB_SalesOrders_00	TB_SalesOrders_00	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ TB_ProductCategories	TB_ProductCategories	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ TB_Employees	TB_Employees	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ TB_BusinessPartners	TB_BusinessPartners	Local Table (Relational Dat...	APOSTILA	-	🕒
☐ TB_ProductTexts	TB_ProductTexts	Local Table (Relational Dat...	APOSTILA	-	🕒

4 Altere o Semantic Usage para "Text"

5 Altere o Semantic Type das colunas "Language" e "SHORT_DESCR" para "Language" e "Text"

General | Attributes (5) | Associations (0) | Business Purpose | Table Services | Partitions (0) | Dependent Objects (?)

	Business Name	Technical Name	Data Type	Semantic Type	Text / Association	Default Value
☐	☒ PRODUCTID	PRODUCTID	String(5000)	None		
☐	☒ LANGUAGE	LANGUAGE	String(5000)	Language		
☐	☐ SHORT_DESCR	SHORT_DESCR	String(5000)	Text		Enter a string
☐	☐ MEDIUM_DESCR	MEDIUM_DESCR	String(5000)	None		Enter a string
☐	☐ LONG_DESCR	LONG_DESCR	String(5000)	None		Enter a string
☐						
☐						
☐						
☐						

Associations (0)

Business Name	Technical Name	Type	Target Entity	Mappings
---------------	----------------	------	---------------	----------

6 Altere o Text / Association da colunas "PRODUCTID" e para "SHORT_DESCR"

Local Table - TB_ProductTexts

Tools

Data Editor

Technical Name Data Type Semantic Type Text / Association Default Value Not Null

Technical Name	Data Type	Semantic Type	Text / Association	Default Value	Not Null
PRODUCTID	String(5000)	None	SHORT_DESCR		☐
LANGUAGE	String(5000)	Language			☐
SHORT_DESCR	String(5000)	Text		Enter a string	☐
MEDIUM_DESCR	String(5000)	None		Enter a string	☐
LONG_DESCR	String(5000)	None		Enter a string	☐

Technical Name Type Target Entity Mappings

7 Clique em "Deploy"

SAP Data Builder APOSTILA Local Table - TB_ProductTexts

General View Edit Tools

TB_ProductTexts

General Attributes (5) Associations (0) Business Purpose Table Services Partitions (0) Dependent Objects (?)

	Business Name	Technical Name	Data Type	Semantic Type	Text / Association	Default Value
☒	PRODUCTID	PRODUCTID	String(5000)	None	AA SHORT_DESCR	
☒	LANGUAGE	LANGUAGE	String(5000)	Language		
☐	SHORT_DESCR	SHORT_DESCR	String(5000)	Text		Enter a string
☐	MEDIUM_DESCR	MEDIUM_DESCR	String(5000)	None		Enter a string
☐	LONG_DESCR	LONG_DESCR	String(5000)	None		Enter a string

Associations (0)