



Importar Tabela de Textos


1 Clique em "Data Builder"




2 Clique aqui



3 Clique em "Import CSV File"




4 Clique em "Select Source File"




5 Seleccione o arquivo "ProductTexts.csv"

6 Clique em "Upload"



7 Clique aqui



8

Clique em "Set as Key" na coluna "PRODUCTID"

The screenshot displays the SAP Data Builder interface. The main table lists product data with columns: AA PRODUCTID, AA LANGUAGE, AA SHORT_..., AA MEDIUM..., and AA LONG_D... The table contains 19 rows of data. On the right, the 'Overview' panel shows the source 'U ProductTexts' with 84 records and 5 columns. The 'Columns (0/5)' section lists the columns: AA PRODUCTID, AA LANGUAGE, AA SHORT_DESCR, AA MEDIUM_DESCR, and AA LONG_DESCR. An orange circle highlights the 'Set as Key' icon (a key symbol) next to the 'AA LANGUAGE' column in the column list.

	AA PRODUCTID	AA LANGUAGE	AA SHORT_...	AA MEDIUM...	AA LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101	BMX Vintage 101	
5	BX-1012	EN	BMX Jump 1012	BMX Jump 1012	
6	BX-1013	EN	BMX Jump Lux I	BWM Jump Luxur	
7	BX-1014	EN	BMX Jump Lux II	BWM Jump Luxur	
8	BX-1015	EN	BMX Optima	BMX Optima	
9	BX-1016	EN	BMX Optima II	BMX Optima II	
10	CC-1021	EN	Cyclone Basic	Cyclone Basic	
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	

9 Clique aqui

The screenshot shows the SAP Data Builder interface. On the left, a table with columns: AA PRODUC..., AA LANGUAGE, AA SHORT_..., AA MEDIUM..., and AA LONG_D... is displayed. The table contains 19 rows of product data. On the right, the 'Overview' panel shows the source 'U ProductTexts' and a list of columns: AA PRODUCTID, AA LANGUAGE, AA SHORT_DESCR, AA MEDIUM_DESCR, and AA LONG_DESCR. An orange circle highlights the 'LANGUAGE' column in the table and the 'AA LANGUAGE' column in the selection panel.

	AA PRODUC...	AA LANGUAGE	AA SHORT_...	AA MEDIUM...	AA LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101	BMX Vintage 101	
5	BX-1012	EN	BMX Jump 1012	BMX Jump 1012	
6	BX-1013	EN	BMX Jump Lux I	BWM Jump Luxur	
7	BX-1014	EN	BMX Jump Lux II	BWM Jump Luxur	
8	BX-1015	EN	BMX Optima	BMX Optima	
9	BX-1016	EN	BMX Optima II	BMX Optima II	
10	CC-1021	EN	Cyclone Basic	Cyclone Basic	
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	

10 Clique em "Set as Key" na coluna "LANGUAGE"

The screenshot shows the SAP Data Builder interface. On the left, a table with columns: AA PRODUC..., AA LANGUAGE, AA SHORT_..., AA MEDIUM..., and AA LONG_D... is displayed. The table contains 19 rows of product data. On the right, the 'Overview' panel shows the source 'U ProductTexts' and a list of columns: AA PRODUCTID, AA LANGUAGE, AA SHORT_DESCR, AA MEDIUM_DESCR, and AA LONG_DESCR. An orange circle highlights the 'LANGUAGE' column in the table and the 'AA LANGUAGE' column in the selection panel, which now has a key icon indicating it is set as a key.

	AA PRODUC...	AA LANGUAGE	AA SHORT_...	AA MEDIUM...	AA LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101	BMX Vintage 101	
5	BX-1012	EN	BMX Jump 1012	BMX Jump 1012	
6	BX-1013	EN	BMX Jump Lux I	BWM Jump Luxur	
7	BX-1014	EN	BMX Jump Lux II	BWM Jump Luxur	
8	BX-1015	EN	BMX Optima	BMX Optima	
9	BX-1016	EN	BMX Optima II	BMX Optima II	
10	CC-1021	EN	Cyclone Basic	Cyclone Basic	
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	

11 Clique em "Deploy"

The screenshot shows the SAP Data Builder interface. The main window is titled 'Create Transform' and displays a table with 19 rows of product data. The table has five columns: 'AA PRODUC...', 'AA LANGUAGE', 'AA SHORT_...', 'AA MEDIUM...', and 'AA LONG_D...'. The data includes product codes, languages (all 'EN'), and product names in short, medium, and long descriptions. At the bottom right of the table, there is a 'Deploy' button and a 'Cancel' button. The 'Deploy' button is highlighted with an orange circle. To the right of the table, there is an 'Overview' panel showing the source 'U ProductTexts' with 84 rows and 5 columns. Below this, there is a search bar and a list of columns: 'AA PRODUCTID', 'AA LANGUAGE', 'AA SHORT_DESCR', 'AA MEDIUM_DESCR', and 'AA LONG_DESCR'.

	AA PRODUC...	AA LANGUAGE	AA SHORT_...	AA MEDIUM...	AA LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101	BMX Vintage 101	
5	BX-1012	EN	BMX Jump 1012	BMX Jump 1012	
6	BX-1013	EN	BMX Jump Lux I	BWM Jump Luxur	
7	BX-1014	EN	BMX Jump Lux II	BWM Jump Luxur	
8	BX-1015	EN	BMX Optima	BMX Optima	
9	BX-1016	EN	BMX Optima II	BMX Optima II	
10	CC-1021	EN	Cyclone Basic	Cyclone Basic	
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	

12 Clique em "Business Name"

The screenshot shows the SAP Data Builder interface. A 'Deploy Table' dialog box is open in the center. The 'Business Name' field is highlighted with an orange circle and contains the text 'U ProductTexts'. The 'Technical Name' field contains 'U_ProductTexts'. The dialog has 'Deploy' and 'Cancel' buttons. In the background, a table of product data is visible, and a sidebar on the right shows the 'Overview' tab with a search bar and a list of columns.

	AA PRODUC...	AA LANGUAGE	AA SHORT_...	AA MEDIUM...	AA LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101		
5	BX-1012	EN	BMX Jump 1012		
6	BX-1013	EN	BMX Jump Lux I		
7	BX-1014	EN	BMX Jump Lux II		
8	BX-1015	EN	BMX Optima		
9	BX-1016	EN	BMX Optima II		
10	CC-1021	EN	Cyclone Basic		
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	

13 Preencha com o valor "ProductTexts"

14 Clique em "Deploy"

The screenshot shows the SAP Data Builder interface. A table with columns AA_PRODUC..., AA_LANGUAGE, AA_SHORT_..., AA_MEDIUM..., and AA_LONG_D... is visible. A 'Deploy Table' dialog box is open, prompting for 'Business Name' and 'Technical Name', both of which are filled with 'ProductTexts'. The 'Deploy' button is highlighted with an orange circle. A green notification box at the bottom right states 'Dataset has been successfully saved'.

	AA_PRODUC...	AA_LANGUAGE	AA_SHORT_...	AA_MEDIUM...	AA_LONG_D...
1	RO-1001	EN	Roady 1001	Roady 1001	
2	RO-1002	EN	Roady 1002	Roady 1002	
3	RO-1003	EN	Roady 1003	Roady 1003	
4	BX-1011	EN	BMX Vintage 101	BMX Vintage 101	
5	BX-1012	EN	BMX Jump 1012	BMX Jump 1012	
6	BX-1013	EN	BMX Jump Lux I	BMX Jump Lux I	
7	BX-1014	EN	BMX Jump Lux II	BMX Jump Lux II	
8	BX-1015	EN	BMX Optima	BMX Optima	
9	BX-1016	EN	BMX Optima II	BMX Optima II	
10	CC-1021	EN	Cyclone Basic	Cyclone Basic	
11	CC-1022	EN	Cyclone Speed	Cyclone Speed	
12	CC-1023	EN	Cyclone III	Cyclone III	
13	MB-1031	EN	Mt Discovery B	Mountain Discov	
14	MB-1032	EN	Mt Discovery Driv	Mountain Discov	
15	MB-1033	EN	Mt Discovery Rus	Mountain Discov	
16	MB-1034	EN	Mt Discovery Ulti	Mt Discovery Ultir	
17	RC-1051	EN	Tornado I	Tornado I	
18	RC-1052	EN	Tornado II	Tornado II	
19	RC-1053	EN	Stream I	Stream I	