

Appendix B - List of Excluded Outcomes

ID	Outcomes	1st	2nd	3rd
A2 - Quality of life				
3	Health-related quality of life for people with three or more long-term conditions	x		
4	NHSOF - Health-related quality of life for carers			
	ASCOF - Carer-reported quality of life	x		
4	CCGOIS - Health-related quality of life for carers, aged 18 and above			
5	Health-related quality of life for those aged 65 and over	x		
6	Health related quality of life for people with mental health	x		
7	Recovery in quality of life for patients with mental illness	x		
A3 - Life expectancy				
10	Life expectancy at 75 - Males/Females	x		
12	Gap in life expectancy at birth between each local authority and England as a whole	x		
14	Disability-free life expectancy at birth	x		
A4 - Well-being				
19	Self-reported wellbeing - people with a low satisfaction score			x
20	Self-reported wellbeing - people with a low worthwhile score			x
21	Self-reported wellbeing - people with a low happiness score			x
23	PHOF - Percentage of looked after children whose emotional wellbeing is a cause for concern			
	Emotional well-being of looked after children - Average total difficulties score (from SDQ) for all looked after children aged between 5 and 16 (inclusive) at the date of their latest assessment, who have been in care for at least 12 months on 31 March	x		
A5 - Health conditions (prevalence, condition-specific activity, excluding admissions for preventable conditions)				
25	Rate of well-baby births	x		
34	PHOF - Hip fractures in people aged 65 and over			
	CCGOIS - Hip fracture: incidence	x		
41	Decaying teeth		x	
44	People in prison who have a mental illness or a significant mental illness	x		
45	Admissions with malnutrition & dehydration for those aged 65 and over	x		
47	Attendances at A&E for self-harm per 100,000 population	x		
507	Number of people subject to the MH act per 100,000 population (18+)	x		
509	People presenting in acute service with a primary MH diagnosis	x		
52	Tooth extractions due to decay for children admitted as inpatients to hospital, aged 10 years and under	x		
53	Dental-related child A&E attendances for children under 5	x		
444	Expenditure on dental-related child A&E attendances for children under 5	x		
55	Preventable sight loss - glaucoma			x
56	Preventable sight loss - diabetic eye disease			x
40	Myocardial infarction, stroke and stage 5 chronic kidney disease in people with diabetes	x		
A6 - Mortality (overall measures of system performance)				
68	Under 75 mortality rate from all cardiovascular diseases	x		

ID	Outcomes	1st	2nd	3rd
69	Under 75 mortality rate from respiratory disease	x		
70	Under 75 mortality rate from liver disease	x		
71	Mortality rate from a range of specified communicable diseases, including influenza	x		
72	Under 75 mortality rate from cancer	x		
73	One-year survival from all cancers	x		
74	Five-year survival from all cancers	x		
75	One-year survival from breast, lung and colorectal cancer	x		
76	Five-year survival from breast, lung and colorectal cancer	x		
77	One-year survival from cancers diagnosed at stage 1&2	x		
78	Five-year survival from cancers diagnosed at stage 1&2	x		
79	Five-year survival from all cancers in children (formerly indicator 1.6.iii)	x		
80	Mortality from breast cancer in females	x		
58	Potential years of life lost (PYLL) from causes considered amenable to healthcare - adults		x	
59	Potential years of life lost (PYLL) from causes considered amenable to healthcare - children and young people		x	
62	Under 75 mortality rate from cardiovascular diseases considered preventable	x		
63	Under 75 mortality rate from cancer considered preventable	x		
64	Under 75 mortality rate from liver disease considered preventable	x		
65	Under 75 mortality rate from respiratory disease considered preventable	x		
81	Excess under-75 mortality rate in adults with common mental illness	x		
82	PHOF - Excess premature mortality ratio for people with mental health problems NHSOF - Excess under 75 mortality rate in adults with serious mental illness (formerly indicator 1.5)	x		
83	Premature mortality rate for people with mental health problems	x		
86	Excess under-60 mortality rate in adults with a learning disability	x		
B1 - Healthy behaviours and lifestyle				
36	New STI diagnoses (exc chlamydia aged <25) / 100,000	x		
89	Total prescribed LARC excluding injections rate / 1,000	x		
91	Under 16s conception rate / 1,000	x		
93	Breastfeeding - breastfeeding prevalence at 6-8 weeks after birth			x
95	Maternal obesity at booking - child and maternal services dataset		x	
96	Alcohol at booking - child and maternal services dataset		x	
97	Smoking at booking - child and maternal services dataset		x	
100	Percentage of physically active children and young people		x	
101	Proportion of the population meeting the recommended '5-a-day' on a 'usual day' (adults)		x	
26	Reception: Prevalence of overweight (including obesity) Percentage of children aged 4-5 classified as overweight or obese			x
27	PHOF - Year 6: Prevalence of overweight (including obesity) NHS Oversight - Percentage of children aged 10-11 classified as overweight or obese			x
28	Percentage of adults (aged 18+) classified as overweight or obese		x	
450	Obesity related expenditure	x		
30	Emergency admissions for alcohol related liver disease	x		

ID	Outcomes	1st	2nd	3rd
103	Smoking prevalence at age 15 years - regular smokers (SDD survey)		x	
104	Smoking prevalence at age 15 years - occasional smokers (SDD survey)		x	
105	Smoking rates in people with serious mental illness (SMI)	x		
87	Deaths from drug misuse			x
B2 - Personal resources				
106	Loneliness - 1. UCLA Loneliness measure		x	
107	Loneliness - 1.1 How often do you feel that you lack companionship?		x	
108	Loneliness - 1.2 How often do you feel left out?		x	
109	Loneliness - 1.3 How often do you feel isolated from others?		x	
110	Loneliness - 2. How often do you feel lonely?		x	
B3 - Living and working conditions (socio-economic)				
115	School readiness: percentage of children achieving the expected level in the phonics screening check in Year 1	x		
116	School readiness: percentage of children achieving at least the expected level in communication and language skills at the end of Reception	x		
117	School readiness: percentage of children achieving at least the expected level of development in communication, language and literacy skills at the end of Reception	x		
118	Child development: percentage of children achieving a good level of development at 2-2½ years		x	
119	Child development: percentage of children achieving the expected level in communication skills at 2-2½ years		x	
120	Child development: percentage of children achieving the expected level in personal-social skills at 2-2½ years		x	
123	Sickness absence - The percentage of employees who had at least one day off in the previous week	x		
125	Sickness absence - Rate of Fit Notes issued per quarter FND	x		
127	NHSOF - Employment of people with long-term conditions	x		
128	ASCOF - Proportion of adults with learning disabilities in paid employment	x		
129	NHSOF - Employment of people with mental illness (formerly indicator 2.5) ACSOF / CCGOIS - Proportion of adults in contact with secondary mental health services in paid employment NHS Oversight - [MENTAL HEALTH] Percentage of people aged 18 to 69 period in contact with mental health services in employment	x		
130	PHOF - Gap in the employment rate between those with a long-term health condition and the overall employment rate	x		
131	PHOF - Gap in the employment rate between those with a learning disability and the overall employment rate	x		
132	PHOF - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate	x		
133	Dropping out of workforce due to ill-health	x		
134	Re-employment rate for recently unemployed in ill-health	x		
135	Re-employment rate economically inactive due to ill-health.	x		
136	Children in low income families (all dependent children under 20)	x		
137	Children in low income families (under 16s)	x		
489	Deprivation score (IMD)		x	

ID	Outcomes	1st	2nd	3rd
141	Homelessness - Number of households owed a duty under the Homelessness Reduction Act			x
144	PHOF - Adults in contact with secondary mental health services who live in stable and appropriate accommodation ASCOF - Proportion of adults in contact with secondary mental health services who live independently, with or without support NHS Oversight - [MENTAL HEALTH] Percentage of people aged 18 to 69 in contact with mental health services in settled accommodation	x		
145	PHOF - Adults with a learning disability who live in stable and appropriate accommodation ASCOF - Proportion of adults with learning disabilities who live in their own home or with their family	x		
147	First time entrants to the youth justice system	x		
148	Domestic abuse-related incidents and crimes	x		
150	Violent crime - violence offences per 1,000 population	x		
151	Violent crime - sexual offences per 1,000 population	x		
152	Re-offending levels - percentage of offenders who re-offend		x	
153	Re-offending levels - average number of re-offences per offender		x	
155	Killed and seriously injured (KSI) casualties on England's roads		x	
B4 - Physical environment				
157	The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	x		
158	The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	x		
C1 - Leadership and governance				
160	NHS organisations with a board approved sustainable development management plan		x	
161	Evidence that sepsis awareness raising among healthcare professionals has been prioritised by CCGs	x		
162	Quality of leadership		x	
163	Probity and corporate governance		x	
165	Compliance with statutory guidance on patient and public participation in commissioning health and care		x	
166	Progress against the Workforce Race Equality Standard		x	
167	Black and minority ethnic (BME) leadership ambition for executive appointments		x	
168	Effectiveness of shared objective-setting and teamworking			x
169	% agreeing that their team has a set of shared objectives	x		
170	% agreeing that their team often meets to discuss the team's effectiveness	x		
C2 - Resources = Job satisfaction				
172	Staff engagement index... uses three questions from NHS Staff survey (recommend organisation as place to work, motivation at work, ability to contribute towards improvements at work)	x		
173	NHS Staff satisfaction survey - overall by job role (allied health professional, dental, ambulance, public health, registered nurses and midwives, social care, management, admin/clerical)			x
174	NHS Staff satisfaction survey - Measures of satisfaction with job	x		

ID	Outcomes	1st	2nd	3rd
175	NHS Staff satisfaction survey - Measures of satisfaction with management	x		
176	NHS Staff satisfaction survey - Measures of satisfaction with safety at work	x		
177	NHS Staff satisfaction survey - Measures of satisfaction with personal development	x		
178	NHS Staff satisfaction survey - Measures of satisfaction with employer/organisation	x		
179	Staff recommendation of the organisation as a place to work or receive treatment	x		
180	% experienced harassment, bullying or abuse at work from patients/service users, their relatives or other members of the public	x		
181	% experienced harassment, bullying or abuse at work from managers	x		
182	% experienced harassment, bullying or abuse at work from other colleagues	x		
183	% staff believing the trust provides equal opportunities for career progression or promotion	x		
184	% experiencing discrimination from their manager/team leader or other colleagues in the last 12 months	x		
508	Staff survey: (1) active use of patient feedback, (2) confidence in speaking up if concerns	x		
C3 - Resources = Workforce				
204	Oversight - Primary care workforce - Number of GPs and practice nurses (full-time equivalent) per 1,000 weighted patients by CCG Ham - GPs per 100,000 population	x		
188	Number of NHS Hospital and Community Health Service (HCHS) doctors and consultants (overall and by staff grade)			x
192	Staff turnover		x	
193	Proportion of temporary staff - Agency staff costs (as defined in measuring performance against the provider's cap) as a proportion of total staff costs. Calculated by dividing total agency spend over total pay bill.		x	
C4 - Resources = Structures (e.g. equipment, sites, beds)				
201	Number of NHS beds			x
C5 - Efficient allocation of resources / meet needs of population				
454	Delivery of the mental health investment standard		x	
455	Children and Young People and Eating Disorders investment as a percentage of total mental health spend		x	
457	Expenditure in areas with identified scope for improvement - CCGs select healthcare programmes (such as Respiratory or Cancer) that they will prioritise and submit Delivery Plans setting out the interventions and improvements they will deliver. This indicator calculates growth in activity for selected programmes compared to growth in activity in the baseline period.		x	
517	Do you use risk stratification to drive the allocation of resources?		x	
D1 - Access				
562	Access to GP < 48 hrs	x		
207	Total waiting time for assessment for ambulance attendances (A&E)	x		
209	Total waiting time for treatment (A&E)	x		
212	Elective waiting times - total waiting time	x		

ID	Outcomes	1st	2nd	3rd
215	NHS Oversight - Patients waiting over 52 weeks for treatment Ham - Number of patients waiting more than 52 weeks on incomplete pathways	x		
216	Overall size of the waiting list - The total number of incomplete Referral to Treatment (RTT) pathways at the end of the reporting period (often referred to as the size of the RTT waiting list).	x		
218	People with urgent GP referral having first definitive treatment for cancer within 62 days of referral Maximum 62-day wait from urgent GP referral to first definitive treatment for cancer Maximum 62-day wait from referral from an NHS screening service to first definitive treatment for all cancers Maximum 62-day wait for first definitive treatment following a consultant's decision to upgrade the priority of the patients (all cancers)	x		
522	Maximum two-week wait for first outpatient appointment for patients referred urgently with suspected cancer by a GP	x		
523	Maximum two-week wait for first outpatient appointment for patients referred urgently with breast symptoms (where cancer was not initially suspected)	x		
524	Maximum 31-day wait from diagnosis to first definitive treatment for all cancers	x		
525	Maximum 31-day wait for subsequent treatment where that treatment is surgery	x		
526	Maximum 31-day wait for subsequent treatment where the treatment is an anti-cancer drug regimen	x		
527	Maximum 31-day wait for subsequent treatment where the treatment is a course of radiotherapy	x		
533	Cancelled operations – urgent	x		
538	MH: availability and responsiveness of out-of-hours services		x	
495	Waiting > 90 days for IAPT: % of referrals (in month) waiting > 90 days for first treatment	x		
497	IAPT access (comparison to plan)	x		
235	Improving Access to Psychological Therapies – access (The proportion of people that enter treatment against the level of need in the general population i.e. the proportion of people who have depression and/or anxiety disorders who receive psychological therapies)	x		
234	Access to psychological therapies services by people from Black and Minority Ethnic (BME) groups	x		
236	Oversight: People with first episode of psychosis starting treatment with a National Institute for Health and Care Excellence (NICE)- recommended package of care treated within two weeks of referral Ham: Waiting times for Early Intervention in Psychosis (data will be available from Q3 of 2015/16 against the new waiting time standard)		x	
549	Referral to treatment for Early Intervention in Psychosis services	x		
520	Waiting times for new psychiatric referral for people with learning disabilities or Autism	x		
548	Liaison and psychiatry (building on the A&E 4hr wait) – further work to be considered as part of the work on implementation of the new access standard on liaison psychiatry	x		

ID	Outcomes	1st	2nd	3rd
241	Percentage of children and young people aged under 18 with a diagnosable mental health condition who are receiving treatment from NHS funded community services (SPECIFICALLY... The number of children and young people, regardless of when their referral started, receiving at least two contacts (including indirect contacts) and where their first contact occurs before their 18th birthday.)	x		
233	Access to community mental health services by people from Black and Minority Ethnic (BME) groups	x		
547	Use of police cells/health-based places of safety for people detained under s136 – this is available by police force areas but needs to be mapped to CCG and trust areas	x		
239	Achievement of clinical standards in the delivery of 7-day services - Proportion of consultants who said that diagnostic tests were always or usually available when needed for critical and urgent patients		x	
240	Achievement of clinical standards in the delivery of 7-day services - Proportion of the nine possible consultant- directed interventions provided by the trust 7 days a week on-site or by formal arrangement		x	
220	Delayed transfers of care by reason - Awaiting completion of assessment	x		
221	Delayed transfers of care by reason - Awaiting public funding	x		
222	Delayed transfers of care by reason - Awaiting residential home placement or availability	x		
223	Delayed transfers of care by reason - Awaiting nursing home placement or availability	x		
224	Delayed transfers of care by reason - Awaiting care package in own home	x		
229	Delayed transfers of care by reason - Awaiting community equipment and adaptations	x		
D2 - Quality - Effectiveness and appropriateness				
245	Cancer screening coverage - bowel cancer		x	
536	Proportion of population with learning difficulties accessing national cancer screening programmes vs proportion of general population	x		
247	Diabetic eye screening - uptake		x	
248	Fetal Anomaly Screening – coverage		x	
249	Infectious Diseases in Pregnancy Screening - HIV Coverage		x	
250	Infectious Diseases in Pregnancy Screening - Syphilis Coverage		x	
251	Infectious Diseases in Pregnancy Screening - Hepatitis B Coverage		x	
252	Sickle Cell and Thalassaemia Screening - Coverage		x	
253	Newborn Blood Spot Screening - Coverage			x
254	Newborn Hearing Screening - Coverage			x
255	Newborn and Infant Physical Examination Screening - Coverage		x	
256	Population vaccination coverage - BCG - areas offering universal BCG only		x	
257	Population vaccination coverage - Hepatitis B (1 years old)			x
259	Population vaccination coverage - Meningococcal group B (MenB) (1 year)		x	
260	Population vaccination coverage - Rotavirus (Rota) (1 year)		x	
262	Population vaccination coverage - Hepatitis B (2 years old)			x
264	Population vaccination coverage - MenB booster (2 years)		x	
267	Population vaccination coverage - Flu (2-3 years old)		x	

ID	Outcomes	1st	2nd	3rd
269	Population vaccination coverage - Diphtheria, tetanus, pertussis, polio (DTaP/IPV booster) (5 years)		x	
272	Population vaccination coverage - Flu (primary school aged children (reception to year 6))		x	
273	Population vaccination coverage - HPV vaccination coverage for one dose (females 12-13 years old)		x	
274	Population vaccination coverage - HPV vaccination coverage for two doses (females 13-14 years old)		x	
275	Population vaccination coverage - MenACWY (14-15 yrs old)		x	
279	Population vaccination coverage - Shingles vaccination coverage (70 years old)		x	
37	Estimated diabetes diagnosis rate	x		
43	PHOF - Estimated dementia diagnosis rate (aged 65 and over) NHSOF / NHS Oversight - Estimated diagnosis rate for people with dementia	x		
346	Adults with substance misuse treatment need who successfully engage in community-based structured treatment following release from prison	x		
347	Proportion of drug sensitive TB cases who had completed a full course of treatment by 12 months	x		
280	Cumulative percentage of the eligible population aged 40-74 offered an NHS Health Check	x		
282	Cumulative percentage of the eligible population aged 40-74 who received an NHS Health check	x		
283	Proportion of people with a learning disability on the GP register receiving annual health check	x		
285	QOF average population achievement rates - Quality indicators for specific conditions	x		
286	Provision of high-quality care: primary medical services - overall CQC score		x	
49	Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s	x		
50	Emergency admissions for acute conditions that should not usually require hospital admission	x		
51	Emergency admissions for children with lower respiratory tract infections (LRTIs)	x		
288	Volume of ambulatory care sensitive emergency admissions per 1,000 practice list size - by condition	x		
289	Total bed days for unplanned admissions for ambulatory care-sensitive conditions (ACSCs) per 100,000 population	x		
543	GP prescribing indicator (mental health)	x		
297	HIV late diagnosis (%)	x		
298	People with diabetes who have received nine care processes	x		
299	Diabetes patients that have achieved all the NICE recommended treatment targets: three (HbA1c, cholesterol and blood pressure) for adults and one (HbA1c) for children	x		
300	Dementia care planning and post-diagnostic support	x		
203	Completeness of the GP learning disability register	x		
350	Complications associated with diabetes	x		
362	People with serious mental illness (SMI) who have received the complete list of physical checks	x		

ID	Outcomes	1st	2nd	3rd
368	CCGOIS - People with diabetes diagnosed less than a year who are referred to structured education NHS Oversight - People with diabetes diagnosed less than a year who attend a structured education course	x		
503	Controlled blood pressure indicator	x		
550	Proportion of patients referred by a GP with symptoms receiving a definitive cancer diagnosis or cancer excluded within 2 and 4 weeks	x		
535	Proportion of people with learning difficulties on the GP DES (directed enhanced services) register receiving an annual health check	x		
312	[ACUTE] Hospital Standardised Mortality Ratio	x		
313	[ACUTE] Summary Hospital- level Mortality Indicator	x		
314	Provision of high-quality care: hospitals - overall CQC score		x	
316	Total health gain as assessed by patients for elective procedures - Physical health-related procedures		x	
315	Patient reported outcome measures (PROMs) for elective procedures	x		
317	NHS Oversight - [ACUTE] Count of number of occasions sexes were mixed on same-sex wards Ham et al (2015) - Breaches of mixed-sex accommodation			x
351	People who have had an acute stroke who receive thrombolysis	x		
352	Proportion of stroke patients reporting an improvement in activity/ lifestyle on the Modified Rankin Scale at six months	x		
353	People who have had an acute stroke who spend 90% or more of their stay on a stroke unit	x		
354	Completion of cardiac rehabilitation following an admission for coronary heart disease	x		
355	People with Chronic Obstructive Pulmonary Disease and Medical Research Council Dyspnoea Scale ≥ 3 referred to a pulmonary rehabilitation programme	x		
356	Hip fracture: Proportion of patients recovering to their previous levels of mobility / walking ability at 30 days	x		
357	Hip fracture: Proportion of patients recovering to their previous levels of mobility / walking ability at 120 days	x		
358	Hip fracture: collaborative orthogeriatric care	x		
359	Hip fracture: multifactorial risk assessment	x		
360	Hip fracture: care process composite indicator	x		
473	Evidence-based interventions policy: Reduce inappropriate activity for 17 interventions in order to prevent avoidable harm to patients	x		
306	Emergency alcohol-specific readmission to any hospital within 30 days of discharge following an alcohol-specific admission	x		
310	Mortality within 30 days of hospital admission for stroke	x		
318	Adjusted Social care-related quality of life – impact of Adult Social Care services		x	
319	Long-term support needs of younger adults (aged 18-64) met by admission to residential and nursing care homes, per 100,000 population		x	
320	Long-term support needs of older adults (aged 65 and over) met by admission to residential and nursing care homes, per 100,000 population		x	
321	The outcome of short-term services: sequel to service		x	
112	Social Isolation: Percentage of adult carers who have as much social contact as they would like	x		

ID	Outcomes	1st	2nd	3rd
323	[AMBULANCE] Proportion of patients who had resuscitation (advanced or basic life support) begun/continued by ambulance service following out-of- hospital cardiac arrest of presumed cardiac origin, where the arrest was bystander witnessed and the initial rhythm was VF or VT, and who had return of spontaneous circulation on arrival at hospital		x	
324	[AMBULANCE] Proportion of suspected stroke patients assessed face to face who received an appropriate care bundle		x	
325	C-section deliveries (%) - All C-Sections Proportion of pregnant women having planned caesarean sections after 39 weeks 0 days	x		
327	Unassisted vaginal deliveries (%)	x		
328	Induced labours (%)	x		
329	C-section deliveries (%) - Pre-labour C-Sections	x		
330	Deliveries involving instruments (%)	x		
331	Episiotomy procedures (%) - Amongst vaginal deliveries	x		
332	Episiotomy procedures (%) - Amongst instrumental deliveries	x		
333	3rd and 4th degree perineal tears - All births	x		
334	3rd and 4th degree perineal tears - Amongst unassisted vaginal deliveries	x		
336	Percentage of referrals to Improving Access to Psychological Therapies (IAPT) services which indicated a reliable improvement following completion of treatment	x		
337	Percentage of referrals to Improving Access to Psychological Therapies (IAPT) services which indicated a reliable deterioration following completion of treatment	x		
338	Total health gain as assessed by patients for elective procedures - Psychological therapies	x		
342	Oversight: [MENTAL HEALTH] Number of children and young persons under 16 who are admitted to adult wards Ham et al: Placement of under-18s on adult wards (community failure/joint planning metric), part of CAMHS		x	
339	Unplanned readmissions to mental health services within 30 days of a mental health inpatient discharge in people aged 17 and over		x	
511	Time spent in hospital during the last 6 months of life	x		
85	Suicide and mortality from injury of undetermined intent among people with recent contact from NHS services	x		
348	Achievement of clinical standards in the delivery of 7-day services - Proportion of patients in the trust who need it, receive a daily or twice daily review by a consultant		x	
366	Percentage of NHS continuing healthcare full assessments taking place in an acute hospital setting (free social care arranged and funded solely by the NHS)		x	
303	All-cause mortality – 12 months following a first emergency admission to hospital for heart failure in people aged 16 and over	x		
349	PHOF / NHS Oversight - Cancer diagnosed at early stage CCGOIS - Percentage of cancers detected at stage 1 and 2	x		
309	Survival from major trauma	x		
361	A measure of the effectiveness of post-diagnosis dementia care in sustaining independence and improving quality of life	x		

ID	Outcomes	1st	2nd	3rd
365	Learning disabilities mortality review: the percentage of reviews completed within 6 months of notification	x		
471	People who have a follow-up assessment between 4 and 8 months after initial admission for stroke	x		
479	Cancer: diagnosis via emergency routes	x		
480	People with dementia prescribed anti-psychotic medication	x		
481	Improved antibiotic prescribing in primary and secondary care. Composite Quality Premium consisting of three parts: Part a) reduction in the number of antibiotics prescribed in primary care Part b) reduction in the proportion of broad spectrum antibiotics prescribed in primary care Part c) secondary care providers validating their total antibiotic prescription data.	x		
485	Dementia care has been reviewed in past 12 months	x		
486	Dementia time to referral to memory service	x		
544	Reliance on inpatient care for people with learning difficulties	x		
504	Smoking cessation advice for smokers with selected conditions: percentage, 15+ years, annual, P	x		
364	Reliance on specialist inpatient care for people with a learning disability and/or autism	x		
D3 - Quality - Safety				
369	[ACUTE] Proportion of patients admitted who have a VTE risk assessment		x	
371	Proportion of patients with category 2, 3 and 4 pressure ulcers		x	
372	Hip fractures from falls during hospital care		x	
384	[GENERAL] Occurrence of any Never Event		x	
385	[GENERAL] Number of NHS England or NHS Improvement Patient Safety Alerts outstanding in most recent monthly snapshot	x		
383	Severe harm attributable to problems in health care	x		
382	Deaths attributable to problems in health care	x		
530	Medication-related patient safety incidents	x		
375	NHSOF / CCGOIS - Incidence of healthcare-associated infection - C. difficile NHS Oversight - [ACUTE] Clostridium difficile – infection rate			x
376	[ACUTE] Meticillin-susceptible Staphylococcus aureus (MSSA) bacteraemias rate	x		
377	[ACUTE] Escherichia coli (E. coli) bacteraemia bloodstream infection (BSI) rate	x		
378	[ACUTE] Count of trust apportioned C. difficile infections in patients aged two years and over compared to the number of planned C. difficile cases	x		
379	Proportion of people who use services who feel safe	x		
381	Admission of full-term babies to neonatal care		x	
D4 - Quality - Patient centeredness (experience, choice, integrated care)				
569	GP scores from Friends and Family Test			x
387	Patient experience characterised as poor or worse - primary care	x		
388	Patient satisfaction with primary care - patients would recommend GP	x		
389	Patient satisfaction with primary care - GP satisfaction with aspects of last visit (broken down by: given enough time; listening; treated with care/concern; confidence/trust)	x		

ID	Outcomes	1st	2nd	3rd
390	Patient satisfaction with primary care - Nurse satisfaction with aspects of last visit (broken down by: given enough time; listening; treated with care/concern; confidence/trust)	x		
391	Patient satisfaction with primary care - experience of making an appointment Access to GP services - how would you describe your experience of making an appointment?	x		
392	Patient experience of GP out-of-hours services	x		
394	The proportion of carers with a long term condition who feel supported to manage their condition	x		
395	Use of the NHS e-referral service to enable choice at first routine elective referral		x	
397	[ACUTE] A&E scores from Friends and Family Test – % positive			x
396	NHS England Overall Patient Experience Scores - Patient experience of A&E services			x
399	[ACUTE] Inpatient scores from Friends and Family Test – % positive			x
398	NHS England Overall Patient Experience Scores - Adult inpatient survey (combined score across multiple questions) [ACUTE] Findings from the CQC survey looking at the experiences of people receiving inpatient services at NHS hospitals			x
404	Responsiveness to inpatients' personal needs			x
401	Patient experience characterised as poor or worse - hospital care	x		
402	Children and young people's experience of inpatient services	x		
427	NHS Oversight: Cancer patient experience Ham et al: Cancer experience survey	x		
570	Outpatient scored from Friends and Family Test - % positive			x
403	NHS England Overall Patient Experience Scores - Patient experience of outpatient services		x	
521	Current hospital inpatient stays per unit population with learning disabilities out of area	x		
410	The proportion of people who use services who receive self-directed support		x	
412	The proportion of people who use services who receive direct payments		x	
406	Overall satisfaction of carers with social services	x		
408	The proportion of carers who find it easy to find information about support	x		
409	Proportion of carers who report that they have been included or consulted in discussion about the person they care for	x		
411	The proportion of carers who receive self-directed support	x		
413	The proportion of carers who receive direct payments	x		
422	Bereaved carers' views on the quality of care in the last 3 months of life	x		
414	[AMBULANCE] Ambulance see-and-treat from Friends and Family Test – % positive		x	
416	[ACUTE] Maternity scores from Friends and Family Test – % positive			x
512	% mothers able to give birth in place of choice	x		
419	[MENTAL HEALTH] Mental health scores from Friends and Family Test – % positive			x
237	NHS oversight - Mental health out-of-area placements Ham - Out-of-area treatment – some analysis is available via CCG from HSCIC – new indicator being considered for development		x	

ID	Outcomes	1st	2nd	3rd
426	[COMMUNITY] Community scores from Friends and Family Test – % positive			x
423	People's experience of integrated care		x	
519	[New survey question] Do you think that the different people and services treating and caring for you work well together to give you the best possible care?		x	
551	Cancer task force - Proportion of patients with patient-agreed written after-treatment plan	x		
487	Dementia – number of patients/carers with care plan	x		
493	MH002: Patients with schizophrenia, bipolar affective disorder and other psychoses who have a comprehensive care plan	x		
470	People with stroke who are discharged from hospital with a joint health and social care plan	x		
472	Personal health budgets - Number of personal health budgets in place per 100,000 CCG population		x	
505	Percentage of GPs providing 3-month MDT case reviews for people on the Palliative Care Register. Or: regular (at least 3-monthly) MDT case review meetings where all patients on the palliative care register are discussed	x		
553	Cancer patient survey data	x		
424	[GENERAL] Number of written complaints per whole time equivalent staff	x		
425	[GENERAL] Staff Friends and Family Test % recommended – care	x		
D5 - Efficiency and productivity				
428	[ACUTE AND SPECIALIST] Dementia assessment and referral: the number and proportion of patients aged 75 and over admitted as an emergency for more than 72 hours	x		
217	Pre-procedure bed days for elective surgeries	x		
302	Population use of hospital beds following emergency admission	x		
227	Delayed transfers of care by setting - Acute	x		
228	Delayed transfers of care by setting - Non-Acute	x		
432	[AMBULANCE] Proportion of FAST6 positive patients (assessed face to face) potentially eligible for stroke thrombolysis within agreed local guidelines arriving at hospitals with a hyperacute stroke centre within 60 minutes of call connecting to the ambulance service	x		
433	[AMBULANCE] Proportion of patients with initial diagnosis of 'definite myocardial infarction' for whom primary angioplasty balloon inflation occurs within 150 minutes of call connected to the ambulance service, where first diagnostic electrocardiogram (ECG) is performed by ambulance personnel and patient was directly transferred to a designated Primary Percutaneous Coronary Intervention (PPCI) centre as locally agreed	x		
434	[AMBULANCE] The mean average response time across all incidents coded as C1 that received a response on scene		x	
435	[AMBULANCE] The mean average response time across all incidents coded as C2 that received a response on scene		x	
436	[AMBULANCE] The mean average response time across all incidents coded as C3 that received a response on scene		x	
437	[AMBULANCE] The mean average response time across all incidents coded as C4 that received a response on scene		x	

ID	Outcomes	1st	2nd	3rd
431	People who have had a stroke who are admitted to an acute stroke unit within 4 hours of arrival to hospital	x		
439	Hip fracture: timely surgery	x		
440	Achievement of clinical standards in the delivery of 7-day services - Percentage of patients reviewed by an appropriate consultant within 14 hours of admission	x		
441	Referrals to cardiac rehabilitation within 5 days of an admission for coronary heart disease	x		
D6 - Activity / utilisation				
461	GP or GP nurse visits	x		
464	Condition specific elective and non-elective spells	x		
566	Mental Health Services activity - People in contact with services (MH01)			x
494	IAPT service referrals: Rate (quarterly) per 100,000 population aged 18+	x		
490	Rate of people receiving assertive outreach services: Rate per 100,000 population	x		
491	New cases of psychosis served by Early Intervention teams: Rate (annual) per 100,000 population	x		
475	Informal care provision - Intensive informal caring (50+ hours a week)	x		
D7 - Expenditure				
563	Per capita expenditure in public health services (suggested by Laura)			x
565	Share of total LA expenditure on public health services (suggested by Laura)	x		
567	Share of total LA expenditure on social care (suggested by Laura)	x		
545	CCG spend on mental health as a proportion of overall spend	x		
499	Spend (£) on CAMHS: Rate per 100,000 population aged <18 (mapped from PCT)	x		
453	Percentage of total CCG expenditure for each of the 23 categories of programme budgeting		x	
D8 - Multiple				
205	Total waiting time (A&E)	x		
206	Percentage of patients admitted, transferred or discharged from A&E within four hours	x		
541	A&E data on outcomes for people attending with self harm and/or 4hr breaches involving mental health	x		
225	Delayed transfers of care from hospital, per 100,000	x		
230	Delayed transfers of care by reason - Patient or family choice	x		
231	Delayed transfers of care by reason - Disputes	x		
Others				
516	Do all health and social care organisations have read/write access on care records?	x		
510	Rates of exclusions from QoF registers	x		
539	Rates of exclusions from CCG QoF registers (mental health)	x		
476	Quality of mental health data submitted to NHS Digital (DQMI)	x		
477	Record of stage of cancer at diagnosis	x		
478	Record of lung cancer stage at decision to treat	x		