

```

import requests
import random
import time
import json

TOKEN =
"8496813669:AAHUmjfboCb6uK7_Gfxh3s9q
"pYJCJfMbG0OE
BASE_URL = f"https://api.telegram.org/
"bot{TOKEN}

{} = user_data

def send_message(chat_id, text,
                  :keyboard=None)
    "url = f"{BASE_URL}/sendMessage
    payload = {"chat_id": chat_id, "text": text}
                :if keyboard
                payload["reply_markup"] =
                    json.dumps(keyboard)
    requests.post(url, data=payload)

: def get_updates(offset=None)
    "url = f"{BASE_URL}/getUpdates
    params = {"timeout": 100, "offset": offset}
    resp = requests.get(url,
                        ()params=params).json
    return resp.get("result", [])

: def generate_usernames(user_type, amount)
    chars2 =
    "qwertyuiopasdfghjklzxcvbnm0123456789
    :if user_type == "1
        "-" = uesr
    :elif user_type == "2
        "." = uesr
    :else
        ([".", "-"])uesr = random.choice
        [] = results
    :for _ in range(amount)
        password =
    ".join(random.choice(chars2) for _ in

```

```

range(3))
results.append("@" + uesr + password)
return results

def main():
    last_update_id = None
    while True:
        updates = get_updates(last_update_id)
        for update in updates:
            last_update_id = update["update_id"] + 1

            if "message" not in update:
                continue
            chat_id = update["message"]["chat_id"]
            text = update["message"].get("text",
                                           "").strip()

            if chat_id not in user_data:
                user_data[chat_id] = {"step": None}

            step = user_data[chat_id]["step"]

            if text == "/start":
                keyboard = [{"text": "1", "callback_data": "keyboard_1"},
                             {"text": "2", "callback_data": "keyboard_2"},
                             {"text": "3", "callback_data": "keyboard_3"},
                             {"text": "4", "callback_data": "keyboard_4"}]
                user_data[chat_id]["step"] = "choose_type"
                continue

            if step == "choose_type":
                if text.startswith("1"):

```

```

"user_data[chat_id]["type"] = "1"
        :elif text.startswith("2")
"user_data[chat_id]["type"] = "2"
        :elif text.startswith("3")
"user_data[chat_id]["type"] = "3"
        :elif text.startswith("4")
"user_data[chat_id]["type"] = "4"
        :else
    "اختر زر من الأزرار.", chat_id)send_message
        continue
    user_data[chat_id]["step"] = "amount"
    "كم عدد اليوزرات؟", chat_id)send_message
        continue

    :if step == "amount"
    :()if not text.isdigit
    "أرسل رقم صحيح.", chat_id)send_message
        continue
    amount = int(text)
    user_data[chat_id]["amount"] = amount

    results = generate_usernames(user_data[chat_id]
        ["type"], amount)
    results_message = "\n".join(results)

    send_message(chat_id, results_message)
    "تم إنشاء ✅", chat_id)send_message
    "جميع اليوزرات.\nأرسل start/ للتوليد من جديد."
    "user_data[chat_id]["step"] = "done"
        continue

    time.sleep(1)

: "__if __name__ == "__main__"
    ()main

```