



Council Dashboard Summary

Source and Calculation Guide

A plain-English guide to where dashboard values come from, how they are refreshed, how major metrics are calculated, and how the in-dashboard help works.

Item	Current source / value
Data current	Aug 31, 2026
Dashboard workbook	2026-08-31_Dashboard - CAC.xlsx
CST workbook	2026-08-31_CST7.xlsx
monday.com workbook	2026-08-31_Membership-Hub-Field-Service-monday-export.xlsx
Guide generated	Aug 31, 2026
Published site	https://pbsargent.github.io/council-dashboard-summary/

Reader promise

This guide avoids code-level detail unless a formula matters. The dashboard's ? buttons provide brief panel-level help; this document provides the deeper source and calculation context. For exact implementation and edge cases, use the Markdown data dictionary in the repository.

1. What The Dashboard Is

The Council Dashboard Summary is a static web dashboard for Capitol Area Council operating review. It brings together membership, retention, unit health, renewal, training, camping readiness, safeguarding, commissioner coverage, Service Area context, CST comparison, recruitment, and monday.com operating context.

The website itself is static. It does not connect directly to Google Drive or monday.com when someone opens it. Instead, a daily local refresh process creates compact JSON and JavaScript data bundles in an isolated staging tree, verifies the payload, and deploys it through GitHub Pages Actions. Generated daily data is not committed to the source repository.

Most major panels include a circular ? help control. Hovering, focusing, or clicking that control opens a short explanation of the panel's source and meaning. Those panel notes are intentionally brief; this guide remains the fuller reference.

At-a-glance data currently published

Area	Current value
Youth membership	8,309
Volunteers	3,546
Retention	65.3%
Units	297
At-risk units	121 (40.7%)
Healthy units	86 (29.0%)
Commissioners	101
Unit commissioners	70
Service Areas	3
Training rows	5,759
Hot prospects	205
Renewal rows	311
School rows	738
Popcorn units	281
Popcorn committed	98 (34.9%)

2. Where The Data Comes From

The dashboard has six main source lanes.

Source lane	Used for	Published as
Council dashboard workbook	Membership, unit health, district training rates, commissioner objectives, person-level training, and commissioner roster.	`data/latest.json`
CST comparison workbook	Service Territory comparison metrics and Capitol Area Council comparison fields.	`data/latest.json`
monday.com daily workbook	Hot prospects, 2026 renewal status, schools, Total Available Youth, and Popcorn commitments/readiness.	`data/monday-latest.json`
Unit Level Metrics workbook	Unit-level youth, health, growth, training, SYT, and commissioner-assignment detail by program.	`data/unit-level-latest.*`
Cub Scout JSN board	School recruiting plans, scheduled recruitments, location and date patterns, and recruiting-material totals.	`data/fall-recruitment-latest.js`
Service Areas board	Authoritative Service Area hierarchy, Field Directors, district professionals, Volunteer Chairs, and District Commissioners.	`data/latest.json`

The monday.com daily workbook is preferred because it contains richer detail rows. If that workbook is not available, the automation can fall back to the monday.com API, but the API fallback is less detailed than the workbook export. The Council Dashboard Reports drive also contains Unit Level Metrics captures; those are used only for Unit Level detail and must not be selected as the main Dashboard - CAC workbook.

Public person-name privacy

Every person-name field published on the public Council Summary and Commissioner sites is reduced to first name plus last initial, such as Alex R. This applies to training and SYT rows, commissioner rosters and assignments, Service Area and district leadership, Unit-Level members and commissioners, and Renewal owners, leaders, contacts, and commissioners. Private source workbooks and intermediate working files are unchanged.

3. How The Daily Refresh Works

The consolidated CAC Dashboard Platform is the sole production writer. One scheduled macOS LaunchAgent runs the platform orchestrator, which refreshes source data and publishes the Council Summary and Commissioner sites from their active working copies. The Commissioner Dashboard remains a separate portal that reads the same canonical Council Summary data.

1. Capture the current monday.com Service Areas hierarchy and district leadership fields for this run.
2. Find the newest `\_Dashboard - CAC.xlsx` Council dashboard workbook in the Council Dashboard Reports shared drive.

3. Ignore ``\*\_CAC - Unit Metric Scorecard.xlsx`` for the CAC dashboard source selection, even if that Unit Level Metrics workbook is the newest workbook in the same shared drive.
4. Find the newest CST7 workbook in the Council Metric Reports shared drive.
5. Build `data/latest.json`, including Service Area rollups and a dated working archive outside the Pages source tree.
6. Find the newest monday.com export workbook in the Council monday.com Reports shared drive.
7. Build `data/monday-latest.json`, falling back to the monday.com API only if needed.
8. Rebuild Unit-Level Detail, Renewal Status, Units-Youth history, and the Cub Scout JSN data bundle.
9. Abbreviate every covered public person-name field to first name plus last initial and stop the deployment if a covered full name remains.
10. Run the site-structure validator and stage the complete static site in an isolated Pages tree.
11. Deploy the Council Summary site tree as a checksum-verified GitHub Pages artifact without committing generated data.
12. Deploy the Commissioner Dashboard as a verified Pages artifact only when its static payload changed.
13. Verify the GitHub Pages deployment and report the refresh result.

What changes daily

The daily automation updates data files. It does not rewrite dashboard code or formulas. A formula or page layout changes only when the website code is edited and committed.

Single-writer publishing

The consolidated CAC Dashboard Platform is the only production deployer. Source changes use ordinary linear commits; daily generated data uses verified Pages artifacts without force pushes.

How freshness times display

The lower-left dashboard timestamp is shown in the viewer's local timezone. Council dashboard timestamps that do not include a timezone are interpreted as America/Chicago source time first; monday.com timestamps that include UTC or another offset are treated as exact instants and then displayed locally for the viewer.

Automation paths

The active platform root is /Users/petersargent/CACDashboardPlatform. The sole LaunchAgent is /Users/petersargent/Library/LaunchAgents/com.cac.dashboard.macpro-daily.plist. The platform orchestrator is tools/daily_build_publish.zsh; the Council Summary updater is sites/council-dashboard-summary/update_daily.zsh.

4. Build And Data Acquisition Requirements

A technical maintainer can rebuild a similar dashboard if they have the source workbooks, monday.com read access, a Python environment with the workbook/document libraries, a GitHub Pages repository, and an automation path that can build and deploy a verified static payload.

Requirement	What must be available
Runtime	Python with openpyxl for Excel parsing and python-docx for guide generation.
Google Drive access	Shared drives named Council Dashboard Reports, Council Metric Reports, and Council monday.com Reports. Council Dashboard Reports contains both the Dashboard - CAC workbook and the Unit Level Metrics workbook.
Workbook patterns	Use ``*_Dashboard - CAC.xlsx`` only for the council dashboard source, ``*_CAC - Unit Metric Scorecard.xlsx`` only for Unit Level detail, ``*_CST7.xlsx`` for CST metrics, and ``*_monday-export.xlsx`` for monday.com detail.
monday.com access	Daily export workbook preferred; API token fallback requires read access to the configured boards.
Publishing	GitHub Pages repository on main branch with static HTML, CSS, JavaScript, assets, and JSON data.
Automation	One LaunchAgent that refreshes source data and deploys generated data as verified Pages artifacts. Ordinary linear Git commits are reserved for source changes.
Privacy gate	``tools/sanitize_public_person_names.py`` abbreviates covered public person-name fields and fails closed before deployment if a covered full name remains.
Service Area hierarchy	Read access to monday.com board 18420160563 for Service Areas and district leadership.
Panel help	Shared ``panel-help.js`` and dashboard CSS provide active hover, focus, and click/tap help popovers for the ? controls.

Technical runbook

The repository file IMPLEMENTATION_RUNBOOK.md documents setup paths, source acquisition, manual refresh commands, schedule/log checks, validation steps, common failure modes, and guidance for rebuilding a similar dashboard.

5. How The Main Page Metrics Are Calculated

Displayed metric	Plain-English calculation
Youth	Sum of district youth membership from the Membership tab.

Displayed metric	Plain-English calculation
Retention	Weighted average of district retention values from the selected Unit Metric Compare section, using units with a reported retention value as weights. The Council view uses All Units.
Units	Sum of district unit counts from the Membership tab.
Average Metric	District average metrics weighted by the number of units in each district.
Assigned	Assigned units divided by total units. Assigned units come from the Assigned tab.
Training	District all-scouter training rates weighted by units.
Volunteers	Councilwide value published on the Membership tab, calculated by the source workbook as the count of unique nonblank Member IDs in the Training roster. It is not district- or program-filterable.
Youth / TAY	Council: council youth divided by raw school-row TAY. Program view: actual program youth divided by estimated grade/age-eligible school TAY.
Popcorn Participation	Units marked Committed divided by every unit row in the published Popcorn snapshot.

Master program filter

The masthead filter carries Council, Packs, Troops, Crews, Ships, or Posts across linked pages. It uses direct unit-type fields where available and standardized unit names where a source does not publish a separate type field.

Source or panel	Program-view behavior
Unit Level Metrics	Uses the direct unit_type field to rebuild youth, units, health, growth, training, SYT, and assignment rollups.
Training and SYT	Uses each published person's direct unit_type field.
Prospects	Uses Potential Unit Type(s); a multi-type prospect can appear in more than one program view.
Renewal and Popcorn	Parses program from standardized unit names; Posts are excluded from the published Popcorn population.
Units-Youth and CST	Remain council-only except for source-native Pack/Troop connection fields.

District status

Each district is labeled Needs Attention, Monitor, or On Track using threshold rules.

Status	Rule
Needs Attention	YoY membership is below -10%, or SYT is below 80%, or at-risk unit rate is 55% or higher.
Monitor	Training is below 65%, or at-risk unit rate is 40% or higher, or SYT is below 85%.
On Track	None of the Needs Attention or Monitor rules apply.

BeAScout PIN status and follow-up

The dashboard uses one PIN classification in Unit Follow-up, the first Unit-Level Detail KPI, and the Unit Health Funnel. It does not treat a missing match as an inactive PIN.

Display state	Plain-English meaning
Active	The matched PIN is current and the source state is Active.
Inactive	The matched PIN is current and the source state is Inactive.
Stale	The matched last-modified date is blank or unusable, or is before the same calendar date one year prior to publication.
n/a	No PIN record was matched to the unit. This does not mean inactive or stale.

How the funnel percentage works

Inactive + Stale is the matched follow-up count. The percentage divides that count by all tracked membership-dashboard units in the selected program view. Units without a matched PIN stay in the denominator, so do not divide only by the number of PIN-status rows.

6. What Each Dashboard Page Adds

Page	What it answers
Overview	What the Council's current KPI picture is and which operating areas need attention first.
Council Comparison	How Capitol Area Council compares with other Service Territory 07 councils.
District Performance	Which districts lead or lag across membership, unit health, training, SYT, and commissioner coverage.
Membership & Growth	Where membership opportunity, TAY penetration, unit health risk, prospects, and renewals combine into priority signals.
Unit Health & Renewal	Where unit health, assignment, combined Inactive + Stale BeAScout PINs, and renewal follow-up require action.
People & Readiness	Where leader training, safeguarding, and camping-readiness gaps are concentrated.
Training	Which people are trained, which leaders are direct-contact, and where direct-contact training gaps exist.
SYT	Safeguarding Youth Training follow-up plus applicable Hazardous Weather and IOLS position-training issues; BALOO is informational at person level.
Pack Camping Readiness	Which Packs are Gap, Fragile, Preferred Depth, or Unknown for BALOO leadership depth, with Hazardous Weather filtered separately.
Troop Camping Readiness	Which Troops are Gap, Fragile, Preferred Depth, or Unknown for IOLS-trained Scoutmaster/Assistant Scoutmaster depth, with Hazardous Weather filtered separately.
Recruitment Pipeline	Where prospect, renewal, and school operating follow-up is concentrated.

Page	What it answers
Cub Scout JSN	How school recruiting plans, dates, locations, materials, and uncovered schools compare with the monday.com source dashboard.
Popcorn	How unit commitments, goals, prior sales, onboarding, and training roll up from Service Area to District to Unit.
Unit Metrics	How districts and unit sections compare across unit health, training, outdoor, advancement, and the current workbook retention metric.
Unit-Level Detail	Which individual units and members drive program-specific youth, growth, training, SYT, health, assignment, BeAScout PIN status, and Pack/Troop camping-readiness status.
Renewal Status	Which units are initiated, submitted, pending acceptance, posted, or otherwise need renewal follow-up.
Data & Help	Which source workbooks are current, how values are calculated, where to report a problem, and which external training references apply.

Detail pages that compare district records also expose Service Area filters. District filters remain available inside the selected Service Area, and official district views exclude operational labels that are not part of the 12-district Council dashboard structure.

Data & Help references

The Data & Help page publishes direct links to these Scouting America reference documents:

- **Training Code List:** <https://www.scouting.org/wp-content/uploads/2026/01/Training-Codes-Jan-26.xlsx>
- **Trained Leader Requirements:** <https://www.scouting.org/wp-content/uploads/2025/05/Position-Trained-Requirements-Jun2025.pdf>

Cub Scout JSN interpretation

The Cub Scout JSN page is rebuilt directly from monday.com board 18420720719. Its charts preserve the source dashboard's widget-specific filters rather than applying one page-wide population to every graphic.

- District recruitment includes dated recruitments and a No Date category.
- School-planning gaps remain pie charts with their documented Cub-target, unit-association, plan-status, and district scopes.
- Materials gauges total the full board and retain the source dashboard's fixed gauge maxima.
- The former expenses gauge is not part of the current monday.com dashboard and is not published.

Retention metric

Question	Current dashboard definition
What is the formula?	(Current members - members new in the prior 12 months) divided by same-month prior-year members.
What does it measure?	The share of the prior-year membership base represented by current members after removing people who joined within the prior 12 months.
Can retention exceed 100%?	Yes. Values above 100% are valid under this source-workbook formula and must not be capped.
How is it published?	The dashboard preserves the workbook's decimal ratio for calculations and sorting, then rounds displayed retention to the nearest whole percent. For example, 117.5% displays as 118%.

7. Service Area And District Filtering

Service Area is not inferred from workbook formulas. The daily build captures the authoritative hierarchy from monday.com board 18420160563. That board also supplies Field Directors, district professionals, Volunteer Chairs, and District Commissioners; its leadership values replace workbook values, including intentional blanks. The builder attaches the hierarchy to district rows, priority units, training people, commissioner records, Unit Metric Compare rows, renewal data, and monday.com contexts where an official district can be identified.

Service Area	Field Director	Official districts
Northern	Justin B.	Bee Cave; Chisholm Trail; Hill Country; North Shore
Central	Vicki R.	Armadillo; Colorado River; Exploring; San Gabriel; Thunderbird
Southern	Ed G.	Live Oak; Sacred Springs; Waterloo

How monday.com rows are assigned

monday.com rows can contain multiple district labels. A row is attached to a Service Area when any listed official district belongs to that Service Area. Rows with only non-official or blank district labels remain outside official district and Service Area rollups.

Popcorn commitments hierarchy

The Popcorn page uses one drill-down hierarchy: Service Area > District > Unit. Service Areas and Districts start collapsed. Expanding a Service Area reveals its District rollups; expanding a District reveals the corresponding unit follow-up rows inline.

Popcorn measure	How it is calculated or displayed
Participation	Committed unit rows divided by all unit rows in the selected population.
Committed goal	Sum of 2026 goal values for committed units only.
Prior sales	Sum of 2025 sales values for committed units only.
Goal vs 2025	Committed goal compared with prior sales for committed units.
Onboarded	Committed units whose onboarding progress is 11/11.
Unit trained	Committed units marked trained in the Popcorn source.
Unit follow-up	Commitment, goal, sales, onboarding, training, kernel, kickoff, and last-update context shown beneath the District.

Public-data privacy

The published Popcorn rows intentionally exclude primary contact names, email addresses, and phone numbers. The normal scheduled source is the Popcorn Commitments sheet in the daily monday.com workbook; the monday.com API is retained as a fallback.

8. TAY And Membership Opportunity

TAY means Total Available Youth. It comes from the monday.com Schools export, not from the base Council dashboard workbook.

- Council Youth / TAY uses raw school-row TAY once per school row.
- District Youth / TAY attributes a school's full TAY to each official Scouting District listed for that school.
- Program Youth / TAY uses actual youth from units of the selected type and estimates eligible TAY by allocating each school's total evenly across its published grade or age span.
- This means district TAY context is useful for district comparison, but district TAY values should not be summed and treated as the council total.
- Official district views exclude non-official labels such as Unassigned when comparing districts.

Program view	Published eligibility basis
Packs	Grades K-5 or ages 5-10
Troops	Grades 6-12 or ages 11-17
Crews	Grades 9-12 or ages 14-20
Ships	Grades 9-12 or ages 14-20
Posts	Grades 9-12 or ages 14-20

Program TAY is an estimate

School sources do not publish enrollment by individual grade. The dashboard assumes even enrollment across each published span. Program populations overlap; fifth-grade and age-13 exceptions cannot be isolated; Exploring Clubs are not represented in Posts; and most school rows do not cover ages 18-20. Do not add program TAY estimates together.

9. Training And Safeguarding Logic

Question	How the dashboard answers it
Who is direct-contact?	The source workbook's Direct Contact column is converted from YES/NO to a boolean.
Who is trained?	The Training tab's Trained column is converted from YES/NO to a boolean.
Is SYT current?	SYT applies to all leaders. Missing or expired SYT is flagged for all leader rows, not only direct-contact rows.
Is Hazardous Weather current?	For direct-contact leaders, missing or expired Hazardous Weather is flagged.
Is BALOO recorded?	BALOO is shown as a person-level qualification for Pack leaders. Missing BALOO is not an individual issue; Pack-level depth is evaluated on Pack Camping Readiness.
Is IOLS missing?	Scoutmaster and Assistant Scoutmaster rows use explicit IOLS status when available and otherwise are flagged when mandatory code S11 remains present.
What about all-leader views?	Existing safety dates are shown for all rows. SYT issues apply to all leaders; Hazardous Weather and IOLS issues are evaluated where role and unit type make them applicable.

Training code names are looked up from the Training Codes tab so the SYT page can translate course codes into readable course names where possible.

Camping readiness

The Pack and Troop Camping Readiness pages group published Training-tab rows by District and unit. Their default tables include every reviewed unit. Leadership-depth Status can be filtered as Gap, Fragile, Preferred Depth, or Unknown, while Hazardous Weather is filtered separately as Current or Gap. The two filters can be combined with District, Sort, and Search. These pages are roster-readiness and training follow-up aids, not campout approvals, attendance rosters, or replacements for council and Guide to Safe Scouting requirements.

Readiness signal	Current dashboard rule
Pack BALOO depth	Zero recorded BALOO-qualified leaders is Gap, one is Fragile, and two or more is Preferred Depth.

Readiness signal	Current dashboard rule
Pack Hazardous Weather coverage	At least one direct-contact Pack leader has a recognizable Hazardous Weather date on or after the published data generated date.
Troop IOLS depth	Counts IOLS-trained Scoutmasters and Assistant Scoutmasters as Gap, Fragile, or Preferred Depth. Explicit IOLS status controls when published; absence of mandatory code S11 is the fallback.
Troop Hazardous Weather coverage	At least one direct-contact Troop leader has a recognizable Hazardous Weather date on or after the published data generated date.
Unknown	The published Training-tab roster cannot support a leadership-depth classification for the unit. Unknown is not converted to Gap.
Unit-Level Detail	For Packs and Troops, the same status appears in the Camping Readiness KPI and Training Readiness row. A missing Training-tab unit match appears as Unknown; other unit types do not receive this KPI.

Confirm the attending leaders

BALOO, IOLS, and Hazardous Weather status is evaluated from the published roster snapshot. Hazardous Weather is available only for direct-contact rows, and the pages do not know which leaders will attend a particular outing. Confirm the actual attending leadership before treating a flag as final.

10. Membership Intelligence Signals

Membership Intelligence is a dashboard-created prioritization view. It combines source workbook membership and unit-health metrics with monday.com school, prospect, and renewal context.

Signal input	How it is counted
Schools	School rows whose Scouting District includes the district.
TAY	Council view sums attributed school TAY; program views sum the estimated grade/age-eligible portion.
Schools without unit	Council view uses blank Unit Associated; program views require an eligible school without an associated unit matching the selected program.
Hot prospects	Prospect rows whose District includes the district.
Stuck prospects	Prospect rows where Step 1 status is Stuck.
Renewal follow-up	Renewal rows where Posted is not Completed.

Important interpretation

The Membership Intelligence priority score is not an official workbook metric. It is a dashboard sorting aid that highlights districts where low TAY penetration, membership decline, unit health risk, stuck prospects, and renewal follow-up overlap.

11. Commissioner Coverage

Commissioner coverage comes from the Commissioners tab and assignment-related tabs in the Council dashboard workbook.

Coverage value	Calculation
Registered commissioners	Unique commissioner names from the Commissioners tab after whitespace and case normalization.
Workbook commissioner records	Raw rows in the Commissioners tab before deduplication.
Duplicate commissioner records	Workbook commissioner records minus unique commissioner names.
Unit commissioners	Unique people with at least one Unit Commissioner role, counted once even if the person appears multiple times.
Commissioners trained	Unique commissioners marked trained divided by unique commissioners where training status is known.
With assignments	Unique commissioners with assigned units divided by unique commissioners.
Assigned units	Rows in the Assigned tab where Assigned is yes.
Connections (12 Mo.)	Completed Commissioner Connection History records in the 365 days ending on the report date. Each completed connection counts once as a unit visit; rows outside the official districts, incomplete rows, and rows outside the window are excluded.

12. Practical Caveats

Freshness and source structure

The dashboard is only as current as the most recent successful refresh and GitHub Pages deployment. Freshness times display in the viewer's local timezone. Workbook labels and sheet names matter; a source-structure change can require a code update. The website's ? controls give quick panel context, while the Markdown data dictionary remains the exact formula reference.

Training and camping readiness

Training and SYT expiration checks use the viewer browser's current date. SYT applies to all leaders; Hazardous Weather, BALOO, and IOLS flags apply where role and unit type make them relevant. Pack and Troop Camping Readiness uses the published roster snapshot and does not confirm campout attendance or approval.

Service Area, TAY, and Popcorn interpretation

Official district charts exclude non-official monday.com labels. Service Area filters and district leadership use the run-specific Service Areas capture rather than workbook columns. Program TAY values are overlapping estimates and must not be added together. Popcorn participation counts all published unit rows in the denominator and only Committed rows in the numerator.

Public-data privacy

Popcorn contacts are excluded from public JSON. Across the Council Summary and Commissioner outputs, person names display as first name plus last initial, and publication stops if a covered full name remains.

Appendix: Quick Formula Reference

Metric	Formula
YoY %	YoY delta divided by same-month-last-year membership.
At-risk rate	Units with Unit Metric 0-2 divided by total units.
Healthy rate	Units with Unit Metric 4-5 divided by total units.
Assigned %	Assigned units divided by total units.
Council training %	District training rates weighted by district units.
Volunteers	Count of unique nonblank Training roster Member IDs, published by the source workbook on the Membership tab.
Council SYT %	District SYT rates weighted by district members.
Council Youth / TAY	Council youth divided by raw school-row TAY total.
District Youth / TAY	District youth divided by school TAY attributed to that district.
Program Youth / TAY	Actual youth from units of the selected program divided by estimated grade/age-eligible school TAY.
Retention	(Current members - members new in the prior 12 months) divided by same-month prior-year members; results above 100% are valid, and displayed values round to the nearest whole percent.
Camping readiness	Pack BALOO and applicable Troop SM/ASM IOLS depth are classified as Gap, Fragile, Preferred Depth, or Unknown; Hazardous Weather Current/Gap is a separate filter.

Metric	Formula
Unit-Level camping readiness	Pack/Troop Unit-Level Detail uses the same shared status; an unmatched Training-tab unit is Unknown rather than Gap.
Popcorn Participation	Committed Popcorn unit rows divided by all Popcorn unit rows.
Registered commissioners	Unique normalized commissioner names.
Unit commissioners	Unique normalized people with at least one Unit Commissioner role.
Connections (12 Mo.)	Completed Commissioner Connection History rows in the 365 days ending on the report date, limited to official districts.
PIN state	Stale when a matched BeAScout PIN last-modified date is blank or unusable, or earlier than the same calendar date one year before publication; otherwise retain Active or Inactive. No match displays n/a.
Inactive + stale PINs	Count of matched PIN rows in either Inactive or Stale state, divided by all tracked membership-dashboard units in the current master program view; unmatched units remain in the denominator.
Service Area	Run-specific monday.com Service Areas hierarchy applied after official district normalization.

Where to look for exact source details

- ``DASHBOARD_DATA_DICTIONARY.md`` documents the full data dictionary and formulas.
- ``IMPLEMENTATION_RUNBOOK.md`` documents technical setup, source acquisition, automation, validation, and rebuild requirements.
- ``update_daily.zsh`` documents the automation order.
- ``tools/sanitize_public_person_names.py`` documents and enforces the public first-name/last-initial rule.
- ``panel-help.js`` documents the website's active ? help popover behavior.
- ``refresh_monday_data.py`` documents the monday.com workbook/API extraction.
- ``tools/build_unit_level_dashboard.py`` documents the Unit-Level Detail data build.
- ``tools/build_fall_recruitment_dashboard.py`` documents the Cub Scout JSN data build.
- ``work/renewal_recreation/build_renewal_board_data.py`` documents the Renewal Status data build.
- ``work/commissioner_site/build_site.py`` documents the source workbook parsing and ``latest.json`` formulas.