



APP CRS	Rwy Idg	8800
099°	TDZE	16
	Apt Elev	20

RNAV (RNP) Z RWY 10L
PALM BEACH INTL (PBI)





RNP AR APCH - GPS.		MALSR	MISSED APPROACH: Climb to 1000 then climbing left turn to 3000 direct MORGA and hold.	
For uncompensated Baro-VNAV systems, procedure NA below 6°C or above 54°C.				
D-ATIS	PALM BEACH APP CON	PALM BEACH TOWER	GND CON	CLNC DEL
123.75	128.3 317.4	119.1 257.8	121.9 284.6	121.6 284.6
			CPDLC	



ELEV	20	D	TDZE	16
------	----	---	------	----



HIRL Rwy 10L-28R
REIL Rwy 10R, 14, 28L, 28R and 32
MIRL Rwy 14-32 and 10R-28L

VGSi and RNAV glidepath not coincident (VGSi Angle 3.00/TCH 68).				1000 	3000 	MORGA 
						
GP 3.00° TCH 52						
See planview for multiple IF locations.						
CATEGORY	A	B	C	D		
RNP 0.30 DA	355/26 339 (400-½)					

AUTHORIZATION REQUIRED

SE-3, 13 JUL 2023 to 10 AUG 2023

SE-3, 13 JUL 2023 to 10 AUG 2023