

APP CRS	Rwy Idg	4600
065°	TDZE	331
	Apt Elev	331

RNAV (RNP) Z RWY 6


MC CLELLAN-PALOMAR (CRQ)

7

For uncompensated Baro-VNAV systems, procedure NA below 4°C (40°F) or above 54°C (130°F). GPS required.

MISSED APPROACH: Climbing right turn to 3000 direct TIZIE and hold, continue climb-in-hold to 3000.

ATIS 120.15	SOCAL APP CON 127.3 323.0	PALOMAR TOWER★ 118.6 (CTAF) 0 276.4	GND CON 121.8	CLNC DEL 134.85
-----------------------	-------------------------------------	---	-------------------------	---------------------------



See planview for multiple IF locations. VGSI and RNAV glidepath not coincident (VGSI Angle 3.00°/TCH 35°).

SWWAG 1700

1700

GP 3.00° TCH 55

065°

RW06

4.1 NM

3000

TIZIE

065° to RW06

4897 X 150

TWR

REIL Rwy 24 0

HIRL Rwy 6-24 0

CATEGORY	A	B	C	D
RNP 0.30 DA	810-15%	479 (500-1%)		

AUTHORIZATION REQUIRED

SW-3, 13 JUL 2023 to 10 AUG 2023

SW-3, 13 JUL 2023 to 10 AUG 2023