MCQs on Angular 15 Forms Handling

- 1. **Which of the following is used to create a reactive form in Angular?**
 - a) FormBuilder
 - b) NgModel
 - c) FormControl
 - d) FormGroup
 - **Answer:** a) FormBuilder
- 2. **What directive is used for two-way data binding in Angular forms?**
 - a) ngForm
 - b) ngSubmit
 - c) ngModel
 - d) ngControl
 - **Answer:** c) ngModel
- 3. **How do you mark a form control as touched in Angular?**
 - a) control.touched()

- b) control.markAsTouched()
- c) control.setTouched()
- d) control.setAsTouched()
- **Answer:** b) control.markAsTouched()
- 4. **Which module is required to use reactive forms in Angular?**
 - a) FormsModule
 - b) ReactiveFormsModule
 - c) CommonModule
 - d) NgModule
 - **Answer:** b) ReactiveFormsModule
- 5. **How do you disable a form control in Angular?**
 - a) control.disable()
 - b) control.setDisabled(true)
 - c) control.setEnabled(false)
 - d) control.disabled = true
 - **Answer:** a) control.disable()

- 6. **What is the default update mode for form controls in Angular?**
 - a) change
 - -b) blur
 - -c) submit
 - d) lazy
 - **Answer:** a) change
- 7. **Which of the following is NOT a valid FormControl status?**
 - a) VALID
 - b) INVALID
 - -c) PENDING
 - d) SUBMITTED
 - **Answer:** d) SUBMITTED
- 8. **What method is used to reset a form in Angular?**
 - a) form.reset()
 - b) form.clear()
 - c) form.clearAll()

- d) form.clean()
- **Answer:** a) form.reset()
- 9. **How do you get the value of a form control in Angular?**
 - a) control.getValue()
 - b) control.value
 - c) control.val()
 - d) control.retrieve()
 - **Answer:** b) control.value
- 10. **Which directive is used to create template-driven forms in Angular?**
 - a) ngForm
 - b) ngControl
 - c) ngTemplateForm
 - d) ngTemplate
 - **Answer:** a) ngForm
- 11. **How do you bind a form group to a form element in Angular?**

- a) [formGroup]="myForm"
- b) formGroup="myForm"
- c) [ngForm]="myForm"
- d) formGroupName="myForm"
- **Answer:** a) [formGroup]="myForm"
- 12. **Which of the following is not a built-in validator in Angular?**
 - a) Validators.required
 - b) Validators.maxLength
 - -c) Validators.pattern
 - d) Validators.emailPattern
 - **Answer:** d) Validators.emailPattern
- 13. **How do you set the initial value of a FormControl in a reactive form?**
 - a) new FormControl(", initialValue)
 - b) new FormControl(initialValue)
 - c) new FormControl(initialValue, ")
 - d) new FormControl({value: initialValue})
 - **Answer: ** b) new FormControl(initialValue)

- 14. **Which property gives the validation errors of a form control?**
 - a) control.validationErrors
 - -b) control.errors
 - c) control.invalidMessages
 - -d) control.invalid
 - **Answer:** b) control.errors
- 15. **How do you listen for changes on a FormControl?**
 - a) control.valueChanges.subscribe()
 - b) control.value.subscribe()
 - c) control.changes.subscribe()
 - d) control.watch.subscribe()
 - **Answer:** a) control.valueChanges.subscribe()
- 16. **What Angular service is used to create form controls and form groups?**
 - a) FormService
 - -b) FormBuilder

- c) FormControlService
- d) FormGroupService
- **Answer:** b) FormBuilder
- 17. **Which method is used to update the value and validity of a form control?**
 - a) control.updateValueAndValidity()
 - b) control.setValueAndValidity()
 - -c) control.refresh()
 - d) control.validate()
 - **Answer:** a) control.updateValueAndValidity()
- 18. **What is the correct way to add a new control to a FormGroup?**
- a) formGroup.addControl(controlName, newControl)
 - b) formGroup.append(controlName, newControl)
 - c) formGroup.push(controlName, newControl)
 - d) formGroup.insert(controlName, newControl)
 - **Answer:** a)

formGroup.addControl(controlName, newControl)

- 19. **How do you set an asynchronous validator on a FormControl?**
 - a) control.setAsyncValidator(asyncValidator)
 - b) control.asyncValidator(asyncValidator)
 - c) control.addAsyncValidator(asyncValidator)
 - d) control.asyncValidators.push(asyncValidator)
- **Answer:** a)
 control.setAsyncValidator(asyncValidator)
- 20. **Which method is used to patch values into a FormGroup?**
 - a) formGroup.patch()
 - b) formGroup.patchValue()
 - c) formGroup.setValues()
 - d) formGroup.apply()
 - **Answer:** b) formGroup.patchValue()