

### 1. Which class provides a responsive fixed-width container?

```
``html
<div class="_____">Content</div>
``
```

- a) container-fluid
- b) container
- c) container-fixed
- d) container-responsive

**\*\*Answer:\*\*** b) container

### 2. How do you create a button group in Bootstrap 4?

```
``html
<div class="btn-group">
  <button type="button" class="_____">Button
1</button>
```

```
<button type="button" class="btn btn-  
secondary">Button 2</button>
```

```
<button type="button" class="btn btn-  
secondary">Button 3</button>
```

```
</div>
```

```
```
```

- a) btn-group-item
- b) btn-group-secondary
- c) btn-secondary-group
- d) btn btn-secondary

**\*\*Answer:\*\*** d) btn btn-secondary

### 3. Which class makes an image responsive?

```
```html
```

```

```

```
```
```

- a) img-fluid

- b) img-responsive
- c) img-flexible
- d) img-dynamic

**\*\*Answer:\*\*** a) img-fluid

### 4. How do you center-align text in Bootstrap 4?

```
```html  
<p class="_____">Centered text</p>  
```
```

- a) text-center
- b) center-text
- c) align-center
- d) text-middle

**\*\*Answer:\*\*** a) text-center

### 5. What class is used to add a badge to a button?

```
``html
<button type="button" class="btn btn-primary">
  Notifications <span class="_____ ">4</span>
</button>
``
```

- a) badge-primary
- b) badge-pill
- c) badge-light
- d) badge

**\*\*Answer:\*\*** d) badge

### 6. How do you make a list group item active?

```
``html
<li class="list-group-item _____">Cras justo
odio</li>
``
```

- a) list-group-item-action

- b) list-group-item-active
- c) list-group-item-primary
- d) active

**\*\*Answer:\*\*** d) active

### 7. Which class is used to create a progress bar?

```
```html
<div class="progress">
  <div class="_____" role="progressbar"
style="width: 75%"></div>
</div>
```
```

- a) progress-bar
- b) progress-bar-fill
- c) progress-bar-inner
- d) progress-bar-content

**\*\*Answer:\*\*** a) progress-bar

### 8. How do you create a card in Bootstrap 4?

```
```html
<div class="card">
  <div class="_____">
    Card title
  </div>
  <div class="card-body">
    Card content
  </div>
</div>
```
```

- a) card-title
- b) card-header
- c) card-heading
- d) card-content

**\*\*Answer:\*\*** b) card-header

### 9. Which class makes a button block-level?

```
``html
<button type="button" class="btn btn-primary btn-
_____ ">Block level button</button>
``
```

- a) block
- b) wide
- c) block-level
- d) btn-block

**\*\*Answer:\*\*** d) btn-block

### 10. How do you create a dropdown in Bootstrap 4?

```
``html
<div class="dropdown">
  <button class="btn btn-secondary dropdown-
toggle" type="button" id="dropdownMenuButton"
data-toggle="dropdown">
```

Dropdown button

```
</button>
```

```
<div class="_____" aria-  
labelledby="dropdownMenuButton">
```

```
<a class="dropdown-item" href="#">Action</a>
```

```
<a class="dropdown-item" href="#">Another  
action</a>
```

```
<a class="dropdown-item" href="#">Something  
else here</a>
```

```
</div>
```

```
</div>
```

```
...
```

- a) dropdown-list
- b) dropdown-menu
- c) dropdown-items
- d) dropdown-content

**\*\*Answer:\*\*** b) dropdown-menu

### 11. How do you create a form group in Bootstrap 4?



```
``html
<div class="_____">
  <label for="exampleInputEmail1">Email
address</label>
  <input type="email" class="form-control"
id="exampleInputEmail1" placeholder="Enter
email">
</div>
``
```

- a) form-group
- b) form-control-group
- c) form-input-group
- d) form-set

**\*\*Answer:\*\*** a) form-group

### 12. How do you align a form inline?

```
``html
```

```
<form class="_____">  
  <label class="sr-only"  
for="inlineFormInputName2">Name</label>  
  <input type="text" class="form-control mb-2 mr-  
sm-2" id="inlineFormInputName2"  
placeholder="Jane Doe">  
</form>  
``
```

- a) form-inline
- b) form-horizontal
- c) form-align
- d) form-row

**\*\*Answer:\*\*** a) form-inline

### 13. Which class is used to create a pagination component?

```
``html  
<ul class="_____">
```

```
<li class="page-item"><a class="page-link"
href="#">1</a></li>
<li class="page-item"><a class="page-link"
href="#">2</a></li>
<li class="page-item"><a class="page-link"
href="#">3</a></li>
</ul>
...

```

- a) pagination
- b) pagination-list
- c) pager
- d) page-nav

**\*\*Answer:\*\*** a) pagination

### 14. How do you make an element stick to the top of the viewport when scrolling?

```
```html
<div class="_____ ">Sticky top</div>
...

```

- a) sticky-top
- b) sticky
- c) stick-top
- d) sticky-fixed

**\*\*Answer:\*\*** a) sticky-top

### 15. Which class provides a dark background for the navigation bar?

```
``html
<nav class="navbar navbar-_____">
  <!-- Navbar content -->
</nav>
``
```

- a) dark
- b) bg-dark
- c) navbar-dark
- d) nav-dark

**\*\*Answer:\*\*** b) bg-dark

### 16. How do you create a flex container in Bootstrap 4?

```
```html
<div class="d-_____">Flex container</div>
```
```

- a) flex
- b) flexbox
- c) flex-container
- d) flex-display

**\*\*Answer:\*\*** a) flex

### 17. Which class is used to vertically align an element in the middle?

```
```html
```

```
<div class="d-flex align-items-_____">Aligned  
item</div>
```

```

- a) center
- b) middle
- c) baseline
- d) stretch

**\*\*Answer:\*\* b) middle**

### 18. How do you justify content to the center in a flex container?

```
```html
```

```
<div class="d-flex justify-content-  
_____">Centered content</div>
```

```

- a) center
- b) middle

- c) baseline
- d) evenly

**\*\*Answer:\*\*** a) center

### 19. How do you create a modal in Bootstrap 4?

```
```html
```

```
<div class="modal" tabindex="-1" role="dialog">  
  <div class="modal-dialog" role="document">  
    <div class="_____">  
      <div class="modal-header">  
        <h5 class="modal-title">Modal title</h5>  
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">  
          <span aria-hidden="true">&times;</span>  
        </button>  
      </div>  
      <div class="modal-body">  
        <p>Modal body text goes here.</p>  
      </div>
```

```
<div class="modal-footer">
  <button type="button" class="btn btn-
primary">Save changes</button>
  <button type="button" class="btn btn-
secondary" data-dismiss="modal">Close</button>
</div>
</div>
</div>
</div>
```
```

- a) modal-body
- b) modal-content
- c) modal-container
- d) modal-box

**\*\*Answer:\*\*** b) modal-content

### 20. Which class is used to create a tooltip?

```
```html
```



```
<button type="button" class="btn btn-secondary" data-toggle="_____ " title="Tooltip on top">
```

Tooltip on top

```
</button>
```

```
...
```

- a) tooltip
- b) popover
- c) hint
- d) overlay

**\*\*Answer:\*\*** a) tooltip

### 21. How do you create a toast in Bootstrap 4?

```
```html
```

```
<div class="toast" role="alert" aria-live="assertive" aria-atomic="true">
```

```
<div class="toast-header">
```

```
<strong class="mr-auto">Bootstrap</strong>
```

```
<small>11 mins ago</small>
```

```
<button type="button" class="ml-2 mb-1 close"
data-dismiss="toast" aria-label="Close">
  <span aria-hidden="true">&times;</span>
</button>
</div>
<div class="_____">
  Hello, world! This is a toast message.
</div>
</div>
'''
```

- a) toast-body
- b) toast-content
- c) toast-message
- d) toast-text

**\*\*Answer:\*\*** a) toast-body

### 22. Which class is used to make a navigation bar

fixed to the top?

```
``html
<nav class="navbar navbar-expand-lg navbar-light
bg-light _____">
  <!-- Navbar content -->
</nav>
``
```

- a) fixed-top
- b) sticky-top
- c) top-fixed
- d) nav-top

**\*\*Answer:\*\*** a) fixed-top

### 23. How do you create a multi-column layout in Bootstrap 4?

```
``html
<div class="container">
  <div class="row">
```

```
<div class="_____">
  <!-- Content -->
</div>
<div class="col">
  <!-- Content -->
</div>
</div>
</div>
'''
```

- a) col-md
- b) col-xs
- c) col-lg
- d) col-sm

**\*\*Answer:\*\*** a) col-md

### 24. How do you create a card deck in Bootstrap 4?

```
```html
```

```
<div class="_____">  
  <div class="card">  
    <!-- Card content -->  
  </div>  
  <div class="card">  
    <!-- Card content -->  
  </div>  
  <div class="card">  
    <!-- Card content -->  
  </div>  
</div>  
...
```

- a) card-group
- b) card-row
- c) card-deck
- d) card-container

**\*\*Answer:\*\* c) card-deck**

### 25. How do you create a dropdown divider in Bootstrap 4?

```
``html
<div class="dropdown-menu">
  <a class="dropdown-item" href="#">Action</a>
  <a class="dropdown-item" href="#">Another
action</a>
  <div class="dropdown-_____"></div>
  <a class="dropdown-item" href="#">Something
else here</a>
</div>
``
```

- a) divider
- b) item-divider
- c) dropdown-divider
- d) separator

**\*\*Answer:\*\*** c) dropdown-divider

### 26. Which class is used to create a small badge?

```
```html
<span class="badge badge-pill badge-
_____ ">Small badge</span>
```
```

- a) sm
- b) small
- c) mini
- d) tiny

**\*\*Answer:\*\*** a) sm

### 27. How do you create a light alert box?

```
```html
<div class="alert alert-_____" role="alert">
  A simple light alert—check it out!
</div>
```
```

- a) light
- b) white
- c) pale
- d) bright

**\*\*Answer:\*\*** a) light

### 28. Which class is used to create a spinner?

```
``html
<div class="spinner-border" role="status">
  <span class="sr-only">Loading...</span>
</div>
``
```

- a) spinner
- b) spinner-circle
- c) spinner-border
- d) spinner-loading



**\*\*Answer:\*\* c) spinner-border**

### 29. How do you align text to the left?

```
```html
```

```
<p class="text-_____ ">Left aligned text</p>
```

```
```
```

- a) left
- b) start
- c) beginning
- d) align-left

**\*\*Answer:\*\* b) start**

### 30. Which class adds a hover effect to a table row?

```
```html
```

```
<table class="table table-hover">
```

```
<!-- Table content -->
```

</table>

...

- a) table-hover
- b) table-highlight
- c) table-active
- d) table-focus

**\*\*Answer:\*\*** a) table-hover

### 31. How do you create a form input with rounded corners?

```html

<input type="text" class="form-control form-control-\_\_\_\_\_" placeholder="Rounded input">

```

- a) rounded
- b) round
- c) radius

- d) pill

**\*\*Answer:\*\*** d) pill

### 32. Which class is used to make a table striped?

```
```html
<table class="table table-_____">
  <!-- Table content -->
</table>
```
```

- a) striped
- b) zebra
- c) lines
- d) rows

**\*\*Answer:\*\*** a) striped

### 33. How do you create a blockquote in Bootstrap 4?

```
```html
```

```
<blockquote class="blockquote">
```

```
  <p class="mb-0">A well-known quote, contained in  
a blockquote element.</p>
```

```
  <footer class="blockquote-_____">Someone  
famous</footer>
```

```
</blockquote>
```

```
```
```

- a) credit
- b) citation
- c) footer
- d) source

**\*\*Answer:\*\*** d) source

### 34. Which class is used to add a shadow to an element?

```
```html
```

```
<div class="shadow-_____ p-3 mb-5 bg-white rounded">Small shadow</div>
```

```

- a) sm
- b) small
- c) mini
- d) lite

**\*\*Answer:\*\*** a) sm

### 35. How do you hide an element on small screens?

```
```html
```

```
<div class="_____ -none d-md-block">
```

Hidden on small screens

```
</div>
```

```

- a) d-sm

- b) d-xs
- c) d-sm-
- d) d-sm-block

**\*\*Answer:\*\*** a) d-sm

### 36. Which class is used to create a toast header?

```
```html
<div class="toast">
  <div class="toast-_____">
    <!-- Toast header content -->
  </div>
</div>
```
```

- a) head
- b) header
- c) top
- d) heading

**\*\*Answer:\*\*** b) header

### 37. How do you create a text input field with a placeholder?

```
```html
<input type="text" class="form-control"
placeholder="_____">
```
```

- a) Enter text here
- b) Write something
- c) Your placeholder
- d) Placeholder text

**\*\*Answer:\*\*** d) Placeholder text

### 38. Which class is used to create a flex item that fills the available space?

```
```html
```

```
<div class="d-flex">
  <div class="flex-_____">Flex item</div>
  <div class="flex-fill">Fill item</div>
</div>
```
```

- a) grow
- b) space
- c) auto
- d) fill

**\*\*Answer:\*\* c) auto**

### 39. How do you create a tooltip with a button?

```
```html
<button type="button" class="btn btn-secondary"
data-toggle="tooltip" title="_____">
  Tooltip button
</button>
```
```



- a) Tooltip text
- b) Tooltip info
- c) Tooltip data
- d) Tooltip content

**\*\*Answer:\*\*** a) Tooltip text

### 40. Which class is used to create a vertical stack of buttons?

```
``html
```

```
<div class="btn-group-_____">
```

```
  <button type="button" class="btn btn-  
primary">Button 1</button>
```

```
  <button type="button" class="btn btn-  
primary">Button 2</button>
```

```
  <button type="button" class="btn btn-  
primary">Button 3</button>
```

```
</div>
```

```
``
```

- a) vertical
- b) stack
- c) column
- d) pile

**\*\*Answer:\*\*** a) vertical

### 41. How do you create a flexbox container that wraps its children?

```
```html
<div class="d-flex flex-_____">
  <!-- Flex items -->
</div>
```
```

- a) wrap
- b) around
- c) roll
- d) cover

**\*\*Answer:\*\* a) wrap**

### 42. Which class is used to change the color of text?

```
```html
<p class="text-_____">Colored text</p>
```
```

- a) color
- b) primary
- c) dark
- d) light

**\*\*Answer:\*\* b) primary**

### 43. How do you create a progress bar with a label?

```
```html
<div class="progress">
```

```
<div class="progress-bar" role="progressbar"
style="width: 25%">
    25%
</div>
</div>
```
```

- a) progress-label
- b) progress-fill
- c) progress-bar
- d) progress-content

**\*\*Answer:\*\*** c) progress-bar

### 44. Which class is used to align items to the center in a flex container?

```
```html
<div class="d-flex align-items-_____">
    <!-- Flex items -->
</div>
```
```

```

- a) middle
- b) center
- c) baseline
- d) evenly

**\*\*Answer:\*\*** b) center

### 45. How do you create a modal footer in Bootstrap 4?

```
```html
<div class="modal">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-footer">
        <!-- Footer content -->
      </div>
    </div>
  </div>
</div>
```

</div>

...

**\*\*Answer:\*\* modal-footer**

### 46. Which class is used to make an image thumbnail?

```html



```

- a) thumb
- b) thumbnail
- c) img-thumb
- d) img-thumbnail

**\*\*Answer:\*\* d) img-thumbnail**

### 47. How do you create a navbar brand?

```
```html
<a class="navbar-_____" href="#">Brand</a>
```
```

- a) brand
- b) header
- c) logo
- d) title

**\*\*Answer:\*\*** a) brand

### 48. Which class is used to center a button?

```
```html
<div class="text-_____">
  <button type="button" class="btn btn-
primary">Centered button</
button>
</div>
```
```

- a) middle
- b) center
- c) middle-align
- d) center-align

**\*\*Answer:\*\*** b) center

### 49. How do you create a disabled button?

```
``html  
<button type="button" class="btn btn-primary"  
____>Disabled button</button>  
``
```

- a) disabled
- b) aria-disabled="true"
- c) disable
- d) aria-disable="true"

**\*\*Answer:\*\*** a) disabled



### 50. Which class is used to create an alert with a close button?

```
``html
<div class="alert alert-warning alert-dismissible
fade show" role="alert">
  <!-- Alert content -->
  <button type="button" class="close" data-
dismiss="alert" aria-label="Close">
    <span aria-hidden="true">&times;</span>
  </button>
</div>
``
```

**\*\*Answer:\*\* alert-dismissible**