- 1. \*\*What does CLI stand for in Angular?\*\*
  - A. Common Language Interface
  - B. Command Line Interface
  - C. Common Link Interface
  - D. Command Line Instruction
  - \*\*Answer: B\*\*
- 2. \*\*Which command is used to create a new Angular project?\*\*
  - A. `ng create my-app`
  - B. 'ng new my-app'
  - C. `ng generate my-app`
  - D. 'ng init my-app'
  - \*\*Answer: B\*\*
- 3. \*\*How do you serve an Angular application using the CLI?\*\*
  - A. `ng serve`
  - B. `ng start`
  - C. `ng run`
  - D. 'ng launch'

- \*\*Answer: A\*\*
- 4. \*\*What command is used to build the Angular project for production?\*\*
  - A. `ng build --production`
  - B. `ng build --prod`
  - C. `ng build --deploy`
  - D. `ng build --dist`
  - \*\*Answer: B\*\*
- 5. \*\*Which flag is used to specify the port for `ng serve`?\*\*
  - A. `--port`
  - B. `--p`
  - C. `--set-port`
  - D. `--serve-port`
  - \*\*Answer: A\*\*
- 6. \*\*How do you create a new component using the Angular CLI?\*\*
  - A. `ng add component my-component`

- B. `ng create component my-component`
- C. `ng generate component my-component`
- D. `ng make component my-component`
- \*\*Answer: C\*\*
- 7. \*\*Which command is used to add a new service in Angular?\*\*
  - A. `ng create service my-service`
  - B. `ng generate service my-service`
  - C. `ng add service my-service`
  - D. `ng new service my-service`
  - \*\*Answer: B\*\*
- 8. \*\*How do you update Angular CLI to the latest version?\*\*
  - A. `ng update @angular/cli`
  - B. `ng upgrade @angular/cli`
  - C. `ng refresh @angular/cli`
  - D. 'ng upgrade --cli'
  - \*\*Answer: A\*\*

- 9. \*\*Which command lists all available commands in Angular CLI?\*\*
  - A. `ng list`
  - B. 'ng commands'
  - C. `ng help`
  - D. `ng options`
  - \*\*Answer: C\*\*
- 10. \*\*What is the default port number used by `ng serve`?\*\*
  - A. 3000
  - B. 4200
  - C. 8000
  - D. 5000
  - \*\*Answer: B\*\*
- 11. \*\*How do you create a new Angular module using the CLI?\*\*
  - A. `ng generate module my-module`
  - B. `ng add module my-module`
  - C. `ng create module my-module`

- D. 'ng new module my-module'
- \*\*Answer: A\*\*
- 12. \*\*Which command is used to run end-to-end tests?\*\*
  - A. `ng e2e`
  - B. `ng test-e2e`
  - C. `ng run-e2e`
  - D. `ng test --e2e`
  - \*\*Answer: A\*\*
- 13. \*\*How do you create a new directive using the Angular CLI?\*\*
  - A. `ng generate directive my-directive`
  - B. `ng add directive my-directive`
  - C. `ng create directive my-directive`
  - D. `ng new directive my-directive`
  - \*\*Answer: A\*\*
- 14. \*\*Which command updates the Angular application and its dependencies?\*\*

- A. `ng update`
- B. `ng upgrade`
- C. `ng refresh`
- D. `ng upgrade-deps`
- \*\*Answer: A\*\*
- 15. \*\*How do you create a new Angular guard using the CLI?\*\*
  - A. `ng generate guard my-guard`
  - B. 'ng add guard my-guard'
  - C. 'ng create guard my-guard'
  - D. `ng new guard my-guard`
  - \*\*Answer: A\*\*
- 16. \*\*What command is used to create a new Angular pipe?\*\*
  - A. `ng generate pipe my-pipe`
  - B. `ng add pipe my-pipe`
  - C. `ng create pipe my-pipe`
  - D. `ng new pipe my-pipe`
  - \*\*Answer: A\*\*

- 17. \*\*Which command is used to run unit tests in Angular?\*\*
  - A. `ng test`
  - B. `ng unit-test`
  - C. `ng run-tests`
  - D. `ng tests`
  - \*\*Answer: A\*\*
- 18. \*\*How do you configure the output directory for the build command?\*\*
  - A. `ng build --output-path=dist/custom-dir`
  - B. `ng build --output=dist/custom-dir`
  - C. `ng build --dir=dist/custom-dir`
  - D. `ng build --path=dist/custom-dir`
  - \*\*Answer: A\*\*
- 19. \*\*What is the command to add a library or external package to an Angular project?\*\*
  - A. `ng add`
  - B. `ng install`

- C. 'ng add-package'
- D. `ng import`
- \*\*Answer: A\*\*
- 20. \*\*How do you enable strict mode when creating a new Angular project?\*\*
  - A. `ng new my-app --strict`
  - B. 'ng new my-app --enable-strict'
  - C. `ng new my-app --strict-mode`
  - D. `ng new my-app --strictly`
  - \*\*Answer: A\*\*
- 21. \*\*Which command removes a component from an Angular project?\*\*
  - A. `ng remove component my-component`
  - B. `ng delete component my-component`
  - C. `ng generate remove my-component`
- D. CLI does not have a command for removing components.
  - \*\*Answer: D\*\*

- 22. \*\*How do you create a new Angular application with a specified prefix for components?\*\*
  - A. `ng new my-app --prefix=my-prefix`
- B. `ng new my-app --component-prefix=my-prefix`
  - C. `ng new my-app --set-prefix=my-prefix`
  - D. `ng new my-app --prefix-setup=my-prefix`
  - \*\*Answer: A\*\*
- 23. \*\*Which command is used to create a library project in Angular?\*\*
  - A. `ng generate library my-lib`
  - B. `ng create library my-lib`
  - C. `ng add library my-lib`
  - D. `ng generate lib my-lib`
  - \*\*Answer: A\*\*
- 24. \*\*How do you run an Angular application in a different environment configuration?\*\*
  - A. `ng serve --env=environment`
  - B. `ng serve --configuration=environment`
  - C. `ng serve --environment=environment`

- D. `ng serve --config=environment`
- \*\*Answer: B\*\*
- 25. \*\*What does `ng lint` command do?\*\*
  - A. Runs linter on the code
  - B. Builds the project for linting
  - C. Serves the application with lint warnings
  - D. Creates a linter configuration
  - \*\*Answer: A\*\*
- 26. \*\*Which command is used to build Angular application for different environments?\*\*
  - A. `ng build --env=production`
  - B. `ng build --configuration=production`
  - C. `ng build --env=prod`
  - D. `ng build --environment=production`
  - \*\*Answer: B\*\*
- 27. \*\*How do you generate a new service with a specific module?\*\*
  - A. `ng generate service my-service --module=app`

- B. `ng generate service my-service --mod=app`
- C. `ng generate service my-service --m=app`
- D. `ng generate service my-service -- module=app.module.ts`
  - \*\*Answer: A\*\*
- 28. \*\*What command is used to update Angular Material to the latest version?\*\*
  - A. `ng update @angular/material`
  - B. `ng upgrade @angular/material`
  - C. `ng update material`
  - D. 'ng upgrade material'
  - \*\*Answer: A\*\*
- 29. \*\*How do you skip installing dependencies when creating a new Angular project?\*\*
  - A. `ng new my-app --skip-install`
  - B. `ng new my-app --no-install`
  - C. `ng new my-app --without-install`
  - D. `ng new my-app --skip-deps`
  - \*\*Answer: A\*\*

- 30. \*\*Which flag is used to enable routing while creating a new project?\*\*
  - A. `--routing`
  - B. `--enable-routing`
  - C. `--route`
  - D. `--add-routing`
  - \*\*Answer: A\*\*
- 31. \*\*How do you create a new application within an existing Angular workspace?\*\*
  - A. `ng generate application my-app`
  - B. `ng new application my-app`
  - C.`

ng add application my-app`

- D. `ng create application my-app`
- \*\*Answer: A\*\*
- 32. \*\*What is the command to run the Angular server in watch mode?\*\*

- A. `ng serve --watch`
- B. 'ng serve --live'
- C. `ng serve --live-reload`
- D. `ng serve`
- \*\*Answer: D\*\*
- 33. \*\*How do you create a new Angular workspace?\*\*
  - A. `ng generate workspace my-workspace`
  - B. `ng new workspace my-workspace`
  - C. `ng create workspace my-workspace`
  - D. `ng generate workspace`
  - \*\*Answer: B\*\*
- 34. \*\*Which command is used to create a new Angular project without Angular routing?\*\*
  - A. `ng new my-app --skip-routing`
  - B. `ng new my-app --without-routing`
  - C. `ng new my-app --no-routing`
  - D. `ng new my-app`
  - \*\*Answer: D\*\*

- 35. \*\*How do you list all the schematics available in Angular CLI?\*\*
  - A. `ng list`
  - B. `ng show`
  - C. `ng help`
  - D. 'ng schematics'
  - \*\*Answer: D\*\*
- 36. \*\*Which command is used to generate a new Angular universal project?\*\*
  - A. `ng add @nguniversal/express-engine`
  - B. `ng generate universal`
  - C. `ng add @angular/universal`
  - D. `ng add @nguniversal/universal`
  - \*\*Answer: A\*\*
- 37. \*\*How do you create a custom schematics collection?\*\*
  - A. `ng new schematics my-collection`
  - B. `ng generate schematics my-collection`

- C. `ng add schematics my-collection`
- D. `ng new collection my-collection`
- \*\*Answer: B\*\*
- 38. \*\*Which command is used to get the version of Angular CLI?\*\*
  - A. `ng version`
  - B. `ng --version`
  - C. `ng v`
  - D. `ng --v`
  - \*\*Answer: A\*\*
- 39. \*\*How do you enable Ivy in an Angular project?\*\*
  - A. Ivy is enabled by default in Angular 15.
  - B. `ng set ivy`
  - C. `ng new my-app --enable-ivy`
  - D. 'ng add ivy'
  - \*\*Answer: A\*\*
- 40. \*\*Which command removes a dependency from an Angular project?\*\*

- A. `ng remove`
- B. 'ng uninstall'
- C. `ng delete`
- D. CLI does not support removing dependencies.
- \*\*Answer: D\*\*
- 41. \*\*How do you set a proxy configuration for development server?\*\*
  - A. `ng serve --proxy-config proxy.conf.json`
  - B. `ng serve --proxy=proxy.conf.json`
  - C. `ng serve --set-proxy proxy.conf.json`
  - D. `ng serve --config-proxy proxy.conf.json`
  - \*\*Answer: A\*\*
- 42. \*\*What command is used to create a new Angular workspace with an initial application?\*\*
- A. `ng new my-workspace --createapplication=true`
  - B. `ng new my-workspace --init-app`
  - C. `ng new my-workspace --with-app`
  - D. `ng new my-workspace --add-app`

- \*\*Answer: A\*\*
- 43. \*\*Which command is used to run Angular CLI in a different environment?\*\*
  - A. `ng run --env=dev`
  - B. `ng serve --env=dev`
  - C. `ng build --env=dev`
  - D. `ng serve --configuration=dev`
  - \*\*Answer: D\*\*
- 44. \*\*How do you add Angular Material to an existing Angular project?\*\*
  - A. `ng add @angular/material`
  - B. `ng generate @angular/material`
  - C. `ng create @angular/material`
  - D. `ng install @angular/material`
  - \*\*Answer: A\*\*
- 45. \*\*What command is used to add a PWA (Progressive Web App) to an Angular project?\*\*
  - A. `ng add @angular/pwa`

- B. `ng generate @angular/pwa`
- C. `ng create @angular/pwa`
- D. `ng install @angular/pwa`
- \*\*Answer: A\*\*
- 46. \*\*Which flag is used to disable source maps in a production build?\*\*
  - A. `ng build --source-map=false`
  - B. `ng build --no-source-map`
  - C. `ng build --disable-source-map`
  - D. `ng build --source-maps=false`
  - \*\*Answer: A\*\*
- 47. \*\*How do you add Angular Fire to an Angular project?\*\*
  - A. `ng add @angular/fire`
  - B. `ng generate @angular/fire`
  - C. `ng create @angular/fire`
  - D. `ng install @angular/fire`
  - \*\*Answer: A\*\*

- 48. \*\*What command is used to create a production build of an Angular project?\*\*
  - A. `ng build --prod`
  - B. `ng build --production`
  - C. `ng build --config=prod`
  - D. `ng build --env=prod`
  - \*\*Answer: A\*\*
- 49. \*\*How do you create a new Angular component in a specific module?\*\*
- A. `ng generate component my-component -- module=app`
- B. `ng generate component my-component -mod=app`
- C. `ng generate component my-component -m=app`
- D. `ng generate component my-component -- module=app.module.ts`
  - \*\*Answer: A\*\*
- 50. \*\*Which command creates a new Angular project with a specific style?\*\*

- A. `ng new my-app --style=scss`
- B. `ng new my-app --css=scss`
- C. `ng new my-app --stylesheet=scss`
- D. `ng new my-app --scss`
- \*\*Answer: A\*\*