

Question 1

****Which of the following are valid HTML5 elements?****

- a) ``<article>``
- b) ``<section>``
- c) ``<div>``
- d) ``<header>``

Question 2

****Which attributes are used for form validation in HTML5?****

- a) ``required``
- b) ``novalidate``
- c) ``pattern``
- d) ``checked``

Question 3

****Which of the following input types were introduced in HTML5?****

- a) ``email``
- b) ``date``
- c) ``text``
- d) ``number``

Question 4

****Which of the following tags are used for creating a table in HTML?****

- a) ``<table>``
- b) ``<tr>``
- c) ``<th>``
- d) ``<td>``

Question 5

****Which of the following are void elements in HTML?****

- a) ````

- b) ``
``
- c) ``<input>``
- d) ````

Question 6

****Which attributes are specific to the ``<textarea>` element?****

- a) ``rows``
- b) ``cols``
- c) ``placeholder``
- d) ``maxlength``

Question 7

****Which of the following are valid ways to embed CSS in an HTML document?****

- a) Inline CSS
- b) Internal CSS
- c) External CSS
- d) Embedded CSS

Question 8

****Which of the following attributes are used to specify alternate text for an image?****

- a) ``alt``
- b) ``title``
- c) ``src``
- d) ``aria-label``

Question 9

****Which of the following HTML tags are used for text formatting?****

- a) ````
- b) ````
- c) ````
- d) ``<i>``

Question 10

****Which of the following attributes are used to define a hyperlink?****

- a) `href`
- b) `target`
- c) `rel`
- d) `src`

Question 11

****Which of the following elements can be used to create a navigation menu in HTML5?****

- a) ``
- b) `
`
- c) `- `
- d) ``

Question 12

****Which attributes are specific to the `` element in a form?****

- a) `type`
- b) `name`
- c) `value`
- d) `checked`

Question 13

****Which of the following elements are used to group content in an HTML document?****

- a) `

`
- b) ``
- c) `

`
- d) `

`

Question 14

****Which of the following are valid ways to include JavaScript in an HTML document?****

- a) Inline JavaScript
- b) External JavaScript
- c) Embedded JavaScript
- d) Inline CSS

Question 15

****Which of the following tags are used for creating lists in HTML?****

- a) `
`
- b) `
`
- c) `- `
- d) `

`

Question 16

****Which of the following HTML attributes control the appearance of an iframe?****

- a) `width`
- b) `height`
- c) `frameborder`
- d) `scrolling`

Question 17

****Which of the following elements are used to define sections of content in HTML5?****

- a) `

`
- b) ``
- c) ``
- d) ``

Question 18

****Which of the following are block-level elements in HTML?****

- a) `

`
- b) `

`
- c) `

`

- d) ``

Question 19

Which of the following are valid HTML5 APIs?

- a) Geolocation API
- b) Drag and Drop API
- c) Web Storage API
- d) SVG API

Question 20

Which of the following attributes are used for audio and video tags in HTML5?

- a) `src`
- b) `controls`
- c) `autoplay`
- d) `loop`

Question 21

Which of the following tags are used to create form elements in HTML?

- a) ``
- b) ``
- c) ``
- d) ``

Question 22

Which of the following elements are inline elements in HTML?

- a) ``
- b) ``
- c) `**`**
- d) `

`

Question 23

****Which of the following attributes are used with the ``<form>`` element?****

- a) ``action``
- b) ``method``
- c) ``target``
- d) ``autocomplete``

Question 24

****Which of the following tags are deprecated in HTML5?****

- a) ````
- b) ``<center>``
- c) ``<marquee>``
- d) ``<big>``

Question 25

****Which of the following are valid doctypes in HTML5?****

- a) ``<!DOCTYPE html>``
- b) ``<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">``
- c) ``<!DOCTYPE XHTML 1.0 Transitional>``
- d) ``<!DOCTYPE HTML SYSTEM "about:legacy-compat">``

Question 26

****Which of the following elements can contain other block-level elements?****

- a) ``<div>``
- b) ``<article>``
- c) ``<section>``
- d) ``<p>``

Question 27

****Which of the following are valid HTML5 input types?****

- a) ``range``

- b) `color`
- c) `datetime-local`
- d) `password`

Question 28

****Which of the following attributes are used for SEO in HTML?****

- a) `title`
- b) `meta`
- c) `alt`
- d) `rel`

Question 29

****Which of the following attributes can be used with the `` tag?****

- a) `name`
- b) `content`
- c) `http-equiv`
- d) `charset`

Question 30

****Which of the following elements are used to create a dropdown list in a form?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 31

****Which of the following tags are used for embedding multimedia content in HTML5?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 32

****Which of the following elements are considered semantic elements in HTML5?****

- a) ``<header>``
- b) ``<footer>``
- c) ``<nav>``
- d) ``<div>``

Question 33

****Which of the following attributes are specific to the ``<a>`` tag?****

- a) ``href``
- b) ``target``
- c) ``rel``
- d) ``src``

Question 34

****Which of the following are valid HTML5 document structures?****

- a) ``<!DOCTYPE html><html><head></head><body></body></html>``
- b) ``<!DOCTYPE html><html><body></body></html>``
- c) ``<!DOCTYPE html><html></html>``
- d) ``<!DOCTYPE html><body></body>``

Question 35

****Which of the following tags are used to embed videos in an HTML document?****

- a) ``<video>``
- b) ``<embed>``
- c) ``<object>``
- d) ``<iframe>``

Question 36

****Which of the following elements are used to define a form control in HTML?****

- a) ``<input>``
- b) ``<textarea>``
- c) ``<button>``
- d) ``<label>``

Question 37

****Which of the following attributes can be used to specify the relationship between the current document and an external resource?****

- a) `rel`
- b) `type`
- c) `href`
- d) `media`

Question 38

****Which of the following tags are used to create a definition list in HTML?****

- a) ``<dl>``
- b) ``<dt>``
- c) ``<dd>``
- d) ``<dfn>``

Question 39

****Which of the following attributes are used to specify the language of an HTML document?****

- a) `lang`
- b) `xml:lang`
- c) `charset`
- d) `dir`

Question 40

****Which of the following attributes are specific to the ```` tag?****

- a) `src`
- b) `alt`

- c) `width`
- d) `height`

Question 41

****Which of the following tags are used to create a clickable button in HTML?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 42

****Which of the following elements are used to create hyperlinks in HTML?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 43

****Which of the following tags are used to create an ordered list in HTML?****

- a) `
`
- b) `- `
- c) `
`
- d) `

`

Question 44

****Which of the following attributes are used to specify metadata about an HTML document?****

- a) `name`
- b) `content`
- c) `http-equiv`

- d) `charset`

Question 45

****Which of the following attributes are used to control the appearance of a table in HTML?****

- a) `border`
- b) `cellpadding`
- c) `cellspacing`
- d) `align`

Question 46

****Which of the following tags are used to define the head of an HTML document?****

- a) ``
- b) ``- c) `<meta>`- d) `<link>`</div><div data-bbox="147 512 267 527" data-label="Section-Header"><h3>### Question 47</h3></div><div data-bbox="147 538 760 555" data-label="Text"><p>**Which of the following elements are used to create a footer in an HTML document?**</p></div><div data-bbox="147 564 256 661" data-label="List-Group"><ul style="list-style-type: none;">- a) `<footer>`- b) `<div>`- c) `<section>`- d) `<p>`</div><div data-bbox="147 698 267 714" data-label="Section-Header"><h3>### Question 48</h3></div><div data-bbox="147 725 750 741" data-label="Text"><p>**Which of the following attributes are used to specify the dimensions of an iframe?**</p></div><div data-bbox="147 751 248 848" data-label="List-Group"><ul style="list-style-type: none;">- a) `width`- b) `height`- c) `border`- d) `scrolling`</div><div data-bbox="147 884 267 900" data-label="Section-Header"><h3>### Question 49</h3></div>

****Which of the following tags are used to create headings in HTML?****

- a) ``<h1>``
- b) ``<h2>``
- c) ``<h3>``
- d) ``<h4>``

Question 50

****Which of the following tags are used to define a block of preformatted text in HTML?****

- a) ``<pre>``
- b) ``<code>``
- c) ``<samp>``
- d) ``<kbd>``

Question 51

****Which of the following elements can be used to create a dropdown menu in HTML?****

- a) ``<select>``
- b) ``<option>``
- c) ``<datalist>``
- d) ``<input>``

Question 52

****Which of the following attributes are specific to the ``<video>`` tag?****

- a) ``src``
- b) ``controls``
- c) ``autoplay``
- d) ``loop``

Question 53

****Which of the following tags are used to create a form in HTML?****

- a) ``<form>``
- b) ``<input>``

- c) ``<button>``
- d) ``<label>``

Question 54

****Which of the following elements are used to define a paragraph in HTML?****

- a) ``<p>``
- b) ``<div>``
- c) ````
- d) ``<section>``

Question 55

****Which of the following attributes are used to specify the type of an input element in a form?****

- a) `type`
- b) `name`
- c) `value`
- d) `placeholder`

Question 56

****Which of the following tags are used to create a hyperlink in HTML?****

- a) ``<a>``
- b) ``<link>``
- c) ``<nav>``
- d) ``<button>``

Question 57

****Which of the following elements can be used to create a modal dialog in HTML5?****

- a) ``<dialog>``
- b) ``<div>``
- c) ``<section>``
- d) ``<article>``

Question 58

****Which of the following attributes are used to specify the character encoding for an HTML document?****

- a) `charset`
- b) `encoding`
- c) `content`
- d) `meta`

Question 59

****Which of the following elements are used to create an unordered list in HTML?****

- a) `
`
- b) `- `
- c) `
`
- d) `

`

Question 60

****Which of the following attributes are used to specify the target of a hyperlink in HTML?****

- a) `target`
- b) `href`
- c) `rel`
- d) `title`

Question 61

****Which of the following tags are used to create a block of code in HTML?****

- a) ````
- b) `

```
`
```
- c) ````
- d) ````

Question 62

****Which of the following attributes are used to control the appearance of an image in HTML?****

- a) `width`
- b) `height`
- c) `src`
- d) `alt`

Question 63

****Which of the following tags are used to create a horizontal line in HTML?****

- a) `

`
- b) `
`
- c) `

`
- d) ``

Question 64

****Which of the following attributes are used to specify the dimensions of an image in HTML?****

- a) `width`
- b) `height`
- c) `src`
- d) `alt`

Question 65

****Which of the following elements can be used to create a responsive image in HTML5?****

- a) ``
- b) `srcset`
- c) ``
- d) ``

Question 66

****Which of the following tags are used to define a section of content in HTML5?****

- a) `

`
- b) `

`
- c) `

`

- d) ``<header>``

Question 67

****Which of the following attributes are specific to the ``<a>`` tag?****

- a) ``href``
- b) ``target``
- c) ``rel``
- d) ``title``

Question 68

****Which of the following tags are used to create a heading in HTML?****

- a) ``<h1>``
- b) ``<h2>``
- c) ``<h3>``
- d) ``<h4>``

Question 69

****Which of the following attributes are used to specify the appearance of a table in HTML?****

- a) ``border``
- b) ``cellpadding``
- c) ``cellspacing``
- d) ``align``

Question 70

****Which of the following tags are used to create a blockquote in HTML?****

- a) ``<blockquote>``
- b) ``<q>``
- c) ``<cite>``
- d) ``<quote>``

Question 71

****Which of the following elements are considered block-level elements in HTML?****

- a) ``<div>``
- b) ``<p>``
- c) ``<h1>``
- d) ````

Question 72

****Which of the following attributes are used to specify the language of an HTML document?****

- a) ``lang``
- b) ``xml:lang``
- c) ``dir``
- d) ``charset``

Question 73

****Which of the following elements are used to create an inline frame in HTML?****

- a) ``<iframe>``
- b) ``<frame>``
- c) ``<frameset>``
- d) ``<embed>``

Question 74

****Which of the following attributes are used to specify the relationship between an HTML document and an external resource?****

- a) ``rel``
- b) ``type``
- c) ``href``
- d) ``media``

Question 75

****Which of the following tags are used to create a table in HTML?****

- a) ``<table>``

- b) ``<tr>``
- c) ``<th>``
- d) ``<td>``

Question 76

****Which of the following attributes are used to specify the dimensions of a table in HTML?****

- a) ``width``
- b) ``height``
- c) ``border``
- d) ``cellpadding``

Question 77

****Which of the following tags are used to define a section of a document in HTML5?****

- a) ``<section>``
- b) ``<article>``
- c) ``<div>``
- d) ``<header>``

Question 78

****Which of the following elements are considered semantic elements in HTML5?****

- a) ``<header>``
- b) ``<footer>``
- c) ``<nav>``
- d) ``<div>``

Question 79

****Which of the following attributes are used to control the appearance of an iframe in HTML?****

- a) ``width``
- b) ``height``
- c) ``border``
- d) ``scrolling``

Question 80

****Which of the following tags are used to create a list in HTML?****

- a) `
`
- b) `
`
- c) `- `
- d) `

`

Question 81

****Which of the following attributes are used to specify the type of a button in HTML?****

- a) `type`
- b) `name`
- c) `value`
- d) `disabled`

Question 82

****Which of the following tags are used to create a form in HTML?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 83

****Which of the following elements are used to create a paragraph in HTML?****

- a) `

`
- b) `

`
- c) ``
- d) `

`

Question 84

****Which of the following attributes are used to specify the appearance of a table in HTML?****

- a) `border`
- b) `cellpadding`
- c) `cellspacing`
- d) `align`

Question 85

****Which of the following tags are used to create a hyperlink in HTML?****

- a) ``
- b) ``
- c) ``
- d) ``

Question 86

****Which of the following elements can be used to create**

a modal dialog in HTML5?**

- a) ``
- b) `

`
- c) `

`
- d) `

`

Question 87

****Which of the following attributes are used to specify the character encoding for an HTML document?****

- a) `charset`
- b) `encoding`
- c) `content`
- d) `meta`

Question 88

****Which of the following elements are used to create an unordered list in HTML?****

- a) ````
- b) ````
- c) ````
- d) ``<dl>``

Question 89

****Which of the following attributes are used to specify the target of a hyperlink in HTML?****

- a) `target`
- b) `href`
- c) `rel`
- d) `title`

Question 90

****Which of the following tags are used to create a block of code in HTML?****

- a) ``<code>``
- b) ``<pre>``
- c) ``<samp>``
- d) ``<kbd>``

Question 91

****Which of the following attributes are used to control the appearance of an image in HTML?****

- a) `width`
- b) `height`
- c) `src`
- d) `alt`

Question 92

****Which of the following tags are used to create a horizontal line in HTML?****

- a) ``<hr>``
- b) ``
``
- c) ``<div>``

- d) ``

Question 93

****Which of the following attributes are used to specify the dimensions of an image in HTML?****

- a) `width`
- b) `height`
- c) `src`
- d) `alt`

Question 94

****Which of the following elements can be used to create a responsive image in HTML5?****

- a) ``
- b) `srcset`
- c) ``
- d) ``

Question 95

****Which of the following tags are used to define a section of content in HTML5?****

- a) `

`
- b) `

`
- c) `

`
- d) ``

Question 96

****Which of the following attributes are specific to the `` tag?****

- a) `href`
- b) `target`
- c) `rel`
- d) `title`

Question 97

****Which of the following tags are used to create a heading in HTML?****

- a) ``<h1>``
- b) ``<h2>``
- c) ``<h3>``
- d) ``<h4>``

Question 98

****Which of the following attributes are used to specify the appearance of a table in HTML?****

- a) ``border``
- b) ``cellpadding``
- c) ``cellspacing``
- d) ``align``

Question 99

****Which of the following tags are used to create a blockquote in HTML?****

- a) ``<blockquote>``
- b) ``<q>``
- c) ``<cite>``
- d) ``<quote>``

Question 100

****Which of the following elements are considered block-level elements in HTML?****

- a) ``<div>``
- b) ``<p>``
- c) ``<h1>``
- d) ````
