Question 1

Which of the following are valid HTML5 elements?

- **a) `<article>`**

- **b) `<section>`**

- **d) `<header>`**

Question 2

Which attributes are used for form validation in HTML5?

- **a) `required`**

- **c) `pattern`**

Question 3

Which of the following input types were introduced in HTML5?

- **a) `email`**

- **b) `date`**

- **d) `number`**

Question 4

Which of the following tags are used for creating a table in HTML?

- **a) `<table>`**

- **b) `<tr>`**

- **c) `<th>`**

- **d) `<td>`**

Question 5

Which of the following are void elements in HTML?

- **a) `<img>`**

- **b) `<br>`**

- **c) `<input>`**

Question 6

Which attributes are specific to the `<textarea>` element?

- **a) `rows`**

- **b) `cols`**

- **c) `placeholder`**

- **d) `maxlength`**

Question 7

Which of the following are valid ways to embed CSS in an HTML document?

- **a) Inline CSS**

- **b) Internal CSS**

- **c) External CSS**

Question 8

Which of the following attributes are used to specify alternate text for an image?

- **a) `alt`**

- **b) `title`**

Question 9

Which of the following HTML tags are used for text formatting?

- **a) `<strong>`**

- **b) `<em>`**

- **c) `<b>`**

- **d) `<i>`**

Question 10

Which of the following attributes are used to define a hyperlink?

- **a) `href`**

- **b) `target`**

- **c) `rel`**

Question 11

Which of the following elements can be used to create a navigation menu in HTML5?

- **a) `<nav>`**

- **b) `<ul>`**

- **c) `<li>`**

Question 12

Which attributes are specific to the `<input>` element in a form?

- **a) `type`**

- **b) `name`**

- **c) `value`**

- **d) `checked`**

Question 13

Which of the following elements are used to group content in an HTML document?

- **a) `<div>`**

- **b) `<span>`**

- **c) `<article>`**

- **d) `<section>`**

Question 14

Which of the following are valid ways to include JavaScript in an HTML document?

- **a) Inline JavaScript**

- **b) External JavaScript**

- **c) Embedded JavaScript**

Question 15

Which of the following tags are used for creating lists in HTML?

- **a) `<ul>`**

- **b) `<ol>`**

- **c) `<li>`**

- **d) `<dl>`**

Question 16

Which of the following HTML attributes control the appearance of an iframe?

- **a) `width`**

- **b) `height`**

- **c) `frameborder`**

Question 17

Which of the following elements are used to define sections of content in HTML5?

- **a) `<article>`**

- **b) `<aside>`**

- **c) `<header>`**

- **d) `<footer>`**

Question 18

Which of the following are block-level elements in HTML?

- **a) `<p>`**

- **b) `<h1>`**

- **c) `<div>`**

Question 19

Which of the following are valid HTML5 APIs?

- **a) Geolocation API**

- **b) Drag and Drop API**

- **c) Web Storage API**

Question 20

Which of the following attributes are used for audio and video tags in HTML5?

- **a) `src`**

- **b) `controls`**

- **c) `autoplay`**

- **d) `loop`**

Question 21

Which of the following tags are used to create form elements in HTML?

- **a) `<form>`**

- **b) `<input>`**

- **c) `<button>`**

- **d) `<select>`**

Question 22

Which of the following elements are inline elements in HTML?

- **a) `<a>`**

- **b) `<img>`**

- **c) `<b>`**

Question 23

Which of the following attributes are used with the `<form>` element?

- **a) `action`**

- **b) `method`**

- **c) `target`**

- **d) `autocomplete`**

Question 24

Which of the following tags are deprecated in HTML5?

- **a) `<font>`**

- **b) `<center>`**

- **c) `<marquee>`**

- **d) `<big>`**

Question 25

Which of the following are valid doctypes in HTML5?

- **a)** `<!DOCTYPE html>`**

Question 26

Which of the following elements can contain other block-level elements?

- **a)** `<div>`**

- **b)** `<article>`**

- **c)** `<section>`**

Question 27

Which of the following are valid HTML5 input types?

- **a)** `range`**

- **b)** `color`**

- **c)** `datetime-local`**

- **d)** `password`**

Question 28

Which of the following attributes are used for SEO in HTML?

- **a)** `title`**

- **b)** `meta`**

- **c)** `alt`**

- **d)** `rel`**

Question 29

Which of the following attributes can be used with the `<meta>` tag?

- **a)** `name`**

- **b)** `content`**

- **c)** `http-equiv`**

- **d)** `charset`**

Question 30

Which of the following elements are used to create a dropdown list in a form?

- **a) `<select>`**

- **b) `<option>`**

- **c) `<datalist>`**

Question 31

Which of the following tags are used for embedding multimedia content in HTML5?

- **a) `<audio>`**

- **b) `<video>`**

- **c) `<embed>`**

- **d) `<object>`**

Question 32

Which of the following elements are considered semantic elements in HTML5?

- **a) `<header>`**

- **b) `<footer>`**

- **c) `<nav>`**

Question 33

Which of the following attributes are specific to the `<a>` tag?

- **a) `href`**

- **b) `target`**

- **c) `rel`**

Question 34

Which of the following are valid HTML5 document structures?

- **a) `<!DOCTYPE html><html><head></head><body></body></html>`**

- **b) `<!DOCTYPE html><html><body></body></html>`**

Question 35

Which of the following tags are used to embed videos in an HTML document?

- **a) `<video>`**

- **b) `<embed>`**

- **c) `<object>`**

- **d) `<iframe>`**

Question 36

Which of the following elements are used to define a form control in HTML?

- **a) `<input>`**

- **b) `<textarea>`**

- **c) `<button>`**

- **d) `<label>`**

Question 37

Which of the following attributes can be used to specify the relationship between the current document and an external resource?

- **a) `rel`**

- **b) `type`**

- **c) `href`**

Question 38

Which of the following tags are used to create a definition list in HTML?

- **a) `<dl>`**

- **b) `<dt>`**

- **c) `<dd>`**

Question 39

Which of the following attributes are used to specify the language of an HTML document?

- **a) `lang`**

- **b) `xml:lang`**

Question 40

Which of the following attributes are specific to the `<img>` tag?

- **a) `src`**

- **b) `alt`**

- **c) `width`**

- **d) `height`**

Question 41

Which of the following tags are used to create a clickable button in HTML?

- **a) `<button>`**

- **b) `<input>`**

Question 42

Which of the following elements are used to create hyperlinks in HTML?

- **a) `<a>`**

Question 43

Which of the following tags are used to create an ordered list in HTML?

- **a) `<ol>`**

- **b) `<li>`**

Question 44

**Which of the following attributes are used to specify metadata about an HTML document?

**

- **a) `name`**

- **b) `content`**

- **c) `http-equiv`**

- **d) `charset`**

Question 45

Which of the following attributes are used to control the appearance of a table in HTML?

- **a) `border`**

- **b) `cellpadding`**
- **c) `cellspacing`**

Question 46

Which of the following tags are used to define the head of an HTML document?

- **a) `<head>`**
- **b) `<title>`**
- **c) `<meta>`**
- **d) `<link>`**

Question 47

Which of the following elements are used to create a footer in an HTML document?

- **a) `<footer>`**

Question 48

Which of the following attributes are used to specify the dimensions of an iframe?

- **a) `width`**
- **b) `height`**

Question 49

Which of the following tags are used to create headings in HTML?

- **a) `<h1>`**
- **b) `<h2>`**
- **c) `<h3>`**
- **d) `<h4>`**

Question 50

Which of the following tags are used to define a block of preformatted text in HTML?

- **a) `<pre>`**

Question 51

Which of the following elements can be used to create a dropdown menu in HTML?

- **a) `<select>`**

- **b) `<option>`**

- **c) `<datalist>`**

Question 52

Which of the following attributes are specific to the `<video>` tag?

- **a) `src`**

- **b) `controls`**

- **c) `autoplay`**

- **d) `loop`**

Question 53

Which of the following tags are used to create a form in HTML?

- **a) `<form>`**

- **b) `<input>`**

- **c) `<button>`**

- **d) `<label>`**

Question 54

Which of the following elements are used to define a paragraph in HTML?

- **a) `<p>`**

Question 55

Which of the following attributes are used to specify the type of an input element in a form?

- **a) `type`**

- **b) `name`**

- **c) `value`**

- **d) `placeholder`**

Question 56

Which of the following tags are used to create a hyperlink in HTML?

- **a) `<a>`**

Question 57

Which of the following elements can be used to create a modal dialog in HTML5?

- **a) `<dialog>`**

Question 58

Which of the following attributes are used to specify the character encoding for an HTML document?

- **a) `charset`**

Question 59

Which of the following elements are used to create an unordered list in HTML?

- **a) `<ul>`**
- **b) `<li>`**

Question 60

Which of the following attributes are used to specify the target of a hyperlink in HTML?

- **a) `target`**

Question 61

Which of the following tags are used to create a block of code in HTML?

- **a) `<code>`**
- **b) `<pre>`**

Question 62

Which of the following attributes are used to control the appearance of an image in HTML?

- **a) `width`**
- **b) `height`**
- **c) `src`**

- **d) `alt`**

Question 63

Which of the following tags are used to create a horizontal line in HTML?

- **a) `<hr>`**

Question 64

Which of the following attributes are used to specify the dimensions of an image in HTML?

- **a) `width`**

- **b) `height`**

Question 65

Which of the following elements can be used to create a responsive image in HTML5?

- **a) `<img>`**

- **b) `srcset`**

- **c) `<picture>`**

- **d) `<source>`**

Question 66

Which of the following tags are used to define a section of content in HTML5?

- **a) `<section>`**

- **c) `<article>`**

- **d) `<header>`**

Question 67

Which of the following attributes are specific to the `<a>` tag?

- **a) `href`**

- **b) `target`**

- **c) `rel`**

Question 68

Which of the following tags are used to create a heading in HTML?

- **a) `<h1>`**

- **b) `<h2>`**

- **c) `<h3>`**

- **d) `<h4>`**

Question 69

Which of the following attributes are used to specify the appearance of a table in HTML?

- **a) `border`**

- **b) `cellpadding`**

- **c) `cellspacing`**

Question 70

Which of the following tags are used to create a blockquote in HTML?

- **a) `<blockquote>`**

Question 71

Which of the following elements are considered block-level elements in HTML?

- **a) `<div>`**

- **b) `<p>`**

- **c) `<h1>`**

Question 72

Which of the following attributes are used to specify the language of an HTML document?

- **a) `lang`**

- **b) `xml:lang`**

Question 73

Which of the following elements are used to create an inline frame in HTML?

- **a) `<iframe>`**

Question 74

Which of the following attributes are used to specify the relationship between an HTML document and an external resource?

- **a) `rel`**

- **b) `type`**

- **c) `href`**

Question 75

Which of the following tags are used to create a table in HTML?

- **a) `<table>`**

- **b) `<tr>`**

- **c) `<th>`**

- **d) `<td>`**

Question 76

Which of the following attributes are used to specify the dimensions of a table in HTML?

- **a) `width`**

- **b) `height`**

- **c) `border`**

Question 77

Which of the following tags are used to define a section of a document in HTML5?

- **a) `<section>`**

- **b) `<article>`**

- **c) `<div>`**

- **d) `<header>`**

Question 78

Which of the following elements are considered semantic elements in HTML5?

- **a) `<header>`**

- **b) `<footer>`**

- **c) `<nav>`**

Question 79

Which of the following attributes are used to control the appearance of an iframe in HTML?

- **a) `width`**

- **b) `height`**

Question 80

Which of the following tags are used to create a list in HTML?

- **a) `<ul>`**

- **b) `<ol>`**

- **c) `<li>`**

Question 81

Which of the following attributes are used to specify the type of a button in HTML?

- **a) `type`**

Question 82

Which of the following tags are used to create a form in HTML?

- **a) `<form>`**

- **b) `<input>`**

- **c) `<button>`**

- **d) `<label>`**

Question 83

Which of the following elements are used to create a paragraph in HTML?

- **a) `<p>`**

Question 84

Which of the following attributes are used to specify the appearance of a table in HTML?

- **a) `border`**

- **b) `cellpadding`**

- **c) `cellspacing`**

Question 85

Which of the following tags are used to create a hyperlink in HTML?

- **a) `<a>`**

Question 86

Which of the following elements can be used to create a modal dialog in HTML5?

- **a) `<dialog>`**

Question 87

Which of the following attributes are used to specify the character encoding for an HTML document?

- **a) `charset`**

Question 88

Which of the following elements are used to create an unordered list in HTML?

- **a) `<ul>`**

- **b) `<li>`**

Question 89

Which of the following attributes are used to specify the target of a hyperlink in HTML?

- **a) `target`**

Question 90

Which of the following tags are used to create a block of code in HTML?

- **a) `<code>`**

- **b) `<pre>`**

Question 91

Which of the following attributes are used to control the appearance of an image in HTML?

- **a) `width`**

- **b) `height`**

- **c) `src`**

- **d) `alt`**

Question 92

**Which of the following tags are used to create a horizontal line

 in HTML?**

- **a) `<hr>`**

Question 93

Which of the following attributes are used to specify the dimensions of an image in HTML?

- **a) `width`**

- **b) `height`**

Question 94

Which of the following elements can be used to create a responsive image in HTML5?

- **a) `<img>`**

- **b) `srcset`**

- **c) `<picture>`**

- **d) `<source>`**

Question 95

Which of the following tags are used to define a section of content in HTML5?

- **a) `<section>`**

- **c) `<article>`**

- **d) `<header>`**

Question 96

Which of the following attributes are specific to the `<a>` tag?

- **a) `href`**

- **b) `target`**

- **c) `rel`**

Question 97

Which of the following tags are used to create a heading in HTML?

- **a) `<h1>`**

- **b) `<h2>`**

- **c) `<h3>`**

- **d) `<h4>`**

Question 98

Which of the following attributes are used to specify the appearance of a table in HTML?

- **a) `border`**

- **b) `cellpadding`**

- **c) `cellspacing`**

Question 99

Which of the following tags are used to create a blockquote in HTML?

- **a) `<blockquote>`**

Question 100

Which of the following elements are considered block-level elements in HTML?

- **a) `<div>`**

- **b) `<p>`**

- **c) `<h1>`**