API DocumentatioN

User Login

Description

API for user to log in.

Request URL

http://localhost:9001/api/login or http://www.supfile.store/api/login

Request Method

POST

Parameters

Name	Value	Type	Description
username	Starts with letter contains numbers and letters between 6-8	String	Username of exsit user
password	6-8 gigits	String	Password of exsit user

Return Example

```
{
    "ok": 1,
    "msg": "Login success"
}
```

SHOW FILE

Description

API for user to show files.

Request URL

http://localhost:9001/api/showfile or http://www.supfile.store/api/showfile

Request Method

POST

Parameters

Name	Value	Type	Description
username	Starts with letter contains numbers and letters between 6-8	String	Username of exsit user
password	6-8 gigits	String	Password of exsit user

Return Example

```
{
    "file": [
        {
            "fileName": "Spock.1.1.zip",
            "hashName": "c27beb44a6fbbb647d468403abaa8832.zip",
            "lastTime": "2018-5-31 10:04:07",
            "size": "42837938",
            "downloadTime": "0",
            "typeis": ".zip"
        }
    ]
}
```

Download File

Description

API for user to download files.

Request URL

http://localhost:9001/api/download or http://www.supfile.store/api/download

Request Method

POST

Parameters

Name	Value	Type	Description
username	Starts with letter contains numbers and letters between 6-8	String	Username of exsit user
fileName	With extension name	String	Name of the file
password	6-8 gigits	String	Password of exsit user

Return Example

```
{
    "ok": 1,
    "msg": "download file success",
    "address": "./allFiles/c27beb44a6fbbb647d468403abaa8832.zip"
}[]
```

Rename File

Description

API for user to rename files.

Request URL

http://localhost:9001/api/rename or http://www.supfile.store/api/rename

Request Method

POST

Parameters

Name	Value	Type	Description
username	Starts with letter contains numbers and letters between 6-8	String	Username of exsit user
fileName	With extension name	String	Name of the file

			(old)
newName	With extension name	String	Name of the file (new)
password	6-8 digits	String	Password of exsit user

Return Example

```
{
    "ok": 1,
    "msg": "rename success"
}
```