Retrieve CorePlan API Access Token with Postman

Retrieve CorePlan API Access Token with Postman

Authentication must be carried out for all API requests and is handled by use of a token that can be attached to the request in a header.

Retrieve API access token


```
POST https://www.coreplan.io/api/v1/auth/login/
```

Request headers

```
Content-Type: application/json
```

Open Postman and follow the below steps to configure:

1. In the Headers tab, check that Content-Type is set to applicaton/json (Postman should do this automatically)



2. After checking the headers, select the Body tab and configure like so:


Method: POST
Body: raw
Format: JSON

3. Complete the request body, this should contain your CorePlan email and password

Request body

```
{
   "email": "jane.doe@coreplan.io",
   "password": "vErY-sEcUrE-pAsSwOrD-12345"
  }
```

4. Paste the CorePlan authentication URL into the URL field and click Send. You should then
return your access token



Returns

```
{
  "token": "abcdef1234567890abcdef1234567890abcdef",
  "user":
  {
    "id": 1234,
    "name": "Janicus Doe",
    "email": "jane.doe@coreplan.io",
    "organisation_id": 999
```


This API access token is unique for a single user and must be kept secret. Should your token be in any way compromised, contact us immediately to reissue a new one.

Get Data Using API Access Token

You can now use your token to pull data from CorePlan. Clear the Body tab and then select the
Authorization tab


Switch the Type to API Key and enter “Token paste your token” into the Value field.

Switch the Method to GET and put in the URL for the API you want to pull from.

Base API Url

```
https://www.coreplan.io/api/public/v1/
```

In this example, drill hole data is being pulled:


GET https://www.coreplan.io/
https://www.coreplan.io/api/public/v1/holes
Add to collection
GET
https://www.coreplan.io/api/public/v1/holes
Send
Params
Authorization
Headers (8)
Body
Pre-request Script
Tests
Settings
Cookies
Type
API Key
The authorization header will be automatically generated when you send the request.
Learn more about authorization
Key
Authorization
Value
Token abc123abc123abc123abc123abc123 ...
Add to
Header
Body
Cookies (2)
Headers (17)
Test Results
200 OK
457 ms
94.26 KB
Save Response
Pretty
Raw
Preview
Visualize
JSON
"id": "c2ef3f49-5d19-43ad-bdf5-05c28b3b9230",
"name": "GSDP10898",
"status": "drilling__completed",
"project_id": 876,
"workstream_id": null,
"type": "RC",
"phase": null,
"priority": null,
"prospect": null,
"proposal_id": null,
"pow": null,