

Slip 25

Q.1) Write a C Program that demonstrates redirection of standard output **to a file**

```
#include<stdio.h>
#include<unistd.h>
#include<fcntl.h>
#include<sys/stat.h>
#include<dirent.h>
#include<string.h>
#include<stdlib.h>
#include<time.h>
// two files redirection program 1st for no system call another is use open
and dup2 system call
void main()
{

    freopen("zz.txt","a",stdout);
    printf("\n jay mahakal");
    fclose(stdout);
}
void main()
{
    int file=open("lll.txt",O_WRONLY|O_CREAT|O_TRUNC,0644);
    dup2(file,1)
    printf("hello babe");
    printf("bam bam bolle");
    close(file)

}
```

Q.2) Write a C program that redirects standard output to a file output.txt.
(use of dup and open system call).

[20 Marks]

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <fcntl.h>
int main() {
    int fd;
    // Open (or create) the file output.txt for writing
    fd = open("output.txt", O_WRONLY | O_CREAT | O_TRUNC, 0644);
    if (fd < 0) {
        perror("open");
        return 1;
    }
}
```

```
// Redirect stdout to fd
if (dup2(fd, STDOUT_FILENO) < 0) {
    perror("dup2");
    close(fd);
    return 1;
}
close(fd); // fd is no longer needed
// Anything printed now goes to output.txt
printf("This is written using dup2 and open system calls.\n");
printf("Standard output has been redirected.\n");
return 0;
}
```