


Complete output:



CSV Reader with Table:

KNIME Analytics Platform

HomeWebtoolWebtool ×+?PreferencesMenupcformoso

SaveExecuteCancelResetHub – WebtoolDeploy on Hub

InfoNodesExplorerK-AIMonitor

```
graph LR; CSVReader[CSV Reader] --> ColumnFilter[Column Filter]; ColumnFilter --> Normalizer[Normalizer]; Normalizer --> TablePartitioner[Table Partitioner]; TablePartitioner --> DTL[Decision Tree Learner]; TablePartitioner --> LRL[Logistic Regression Learner]; TablePartitioner --> RFL[Random Forest Learner]; DTL --> DTP[Decision Tree Predictor]; LRL --> DTP; RFL --> DTP; DTP --> Scorer[Scorer];
```

1: File Table

Flow Variables

Rows: 30 | Columns: 6 | Sorting | Filter

TableStatistics

student_idattendancequiz_scoreassignment_scoreexam_scorerisk_status

1	Row0	S001	95	90	92	88	Not At Risk
2	Row1	S002	88	84	86	82	Not At Risk
3	Row2	S003	76	72	75	70	Not At Risk
4	Row3	S004	62	58	60	55	At Risk
5	Row4	S005	55	48	52	50	At Risk
6	Row5	S006	91	87	89	85	Not At Risk
7	Row6	S007	68	65	61	60	At Risk
8	Row7	S008	82	78	80	76	Not At Risk
9	Row8	S009	47	50	45	48	At Risk
10	Row9	S010	73	69	72	68	Not At Risk
11	Row10	S011	85	81	79	83	Not At Risk
12	Row11	S012	59	55	57	52	At Risk
13	Row12	S013	79	74	77	73	Not At Risk

CSV Reader

File

ModeFileFiles in folders

SourceC:\Users\pcformoso\Downloads\student_perfor...

File Format

Skip first lines of file0

Comment line character#

Row delimiterLine breakCustom

DiscardApplyApply and Execute

KNIME Analytics Platform

HomeWebtoolWebtool ×+?PreferencesMenupcformoso

SaveExecuteCancelResetHub – WebtoolDeploy on Hub

InfoNodesExplorerK-AIMonitor

1: File Table

Flow Variables

Rows: 30 | Columns: 6 | Sorting | Filter

TableStatistics

student_idattendancequiz_scoreassignment_scoreexam_scorerisk_status

1	Row0	S001	95	90	92	88	Not At Risk
2	Row1	S002	88	84	86	82	Not At Risk
3	Row2	S003	76	72	75	70	Not At Risk
4	Row3	S004	62	58	60	55	At Risk
5	Row4	S005	55	48	52	50	At Risk
6	Row5	S006	91	87	89	85	Not At Risk
7	Row6	S007	68	65	61	60	At Risk
8	Row7	S008	82	78	80	76	Not At Risk
9	Row8	S009	47	50	45	48	At Risk
10	Row9	S010	73	69	72	68	Not At Risk
11	Row10	S011	85	81	79	83	Not At Risk
12	Row11	S012	59	55	57	52	At Risk
13	Row12	S013	79	74	77	73	Not At Risk

Scorer Node 1:

The screenshot shows the KNIME Analytics Platform interface. The main workspace displays a workflow with nodes: CSV Reader, Column Filter, Normalizer, Table Partitioner, Decision Tree Learner, Logistic Regression Learner, Random Forest Learner, Decision Tree Predictor, Logistic Regression Predictor, Random Forest Predictor, and Scorer. The Scorer node is configured with the following settings:

- First column: Prediction (risk_status)
- Second column: risk_status
- Sorting strategy: Insertion order
- Reverse order: ☐
- Use name prefix: ☐
- Missing values: Ignore

A window titled "Confusion matrix (Table)" is open, showing the following data:

#	RowID	Not At Risk	At Risk
1	Not A...	3	0
2	At Risk	0	3

Scorer Node 2:

The screenshot shows the KNIME Analytics Platform interface. The main workspace displays a workflow with nodes: CSV Reader, Column Filter, Normalizer, Table Partitioner, Decision Tree Learner, Logistic Regression Learner, Random Forest Learner, Decision Tree Predictor, Logistic Regression Predictor, Random Forest Predictor, and Scorer. The Scorer node is configured with the following settings:

- First column: Prediction (risk_status)
- Second column: risk_status
- Sorting strategy: Insertion order
- Reverse order: ☐
- Use name prefix: ☐
- Missing values: Ignore

A window titled "Confusion matrix (Table)" is open, showing the following data:

#	RowID	Not At Risk	At Risk
1	Not A...	3	2
2	At Risk	0	1

Scorer Node 3:

KNIME Analytics Platform

HomeWebtoolWebtool ×+?PreferencesMenupcformoso

SaveExecuteCancelResetHub – WebtoolDeploy on Hub

InfoNodesExplorerK-AIMonitor

CSV ReaderColumn FilterNormalizerTable Partitioner

Logistic Regression LearnerDecision Tree PredictorScorer

Random Forest LearnerLogistic Regression PredictorScorer

Random Forest PredictorScorer

root14

Add comment

Scorer

First column
Prediction (risk_status)

Second column
risk_status

Sorting strategy
Insertion order

Reverse order

Use name prefix

Missing values
IgnoreFail

ApplyApply and Execute

1: Confusion matrix2: Accuracy statistics

Rows: 2 | Columns: 2 | Sorting | Filter

#

RowID

Not At Risk

At Risk

1

Not A

3

0

2

At Risk

0

3

► 1: Confusion matrix ► 2: Accuracy statistics

Rows: 2 | Columns: 2 | Sorting | Filter

☐	#	RowID	Not At Risk	At Risk
(Integer) Number (Integer)				
☐	1	Not A	3	0
☐	2	At Risk	0	3