# Hierarchical Dirichlet Regression Model for Benthic Cover in the Abrolhos Bank

#### Pamela M. Chiroque-Solano

Sciences Department at University of Lisboa, CE3C, Portugal Institute of Biology and SAGE-COPPE, Federal University of Rio de Janeiro, Brazil.


This work was done in collaboration with Mariana S. Sá and Larissa M. Martins.


11th of August, 2021

### Framework

- Multivariate regression with constrained response.
- Challenge:
  - ▶ Unbalanced;
  - ▶ Lot of missing data;
  - ▶ Identificability issues

# Objective: To study the composition variability by site





### Model

## Maier (2014) and Holger (2018)

Filtered information through the decomposition of  $\alpha$ 

- $\mathbf{Y}_l \sim D(\mu_l, \phi_l)$  with parameter  $\alpha_{cl} = \mu_{cl}\phi_l$
- $\mu_{cl}$ : level term
- $\phi_l$ : precision term

### Reference component: $c^*$

- Alternative parametrization:  $c^*$  should be chosen.
- Stochastic representation for Dirichlet random vector

## Sharing information equation

$$\beta_{cl} = \beta_c + \epsilon_{\beta_l}, \quad \epsilon_{\beta_l} \sim \mathcal{N}(0, V_{\beta})$$
  
$$\theta_l = \theta + \epsilon_{\theta_l}, \quad \epsilon_{\theta_l} \sim \mathcal{N}(0, V_{\theta})$$

# Inference procedure

Let  $\Theta = (\beta, \phi)$  be the vector of parameters

Proper independent prior distribution for the parametric vector  $\boldsymbol{\Theta}$  are Normal with zero mean and precision 1/K for all effects of the model.

The joint posterior distribution does not have a known closed form

$$\pi(\boldsymbol{\Theta} \mid \mathbf{y}) \propto L(\boldsymbol{\Theta} \mid \mathbf{y}) \prod_{l}^{L} \pi(\phi_{l}) \prod_{c}^{C} \pi(\beta_{cl})$$
 (1)

Sampling from the posterior distribution

by Markov chain Monte Carlo (MCMC) via the Stan software.

### Results and Conclusions

### The results validate the original hypotheses

Sites near the coast (inshore) are more variable than the offshore sites.

#### Main conclusions

- The proposed model quantifies the heteroscedasticity through precision effects via hierarchical structures by site;
- The method is flexible;
- The reference component has been chosen using objective criteria;
- The proposal allows to obtain adequate predictions.
- This work contributes to the United Nations's Sustainable Development Goal 14 "Life Under Water".

### References

- Gelman, Andrew, and Jennifer Hill. 2006. Data Analysis Using Regression and Multilevel/Hierarchical Models. Analytical Methods for Social Research. Cambridge University Press. https://doi.org/10.1017/CBO9780511790942.
- Holger, and Sennhenn-Reulen. 2018. "Bayesian Regression for a Dirichlet Distributed Response Using Stan." ArXiv.org. https://arxiv.org/abs/1808.06399.
- Maier, Marco J. 2014. "DirichletReg: Dirichlet Regression for Compositional Data in R." Research Report Series/Department of Statistics and Mathematics 125. Vienna: WU Vienna University of Economics and Business. http://epub.wu.ac.at/4077/.
- Wang, K., G. Tian, and M Tang. 2011. Dirichlet and Related Distributions: Theory, Methods and Applications. Wiley Series in Probability; Statistics.

Thank you pamela@dme.ufrj.br