

Timestamp	Email Address	Score	What is your name?	Which of the following is a fn Python, what is the age True or False Python is a When you execute the ex All of the following expres	What is the correct syntax Python, when we want/What does the statement	What is the correct syntax Python/What is the difference bet/Which of the following will The code is entered in the	What is the output of this (Which of the following is a	If I want to write a newline	What denotes the end of/ If we want to make a list of/ If we define a __main__	5 This Exit is Not An Exit												
10/13/2022 9:53:17	coco0371@student.acad.e	9 / 32	Landon Cochrane	if(nal_account	# Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, def	TRUE	def myfunction(), y) retur	Immutable values can be ch/print("Bulwerink", and "+"	No	sum = 15	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the first instance of/ Yes			
10/13/2022 9:53:45	alemi821@student.acad.e	24 / 32	James Aleman	card_deck	# Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, def	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	7	No	sum = 15.0	couldn't	couldn't	in	A line indented less than (fruits = ["beach"]	"""starts/From the main method de/ No			
10/13/2022 9:54:16	monr0593@student.acad.e	12 / 32	Ian Morrison	True, True, if(nal_account	# Comment	TRUE	0.3333 print(nfal(10))	(/var1 + var2) print("hey, def	TRUE	myfunction(), y) return	Immutable values can be ch/print("Bulwerink", and "+"	5	Yes	sum = 15.5	couldn't	couldn't	in	An end curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 9:54:42	carv046@student.acad.e	14 / 32	Martin Ramirez Lario	var1	# Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var 2) print("hey,def	immutable syntax	myfunction(), y) return	Immutable values can be ch/print("Bulwerink", and "+"	No	No	sum = 15.5	couldn't	couldn't	in	A line indented less than (fruits = ["beach"]	"""starts/From the first instance of/ No			
10/13/2022 9:54:46	kowee830@student.acad.e	11 / 32	Riley Kowertka	var1, card_deck, if(nal_ac	// Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, func	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	5	Yes	sum = 15.5	couldn't	couldn't	in	/nendrule	fruits = ["beach"]	"""starts/From the topmost block w/ Who are you to accuse me.		
10/13/2022 9:55:39	fordr436@student.acad.e	11 / 32	Andrea Francisco	int(input, card_deck	# Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, func	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	No	No	sum = 15.5	couldn't	couldn't	in	An end curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 9:55:51	adami014@student.acad.e	16 / 32	Adie Adam	int(input, card_deck, ched	// Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, func	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	7	Yes	sum = 15.5	couldn't	couldn't	in	/nendrule	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 9:56:05	patate18@student.acad.e	18 / 32	Orin	var1, int(input, True	# Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, def	index out of range	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	7	Yes	sum = 15	couldn't	couldn't	in	A line of whitespace sepa	fruits = ["beach"]	"""starts/From the main method de/ Yes		
10/13/2022 9:56:27	devi068@student.acad.e	21 / 32	Sean Robert Devine	card_deck, if(nal_account	# Comment	FALSE	0.3333 print(nfal(10))	(/var1 + var2) print("hey, def	immutable syntax	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	10	No	sum = 15	couldn't	couldn't	in	A line indented less than (fruits = ["beach"]	"""starts/From the topmost block w/ Who are you to accuse me.			
10/13/2022 9:56:49	adami014@student.acad.e	6 / 32	Nahar	TRUE	# Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, def	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	10	Yes	sum = 15	couldn't	couldn't	in	An end curly brace (}	fruits = ["beach"]	"""starts/From the first instance of/ Yes		
10/13/2022 9:57:36	bioc049@student.acad.e	11 / 32	Madison Bloom	int(input, card_deck	# Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var 2) print("hey,define	immutable syntax	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	10	Yes	sum = 15.5	couldn't	couldn't	in	/nendrule	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 9:58:49	ven065@student.acad.e	2 / 32	Benjamin Ramirez	var1, int(input	// Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, class	TRUE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	7	Yes	sum = 15.5	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the topmost block w/ Yes		
10/13/2022 9:59:09	ni046@student.acad.e	23 / 32	e. hi	True, var1, int(input, card_	# Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var 2) print("hey,def	immutable syntax	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	10	No	sum = 15	couldn't	couldn't	in	A line indented less than (fruits = ["beach"]	"""starts/From the main method de/ Yes			
10/13/2022 9:59:13	ni046@student.acad.e	21 / 32	Tony Le	True, var1, int(input, card_	# Comment	FALSE	0.3333 print(nfal(10))	(/var1 + var2) print("hey, def	immutable syntax	def myfunction(), y) retur	Immutable values can be ch/print("Bulwerink", and "+"	5	Yes	sum = 15.5	couldn't	couldn't	in	A line indented less than (fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.			
10/13/2022 9:59:43	hugr060@student.acad.e	12 / 32	Joahann Hughes	var1	// Comment	TRUE	1/3	print(10)	(/var1 + var 2) print("hey,func	FALSE	myfunction(), y) return	Mutable values can be ch/print("Bulwerink", and "+"	7	Yes	sum = 15	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Yes	
10/13/2022 9:59:57	car0371@student.acad.e	16 / 32	Michael Garland	int(input, card_deck, ched	// Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var 2) print("hey, class	immutable syntax	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	7	Yes	sum = 15	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 10:00:44	hugr060@student.acad.e	16 / 32	Nico Boudoukas	var1, int(input, checksum	// Comment	FALSE	1/3	print(nfal(10))	(/var1 + var 2) print("hey, def	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	10	Yes	sum = 15.5	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.	
10/13/2022 10:01:37	ni046@student.acad.e	16 / 32	Byron Manuel	card_deck, if(nal_account	// Comment	TRUE	0.3333 print(nfal(10))	(/var1 + var2) print("hey, def	FALSE	def myfunction(), y) retur	Immutable values can be ch/print("Bulwerink", and "+"	5	No	sum = 15.5	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the main method de/ Who are you to accuse me.		
10/13/2022 10:01:43	hugr060@student.acad.e	12 / 32	Jaylar Houghtaling	int(input, True, checksum	// Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, def	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	5	Yes	sum = 15.5	couldn't	couldn't	in	An end curly brace (}	fruits = ["beach"]	"""starts/From the topmost block w/ Who are you to accuse me.		
10/13/2022 10:00:40	ami036@student.acad.e	6 / 32	Jordan Arrington	var1, int(input	// Comment	FALSE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, class	FALSE	myfunction(), y) return	Mutable values can be ch/print("Bulwerink", and "+"	10	No	sum = 15.5	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the topmost block w/ Who are you to accuse me.		
10/13/2022 10:00:40	lowe037@student.acad.e	6 / 32	Sean Brown	True, var1, int(input, card_	// Comment	TRUE	0.333333333 print(nfal(10))	(/var1 + var2) print("hey, func	FALSE	def myfunction(), y) retur	Mutable values can be ch/print("Bulwerink", and "+"	5	Yes	sum = 15.5	couldn't	couldn't	in	An and curly brace (}	fruits = ["beach"]	"""starts/From the topmost block w/ Yes		