Work in Progress Towards Liveness Verification for Infinite Systems by Abstract Interpretation

Patrick Cousot

cims.nyu.edu/~pcousot/

Joint work with Radhia Cousot   www.di.ens.fr/~rcousot/

Limitations of "abstract and model-check" for liveness

- For unbounded transition systems, finite abstractions are

  - *Incomplete* for termination;

  - *Unsound* for non-termination;

  - And so the limitation is similar for *liveness*, no counter-example to infinite program execution

Unless ...

- One is only interested in liveness in the finite abstract (or the concrete is bounded) → decidable

- Or, model-checking is used for checking the termination proof inductive argument (e.g. <u>given</u> variant functions) → decidable

  Ittai Balaban, Amir Pnueli, Lenore D. Zuck: Ranking Abstraction as Companion to Predicate Abstraction. FORTE 2005: 1-12

- Of *very* limited interest:

  - Program executions are unbounded → undecidable

  - The hardest problem for liveness proofs is to infer the inductive argument, then the proof is "easy"

Origin of the limitations

- Model-checking is impossible because counter-examples are unbounded infinite

- We need *automatic verification* not *checking*

- This requires

  - Infinitary abstractions

  - of well-founded relations / well-orders

  - and effectively computable approximations

  i.e. *Abstract Interpretation*

# Analysis and verification with well-founded relations and well-orders

Maximal trace operational semantics

- A transition system: $\langle \Sigma, \tau \rangle$

  states $\nearrow$ $\nwarrow$ transition relation

- Maximal trace operational semantics: set of

  - Finite traces:

    $$\bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \ \neg\tau$$

  - Infinite traces:

    $$\bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \bullet \xrightarrow{\tau} \ldots$$

Well-founded relations / Well-orders

- ## Well-founded relation:

A relation $r \in \wp(\mathbf{X} \times \mathbf{X})$ on a set $\mathbf{X}$ is well-founded *if and only if*[3] *there is no infinite descending chain* $x_0, x_1, \ldots, x_n, \ldots$ *of elements* x_i, $i \in \mathbb{N}$ *of* $\mathbf{X}$ *such that* $\forall n \in \mathbb{N} : \langle x_{n+1}, x_n \rangle \in r$ *(or equivalently* $\langle x_n, x_{n+1} \rangle \in r^{-1})$.

- ## Well-order:

A well-order *(or* well-order *or* well-ordering*) is a poset* $\langle \mathbf{X}, \sqsubseteq \rangle$, *which is well-founded and total.*


_____

[3]Assuming the axiom of choice in set theory.

Relevance to Termination Proof

- **Program termination** is

$$\langle \Sigma, \tau^{-1} \rangle \text{ is well-founded}$$

i.e. no infinite execution $((\tau^{-1})^{-1} = \tau)$

Relevance to LTL verification

- $P \bigcup Q$ for transition system $\langle \Sigma, \tau \rangle$

  if and only if

  $\langle \{ x \in \Sigma \mid P(x) \vee Q(x) \}, \{ \langle y,x \rangle \in \tau^{-1} \mid \neg Q(x) \wedge \neg Q(y) \rangle$

  is well-founded   *invariant*   *variant*

General idea of the abstraction

- Combine two abstractions:

  - Abstraction of a relation to its well-founded part (to get a *necessary* condition for wellfoundedness)

  - Asbtraction of this well-founded part to a well-order (to get a *sufficient* condition for wellfoundedness)

$$\langle \wp(\mathbf{X} \times \mathbf{X}), \subseteq \rangle \xleftarrow[\alpha^{\mathbf{wf}}]{\gamma^{\mathbf{wf}}} \langle \mathfrak{W}(\mathbf{X}), \sqsubseteq \rangle \xleftarrow[\alpha^{\mathbf{o}}]{\gamma^{\mathbf{o}}} \langle \mathbf{X} \not\rightarrow \mathbb{O}, \precapprox \rangle$$

relation   *well-founded part*   *well-order on founded part*

Abstraction of relations to their well-founded part

Relations

- We encode relations by a domain and a set of connections between elements of the domains (some may be unconnected)

$$\mathfrak{R}(\mathfrak{X}) \triangleq \{\langle D, r\rangle \mid D \in \wp(\mathfrak{X}) \wedge r \in \wp(D \times D)\}$$
$$\mathfrak{W}(\mathfrak{X}) \triangleq \{\langle D, r\rangle \in \mathfrak{R}(\mathfrak{X}) \mid r \in \mathfrak{W}_{\mathsf{f}}(D)\}$$

$\mathfrak{W}(\mathfrak{X})$ is the set of well-founded relations on subsets of the set $\mathfrak{X}$.

- Well-founded relations do not form a lattice for $\subseteq$:

Well-founded part of a relation

- Example of well-founded part of a relation:

$$(\alpha^{\mathbf{wf}}(r))^{-1} \quad \text{where} \quad \delta(r) = \{a, b\}$$

$$a \bullet \quad b \bullet \longrightarrow \bullet c$$

$$r^{-1}$$

$$\subseteq$$

$$(\gamma^{\mathbf{wf}} \circ \alpha^{\mathbf{wf}}(r))^{-1}$$

- Formally

$$
\begin{aligned}
\alpha^{\mathbf{wf}}(r) &\triangleq \langle \delta(r),\ r \cap (\mathbf{X} \times \delta(r)) \rangle \qquad \text{where} \\
\delta(r) &\triangleq \{x \in \mathbf{X} \mid \not\exists \langle x_i \in \mathbf{X},\ i \in \mathbb{N} \rangle : x = x_0 \wedge \forall i \in \mathbb{N} : x_i\ r^{-1}\ x_{i+1}\} \\
\gamma^{\mathbf{wf}}(\langle D, w \rangle) &\triangleq w \cup (\mathbf{X} \times \neg D)
\end{aligned}
$$

Partial order on relations

- Formalize the intuition of over-approximation of well-founded relations in $\mathfrak{w}(\mathfrak{x})$

$(\alpha^{\mathfrak{wf}}(r))^{-1}$ $\qquad$ $\langle D,\, w \rangle$

$$r^{-1} \qquad (\gamma^{\mathfrak{wf}}(\alpha^{\mathfrak{wf}}(r)))^{-1} \subseteq \qquad (\gamma^{\mathfrak{wf}}(\overline{\langle D,\, w \rangle}))^{-1}$$

- Formal definition:

$$\langle D,\, w \rangle \ \underline{\sqsubseteq} \ \langle D',\, w' \rangle \ \triangleq \ \gamma^{\mathfrak{wf}}(\langle D,\, w \rangle) \subseteq \gamma^{\mathfrak{wf}}(\langle D',\, \underline{w}' \rangle)$$

$$= D' \subseteq D \land w \cap (D' \times D') \subseteq w' \land w \cap (\neg D' \times D') = \emptyset$$

Best abstraction of the well-founded part

- Any relation can be abstracted to its most precise well-founded part

$$\langle \wp(\mathfrak{X} \times \mathfrak{X}),\ \subseteq \rangle \xleftarrow[\alpha^{\mathbf{wf}}]{\gamma^{\mathbf{wf}}} \langle \mathfrak{W}(\mathfrak{X}),\ \sqsubseteq \rangle$$

- The best abstraction provides a necessary and sufficient condition for well-foundedness

- An $\sqsubseteq$-over-approximation of this best abstraction yields a *sufficient* condition for well-foundedness

$$\text{if } \alpha^{\mathbf{wf}}(r) \sqsubseteq \langle D,\ w \rangle \text{ then } r \text{ is well-founded on } D$$

Fixpoint characterization of the well-founded part of a relation

- $\alpha^{\mathsf{wf}}(r) = \mathbf{lfp}^{\stackrel{\subseteq}{\cdot}} \; \boldsymbol{\lambda} \, \langle D, \, w \rangle \cdot \langle \min_r(\mathfrak{X}) \cup \widetilde{\mathbf{pre}}[\![r]\!]D, \, w \cup \{\langle x, \, y \rangle \in r \mid x \in \widetilde{\mathbf{pre}}[\![r]\!]D\}\rangle$

  where

  $\widetilde{\mathbf{pre}}[\![r]\!]X = \{x \in \mathfrak{X} \mid \forall y \in \mathfrak{X} : r(x,y) \Rightarrow y \in X\}$

  and $\langle D, \, w \rangle \stackrel{\cdot}{\subseteq} \langle D', \, w' \rangle$ *if and only if* $D \subseteq D' \wedge w \subseteq w'$.

- By abstraction $\alpha(\langle D, w \rangle) = D$, we get a fixpoint characterization of the wellfound-edness domain.

  $\delta(r) = \mathbf{lfp}^{\subseteq} \; \boldsymbol{\lambda} \, X \cdot \min_r(\mathfrak{X}) \cup \widetilde{\mathbf{pre}}[\![r]\!]X$

- We have recent results on under-approximating such fixpoint equations by *Abstract Interpretation* using abstraction and convergence acceleration by widening/narrowing

Recent results

- We have studied in

    Patrick Cousot, Radhia Cousot, Manuel Fähndrich, Francesco Logozzo: Automatic Inference of Necessary Preconditions. VMCAI 2013: 128-148

    Patrick Cousot, Radhia Cousot, Francesco Logozzo: Precondition Inference from Intermittent Assertions and Application to Contracts on Collections. VMCAI 2011: 150-168

    the static inference of such under-approximations

- The same infinitary *under-approximation* techniques do work for the inference of sufficient conditions for well-foundedness

Example

A screenshot of the error reporting with the precondition inference.

- ### Implemented in Visual Studio contract checker

Patrick Cousot, Radhia Cousot, Manuel Fähndrich, Francesco Logozzo: Automatic Inference of Necessary Preconditions. VMCAI 2013: 128-148

Abstraction of a relation's well-founded part to a well-order

Why well-orders?

- It is always possible to prove that a relation is well-founded by abstraction to a well order ($\langle \mathbb{N}, < \rangle$, $\langle \mathbb{O}, < \rangle$, etc).

- Well-orders are easy to represent in a computer (while arbitrary well-founded relations may not be)

Well-order abstraction of a well-founded relation

- **Abstraction to a ranking function:**

$$\langle D,\, w^{-1} \rangle \in \mathfrak{W}(\mathfrak{X}) \qquad \nu_1 = \alpha^{\mathbf{o}}(w) \qquad \gamma^{\mathbf{o}}(\nu_1) \supseteq w$$

- **Formally**

$$
\begin{aligned}
\alpha^{\mathbf{o}} &\in \mathfrak{W}\mathfrak{f}(D) \mapsto (D \mapsto \mathbb{O}) \\
\alpha^{\mathbf{o}}(w) &\triangleq \boldsymbol{\lambda}\, y \in D \cdot \bigcup\{\alpha^{\mathbf{o}}(w)x + 1 \mid \langle x,\, y \rangle \in w\} \\
\gamma^{\mathbf{o}} &\in (D \mapsto \mathbb{O}) \mapsto \mathfrak{W}\mathfrak{f}(D) \\
\gamma^{\mathbf{o}}(\nu) &\triangleq \{\langle x,\, y \rangle \in D \times D \mid \nu(x) < \nu(y)\}
\end{aligned}
$$

Partial order on well-orders

- The length of maximal decreasing chains is over-approximated

$$\nu_1 \qquad \nu_2 \qquad \nu_3$$

$$(\gamma^{\text{o}}(\nu_1))^{-1} \qquad (\gamma^{\text{o}}(\nu_2))^{-1} \qquad (\gamma^{\text{o}}(\nu_3))^{-1}$$

- Formally

$$f \precapprox g \quad \triangleq \quad \gamma^{\text{o}}(f) \subseteq \gamma^{\text{o}}(g)$$

Best abstraction

- Any well-founded relation can be abstracted to a most precise well-order

$$\langle \mathfrak{Wf}(D),\ \subseteq \rangle \xleftarrow[\alpha^o]{\gamma^o} \langle D \mapsto \mathbb{O},\ \precapprox \rangle$$

- An over-approximation of this best abstraction yields over estimates of the (transfinite) lengths of maximal decreasing chains

- The generalized Turing-Floyd method is sound for any such well-order and complete for the best one.

Generalized Turing/Floyd Proof method

- $\langle \Sigma, \tau^{-1} \rangle$ *is well-founded* if and only if there exists a *ranking function*

$$\nu \in \Sigma \nrightarrow \mathbb{O}$$

($\nrightarrow$ is for *partial* functions, the class $\mathbb{O}$ of ordinals is a canonical representative of all well-orders) such that

$$\forall\, x \in \mathbf{dom}(\nu): \forall\, y \in \Sigma:$$

$$\langle x, y \rangle \in \tau \implies \nu(y) < \nu(x) \land y \in \mathbf{dom}(\nu)$$

- $\mathbf{dom}(\nu)$ determines the *domain of well-foundedness* of τ^{-1} on Σ

Fixpoint characterization of the ranking function

- The best/most precise ranking function is

$$\mathsf{Lfp}^{\subseteq} \lambda X \cdot \{\langle x, 0 \rangle \mid x \in \Sigma \wedge \forall y \in \Sigma: \langle x, y \rangle \notin \tau\} \bigcup$$
$$\{\langle x, \bigcup\{ \delta + 1 \mid \exists \langle y, \delta \rangle \in X: \langle x, y \rangle \in \tau\}\rangle \mid x \in \Sigma \wedge$$
$$\exists \langle y, \delta \rangle \in X: \langle x, y \rangle \in \tau \wedge \forall y \in \Sigma: \langle x, y \rangle \in \tau \Longrightarrow \exists \delta \in$$
$$: \langle y, \delta \rangle \in X\}$$

- Examples:

Recent results

- We have recent results on approximating such fixpoint equations by *Abstract Interpretation* using abstraction and convergence acceleraion by widening/narrowing

  Patrick Cousot, Radhia Cousot: An abstract interpretation framework for termination. POPL 2012: 245-258

- ## Combined with segmentation

  Patrick Cousot, Radhia Cousot, Francesco Logozzo: A parametric segmentation functor for fully automatic and scalable array content analysis. POPL 2011: 105-118

  ```
  [0,100]  [-100,100] [-100,-1]
  ↑          ↑         ↑      ↑
  0          a         b      A.length
  ```

  these techniques have been successfully implemented for termination proofs

  109

  Catarina Urban, The Abstract Domain of Segmented Ranking Functions, to appear in SAS 2013.

- The same techniques do work for the inference of ranking functions in any other contexts.

Examples

- Segmented ranking function abstract domain:

while $^1(x \geq 0)$ do

$\quad ^2x := -2x + 10$

od^3 $\quad f(x) = 0$

$f \in \mathbb{Z} \mapsto \mathbb{N}$ $\qquad$ (at point ^{1})

$$f(x) = \begin{cases} 1 & x < 0 \\ 5 & 0 \leq x \leq 2 \\ 9 & x = 3 \\ 7 & 4 \leq x \leq 5 \\ 3 & x > 5 \end{cases}$$

No widening:

		1st iteration	2nd iteration	...	5th/6th iteration
3	$\bot$	$f(x) = 0$	$f(x) = 0$	...	$f(x) = 0$
$3[x<0]$	$\bot$	$f(x) = \begin{cases} 1 & x < 0 \\ \bot & x \geq 0 \end{cases}$	$f(x) = \begin{cases} 1 & x < 0 \\ \bot & x \geq 0 \end{cases}$	...	$f(x) = \begin{cases} 1 & x < 0 \\ \bot & x \geq 0 \end{cases}$
1	$\bot$	$f(x) = \begin{cases} 1 & x < 0 \\ \bot & x \geq 0 \end{cases}$	$f(x) = \begin{cases} 1 & x < 0 \\ \bot & 0 \leq x \leq 5 \\ 3 & x > 5 \end{cases}$	...	$f(x) = \begin{cases} 1 & x < 0 \\ 5 & 0 \leq x \leq 2 \\ 9 & x = 3 \\ 7 & 4 \leq x \leq 5 \\ 3 & x > 5 \end{cases}$
2	$\bot$	$f(x) = \begin{cases} \bot & x \leq 5 \\ 2 & x > 5 \end{cases}$	$f(x) = \begin{cases} 4 & x \leq 2 \\ \bot & 3 \leq x \leq 5 \\ 2 & x > 5 \end{cases}$	...	$f(x) = \begin{cases} 4 & x \leq 2 \\ 8 & x = 3 \\ 6 & 4 \leq x \leq 5 \\ 2 & x > 5 \end{cases}$
$2[x \geq 0]$	$\bot$	$f(x) = \begin{cases} \bot & x \leq 5 \\ 3 & x > 5 \end{cases}$	$f(x) = \begin{cases} \bot & x < 0 \\ 5 & 0 \leq x \leq 2 \\ \bot & 3 \leq x \leq 5 \\ 3 & x > 5 \end{cases}$	...	$f(x) = \begin{cases} \bot & x < 0 \\ 5 & 0 \leq x \leq 2 \\ 9 & x = 3 \\ 7 & 4 \leq x \leq 5 \\ 3 & x > 5 \end{cases}$

Caterina Urban: The Abstract Domain of Segmented Ranking Functions. SAS 2013: 43-62

Widening

- Example of widening of abstract piecewise-defined ranking functions. The result of widening $v_1^{\#}$ (shown in (a)) with $v_2^{\#}$ (shown in (b) is shown in (c).

(a) (b) (c)

- **Widenings enforce convergence** (at the cost of loss of precision on the termination domain and maximal number of steps before termination)

Caterina Urban: The Abstract Domain of Segmented Ranking Functions. SAS 2013: 43-62

Widening (cont'd)

- Example of loss of precision by widening on the termination domain ($x \in \mathbb{Q}$)

$$\text{while } {}^1(x < 10) \text{ do}$$
$$\quad {}^2 x := 2x$$
$$\text{od}^3$$

$$f(x) = \begin{cases} 3 & 5 \leq x < 10 \\ 1 & 10 \leq x \end{cases}$$

(terminates iff $x > 0$), at least a partial result!

- But with $x \in \mathbb{Z}$,

$$f(x) = \begin{cases} 9 & x = 1 \\ 7 & x = 2 \\ 5 & 3 \leq x \leq 4 \\ 3 & 5 \leq x \leq 9 \\ 1 & 10 \leq x \end{cases}$$

Caterina Urban: The Abstract Domain of Segmented Ranking Functions. SAS 2013: 43-62

Conclusion

- For well-foundedness/liveness, *Abstract interpretation* with infinitary abstractions and convergence acceleration ⋙ finitary abstractions

- The well-foundedness/liveness analysis:

    - requires no given satisfaction precondition [1],
    - requires no special form of loops (e.g. linear, no test in [1])
    - is not restricted to linear ranking functions [1],
    - always terminate thanks to the widening (which is not the case of ad-hoc methods à la Terminator and its numerous derivators based on the search of lasso counter-examples along a single path at a time) [2]

[1] Andreas Podelski, Andrey Rybalchenko: A Complete Method for the Synthesis of Linear Ranking Functions. VMCAI 2004: 239-251

[2] Byron Cook, Andreas Podelski, Andrey Rybalchenko: Proving program termination. Commun. ACM 54(5): 88-98 (2011)

What Next?

- Verification of LTL specifications for infinite unbounded transition systems (including software)

- Full automatic verification not debugging/bounded checking/etc (there are no counter-examples for infinite unbounded non-wellfoundedness)