Assignment - 2

Question 21.

When implementing linear regression of some dependent variable y on the set of independent variables $\mathbf{x} = (x1, ..., xr)$, where r is the number of predictors, which of the following statements will be true?

- a) β 0, β 1, ..., β r are the regression coefficients.
- b) Linear regression is about determining the best predicted weights by using the method of ordinary least squares.
- c) E is the random interval
- d) Both and b

Answer: a) β 0, β 1, ..., β r are the regression coefficients.

Question 22.

What indicates that you have a perfect fit in linear regression?

- a) The value R2 < 1, which corresponds to SSR = 0
- b) The value R2 = 0, which corresponds to SSR = 1
- c) The value R2 > 0, which corresponds to SSR = 1
- d) The value R2 = 1, which corresponds to SSR = 0

Answer: d) The value R2 = 1, which corresponds to SSR = 0

Question 23.

In simple linear regression, the value of what shows the point where the estimated regression line crosses the y axis?

a) Y b) B0 c) B1 d) F

Answer: b) B0

Question 24.

Check out these four linear regression plots:

b) Linear regression is about determining the best predicted weights by using the method of ordinary least

squares

Which one represents an underfitted model?

- a) The bottom-left plot
- b) The top-right plot
- c) The bottom-right plot
- d) The top-left plot

Answer: d) The Top-left plot

Question 25.

There are five basic steps when you're implementing linear regression:

- a. Check the results of model fitting to know whether the model is satisfactory.
- b. Provide data to work with, and eventually do appropriate transformations.
- c. Apply the model for predictions.
- d. Import the packages and classes that you need.
- e. Create a regression model and fit it with existing data.

However, those steps are currently listed in the wrong order. What's the correct order?

- a) e, c, a, b, d
- b) e, d, b, a, c
- c) d, e, c, b, a
- d) d, b, e, a, c

Answer: d) d, b, e, a, c

Question 26.

Which of the following are optional parameters to Linear Regression in scikit-learn?

- a) Fit
- b) fit_intercept c) normalize d) copy_X
- e) n_jobs
- f) reshape

Answer: b) fit_intercept

Question 27.

- c) normalize
- d) copy_X
- e) n_jobs

While working with scikit-learn, in which type of regression do you need to transform the array of inputs to include nonlinear terms such as x2?

- a) Multiple linear regression
- b) Simple linear regression
- c) Polynomial regression

Answer: c) Polynomial regression

Question 28.

You should choose stats models over scikit-learn when:

- a) You want graphical representations of your data.
- b) You're working with nonlinear terms.
- c) You need more detailed results.
- d) You need to include optional parameters

Answer: c) You need more detailed results.

Question 29.

_____ is a fundamental package for scientific computing with Python. It offers comprehensive mathematical functions, random number generators, linear algebra routines, Fourier transforms, and more. It provides a high-level syntax that makes it accessible and productive.

- a) Pandas
- b) Numpy
- c) Statsmodel
- d) Scipy

Answer: d) Scipy

Question 30.

_____ is a Python data visualization library based on Matplotlib. It provides a high-level interface for drawing attractive and informative statistical graphics that allow you to explore and understand your data. It integrates closely with pandas data structures.

- a) Bokeh
- b) Seaborn
- c) Matplotlib
- d) Dash

Answer: b) Seaborn