



**TÉCNICO**  
LISBOA

## **Will It Blend?**

Studying Color Mixing Perception

**Paulo Duarte Esperança Garcia**

Thesis to obtain the Master of Science Degree in

**Information Systems and Computer Engineering**

Supervisors: Prof. Dr. Daniel Jorge Viegas Gonçalves  
Prof. Dra. Sandra Pereira Gama

### **Examination Committee**

Chairperson: Prof. Dr. Someone  
Supervisor: Prof. Dr. Daniel Jorge Viegas Gonçalves  
Member of the Committee: Prof. Dr. Someone

**October 2016**



# Acknowledgments

Agradecimientos.

Todos aqui.



## Abstract

English Abstract goes here.

**Keywords:** one, two, three, keywords



## Resumo

Resumo Português fica aqui.

**Palavras-chave:** uma, duas, três, keywords





# Contents

<b>List of Tables</b>	<b>ix</b>
<b>List of Figures</b>	<b>xi</b>
<b>Acronyms</b>	<b>xiii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Dissertation Outline . . . . .	1
<b>2 Background</b>	<b>3</b>
2.1 Theoretical Background . . . . .	3
2.1.1 Color Perception . . . . .	3
2.1.2 Color Models and Spaces . . . . .	3
2.2 Related Work . . . . .	3
2.2.1 Color Blending Research and Techniques . . . . .	3
2.2.2 User Color Studies Online . . . . .	3
2.3 Discussion . . . . .	3
<b>3 Color Mixing Perception: Designing the User Study</b>	<b>5</b>
3.1 Objectives . . . . .	5
3.2 Designing the Solution . . . . .	6
3.2.1 User Profiling Phase . . . . .	6
3.2.2 Testing Calibration Phase . . . . .	6
3.2.3 Testing Color Vision Deficiencies Phase . . . . .	7
3.2.4 Core Test Phase . . . . .	7
3.3 Evaluation Criteria . . . . .	7
3.4 Divulcation . . . . .	7
<b>4 Color Mixing Perception: Analyzing Results</b>	<b>9</b>
4.1 Protocol . . . . .	9
4.1.1 Laboratory Environment . . . . .	9
4.1.2 Online Environment . . . . .	10
4.2 Data Cleaning . . . . .	11
4.3 Data Processing . . . . .	13
4.3.1 Data Preparation . . . . .	13
4.3.2 Color Bins Comparison . . . . .	15
4.3.3 Outputs Generated . . . . .	17
4.4 Results . . . . .	17
4.4.1 User Profile . . . . .	18

4.4.2	Color Mixtures . . . . .	19
4.4.3	Color Models . . . . .	19
4.4.4	Color Naming . . . . .	19
4.4.5	Demographic Groups . . . . .	19
4.5	Discussion . . . . .	19
4.5.1	Calibration Resiliency . . . . .	19
4.5.2	Creation of Color Scales . . . . .	19
4.5.3	Color Organization . . . . .	19
4.5.4	Consequences for InfoVis . . . . .	19
<b>5</b>	<b>Conclusion</b>	<b>21</b>
5.1	Limitations . . . . .	21
5.2	Future Work . . . . .	21
	<b>Bibliography</b>	<b>23</b>
<b>A</b>	<b>User Study Protocol</b>	<b>25</b>
A.1	Motivation . . . . .	25
A.2	User Profiling Phase . . . . .	25
A.3	Testing Calibration Phase . . . . .	25
A.4	Testing Color Vision Deficiencies Phase . . . . .	26
A.5	Core Test Phase . . . . .	26
<b>B</b>	<b>Chromaticity Diagrams</b>	<b>27</b>
<b>C</b>	<b>Tables</b>	<b>29</b>
C.1	Results Tables . . . . .	29

# List of Tables

4.1	Excerpt of Raw "Results"Table . . . . .	11
4.2	Excerpt of Clean "Results"Table . . . . .	13
4.3	XKCD Color Survey: Color Bins . . . . .	16
4.4	Generated Outputs of Data Processing Phase . . . . .	18
4.5	Results: Profiling Information (Gender and Academic) . . . . .	18
4.6	Results: Profiling Information (Nationalities, Countries of Residence and Languages) . . .	18



# List of Figures

3.1	Black Squares Test . . . . .	6
4.1	XKCD Color Survey: Color Dominant Names . . . . .	15
4.2	XKCD Color Survey: Color Bins Minimum Areas . . . . .	16
4.3	Approximate Color Regions on CIE 1931 Chromaticity Diagram . . . . .	16
4.4	XKCD Color Survey: Color Bins Transformation . . . . .	17



# Acronyms

**CMYK** Cyan, Magenta, Yellow, Key. 13, 14

**CSV** Comma Separate Values. 11, 12, 17

**HSV** Hue, Saturation, Value. 13, 14

**InfoVis** Information Visualization. 18

**IST** Instituto Superior Técnico. 10

**RGB** Red, Green, Blue. 13–16

**RNL** Rede Novas Licenciaturas. 10





# Chapter 1

## Introduction

Introduction goes here.

**... USAR ESTA PARTE DA INTRODUÇÃO DO RESEARCH PROPOSAL ...**

In this section, we introduce the majority of topics to be further studied, the different phases of our research, the metrics we are going to collect and how we are going to treat them. Since we aim to *study to what extent can a user distinguish different amounts of blended colors, when using color mixtures to convey information*, it is important learn from previous results, testing out not only the validity of them but also some missed opportunities.

There are several aspects to be considered when developing the broadest study possible: regarding color blending profiling tests, it exists - among others - some questions which remain unanswered; some of them were risen in the studies by Gama and Gonçalves [GG14b, GG14a]. These questions can be divided in four categories:

### 1.1 Dissertation Outline

Describe the organization of the dissertation document, referring to other chapters.



# Chapter 2

## Background

### 2.1 Theoretical Background

#### 2.1.1 Color Perception

#### 2.1.2 Color Models and Spaces

### 2.2 Related Work

#### 2.2.1 Color Blending Research and Techniques

Ver se houve desenvolvimentos na área em 2016.

#### 2.2.2 User Color Studies Online

Ler artigos do David Flatla, investigar se existe trabalho feito na área nos últimos meses.

Procurar artigos do CHI.

### 2.3 Discussion

Discutir aqui possíveis questões que podem ser abordadas.

- **Questions raised Before**

- Will perceived colors correspond to a particular fixed angular value, in the color wheel?
- Which is the best formula to blend colors, in each color model? Is it linear interpolation or another?
- In the case in which 3 colors are blended, do observers realize all colors at the same time or do they decompose the mixture, firstly in a mixture of two colors and then a blending of a third color?
- What is the best way to present color, without influencing color perception?
- Does the user *really* understands which colors are involved in a mixing?

- **Perception Questions**

- Does the order in which colors are mixed, influence mental mixing models? Are there common patterns among mixing orders?
- Do shapes and proximity, influence how color is perceived?
- Until which extent does background influence the perception of a subject, in particular a blended color?
- If color parameters like Saturation, Value or Luminance change in a blending, does it modify color blending perception?

- **Information Visualization Questions**

- Do continuous scales yield better results than discrete color scales?
- What is the influence of nominal color scales in perception?
- What are the results if no color scale is presented to guide the user?

- **Cultural Questions**

- Does the gender really influences how the color is perceived? Is it possible to observe a significant gap between male and female answers?
- Is it possible to observe significant differences in observation, depending on user's cultural background?

Although there are these questions whose answers remains to be found, only a portion of them will meet their answers, since this is Master Thesis Research Problem. However, there is a set of these questions which was considered crucial and, consequently, had more priority above others: it was this set which was the focus of our studies. We intended to perform **three studies** and, in the following sections, it is covered the entire proposal for the first study, the conditions in which the study is ideally performed and other important details.

## Chapter 3

# Color Mixing Perception: Designing the User Study

### 3.1 Objectives

Remember the objectives.

Referir HSL com hue variante, e SL com parametros maximos.

Estabelecer questões claras e perguntas que necessitam de resposta, para nos resultados serem mapeados com respostas.

Tipo: Q1: ...

#### **APROVEITAR...**

As previously referred, only a set of questions is answered in our research. The **goals for the User Study** are as follows:

- Study one way to present color which does not influence color perception.
- Understand if there is any psychological organization of color, when detailing color mixtures' components.
- If possible, obtain results to ascertain the cultural influence in color perception.
- Study the influence of discrete and continuous color scales.

Additionally, it is relevant to understand which color model stands as the best to mix colors which are, from a perceptual point of view, more similar to the users expectation.

We have planned to develop this study in three different strands: in a **Laboratory Environment** (which will allow us to calibrate and perfectly control the entire study conditions), in an **Online Environment** (which will allow us to disseminate our study to a larger set of users, even without controlling the calibration of the testing environment) and, finally, using **Mechanical Turk Environment** (Amazon's worldwide crowdsourcing marketplace to perform Human Intelligence Tasks, which we would use in order to acquire a huge set of users, even though we can be dealing with speed-clicker users and letting go almost all environmental control).

To meet these study requirements, we drafted our study into three different phases: a **User Profiling Phase**, a **Calibration Phase**, a **Color Deficiency Test Phase** and finally, the **Core Phase**. In the following sections, we detail each of these sections.

## 3.2 Designing the Solution

Design the implementation, talk about the process ever since wireframing, through the mapping of concepts between what we want and how we implemented, in order to achieve what we want. Include screenshots from the implementation.

Important detail: color conversion between Excel and adapted colors with ICC profile, Spyder and all. ColorConverter.m.

Dividir secção em partes do estudo, introduzindo com Research Proposal para motivar decisões. Referir todos os detalhes de implementação. Justificar completamente todas as decisões que foram tomadas (número de placas, informações pedidas, métricas colhidas, tudo.) Falar de folha de calculo do excel com todas as cores, que depois for migrada para matlab e convertida de acordo com perfil de calibração.

### 3.2.1 User Profiling Phase

**FALTA TEXTO AQUI...**

In this phase of the study, questions about the Age, Gender, Academic Degree, Nationality, Country of Residence and the Native Language of the user should be asked: these questions will help us conceiving user profiles with key indicators about cultural background and gender relation to results of each test.

**(... ACRESCENTAR AQUI MAIS INFOS RELEVANTES ...)**

When this phase is concluded, the user will be guided to another stage of the study, to perform the **Calibration Phase**, where he will be asked to analyze a set of images and answer a pair of questions.

### 3.2.2 Testing Calibration Phase

Performing online tests - specially when trying to obtain precise values about color - carries obvious problems on how it is guaranteed the results which may appear are, in fact, compliant with certain patterns of quality, specially color and monitor calibration patterns.

To overcome this problem, the ideal solution is to develop a system capable of acquiring information about the user's monitor calibration, *e.g.* Brightness, Contrast, RGB Color Balance, Gamma or Saturation, as a pre-step of the study and apply an appropriate calibration when rendering the study's main page. Since we have not found a way to tackle this solution so far, we developed another solution: to present, as pre-step, some calibration images in which the user will have to perform a set of small tasks, indicating us a set of answers; in the end of the test, we have to analyze the answers to verify if they are compliant with a certain pattern of calibration acceptability, determining if the answers of a certain user can be considered true and not misleading.




Figure 3.1: Example of Black Squares Test.<sup>1</sup>

We will present to the user a **pair of images**, consisting of a set of 10 squares each; in the first of them, we will test the black level of user's monitor, showing each square with a different shade of black, from brighter ones (Square 1) to darker ones (Square 10). The user is, then, asked to express which square is the last, most perceivable, darker square, and point out the word which follows it. The second image has the same job as the first one, except that this rules out the white-level of the monitor and the ten squares present different tones of white. An example of this sort of test is presented in Figure 3.1. The results of this phase are recorded for further analysis when the study finishes.

Regarding the laboratory environment, we are going to conduct the user tests in a LCD monitor, under a fixed light source; the monitor will be calibrated using a colorimeter which will consider the existing light in the environment and adjust the color of each pixel to a standard. The user will be focused on the task and no other user will be present in the room at the same time, excluding the study regulator; the user will have a fully detailed test protocol to follow. (... **FALTA TEXTO AQUI ...**) Referir limitação descoberta entre Chrome Safari

### 3.2.3 Testing Color Vision Deficiencies Phase

### 3.2.4 Core Test Phase

Incluir tabela com todas as cores, igual a folha de auxílio. Referir que Ciano, por erro, não esta a ser testado no formato objTwoColors.

Referir aqui que dados estão a ser guardados do utilizador, e como estão a ser guardados, (objTwoColors e twoColorsObj), etc. Referir aqui também que slider contemplava cores standard da folha de calculo para ambiente online, mas para ambiente laboratorio cores eram antes processadas no Matlab. Slider não tinha cores ordenadas para que utilizador não utilizasse algum modelo mental e aprendesse previamente a misturar. Cores foram misturadas sem qualquer critério (referir ordem pela qual apareciam). Referir aqui caminho do calibrador -> icc -> matlab -> converter cores -> slider

## 3.3 Evaluation Criteria

Ishihara plates and more, whatever we consider relevant. Falar também de como a calibração era considerada válida ou não. Erros que poderiam ser gerados pelo field number html5, que com scrolls podia dar valores errados.

## 3.4 Divuligation

MTurk problems, facebook, Reddit, FacebookAds, FNAC prize money.  
Como fizemos o controlo dos users (Analytics). Bridge to next chapter.

---

<sup>1</sup>"Black Level", Available at: [www.lagom.nl/lcd-test/black.php](http://www.lagom.nl/lcd-test/black.php). Last accessed on September 7th, 2016.





## Chapter 4

# Color Mixing Perception: Analyzing Results

In this section, we are going to dive into the results obtained from the user study described on chapter number 3. On the first section, we will clearly explain the test protocol which was followed by the users in the laboratory environment to correctly execute the study; this section will be followed, not only by the description of how the gathered data was treated and cleaned (Section 4.2), but also the transformation of this data using *Matlab* processing tools, in order to prepare it for the statistical scrutiny (Section 4.3). Hereafter, conclusions will be drawn from the study at section 4.4, when trying to find answers to the questions/objectives raised before.

The final section of this chapter will be dedicated to summarize the results and infer important conclusions, implications and guidelines which could be relevant for the InfoVis field of research.

### 4.1 Protocol

The existence of a test protocol, when performing a User Study is mandatory: without it, the test may not follow a strictly previously defined standard. As written before, this user study was conducted two-pronged: in a laboratory environment and *via* online dissemination channels.

#### 4.1.1 Laboratory Environment

The users were given always the same briefing when they arrived at the user study test site: it was explained the motivation behind the master thesis, the goals which were expected for this phase of the study and what was expected for them to execute. The most important information which was told was that "there was no pre-defined correct and wrong answers to each question, this test was designed to test the general color mixing capabilities of the majority of the users". Besides this information, the user study was self-contained, in the sense that every other relevant information and instruction was in the interface, adapted for each test phase, so it was not given any physical artifacts describing instructions. The instructions were available on two languages, depending on the choice of the user: Portuguese and English.

Before each session of the laboratory environment test-run, a Datacolor Spyder 5 Elite Color Calibrator was USB-connected to the computer and, using the software which is shipped along with it, the computer LCD display was fully calibrated (the software offers the option of recalibrating, the option of checking the calibration and also, the option of fully calibrating the display) by testing the pixel emission

when emitting a particular set of colors. The display was everytime fully calibrated, since the software manifested an erratic behaviour when using the other functions: the screen colors were presented in a very warmer/colder color profile than it was before.

The tests were conducted at, most of the repetitions, in Rede Novas Licenciaturas (RNL) at Instituto Superior Técnico (IST), and fewers times in other locations with similar conditions: this is due to constraints in finding users, so the test site needed to have a (limited) mobility feature. However, the conditions remained the same concerning the illumination, the position of the user and the computer used: a Macbook Air 13' (Mid-2013) was prepared underneath a fixed incandescent light-source (but slightly deviated from it, to minimize light reflections on screen), the user would sit in front of the laptop, in an almost silent environment. Ideal conditions of this test would be such that the user could be sitting alone in a completely silent room, his head would be always at the same distance from the screen, resting in a head-rest and the LCD display's inclination would be perfectly adjusted to the user's eyes.

#### 4.1.2 Online Environment

Performing the study online, as easily predictable, develops some characteristics which cannot be completely controlled. For the sake of calibration, it was asked the user to perform a set of six calibration easy steps before starting the test, so the online user's screen would be, somehow, in a standardized calibration fashion. The calibration steps which were asked are:

1. If possible, adjust your room lights for a comfortable usage of your device.
2. Avoid reflections on your screen, by diverting the screen from direct sources of light. This step is important, since light reflections can affect visualization of images.
3. To adjust the **Black Point** of your screen, define the Contrast and Brightness of your screen to their maximum.
4. After Step 3, gradually reduce **Brightness** value of your screen, in order to correctly distinguish the squares of each image below [calibration squares images].
5. If possible, define the **Color Temperature** of your screen to 6500 Kelvin Degrees.
6. You are now ready to answer the following questions!

The ideal conditions of this test would be such that we could control and manipulate the color calibration of online user's LCD display, using a software piece which would acquire important informations from the screen configuration, *e.g.* resolution, white-point, black-point, brightness, among others, digest the values and present the questions from the Core Phase in a completely controlled and calibrated window. Further investigation could focus in developing this system.

The users were asked to fill in a profiling questionnaire (as seen of section 3.2.1), as well as to respond to calibration form (Section 3.2.2). A validated simplified 6-plate Ishihara color blindness test [dAK92] is, then performed (Section 3.2.3), before proceeding onto the 32 questions test-phase, in which the user is asked to slide one(two) circular object(s) placed on top of a bar, to indicate a(the) color(s) which he thought were the correct mixture answers. In the end, the user could leave feedback, by sending a message which would be stored in a Relational Database.

The instructions which were presented in each page can be consulted in Appendix A.

## 4.2 Data Cleaning

Throughout the user study, we collected a **total amount of four-hundred and seventy-nine (477) users** which interacted with our study and fulfilled, at least, until the Color Vision Deficiencies Test Phase. However, only **two-hundred and sixty-one (259) users went on to the core phase of the study**, representing **54.29%** of the total amount, giving at least one answer on the set of 32 questions, losing the other two hundred and eighteen (218) users which did not leave any answer, defining the remaining percentage **45.71%**. This large drop of users could be due to errors reported by the users, apparently the inability to submit answers when using the "Submit" button after rating the question; there were also some complaints when users tried to perform the study in some mobile devices (namely, the *iPhone® 6*), whereon the color slider was not able to be dragged and change the color value at the user will.

Concerning the percentage of users which showed up at the **laboratory trials, there were twenty-nine (28) users who performed the entire study**. On the other hand, there were **two-hundred and thirty-two (231) users which carried out the study online**. There was also a small sample of color vision deficient users which we will analyze in a qualitative manner; this set of users contains only one (1) user from the Laboratory Environment - **3.57%** of the sample size - and two (2) online users - **less than 1%**. Lastly, we detected a small percentage of **six (6) users (2.59%) which did not presented a correct calibration of its LCD display**, evaluation based on the criteria referred before. The data presented and used in this dissertation document was gathered along roughly two months, from 15th of April until 8th of June. As said before, it was collected both with online and laboratory users, which was therefore stored in a Relational Database as previously explained in section 3.2.

In the end of the study, Comma Separate Values (CSV) files were exported from each table using a PostgreSQL for macOS called *Postico*<sup>1</sup>, which originated five files containing raw data to be cleaned and processed. The files were as follows:

- *raw\_data\_user\_profile.csv* - Data aggregated from "Profiling", "Calibration" and "Color Vision Deficiencies" Tables;
- *raw\_data\_first\_profiling.csv* - Data from "Profiling" Table;
- *raw\_data\_first\_calibration.csv* - Data from "Calibration" Table;
- *raw\_data\_first\_ishihara.csv* - Data from "Color Vision Deficiencies" Table;
- *raw\_data\_first\_results.csv* - Data from "Results" Table;

User ID	Type	First Color	Second Color	Third Color	Drags	Time	Rating	Resets	Question ID
5710cca334d60	objTwoColors	#0080FF	hsl(58.69565217391305,1,0.50)	hsl(98.15217391304348,1,0.50)	992	117	4	2	10
5745c1c07cc0c	objTwoColors	#8000FF	hsl(300,1,0.50)	hsl(324.13043478260875,1,0.50)	645	55	2	1	14
5745350dc1e22	objTwoColors	#0080FF	hsl(226.30434782608697,1,0.50)	NONE	115	11	5	1	10
57451c3b38192	objTwoColors	#00FF80	NONE	hsl(150,1,0.50)	462	39	5	1	15
574511e99b6d9	objTwoColors	#0080FF	hsl(15.652173913043478,1,0.50)	hsl(316.30434782608694,1,0.50)	442	40	1	1	10
57427cf6bad0c	twoColorsObj	#00FFFF	#FFFF00	#46FF9C	6	14	3	1	32
5740bda9be3dc	objTwoColors	#FF7200	hsl(9.130434782608695,1,0.50)	hsl(50.21739130434783,1,0.50)	45	22	5	1	11
573c783748e8b	twoColorsObj	#00FFFF	#CBFF00	#00FF6B	44	25	3	1	32

Table 4.1: Excerpt of Results Table, with raw data.

The refined tables were then divided into new and more specific ones so that we could detail our results analysis according to the goals defined before; the "Results" table was refined into Laboratory Results, Online Results and demographic results: concerning the age, we divided it on Users aged below 20 Years Results, Users aged between 20 and 29 Years Results, Users aged between 30 and 39

<sup>1</sup>Postico - a modern PostgreSQL client for the Mac, Available at: [eggerapps.at/postico/](http://eggerapps.at/postico/). Last accessed on September 11th, 2016.

Years Results, Users aged between 40 and 49 Years Results, Users aged between 50 and 59 Years Results and Users aged above 60 Years Results. Respecting the division of genders, we created the categories Female Users Results, Male Users Results and Other Gender Users Results. An excerpt of raw data contained in "Results" table can be found in table 4.1; this allows us to support the explanation of the following steps of the cleaning phase.

Dividing the results among smaller CSV files was the first step of the cleaning phase: the next checklist represents the detailed path which was followed to fulfill the data cleaning.

- **Remove "hsl(..., 1, 0.50)"** - It was needed to remove the extra information stored in columns *First Color*, *Second Color* and *Third Color*, since this is redundant because it never varies from entry to entry of the table (remember Section 3.1). These values are the *Saturation* (S) and *Value* (V), primitives of the HSV Color Model used.
- **Format Values** - This step was performed just after the previous one. The value which remains to be formatted is simply the *Hue* (H), which is equal to a very precise position on the coded color slider on the interface; the value was composed of 14 decimal numbers, giving us much more precision than what is, in fact, needed considering that the hue is measured in terms of integer numbers. The number was rounded up to its closest integer number, then. Besides that, there was still one value to be adjusted which was the missing response: *NONE* needed to be replaced by 0, to simplify the processing of null answers.
- **Sort Entries** - In order to favour the iteration when processing the data, each line of the "Results" Table was sorted according, firstly to the *Question ID*, and after by *User ID*.
- **Normalize Laboratory Data** - As previously said, to perform the Laboratory Study we used a Spyder Color Calibrator to manage the color representation independently of the environmental conditions of light. Since the Color Profile file generated by the calibrator was used to adapt colors to be presented to the user, those same colors had to be trackbacked to the original color, for the sake of normalization of values. This is specially useful when comparing the results from this environment to the "Online" Results, helping in data processing later.
- **Verify Duplicated Entries** - This step was performed only to ensure that the entries would not have any matching copy. As expected, there were not found any copies.
- **Normalize Profiling Info** - Regarding the "Profiling" data, there was some which was written in Portuguese and other in English, depending on the language to perform the study chosen by the user. To avoid misleading profiling categories, all of the academic degrees were normalized to its corresponding name both in English and Portuguese. Also, the raw language values contained some specification of English dialects (e.g. en\_US, en\_UK) and other languages, which was more information than we actually needed; these values were normalized to correspond only to its native and original language (like English, solely).
- **Sanitizing Users** - The tables contained many entries from users that performed the study with incorrect calibration and from users which gave unexpected values on the color deficiencies test phase; the entries which corresponded to a user that failed all 6 values on the later phase, would be deleted, leaving no trace of its participation. Concerning the bad calibration values, it "opened a window" to investigate the resilience of results when the calibration was not what it was expected - this will be covered in sub-section 4.5.1. To end up the cleaning phase, it was decided to treat the color deficient users independently: we separated their values from the regular users to perform a qualitative evaluation.

An example of clean data can be found in table 4.2. The next step of data handling is processing it to prepare metrics, establish comparisons to pre-calculated answers and depict results in a CIE Chromaticity Diagram. More tables can be found in Appendix C, specifically Section C.1.

User ID	Type	First Color	Second Color	Third Color	Drags	Time	Rating	Resets	Question ID
5713a02a13044	objTwoColors	#00FF00	0	137	459	56	2	0	17
573e4d0eb795b	objTwoColors	#00FF00	235	59	121	28	4	0	17
573edae85268b	objTwoColors	#00FF00	242	57	224	20	5	0	17
5740ad339507d	objTwoColors	#00FF00	228	67	205	14	3	0	17
573c70dabcfe0	objTwoColors	#00FF00	55	221	192	14	2	0	17
57582b17cd76a	twoColorsObj	#FF0000	#00FF00	#AF0049	724	65	2	0	18
573c783748e8b	twoColorsObj	#FF0000	#00FF00	#BFBE00	656	47	3	0	18
573e4022949b1	twoColorsObj	#FF0000	#00FF00	#B000FF	334	23	2	0	18
571151812791a	twoColorsObj	#FF0000	#00FF00	#C9B2A2	110	39	2	0	18

Table 4.2: Excerpt of Results Table, with clean data.

## 4.3 Data Processing

Processing the data was an important part of the process, since it was important to prepare the raw data collected and compute additional metrics which could be further analyzed to answer the raised questions. To perform this processing, we decided to implement a set of scripts in *Matlab* which could gauge the dataset of each question, demographic group and subset of users (non-calibrated and color vision deficient).

With this data processing, we intend to verify each answer-pair given by a certain user and compare the pairs with each other. It was important to separate the results by question ID, compare each questions' results with other questions that could conceive the same results, blend the values to check which color model answers are closer to (either Hue, Saturation, Value (HSV), Red, Green, Blue (RGB), Cyan, Magenta, Yellow, Key (CMYK), CIE-L\*a\*b\* or CIE-L\*C\*h\*) and also, give meaning to each value, attributing a name to each color. All these parameters and computations are described in the next two sub-sections.

### 4.3.1 Data Preparation

Given the fact that questions had some differences between each other, there would have to be a cautious analysis; to achieve this, we developed a script for each question, each of file contains the particular set of characteristics and specific comparisons and values of each question. An exemplary structure of these files can be found on pseudo-code box above. Each question file is capable of computing the following datasets:

- Laboratory Results (Regular Users);
- Laboratory Results (Daltonic Users);
- Online Results (Regular Users);
- Online Results (Daltonic Users);
- Online Results (Uncalibrated Users);
- Demographic Groups: Users Aged Below 20 Years Results;
- Demographic Groups: Users Aged Between 20 and 29 Years Results;
- Demographic Groups: Users Aged Between 30 and 39 Years Results;
- Demographic Groups: Users Aged Between 40 and 49 Years Results;
- Demographic Groups: Users Aged Between 50 and 59 Years Results;

- Demographic Groups: Users Aged Above 60 Years Results;
- Demographic Groups: Female Users Results;
- Demographic Groups: Male Users Results;
- Demographic Groups: Other Gender Users Results;
- Demographic Groups: White Answers (this computation is only available for Questions 1 to 17).

All these datasets are analyzed by a block of code similar to the one in box below \_\_ ; all iterations over each dataset start by verifying if any value contained in the answer pair is a white (i.e. zero valued) answer: if it is, it is stored in a different table, along with all white answers. This was executed **only with non-daltonic users and calibrated users and it was no applied to any type of demographic group**, since its analysis is out of the scope of this thesis. This analysis is interesting, since we can understand if the users opted to leave one value as 0 to truly indicate a white color (to blend and create a lighter color), or simply because they didn't know what to blend.

**INCLUIR BLOCO DE PSEUDO CODIGO de cada ciclo** Since the colors obtained in the color slider indicate values for the HSV Color Model, it was mandatory to convert the color to a common color standard: for that reason, the values were converted from HSV to CIE-XYZ Color Model. Thus, we can produce color blends in every studied color model (HSV, RGB, CMYK, CIE-L\*a\*b\* and CIE L\*C\*h\*) and ensure that colors obey to the same common standard; also, this is specially important to produce Chromaticity Diagrams where colors are mapped according to a set of XYZ primitives. Both of the answers were blended according to each color model referred before: for models which contained no angular values (RGB, CMYK and CIE-L\*a\*b\*) it was only needed to interpolate the values for each primitive; but for models that have angular values (HSV and CIE-L\*C\*h have their Hue's value), it was needed to calculate the angular interpolation of their primitives.

$$\begin{aligned} R_{final} &= \frac{|R_{C1} - R_{C2}|}{2} + \min(R_{C1}, R_{C2}); \\ G_{final} &= \frac{|G_{C1} - G_{C2}|}{2} + \min(G_{C1}, G_{C2}); \\ B_{final} &= \frac{|B_{C1} - B_{C2}|}{2} + \min(B_{C1}, B_{C2}); \end{aligned} \quad (4.1)$$

An example of linear interpolation between primitives can be seen on Equation 4.1, in which we blend RGB primitives. The listing 4.3.1 shows how the angular interpolation is being calculated with our *Matlab* script.

```
diff_angles = abs(Hue.C1 - Hue.C2);
if diff_angles > 180
    angle_small = (360 - diff_angles);
    sum_major = max([Hue.C1 Hue.C2]) + (angle_small / 2);
    if sum_major > 360
        hue_final = rem((max([Hue.C1 Hue.C2]) + (angle_small / 2)), 360);
    else
        hue_final = max([Hue.C1 Hue.C2]) + (angle_small / 2);
    end
else
    hue_final = min([Hue.C1 Hue.C2]) + (diff_angles / 2);
end
```

Listing 4.1: Excerpt of *Matlab* code, which interpolates the angular Hue value.

Afterwards, every resulting blending is **compared to the pre-calculated value for each color model**; the distance to the late value is stored for statistical analysis. It is also **calculated the distance to the**

**expected HSV values**, since the colors presented to the user were too calculated in HSV Color Model. Additional comparisons are: the colors blended in HSV are **compared to the expected color pairs of other questions which generate the same (or roughly) color**, to understand if our users tended to mix other pairs than the one expected for that question. To end this comparisons, the centroids of each set of colors mixed in every color model are calculated, along with its distance to the expected pre-calculated answer.

This computation is applied to all questions from 1 to 17, type "objTwoColors" (one color given and two answers expected). However, there are some differences when processing data from questions 18 to 32, which are questions of type "twoColorsObj" (two colors given and one answer expected), which implies a much simpler analysis due to only have to process one answer: there are no white answers to process (the ones which exist are excluded) and no colors to mix with each other; it is only calculated the distance of the answered color, to the expected one.

### 4.3.2 Color Bins Comparison

This analysis phase had a very important step, which was to assign meaning to the answers given by the users: **to attribute names to colors indicated**, whose to be commonly used by the users. Ideally, we would conduct a separated user study to perceive which names people normally attribute to colors; then we would gather all the data and analyze which were the most common names.

Luckily, the web page *XKCD*<sup>2</sup> had already conducted a widely large Color Survey<sup>3</sup> to study wich were the most common RGB color triples among users. They performed roughly more than 222 000 user sessions to ascertain color naming: they produced a map which shows the dominant names attributed to RGB colors over the faces of RGB cube (Figure 4.4), and they also produced a huge file comprised of 196 608 named RGB triplets, grouped by Color Bins.




Figure 4.1: XKCD Color Survey: map of color dominant names.<sup>4</sup>

Despite the fact XKCD's Color Survey was not a research realized with a scientific purpose, we decided to use it since it has plenty of information available to compare our results to, and it was executed with

<sup>2</sup>XKCD - Stick-figure strip featuring humour about technology, science, mathematics and relationships, by Randall Munroe. Available at: [xkcd.com/](http://xkcd.com/). Last accessed on September 11th, 2016.

<sup>3</sup>Color Survey Results. Available at: <https://blog.xkcd.com/2010/05/03/color-survey-results/>. Last accessed on September 11th, 2016.




Figure 4.2: XKCD Color Survey: Color Bins Minimum Areas.




Figure 4.3: Approximate Color Regions on CIE 1931 Chromaticity Diagram. [FM97]

a great amount of users which can verify it. We also found great compatibility between this survey and ours, since the values in the first were also presented in its maximum value of saturation (similar to our user study, in which we present colors in maximum hue).

As said, these represent RGB triplets but, being our user results all in accordance with the CIE XYZ Color Model, we needed some cleaning and processing to match the data our responses. We converted the RGB to CIE XYZ values and, then, divided all of the Color Bins in different tables; there are 27 names attributed to colors, some have more triplets (e.g. blue, green or purple), but some have a smaller set, which could mean greater agreement to assign names to colors. These bins of color are represent with their frequencies, in table 4.3.

Color Bin	Frequency	Color Bin	Frequency
Black	1782	Lime-Green	878
Blue	37725	Magenta	990
Brown	10499	Maroon	3283
Cyan	2625	Mustard	711
Dark-Blue	2233	Navy-Blue	922
Dark-Brown	30	Olive	1336
Dark-Green	2927	Orange	9152
Dark-Purple	669	Pink	12627
Dark-Red	2	Purple	25747
Dark-Teal	163	Red	15474
Gold	49	Sky-Blue	32
Green	47858	Teal	9007
Light-Blue	2078	Yellow	7808
Light-Green	1		

Table 4.3: XKCD Color Survey: color bins.

The idea was to compare our answers with each color bin, to create a mapping between our users' values and commonly-used names; in order to simplify and speed up the computation of the comparisons, each color bin was drawn and the lowest polygon formed by the set of triplets of each bin was used to compare the values (instead of comparing each answer with every triplet). Moreover, when processing these sets of RGB triplets, we left 3 color bins out of the game: *Black* since it has no expressivity in the Chromaticity Diagram, *Dark-Red* and *Light-Green* because they have very few triplets to be drawn. However, we expected that when these color bins were drawn on a chromaticity diagram, they would






Figure 4.4: XKCD Color Survey: Color Bins Transformation from line of points, to minimum polygon.

create independent and more comprehensive shapes: we found that there are overlapping values for some color bins (Figure 4.2), which ultimately complicates the analysis because there is more than one possible name for the same color. For example, *Blue* and *Dark-Blue* share 5 triplets: (0,0,76), (0,0,77), (0,0,78), (0,0,79) and (0,0,80); *Green* and *Dark-Green* share only 1 triplet, (0,57,0). No value was excluded from any color bin, instead we solve the problem by allowing the program to find only one of the names and look no more after finding it. Moreover, the shapes created by each color bin can be depicted as **lines** if they present contiguous values in the same edge of the triangle, or as **triangles** if the values are near the corner of the triangle and are distributed along two edges. The late situation is represented in Figure ??

Alternatively, we could have opted for another kind of color name detection, but its implementation would be out of the scope of this Master thesis and would take a much longer analysis than the one performed. For instance, one could have gone for identifying the colors by analyzing their values and processing the wavelength originated, comparing the resulting value with calculated areas, roughly defined by Brand Fortner [FM97] and represented on Figure 4.3. This idea had one problem, which was the longevity of its solution (dated from 1997), and the inexistence of a ready-to-go implementation, completed with an svg with all areas defined, had added weight on the decision.

Another possible method to decode color into name would be to interpret color values and associate a color temperature, being the late one compared against a well defined table of values; the problem here was the non-existence of table of well defined values of color temperature. Further investigation is needed to ascertain the possibility of creating such table.

### 4.3.3 Outputs Generated

Each script ends its execution when saving all the outputs contained in table 4.4: it generates a set of CSV tables ready for being analyzed by SPSS Program, besides creating a great amount of CIE chromaticity diagrams to support the analysis. As referred before, questions 18 to 32 do not generate any output about white answers.

## 4.4 Results

In the following section, we perform a statistical analysis of the processed data obtained from the user study. The main data to be analyzed is the one obtained in the laboratory environment, being the online data only the corroboration of the main data. We start by drawing a profile of users who responded the survey, characterizing them as the age, country of residence, academic degree, along with other

Tables	Diagrams
age_20_results	For each Demographic Group: - RGB, HSV and CMYK Responses - CIE-L*a*b* and L*a*b* Responses
age_20_29_results	
age_30_39_results	
age_40_49_results	For Laboratory Results: - Regular and Daltonic Responses - RGB, HSV and CMYK Responses - CIE-L*a*b* and L*a*b* Responses
age_50_59_results	
age_60_results	
gender_female_results	For Online Results: - Regular and Daltonic Responses - Uncalibrated Responses - RGB, HSV and CMYK Responses - CIE-L*a*b* and L*a*b* Responses
gender_male_results	
gender_other_results	
lab_regular_results	For White Answers: - White Responses
lab_daltonic_results	
online_regular_results	
online_daltonic_results	
online_uncalibrated_results	
white_answers	

Table 4.4: Generated Outputs of Data Processing Phase.

characteristics; after, we begin mapping answers to the questions raised in the beginning of study, also referred in section 3.1, which comprises topics about *Color Mixtures*, *Color Models*, *Color Naming* and consider differences between *demographic groups*.

By the end of this chapter, we are going to discuss the results of the analysis and consider eventual implications for Information Visualization (InfoVis) field of research. The following table ?? summarizes how the study is characterized: how many responses were given *per* question, from which environment they came and the user sample from each demographic group.

**INCLUIR TABELA COM CONTAGEM.**

#### 4.4.1 User Profile

As previously said on section 4.2, we gathered a total amount of 259 users with, at least, one valid answer: from the laboratory environment we collected 28 users, and 231 from the online strand. All of these users gave valid answers along the Profiling, Calibration and Color Deficiencies Tests Phases: the information collected in the Profiling page is the most important to compose a user profile.

Recalling section 3.2.1, we established that the most important informations to collect were the *age*, the *gender*, *academic degree*, *nationality* and *country of residence*, as well as the *native language* of each user. The table 4.5 represents the frequencies of genders, ages and academic degrees.

Environment	Users	Ages						Gender			Academic Degree					
		[0; 20[	[20; 29]	[30;39]	[40;49]	[50;59]	[60;100]	Female	Male	Other	College	High-School	Bachelor	Master	Doctor	NoDegree
Laboratory																
Online																
Total	259	37	162	20	19	12	8	105	152	2	38	47	92	74	5	3

Table 4.5: Results: Profiling Information (Gender and Academic)

Environment	Users	Nationality						Country of Residence						Languages		
		CA	ES	PT	UK	US	Others	CA	DE	GB	PT	US	Others	PT	EN	Others
Laboratory																
Online																
Total	259	5	3	215	7	11	18	5	3	9	217	11	14	216	29	14

Table 4.6: Results: Profiling Information (Nationalities, Countries of Residence and Languages)

#### **4.4.2 Color Mixtures**

Fazer também mistura mais fácil, comparando os ratings das questões e ver qual a mistura que apresenta melhores resultados.

Comparar misturas que originam a mesma cor, com base em primárias diferentes e perceber se utilizadores conseguem detectar várias misturas para uma mesma cor.

#### **4.4.3 Color Models**

#### **4.4.4 Color Naming**

Cores mais comuns em algumas perguntas; existe alguma ordem característica quando utilizador especifica uma mistura?

Comparar se, mais do que pelos valores anteriormente calculados, se users identificam "uma mistura de vermelho com azul" como dando um resultado magenta, ou mais afinado para uma dada cor.

#### **4.4.5 Demographic Groups**

Fazer apenas comparação de faixas etárias entre si, e géneros entre si.

Uma análise interesse seria comparar faixas etárias por género, mas seria necessária uma amostra bastante mais significativa para cada grupo.

### **4.5 Discussion**

Fazer apanhado dos resultados todos.

#### **4.5.1 Calibration Resiliency**

Como verificamos ainda alguns users com calibração imprópria para teste, considerámos que poderia ser uma fonte de resultados interessantes. Como tal, criámos um dataset para os mesmos e comparamos com os resultados dos utilizadores calibrados. Os resultados são os que se seguem...

#### **4.5.2 Creation of Color Scales**

#### **4.5.3 Color Organization**

#### **4.5.4 Consequences for InfoVis**

Resumo dos resultados todos e regras que se podem levar deste trabalho para a área de InfoVis em geral.



## **Chapter 5**

# **Conclusion**

### **5.1 Limitiations**

Most of the data cleaning would be avoided if the collected were saved in a different fashion (NONES, HSL)...

### **5.2 Future Work**

Software de calibração remota.



# Bibliography

- [dAK92] Dilogen de Alwis and Chee Kon. A new way to use the ishihara test. *Journal of Neurology*, 239(8):451–454, 1992.
- [FM97] Brand Fortner and Theodore E. Meyer. *Number by Colors*. Springer-Verlag New York, 1 edition, 1997.
- [GG14a] Sandra Gama and Daniel Gonçalves. Studying the perception of color components' relative amounts in blended colors. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction: Fun, Fast, Foundational*, NordiCHI '14, pages 1015–1018, New York, NY, USA, 2014. ACM.
- [GG14b] Sandra Gama and Daniel Gonçalves. Studying Color Blending Perception for Data Visualization. In N. Elmqvist, M. Hlawitschka, and J. Kennedy, editors, *EuroVis - Short Papers*. The Eurographics Association, 2014.





# Appendix A

## User Study Protocol

### A.1 Motivation

By conducting this first study, we intend to:

- Conclude if there is any chance that cultural behaviours influence the user's color perception.
- Realize which color mixtures are more easily perceived by humans.
- Understand if, by using color, it is possible to clearly and easily convey information. This can be particularly interesting and useful when visualizing graphs or maps.
- Conclude if a person is capable of, not only building a mental color mixture model, but also deconstructing mixtures into their basic components.

### A.2 User Profiling Phase

This study is anonymous and should take you up to 15 minutes. Please, answer the following answers accordingly.

### A.3 Testing Calibration Phase

In this step, it's going to be presented to you a set of images. You should tune you screen definitions, in order to answer the questions, keeping them until the end of this study.

Please, follow the steps below indicated and answer the questions.

1. If possible, adjust your room lights for a comfortable usage of your device.
2. Avoid reflections on your screen, by diverting the screen from direct sources of light. This step is important, since light reflections can affect visualization of images.
3. To adjust the **Black Point** of your screen, define the Contrast and Brightness of your screen to their maximum.
4. After Step 3, gradually reduce **Brightness** value of your screen, in order to correctly distinguish the squares of each image below [calibration squares images].
5. If possible, define the **Color Temperature** of your screen to 6500 Kelvin Degrees.

6. You are now ready to answer the following questions!

NOTE: These 6 steps are only available to the Online Users, since the Laboratory Users do not need to perform these steps as the LCD display is already calibrated.

## **A.4 Testing Color Vision Deficiencies Phase**

This is the Color Vision Deficiencies Test.

In this step, it is going to be presented six plates with a colored pattern. Your job is to identify the number present in each plate, typing it down in the text box below. According to your answer, this test will inform us if you have any type of color vision deficiency which may undermine the job of color detection.

## **A.5 Core Test Phase**

Choose the Resulting color which you believe it is the result of mixing the First and Second color, by adjusting the slider below the Resulting color.

Choose two colors with which you can achieve the Resulting color, by adjusting the sliders below each color.

NOTE: These instructions appear alternately, depending on the type of question which is shown.

## **Appendix B**

# **Chromaticity Diagrams**

Include Diagrams generated of CIE Horseshoe.



# Appendix C

## Tables

### C.1 Results Tables

Users

Um exemplo de uma tabela de resultados raw

Um exemplo de uma tabela de resultados clean

Um exemplo de uma tabela de calibração