

SUSE Documentation Style Guide

Rebecca Walter, Martina Dejmek, and Stefan Knorr

This guide provides answers to writing, style, and layout questions commonly arising when editing SUSE documentation. The Novdoc/ DocBook markup reference at the end of this guide will help you choose the right XML element for your purpose. Following this guide will make your documentation more understandable and easier to translate.

Publication date: 04/24/2014, Version: 2014-02.2

Contents

- 1 Audience 2
- 2 Names of Example Items 2
- 3 Outline of a Manual 3
- 4 Language 7
- 5 Structure and Markup 13
- 6 Managing Documents 43
- A Terminology and General Vocabulary 47
- A.1 Terminology 48
- A.2 General Vocabulary 71
 - B List of Changes to the Style Guide 73
- B.1 Release 2014-02.2 73

- B.2 Release 2014-02.1 74
- B.3 Release 2014-02—February 2014 Major Update 75

C GNU Free Documentation License 78

1 Audience

Before starting to write, define the target audience of your documentation. Adjust tone, style, and technicality of the text based on the intended audience. Keep in mind that not all facts that seem obvious to you will be obvious to your readers. If you move parts of documents into other documents, make sure to adapt the parts you move to the new document.

For later reference, document the defined target audience in the main file of every book and article. Place an XML comment directly before the relevant mailto:sook/">mailto:sook/">mailto:

```
<!-- Target audience: institutional desktop users. -->
```

For more information about the usage of XML comments, see *Section 6.2, "XML Comments"*. Generally, there is no need to add information about the target audience to the book or article content itself.

2 Names of Example Items

This section summarizes conventions for creating generic names for objects in documentation. At least some of the following names should be provided through entities (see also *Section 6.3, "Entities"*).

2.1 Domains

Use http://www.example.com → and http://www.example.org → as example domains. Both domains were registered for use in documentation.

2.2 Host Names

Use sun and earth or other planets of the solar system.

2.3 IPv4 Adresses

Use addresses from the class C subnet $\underline{255.255.25.0}$ for examples. That is, replace the final $\underline{0}$ by any integer between $\underline{0}$ and $\underline{255}$. To create examples using a larger setup, use addresses from the private network ranges. See http://en.wikipedia.org/wiki/Private_network \nearrow for more information.

2.4 IPv6 Adresses

Use addresses from the subnet 2001:0db8::/32 for examples. That is, after the 2001:0db8: prefix, add six four-digit numbers, each separated by a colon on both sides. Each of the hexadecimal digits may have a value between 0 and f. A valid example URL is 2001:0db8:0123:4567:89ab:cdef:1234:5678. See http://en.wikipedia.org/wiki/IPv6_subnetting_reference for more information.

2.5 Users

For example users, use free-software mascots, such as Tux (Linux Kernel), Wilber (The GIMP), Geeko (SUSE), Foxkeh (Firefox), Konqi (KDE), or Duke (Java). In prompts, use the lowercase version of these names.

3 Outline of a Manual

Maintain a consistent structure within your documents. The structure can vary between different books, articles or projects, but the most common parts of the document structure are documented here.

3.1 Books

Always use a document structure that includes the following elements, in that order: a preface, and chapters which are split in sections. Optionally, add appendixes, a glossary, and an index. In some cases, parts can be created at the outline level above chapters.

Title Page and Imprint

Both title page and imprint are created automatically, but depend on information being present in the book.

- Title. Work with the marketing department to define the correct book title. The book title should not contain the product name and version.
- Product Name and Product Version. Work with the marketing department to find the correct product name and version number. Mark this information up with
- Documentation Version or Revision Information. Use the <a href=
- Authorship Information. Create a separate file <u>authors.xml</u> and add an <u><authorgroup/></u> listing all authors and contributors inside it. Include this file with an XInclude.
- **Copyright Notice**. Use the standard copyright notice reproduced below. Change the starting year of the copyright protection to the current year.

EXAMPLE 1: STANDARD COPYRIGHT NOTICE

```
<legalnotice>
  <para>
    Copyright &copy; [starting year]&ndash;<?dbtimestamp format="Y"?>
    SUSE LLC and contributors. All rights reserved.
  </para>
  <para>
    Permission is granted to copy, distribute and/or modify this document
```

```
under the terms of the GNU Free Documentation License, Version 1.2 or
  (at your option) version 1.3; with the Invariant Section being this
  copyright notice and license. A copy of the license version 1.2 is
  included in the section entitled <quote>GNU Free Documentation
  License</quote>.
 </para>
 <para>
  For &suse; and Novell trademarks, see the Novell Trademark and
  Service Mark list at
  <ulink url="http://www.novell.com/company/legal/trademarks/tmlist.html"/</pre>
 All other third party trademarks are the property of their respective
 owners. A trademark symbol (®, ™ etc.) denotes a &suse; or
  Novell trademark; an asterisk (*) denotes a third party trademark.
</para>
<para>
 All information found in this book has been compiled with utmost
 attention to detail. However, this does not guarantee complete
 accuracy. Neither SUSE LLC, its affiliates, the authors nor the
 translators shall be held liable for possible errors or the
  consequences thereof.
 </para>
</legalnotice>
```

Abstract

Use an abstract to summarize the information provided in a book, article, or set in five or fewer sentences. Summarize the topic instead of summarizing the outline.

EXAMPLE 2: AN ABSTRACT

SUSE Linux Enterprise ships with several different file systems, including Btrfs, Ext3, Ext4. Each file system has advantages and disadvantages that make it more or less suitable for a scenario. Professional high-performance setups can require a different choice of file system than a home user setup. This guide will help you choose the right one.

Table of Contents

The table of contents is generated automatically.

Preface

The preface of a book contains a brief overview of the content of a manual, related manuals, and typographical conventions. It may also contain information about its target audience.

Parts

If you are writing a book with many chapters, create parts at the outline level above chapters. Parts should contain at least three chapters. Keep part titles clear and concise. Often a single noun is enough. Typical part titles include *Installation* or *Network*.

Chapters

Chapters typically consist of the following elements (appendixes should be regarded an exception):

 Highlights. Use a highlights section to summarize the information provided in a chapter in four or fewer bullet points. Summarize the topic instead of summarizing the outline.

EXAMPLE 3: A HIGHLIGHTS SECTION

This chapter will:

- Give you an overview over the file systems available in SUSE Linux Enterprise, such as Ext3, Ext4, and Btrfs.
- Inform you about their distinctive advantages and disadvantages.
- Help you choose the right one for your purpose.
- Introductions. Any introductory information follows directly after the highlights section and should not be placed in a separate section.
- Sections. Structure the detailed information, so readers can skim the text. Create sections for every major task, such as installing, configuring, monitoring, and administering. If helpful, split sections into subsections, but avoid going above three levels of sections.

Sections start with an introductory paragraph outlining the focus of the section. If the section describes a sequential task, follow the introduction with a procedure description, as discussed in *Section 5.17, "Procedures"*. Steps of a procedure can contain a cross reference to subsections where topical background is provided and an action is explained in detail. See also: *Section 5.5, "Cross References"*.

- Troubleshooting. In this section, collect common mistakes and problems. The section should always be named *Troubleshooting*. Use the DocBook element <qandaset/ (a Question and Answer section) to mark up *Troubleshooting* problems. In case you want to describe solutions to more than ten problems, add topical subsections (<qandadiv/> elements) below the *Troubleshooting* section.
- For More Information. In this section, collect Web links to all sources of information that might prove helpful in a given context. Follow the general referencing guidelines in *Section 5.5*, "*Cross References*" when creating such sections.

Glossary

The optional glossary contains important terms in alphabetical order and provides a brief explanation.

3.2 Articles

For articles, use a structure similar to that of books. However, note that there is no equivalent of parts in articles. Additionally, in articles, the function of chapters is filled by first-level sections (<sect1/>).

4 Language

If a product you are documenting is not listed in the terminology table, refer to the SUSE home page, http://www.suse.com \mathbb{Z} . If the product is not mentioned on the SUSE home page, refer to the Marketing department.

4.1 Abbreviations

Where possible, avoid using abbreviations. Especially avoid unusual abbreviations. You may create plurals of acronyms. In all other cases, avoid creating plurals of abbreviations.

4.1.1 Acronyms

Headlines or captions must not contain both an acronym and its expansion. When dealing with a term that is commonly written as an acronym, use the acronym in the title. When mentioning the term for the first time in the following text, use its expanded form. All following occurrences of the term in this chapter should then use the acronym.

Sometimes chapters and parts are used across multiple documents, therefore provide the expansion of an acronym at least once per chapter. Provide the expansion by adding it in parentheses after the acronym.

Create plural forms of acronyms by adding a lowercase "s," for example, use "CDs" and "BIOSs." Never add an apostrophe before the "s."

Avoid using possessive forms of acronyms (a negative example would be "XML's specification") for reasons of clarity.

4.1.2 Latin Abbreviations

Do not use Latin abbreviations. Use the full English form: for example, use "that is" instead of "i.e.". As an exception to this rule, the abbreviation *etc.* is allowed.

4.1.3 Units of Measurement

You may use abbreviations of common units of measurement. Refer to Section 4.10, "Numbers and Measurements" for more information about units of measurement.

4.2 Capitalization and Title Style

In all running text, use sentence-style capitalization. That is, only capitalize the first word of a sentence and proper names.

Use title-style capitalization for all types of headings and titles, including figure and table titles. This style is explained in *The Chicago Manual of Style* 8.167. A simplified version of these rules is below:

- 1. Capitalize the first and the last word.
- 2. Write articles in lowercase. Articles are: the, a, and an.

- 3. Write prepositions in lowercase unless they are used with a verb ("Logging In") or in a noun ("The On Button"). Prepositions are for example: *up*, *in*, *of*, *through*, and *between*.
- 4. Write certain conjunctions in lowercase: and, but, for, nor, and or.
- 5. Write as and to in lowercase.
- 6. Capitalize everything that is not mentioned above.

In variable lists, capitalize the term in title style unless it is a complete sentence. In all list items, use sentence-style capitalization (capitalize the first letter and proper nouns only). Use title style for row and column labels in tables.

4.3 Commas

Use commas between all items in a series of three or more elements. For example, write "a, b, and c." Use commas around phrases like *for example* and *that is.* Introductory phrases at the beginning of a sentence are normally followed by a comma. For example, "Before using YaST Online Update, configure a network connection."

4.4 Contractions

Do not use contractions, unless you are purposefully writing a casual document.

4.5 Dashes

Use en dashes (–) between numbers in a range in tables and figures.

For punctuation, use em dashes (—). Do not surround em dashes with spaces. Use em dashes sparingly.

4.6 End of Sentence Punctuation

End sentences in a period. Avoid using exclamation marks. Restrict question marks to question and answer sections.

4.7 File and Directory Names

Under Linux, objects like directories, printers, or flash disks are all considered files. Therefore, the naming and markup conventions are the same for "drives" (for example, hard disks, CD-ROM drives, or flash disks), directories, or files.

The layout for file names and directory names is the same. See the following example:

- Use forward slashes to separate nested directory or file names.
- When giving absolute paths, always start with a leading slash to indicate the root of the file system.
- Do not use a trailing slash to distinguish between a file and a directory. Where differentiation is needed, provide it textually.

Most Linux file systems are case-sensitive. Use capitals exactly as they appear in the file system. For details on markup, refer to Section 5.15, "References to Other External Resources" and Section 5.4.2, "File Names".

When it is necessary to refer to file extensions, such as in compound words like "PDF file", always capitalize the extension.

4.8 Gender Bias

Avoid indicating gender in your documentation. If possible, use plural to allow use of "they" as the pronoun. Otherwise, use "he or she."

For naming of example items, refer to Section 2, "Names of Example Items". For more information on how to avoid gender bias, refer to The Chicago Manual of Style 5.43.

4.9 Headings

Keep headings short and simple. Do not use both an acronym and the written-out form in a heading. Make sure that headlines in a chapter follow the same pattern.

Provide at least some introductory information between a heading and its subheadings.

For advice on how to nest sections, refer to Section 5.16, "Outline Levels".

4.10 Numbers and Measurements

Write the integers zero through nine as words. Use numerals for all other numbers.

When the unit of a measurement is abbreviated, always use numerals for the number. In measurements, add a non-breaking space (<u> </u>) between the numeral and its corresponding unit abbreviation.

For more information, refer to The Chicago Manual of Style 9.6.

4.11 Possessives

Do not use possessives of acronyms and trademarked terms. Avoid possessives of inanimate objects.

4.12 Prefixes

Add a hyphen after the prefix to prefixed words only if:

- The last letter of the prefix and the first letter of the word are the same.
- You foresee misunderstandings. For example, there is a difference in meaning between "recreate" and "re-create".

4.13 Semicolons

Avoid using semicolons to join sentences. You may use semicolons in place of commas in very complicated series.

4.14 Slashes

Do not use slashes except when they are part of a standard technical term, such as *TCP/IP* or *client/server*.

4.15 Sentence Structure

Form clear and direct sentences with 20 words or less. Avoid complicated clauses. Make sure that the relationship between subject, verb, and object are clear. Avoid joining sentences with semicolons. Avoid ending sentences with prepositions.

Avoid using parentheses. Where they are necessary, move them to the end of the sentence. Never nest parentheses.

Always let the reader know the objective of an action before describing the action itself. As an example, write: "To restore world peace, click *Shake Hands*."

4.16 Tense

Use the simple present tense. Apply the simple present tense even to sentences with "if" or "when" clauses: "If this happens, go there."

Prerequisites of an action should be expressed in the present tense as well: "Glibc is installed." In some cases, no verb is necessary before the prerequisite of an action: "a 1 GHz processor or better."

4.17 Tone and Voice

Maintain a professional tone. Do not use contractions, except in casual documents. Do not use humor. Be honest and avoid absolutes and exaggerations, but focus on positive aspects.

Use second person ("you") to refer to the reader. Normally, the reader is the user or administrator that does the actions described. Do not overuse "you." It is often understood, especially in directions.

Where possible, use active voice. In active voice, the subject of the sentence performs the verb. For example, "The root user performs administrative tasks" is active voice. "Administrative tasks are performed by the root user" is passive voice.

Use passive voice if there is no emphasis on the object of the verb or if the performer of the action is unknown. "A SAMBA server must be configured in the network" is an example of proper use of passive voice. The emphasis is on the server, not on the person configuring it.

4.18 Trademarks

Most products referenced in the documentation are trademarked. Follow these rules when dealing with these terms:

- Never use trademarks in headings.
- Only use the marked version on the first occurrence of the product name in a chapter.
- Only use the ®, ™, or SM marks for Attachmate products.
- Use an * (asterisk) for all service marks or trademarks of third-party companies. This acknowledges the service mark or trademark of the other company. It also protects SUSE if the protection of the brand changes in any way.

See Section 5.18, "Products" for markup advice.

4.19 User Interface Items

When referring to labels of user interface items, do not include ending punctuation such as ____ or ____. Whenever possible, refer to user interface item without identifying them as any special type of element. For example, use "click *OK*" rather than "click the *OK* button." However, complex dialogs may require more specific wording.

For instructions concerning markup, refer to Section 5.21, "User Interface Items".

5 Structure and Markup

Structure your documentation by tasks relevant to the user instead of providing reference documentation by describing each part of the user interface individually. Often, it is unnecessary to describe every minor functionality of a product. Describe what a product can do rather than its limitations.

SUSE uses the Novdoc DTD which is compatible with DocBook. Thus, for more detailed descriptions of the elements of a book, refer to the *DocBook: The Definitive Guide* sections listed in *Table 1, "Important Elements"*.

TABLE 1: IMPORTANT ELEMENTS

Element	Web Link
<appendix></appendix>	http://www.docbook.org/tdg/en/html/appendix.html ◢
<u><book></book></u>	http://www.docbook.org/tdg/en/html/book.html 🗗
<chapter></chapter>	http://www.docbook.org/tdg/en/html/chapter.html ▶
<glossary></glossary>	http://www.docbook.org/tdg/en/html/glossary.html 🖪
<part></part>	http://www.docbook.org/tdg/en/html/part.html 🗗
<pre><preface></preface></pre>	http://www.docbook.org/tdg/en/html/preface.html 🖪
<sect1></sect1>	http://www.docbook.org/tdg/en/html/sect1.html ◢

5.1 Admonitory and Advisory Paragraphs

To make readers aware of potential problems and recent changes, or to give them tips, use an admonition element. Avoid using more than one admonition per page of PDF output.

- . Use these elements to warn of security issues, potential loss of data, damage to hardware, or physical hazards. Warnings must always precede the action to which they apply.
- <important/>. Use these elements to give vital information.
- <tip/>. Use these elements to introduce guidelines or give tips.
- <note/>. Use these elements to highlight software version differences.

Follow these rules when writing admonitions:

- Add a <title/> to admonitions. In the title, state the subject of the admonition and, in the case of a <warning/>, also the source of danger.
- <warning/> or <important/>: In the first paragraph, clearly state possible consequences of ignoring the danger.
- <warning/> or <important/>: In the second paragraph, explain how to avoid the danger.
 If there are multiple ways to avoid a danger, use an unordered list. If fewer than five consecutive steps need to be taken to avoid a danger, use an ordered list. If more than five consecutive steps need to be taken, use a cross reference to another part of the documentation.

EXAMPLE 4: AN EXAMPLE OF A WARNING (SOURCE)

```
<warning>
  <title>Do not interrupt creation of file systems</title>
  <para>Creating a file system can take multiple hours. Interrupting this
    process will result in a corrupt file system and an unusable installation.
  </para>
  <para>Always wait until formatting has finished.</para>
</warning>
```



Warning: Do not interrupt creation of file systems

Creating a file system can take multiple hours. Interrupting this process will result in a corrupt file system and an unusable installation.

Always wait until formatting has finished.

5.2 Application Names

When referring to an application, add a <phrase role="productname"/> element around it. This will not result in a visual change but disables hyphenation:

<phrase role="productname">LibreOffice</phrase> is an office suite.

5.3 Callouts

Add the <co/> elements directly after the part of a screen that you want to annotate. Do not try to align them above the part of a screen to annotate. Do not use more than ten callouts per example.

Also see Section 5.7, "Examples".

EXAMPLE 5: EXAMPLE OF CALLOUTS (SOURCE)

EXAMPLE 6: EXAMPLE OF CALLOUTS (OUTPUT)

```
color white/blue black/light-gray ①
default 0 ②
```

- Colors of the boot loader menu.
- **2** Defines the preselected option.

TABLE 2: ELEMENTS RELATED TO <callout/>

Element	Web Link
<pre><co></co> . Inline element to mark an area within a <screen></screen>.</pre>	http://www.docbook.org/tdg/en/html/co.html 🗗
<pre><calloutlist></calloutlist>. Block element containing a list of descriptions for each of the marked areas.</pre>	http://www.docbook.org/tdg/en/html/calloutlist.html ▶

Element	Web Link
<pre><callout></callout> a description of a single area marked with</pre>	http://www.docbook.org/tdg/en/html/callout.html ◢
<u><co></co></u> .	

5.4 Command Line Input and Output

When dealing with user input and system output shorter than 30 characters, format it with an inline element, such as <command/> or <filename/>. In all other cases, close the current paragraph and enclose it in a <screen/> element. Also see Section 5.7, "Examples".

TABLE 3: ELEMENTS RELATED TO COMMAND LINE INPUT AND OUTPUT

Element	Web Link
<screen></screen> . Block element in which all characters are reproduced exactly as they are in the source of the document. Also see <i>Section 5.7, "Examples"</i> . Can contain any of the inline elements listed in this table.	http://www.docbook.org/tdg/en/html/screen.html 🖪
<pre><command/> . Inline element that contains the name of an executable program or the command that a user types to execute a program. Can contain <option></option> or <replaceable></replaceable> elements.</pre>	http://www.docbook.org/tdg/en/html/command.html 🖪
<pre><option></option>. Inline element that contains an argument to a command or instruction. Can contain <replaceable></replaceable> elements.</pre>	http://www.docbook.org/tdg/en/html/option.html
<pre><replaceable></replaceable>. Inline element that contains content that can or must be replaced by the user.</pre>	http://www.docbook.org/tdg/en/html/replaceable.html
<pre><filename></filename>. Inline element that contains the name of a directory or file. Can contain <replaceable></replaceable> elements.</pre>	http://www.docbook.org/tdg/en/html/filename.html ◢

Element	Web Link
<pre><varname></varname>. Inline element that contains</pre>	http://www.docbook.org/tdg/en/html/
the name of a variable. Can contain	varname.html ▶
<pre><replaceable></replaceable> elements.</pre>	

5.4.1 Commands

Commands can be embedded in running text or presented as part of a screen environment. In running text, use

```
To start LibreOffice from the command line, use <command>loffice </command>.
```

Nest options, surrounded by an <option/> element, inside the command element.

```
To start LibreOffice Writer from the command line, use <command>loffice <option>--writer/command>.
```

Options can also be used in text, separately from <command/>.

Use markup for commands even inside <screen/> environments. To avoid spelling or capitalization errors, where possible, run commands before adding them to the documentation. See also Section 5.4.5, "Prompts".

5.4.2 File Names

A file name is the name of a file on a local or network disk. Can contain a simple name or could include a path or other elements specific to the operating system. See also *Section 4.7,* "File and Directory Names".

Find the log file <filename>configuration.xml</filename> in the directory <filename>/etc/sysconfig</filename>.

5.4.3 Placeholders

To mark up text that readers need to replace, use the <replaceable/> element.

```
To list the contents of a directory, execute <command>ls <replaceable>directory</replaceable></command>.
```

5.4.4 Literals

Use teral/> to mark up data taken literally from a computer system.

```
To create a comment, insert teral>#</literal> characters.
```

5.4.5 Prompts

When documenting commands entered into Bash with a <screen/> element, always prefix them with a prompt marked up this way:

To avoid making prompts longer than necessary, never include a host name or a path. The first restricted user should always be named *tux*. For other names of restricted users, see *Section 2,* "Names of Example Items".

Avoid using root prompts in your documentation by using the <u>sudo</u> command where applicable. If you do need a root prompt, always mark it up as following:

When documenting prompts other than the one of Bash, use a custom prompt that is as generic as possible.

For consistency, it is helpful to create entities for the prompts used in your documentation. To learn more, refer to *Section 6.3, "Entities"*.

5.4.6 Variable Names

To reference to names of variables, use the <varname/> element:

To select another display manager, start the YaST system configuration editor and change the value of <varname>DISPLAYMANAGER</varname>.

5.5 Cross References

Use the <a href/> element (read: "cross ref") when referring to an appendix, chapter, example, figure, part, preface, section, table, or question and answer set. The element referenced needs to have an <u>id</u> attribute. Do not insert text labels such as "appendix," "chapter," "table," or "figure." These labels are generated automatically.

To be able reference an otherwise untitled element, add the attribute <u>xreflabel</u> to the element with a useful title as its value. Never create references to single paragraphs (<para/>).

Other types of references to resources are described in *Section 5.15*, "*References to Other External Resources*" and *Section 5.8*, "*External Links*". Create identifiers to reference from cross references using the rules under *Section 5.11*, "*Identifiers*".

EXAMPLE 7: EXAMPLE OF A CROSS REFERENCE (SOURCE)

```
<sect2 id="sec.cross_reference">
  <title>Cross References</title>
  <para>Use the <sgmltag class="emptytag">xref</sgmltag> element ...</para>
...
  <para>See <xref linkend="sec.cross_reference"/>.</para>
</sect2>
```

EXAMPLE 8: EXAMPLE OF A CROSS REFERENCE (OUTPUT)

See Section 5.5, "Cross References".

5.6 Emphasis

Where possible, indicate stress with language only. If that is not possible, use the <emphasis/
> element to indicate stress.

Where added emphasis is needed, use the role="bold" attribute.

```
This will be displayed in <emphasis>italics</emphasis>. This
```

5.7 Examples

Use examples to illustrate complex processes. The rules established in *Section 5.9.1, "Graphics"* also apply to examples.

- Examples are used to present:
 - long commands and commands together with their output
 - lines of code
 - configuration files or excerpts of configuration files
 - system output, such as system messages
- Never indent text inside <screen/> elements as you do in other XML elements. All whitespace inside <screen/> elements shows up verbatim.
- To enable line numbering, add the attribute linenumbering="numbered". Never use hardcoded line numbers in the <screen/> environment.
- Only use examples where they are necessary for understanding the documentation.
- Always give examples a title and an identifier.

For details on displaying computer input and output, refer to Section 5.4, "Command Line Input and Output". To annotate examples, use callouts. Callouts are described in Section 5.3, "Callouts".

EXAMPLE 9: EXAMPLE OF AN EXAMPLE

```
<example id="ex.example">
  <title>Example of an Example</title>
  <screen><prompt>tux &gt; </prompt><command>ps <option>-xa</option></command>

5170 ? S 0:00 kdeinit: khotkeys

5172 ? S 0:02 kdeinit: kdesktop

5174 ? S 0:04 kdeinit: kicker</screen>
```

TABLE 4: ELEMENTS RELATED TO <example/>

Element	Web Link
<pre><example></example>. Formal block element containing a <title></title> and a <screen></screen> or other elements such as lists or paragraphs.</pre>	http://www.docbook.org/tdg/en/html/example.html 🖪
<screen></screen> . Verbatim block element for displaying text that readers might see on a computer terminal or in a text file.	http://www.docbook.org/tdg/en/html/screen.html 🖪

5.8 External Links

Use the <ulink/> element to mark up URLs that can be opened with a Web browser, such as http://www.example.org/ ♣. Always add the correct protocol prefix (for example, http://), otherwise links will not work. Never use filename for a link, as that would both disable the link checker and make the link unclickable. Avoid entering a text label between start">
ulink/> start

and end tags. Instead, use a self-closing tag:

```
<ulink url="http://www.example.org/"/>
```

Make URLs as short as possible before adding them to documentation. Many long URLs can be shortened by leaving away non-essential pieces. This is especially often the case with search URLs or URLs of Internet news media. If a Web site provides a built-in URL shortener, use that. Do not use external URL shorteners. External URL shorteners hide the destination a link points to. They also introduce an extra element of uncertainty, as the shortening service may disappear or become unreliable in the future.

Do not use <ulink/> to link to SUSE documentation outside of the current document set.Instead, use the appropriate entity for the book title. Always reference the book itself, as chapter names can change.

Where possible, collect links in a "For More Information" section at the end of the chapter. This helps readers focus on your documentation instead of leading them immediately to other resources.

To mark up multiple links, create an <itemizedlist/> around them. Do not use a list environment for a single link. If you need to present many links, group them by topic and create a separate list environment for each group. Provide a comprehensive title for each of the groups or an introductory sentence. On creating lists, see Section 5.13.1, "Unordered Lists".

Where possible, provide translators with localized versions of links in the comments of the source file.

Other types of references to resources are described in Section 5.5, "Cross References" and Section 5.15, "References to Other External Resources".

5.9 Figures

For figures within lists or procedures, use the <informalfigure/> element. In all other cases, use the <figure/> element. Always assign an id attribute to <figure/> elements. Reference figures from the text by means of a cross reference. For more information, see Section 5.5, "Cross References".

All referenced image files must have a lowercase alphanumeric file name. Provide an appropriate image width using the width attribute. Always add a <textobject role="description"/> as in Example 10, "Example of a Figure" to provide an alternative text for the HTML output.

EXAMPLE 10: EXAMPLE OF A FIGURE

TABLE 5: ELEMENTS RELATED TO <figure/>

Element	Web Link
<pre><figure></figure>. Formal block element containing a <title></title> and a <mediaobject></mediaobject>.</pre>	http://www.docbook.org/tdg/en/html/ figure.html ▶
<pre><informalfigure></informalfigure> . Informal block element containing a <mediaobject></mediaobject>.</pre>	http://www.docbook.org/tdg/en/html/informalfigure.html
<pre><mediaobject></mediaobject>. Block element containing one or more <imageobject> elements. Place additional textual descriptions inside <textobject></textobject> elements.</imageobject></pre>	http://www.docbook.org/tdg/en/html/mediaobject.html
<pre><imageobject></imageobject>. Element containing <imagedata></imagedata> and meta information about the image.</pre>	http://www.docbook.org/tdg/en/html/imageobject.html ┛
<pre><imagedata></imagedata>. Element that points to an external image file.</pre>	http://www.docbook.org/tdg/en/html/glossary.html 🗗
<pre><textobject></textobject>. Element containing textual description of a media object as a fallback option.</pre>	http://www.docbook.org/tdg/en/html/ textobject.html ▶

5.9.1 Graphics

Keep graphics as simple as possible. Use as little text as possible. To allow for translation, reserve twice as much space for runs of text as the English version of it consumes.

5.9.2 Screenshots

Use screenshots to illustrate complex situations in which the user cannot easily follow the instructions otherwise.

- Be selective. Only illustrate steps in which meaningful user interactions are necessary. Do
 not create screenshots of progress bars or confirmation windows. Usually, it is unnecessary
 to create a screenshot of every step of an instruction.
- Create screenshots before the action that is illustrated has been taken.
- Insert screenshots directly after the textual description of the action.
- Make sure screenshots focus on what they are supposed to illustrate. When documenting application windows, create a screenshot of the window only. When documenting Web applications, only reproduce the contents of the tab instead of the entire browser window.
- Avoid creating screenshots of windows higher or wider than 800 pixels at 96 pixels per inch. When creating screenshots of applications scaled for a higher pixel-per-inch count, apply a proportionally larger maximum window size.
- Create screenshots that are recognizable to readers. For example, create screenshots of KDE applications on a KDE desktop with the default KDE theme and disable toolbar modifications you have made.
- Use grayscale font antialiasing (default on SUSE operating systems). Subpixel font antialiasing creates colored letter edges when zoomed or printed.
- Where applicable, follow the rules in Section 2, "Names of Example Items".
- Avoid editing screenshots. If you need to edit a screenshot, use the Shutter application. To
 anonymize portions of a screenshot, use the *Pixelize* tool. To highlight parts of a screenshot,
 use the *Rectangle* tool or the *Arrow* tool. Never add callouts, text or freely drawn objects.
 Always select colors that provide a good contrast with their background.

5.10 Glossaries

An optional glossary contains terms and their definitions. Make sure that the glossary entries are appropriate to the intended audience. Define unfamiliar terms and special jargon.

Define infinitive forms of verbs and singular nouns. Use lowercase for the term unless it is a proper noun.

Use cross-references to link acronyms with their written out forms. Define the written out form. Use a *See* reference for the acronym form to link it to the defined written out form.

The markup for a glossary entry is shown in Example 11, "A Typical Example of a Glossary".

EXAMPLE 11: A TYPICAL EXAMPLE OF A GLOSSARY

```
<glossary>
<title>Glossary</title>
  <glossentry>
    <glossterm id="gt.extensible">Extensible Markup Language/glossterm>
    <glossdef>
      <para>A markup language that defines a set of rules for encoding
        documents in a format that is both human-readable and machine-readable.
      </para>
    </glossdef>
  </glossentry>
  <glossentry>
    <glossterm>XML</glossterm>
    <glossdef>
      <para>See also <xref linkend="gt.extensible"/>.</para>
    </glossdef>
 </glossentry>
</glossary>
```

5.11 Identifiers

- Always use an <u>id</u> attribute in parts, chapters, appendixes, sections, figures, and examples. Identifiers can be used in other elements as well, such as tables and procedures.
- In identifiers, only use alphanumeric characters, _, _, and _.
- Identifiers consist of up to three parts. Join these parts with a ...
 - 1. Prefix. Signifies the type of XML element. Use in accordance with *Table 6*, "Abbreviations for Different Elements in an id Attribute".
 - 2. Chapter Title Label. Shortened version of the title of the parent chapter or parent chapter-level element (preface, appendix, etc.). Do not add a chapter title label to chapters and chapter-level elements themselves. Do not add chapter title identifiers within articles. Do not use . within the chapter title label.

3. **Element Title Label.** Shortened version of name of the title of the element itself. Do not use . within the element title label.

EXAMPLE 12: EXAMPLES OF IDENTIFIERS

```
id="cha.install"
id="sec.install.yast"
id="tab.install.sources"
```

• Use short, memorable, English terms or phrases as title labels. Favor longer terms over non-obvious abbreviations. Always use the singular of nouns and the infinitive of verbs. For example, a section about installing with YaST could be called sec.install.yast.

Do not rework identifiers in existing documentation, instead apply these rules to newly created documentation only.

TABLE 6: ABBREVIATIONS FOR DIFFERENT ELEMENTS IN AN id ATTRIBUTE

Element	Prefix
<appendix></appendix>	арр
<book></book>	book
<u><co></co></u>	<u>co</u>
<pre><chapter></chapter></pre>	cha
<pre><example></example></pre>	<u>ex</u>
<figure></figure>	<u>fig</u>
<pre><glossary></glossary>, <glossterm></glossterm></pre>	gl
<pre><itemizedlist></itemizedlist></pre>	il ^a
<pre>tiem/></pre>	li
<indexterm></indexterm>	<u>idx</u> ^b
<pre><orderedlist></orderedlist></pre>	ol a
<pre><part></part></pre>	<u>part</u>
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	pro

Element	Prefix
<pre><qandaset></qandaset>, <qandadiv></qandadiv>, <qandaentry></qandaentry></pre>	<u>qa</u>
<pre><sect1></sect1>, <sect2></sect2>, etc.</pre>	sec
<u><set></set></u>	set
<step></step>	st
	<u>tab</u>
<pre><variablelist></variablelist></pre>	<u>vl</u>
<varlistentry></varlistentry>	vle

^aOnly add an id attribute when the list has a title element

5.12 Indexes

Insert index terms as close to the relevant text as possible. When more than five paragraphs belong to a topic, use a page range. Nest index terms up to two levels deep.

Index information users are likely to be looking for. Consider that users might not have in mind the same terms you do. This is especially often the case when it comes to highly technical words or brands.

Adapt breadth and depth of index terms included of a topic to the weight the topic has within the manual. Do not index "For More Information" sections, abstracts, or passing mentions of items.

Be consistent in the terms you index. Write nouns in the plural. Write verbs in the gerund (-ing form). Use sentence-style capitalization.

If an entry has six or more page references, create more specific subentries. If an entry only has a single subentry, delete the subentry.

Check for spelling errors and inconsistencies that result in multiple items in the index. Check all *see* and *see also* references for consistency. Do no create index entries that have both a page and a *see* reference. Avoid creating index entries that have both a page references and a *see also* reference.

^bOnly add when creating index ranges

<indexterm/> elements mark text passages that should be referenced in an <index/>. Simple
<indexterm/> elements are placed in the flow of the document at the exact point which the
Index page should refer to.

EXAMPLE 13: EXAMPLE OF A SIMPLE INDEX ENTRY

```
To configure DNS
<indexterm>
<primary>DNS</primary>
<secondary>configuring</secondary>
</indexterm>, use the DNS configuration utility.
```

An index range consists of two separate <indexterm/> elements, the first one signifying the start, the second the end of the indexed range.

EXAMPLE 14: EXAMPLE OF AN INDEX RANGE

EXAMPLE 15: EXAMPLE OF A SEE INDEX ENTRY

```
<indexterm>
  <primary>installing</primary>
   <secondary>boot loaders</secondary>
   <see>GRUB</see>
</indexterm>
```

5.13 Lists

SUSE documentation uses the following types of lists (the respective XML elements are given in parentheses):

• Unordered lists (<itemizedlist/>). Also known as bullet lists.

- Numbered lists (<orderedlist/>).
- Descriptive lists (<variablelist/>). Also known as definition lists or variable lists.

Follow these rules when creating or editing lists:

- List environments should be used with caution. Their markup is quite distinct and overusing them might disrupt the text flow.
- Always introduce a list in the text. If needed for reference or better coordination with the related text, add a title and an id attribute.
- A list must contain at least two items. If items are short and simple in structure, consider incorporating them in the flowing text instead of creating a list environment.
- Use sentence-style capitalization for list items. Use title-style capitalization for terms in descriptive lists.
- When using multiple sentences as a list item, end all items in that list with a period.
- Make sure that the items are grammatically parallel constructions providing a pattern that makes it easier to follow the text.

Never nest more than three lists within each other. In such cases, restructure the information using a combination of lists and running texts.

To be able to reference untitled lists, use the $\underline{\mathsf{xreflabel}}$ attribute. See Section 5.5, "Cross References" for more information.

TABLE 7: ELEMENTS RELATED TO LISTS

Element	Web Link
<pre><itemizedlist></itemizedlist>. Block element for an unordered list. Contains multiple titem/> elements.</pre>	http://www.docbook.org/tdg/en/html/itemizedlist.html
<pre><orderedlist></orderedlist> . Block element for a numbered list. Contains multiple titem/> elements.</pre>	http://www.docbook.org/tdg/en/html/ orderedlist.html ◢

Element	Web Link
<pre><variablelist></variablelist>. Block element for a descriptive list. Contains multiple <varlistentry></varlistentry> elements.</pre>	http://www.docbook.org/tdg/en/html/ variablelist.html ◢
<pre><varlistentry></varlistentry>. Element within a <variablelist></variablelist> that associates a <term> and a <listitem></listitem>.</term></pre>	http://www.docbook.org/tdg/en/html/varlistentry.html
<pre><term></term>. Element whose content serves as the title of an element of a <variablelist>.</variablelist></pre>	http://www.docbook.org/tdg/en/html/ term.html ▶
<pre>titem/>. A single list element. To add text to this item, first add a <para></para>element.</pre>	http://www.docbook.org/tdg/en/html/ listitem.html ◢

5.13.1 Unordered Lists

Unordered lists are often used to provide an overview of information or to introduce or summarize information. They should be used when the order of list items is irrelevant.

EXAMPLE 16: EXAMPLE OF AN UNORDERED LIST (SOURCE)

EXAMPLE 17: EXAMPLE OF AN UNORDERED LIST (OUTPUT)

The following operating systems are supported:

• Linux, Kernel 2.4 and newer

5.13.2 Numbered Lists

Use numbered lists when items have a strict order, hierarchy, or importance. If order is not relevant, use an unordered list or a descriptive list. Do not use numbered lists to describe procedures. Complex sequential actions are better described by means of the procedure environment (see *Section 5.17*, "*Procedures*" for a detailed description).

EXAMPLE 18: EXAMPLE OF A NUMBERED LIST (SOURCE)

EXAMPLE 19: EXAMPLE OF A NUMBERED LIST (OUTPUT)

Before installing, make sure of the following:

- 1. The network connection of the computer is configured properly.
- 2. The latest security updates are installed. If you are in doubt, run an online update.

5.13.3 Descriptive Lists

Use descriptive lists when defining terms or describing options. Each item of a descriptive list contains a short term that is then further explained by means of an explanatory paragraph.

Use title-style capitalization for the term. Use sentence-style for the list item.

You may assign an <u>id</u> attribute to the list and add a title to it in order to reference it. Individual list items may be referenced by assigning an <u>id</u>. The entry is then identified by the value of id and referenced by the term.

EXAMPLE 20: EXAMPLE OF A DESCRIPTIVE LIST (SOURCE)

```
<para>This book consists of several parts:</para>
<variablelist>
  <varlistentry>
   <term>Installation</term>
   stitem>
      <para>Learn about the installation and initial configuration
       of a Linux system.
     </para>
   </listitem>
 </varlistentry>
  <varlistentry>
   <term>System</term>
   stitem>
      <para>Get a basic understanding of the system components.
   </listitem>
 </varlistentry>
</variablelist>
```

EXAMPLE 21: EXAMPLE OF A DESCRIPTIVE LIST (OUTPUT)

This book consists of several parts:

Installation

Learn about the installation and initial configuration of a Linux system.

System

Get a basic understanding of the system components.

5.14 Keys and Key Combinations

Capitalize all keys as printed on a standard keyboard. Following this rule, capitalize all letter keys. To refer to a capitalized character, use Shift Z, for example. Introduce this convention by means of the "Typographical Conventions" section of the introduction.

To mark up keyboard combinations, use <a href=

If a key is listed in *Table 8, "Elements Related to _* <<u>keycap/></u> ", use the <u>function</u> attribute with appropriate value. When using the <u>function</u> attribute, make the tag self-closing—DocBook's language files will insert key names automatically. This simplifies both your work and translation.

To learn how to create cross references, see Section 5.5, "Cross References".

EXAMPLE 22: EXAMPLE OF A KEY

To create a screenshot, press <keycap>Print Screen</keycap>.

EXAMPLE 23: EXAMPLE OF A KEYBOARD COMBINATION

```
To save a file, press

<keycombo>

<keycap function="control"/>

<keycap>S</keycap>

</keycombo>.
```

TABLE 8: ELEMENTS RELATED TO <keycap/>

Element	Web Link
mailto:skeycombo/	

Element	Web Link
• <u>delete</u>	
• <u>down</u>	
• end	
• enter	
• <u>escape</u>	
• <u>home</u>	
• <u>insert</u>	
• <u>left</u>	
meta (also known as Win), Windows,or Super)	
• <u>option</u> (OS X only)	
• pagedown	
• <u>pageup</u>	
• <u>right</u>	
• <u>shift</u>	
• <u>space</u>	
• <u>tab</u>	
• <u>up</u>	

5.15 References to Other External Resources

To reference file names, use the <filename/> element. To reference e-mail addresses, use the <mail/> element. In either case, do not include a protocol prefix, that is file:// or mailto:, respectively. Also refer to Section 5.4.2, "File Names".

Reference man pages and info pages in this format:

- "the man page of command"
- "the info page of command"

In a situation where the category of the page is needed, append the category in parentheses. Use, for example "(man 9 command)".

```
To learn more about subcommands, see the man page of <command>command/command>.
```

Insert references to external (non-SUSE) physical books in the format "Title by Author (ISBN #00000000)." Inclusion of the ISBN is optional. Place the title in a >a href="ccitetitle/">>a href="ccitetitle/">>a href="ccitetitle/">>a href="ccitetitle/">>a href="ccite

```
<citetitle>Lorem Ipsum</citetitle> by Dolores S. Amet
(ISBN 0-246-52044-7) is a useful guide.
```

As an author, where possible, provide language-specific references to translators in XML comments (also see *Section 6.2, "XML Comments"*). As a translator, look for corresponding language-specific resources where none have been provided. For URLs, provide only the language-specific version of a site. Use the English as a fall-back. For books, provide the title of the translated version along with the original title if such a translation exists.

Other types of references to resources are described in *Section 5.5, "Cross References"* and *Section 5.8, "External Links"*.

5.16 Outline Levels

Create sections using the <sect1/> through <sect5/> elements. Avoid outlines that require <sect4/> and <sect5/> elements. Instead, create a flatter structure in which more elements are visible at a glance.

Do not create lone subsections. A lone subsection is a section that is the only subsection of its parent section.

For advice on creating headline titles, refer to Section 4.9, "Headings".

5.17 Procedures

Use procedures to describe sequential tasks. A procedure consists of the following elements and attributes:

- An id attribute.
- A title.
- An introductory phrase establishing the purpose of the procedure. If the procedure is otherwise the only element in its section, place the introductory phrase before the procedure.
- If there are preconditions or prerequisites, add them as a second paragraph after the introduction.
- Short, simple steps and, if necessary, substeps describing the actions to be performed. See also Section 4.15, "Sentence Structure".

To link alternative actions inside the same substep element, use "or." Apply a performance=optional attribute to optional steps.

Steps may contain a link to an explanatory subsection providing further details on the step.

EXAMPLE 24: EXAMPLE OF A PROCEDURE (SOURCE)

```
</step>
<step>
<para>Type in the user name and click <guimenu>Create</guimenu>.
</para>
</step>
</procedure>
```

PROCEDURE 1: EXAMPLE OF A PROCEDURE (OUTPUT)

To add a new user to the system, perform the following steps:

- 1. In the YaST window, click User and Group Management.
- 2. To open the Add a New User dialog, click Add.
- 3. Type in the user name and click *Create*.

TABLE 9: ELEMENTS RELATED TO

Element	Web Link
<pre><pre><pre><pre><pre></pre></pre></pre> <pre><title></title> (optional) and multiple <step></step></pre> <pre>elements.</pre></pre></pre>	http://www.docbook.org/tdg/en/html/procedure.html ◢
<pre><step></step> . Element signifying a single unit of action. Usually contains a <para></para> element, but can also house a <substeps></substeps> element.</pre>	http://www.docbook.org/tdg/en/html/step.html 🗗
<pre><substeps></substeps>. Element containing multiple, subordinate <step></step> elements.</pre>	http://www.docbook.org/tdg/en/html/substeps.html ◢

5.18 Products

Always use the preferred product name instead of, for instance, an acronym. When referring to a product, add a <phrase role="productname"/> element around it. This will not result in a visual change but disables hyphenation:

<phrase role="productname">LibreOffice</phrase> is an office suite.

5.19 Questions and Answers

Use questions-and-answers sections to present information about troubleshooting or commonly asked questions about a product. Never use questions-and-answers sections to explain trivia, such as how a product got its name. Keep your audience in mind. See also *Section 1*, "Audience".

Questions must always end in a ?. Where explanations longer than three paragraphs are necessary for an answer, add a cross reference to an explanation outside of the questions-and-answers section. See also Section 5.5, "Cross References".

When a questions-and-answers section contains over 10 questions and there are clear topical divisions, add <qandadiv/> elements to further structure the section.

EXAMPLE 25: EXAMPLE OF A QUESTIONS-AND-ANSWERS SECTION (SOURCE)

```
<qandaset>
  <title>Example of a Questions-and-Answers Section</title>
  <qandaentry>
    <question>
      <para>How can I check if the product was correctly installed?</para>
    </question>
    <answer>
      <para>Open the log file. Look for entries starting with
        <literal>Failed</literal>.
      </para>
    </answer>
  </gandaentry>
  <qandaentry>
    <question>
      <para>Why does the error
        <literal>Not enough disk space</literal> occur
        during installation?
      </para>
    </question>
    <answer>
      <para>There is less than 4 GB of space available on the selected
        partition.
      </para>
    </answer>
```

</qandaentry>

Example of a Questions-and-Answers Section (Output)

5.19.1How can I check if the product was correctly installed?

Open the log file. Look for entries starting with Failed.

5.19.2Why does the error Not enough disk space occur during installation?

There is less than 4 GB of space available on the selected partition.

TABLE 10: ELEMENTS RELATED TO <qandaset/>

Element	Web Link
<pre><qandaset></qandaset>. Block element containing a <title></title> (optional) and multiple <qandaentry></qandaentry> or <qandadiv></qandadiv> elements.</pre>	http://www.docbook.org/tdg/en/html/qandaset.html 矛
<pre><qandadiv></qandadiv> . Block element containing a <title></title> and multiple <qandaentry> elements. Used to structure a <qandaset> into smaller topical subsections.</qandaset></qandaentry></pre>	http://www.docbook.org/tdg/en/html/qandadiv.html 🖪
<pre><qandaentry></qandaentry>. Block element used to associate a <question></question> with an <answer>.</answer></pre>	http://www.docbook.org/tdg/en/html/qandaentry.html ◢
<pre><question></question>. Block element containing the question. Use a single <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>	http://www.docbook.org/tdg/en/html/question.html 🖪
<answer></answer> . Block element containing the answer. Use <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	http://www.docbook.org/tdg/en/html/answer.html 🗗

5.20 Tables

Use tables to present large numbers of similar facts. Tables are easy to scan and compare. Always keep tables simple enough to not require long explanations even for readers unfamiliar with the topic.

A table always has a title and should have an id attribute.

Value and description pairs are better handled by means of a descriptive list.

EXAMPLE 26: EXAMPLE OF A TABLE (SOURCE)

```
<informaltable>
 <tgroup cols="2">
   <thead>
     <row>
       <entry>File System</entry>
       <entry>Maximum File Size
     </row>
   </thead>
   <row>
       <entry>Ext2 (1 kB block size)
       <entry>16 GB</entry>
     </row>
     <row>
       <entry>Ext2 (2 kB block size)</entry>
       <entry>256 GB</entry>
     </row>
   </tgroup>
</informaltable>
```

EXAMPLE 27: EXAMPLE OF A TABLE (OUTPUT)

File System	Maximum File Size
Ext2 (1 kB block size)	16 GB

File System	Maximum File Size
Ext2 (2 kB block size)	256 GB

TABLE 11: ELEMENTS RELATED TO

Element	Web Link
. Formal block element that contains a <title></title> and a <tgroup></tgroup> element.	http://www.docbook.org/tdg/en/html/table.html 🖪
<pre><informaltable></informaltable> . Informal block element that contains a <tgroup></tgroup> element.</pre>	http://www.docbook.org/tdg/en/html/informaltable.html ◢
<pre><tgroup></tgroup> . Wrapper for the content of a table. Can contain one or more <pre><colspec></colspec> and one <thead></thead> . Contains a </pre></pre>	http://www.docbook.org/tdg/en/html/ tgroup.html ▶
<pre><colspec></colspec> . Element to define common properties for a column.</pre>	http://www.docbook.org/tdg/en/html/colspec.html 🖪
<thead></thead> . Element to mark up a table head. Contains a <row></row> element.	http://www.docbook.org/tdg/en/html/ thead.html ◢
. Element to mark up the table body. Contains multiple <row></row> elements.	http://www.docbook.org/tdg/en/html/ tbody.html ▶
<pre><row></row> . Element to mark up a table row. Contains multiple <entry></entry> elements.</pre>	http://www.docbook.org/tdg/en/html/row.html ◢
<pre><entry></entry> . Element to mark up a table cell.</pre>	http://www.docbook.org/tdg/en/html/entry.html ◢

5.21 User Interface Items

To mark up single user interface items, use <guimenu/>. To mark up nested menu structures, use <menuchoice/> as wrapper for multiple <guimenu/> elements. Separators between <guimenu/> elements are then created automatically.

For instructions concerning markup, refer to Section 4.19, "User Interface Items".

EXAMPLE 28: EXAMPLE OF A SINGLE USER INTERFACE ITEM

```
To open a file, click <guimenu>Open</guimenu>.
```

EXAMPLE 29: EXAMPLE OF NESTED USER INTERFACE ITEMS

```
To save a file, use

<menuchoice>

<guimenu>File</guimenu>

<guimenu>Save</guimenu>

</menuchoice>.
```

TABLE 12: ELEMENTS RELATED TO <guimenu/>

Element	Web Link
<pre>_<menuchoice></menuchoice>. Inline element containing multiple _<guimenu></guimenu> elements that together form a nested menu structure.</pre>	http://www.docbook.org/tdg/en/html/menuchoice.html ▶
<pre><guimenu></guimenu> . Inline element to mark up a single user interface item.</pre>	http://www.docbook.org/tdg/en/html/guimenu.html ₹

6 Managing Documents

This section provides an overview over some features of XML you can use to manage documents.

6.1 Remarks

Use remarks for editorial comments. Remarks can be placed within, before, or after a para but must always be within a section element. When creating output, remarks can be made visible in the output and thus help within the editorial process. When creating the final output, deactivate remarks.

Start remarks with your user name and the current date, then add a colon (:) and finally your actual remark. To comment on someone else's remark, add a new remark directly below it. Delete remarks when the corresponding issue is resolved.

```
<remark>tux (2013-10-13): could not find the option for foo</remark>
<remark>geeko (2013-11-02): see /usr/share/doc/foo.html</remark>
```

You can add a role attribute with one of the following values to show the type of the remark:

- structure. Use this type of remark to suggest changes to the text or XML structure.
- language. Use this type of remark to suggest language improvements.
- <u>needinfo</u>. Use this type of remark to mark sections where you need input from others, such as developers.
- trans. Use this type of remark to give hints to translators.

6.2 XML Comments

XML comments can be used for temporarily disabling portions of text. Another use of XML comments is to create more permanent internal comments or to mark up changes made for layout reasons. XML comments are never visible in a publication.

```
<-- This is an XML comment. --!>
```



Tip: Creating Valid Comments

Do not use $\underline{--}$ in comments. $\underline{--}$ is the first part of end-of-comment string $\underline{-->}$ and thus causes validation to fail.

6.3 Entities

Entities are used to expand text. There are several situations in which they can be used:

- Representation of special characters that cannot easily be displayed, entered or memorized.
- Integration of external files by entities representing references to their file names.
- Text expansion for repeating content.

When an entity is defined, it can be used in many places. Entities reduce the risk of translation errors and increase consistency because they are translated once and automatically expanded elsewhere.

6.3.1 Using Entity Files

SUSE uses a small set of custom entities. This set is localized for each supported language. Find the SUSE set of entities in the file entity-decl.ent under each documentation project and each language. When the set has been modified for a new product release, this file must be updated in the supported languages as well.

Each header of a SUSE XML file includes the entity declaration file (by means of an entity):

```
<!ENTITY % entities SYSTEM "../entity-decl.ent">
%entities;
```

EXAMPLE 30: EXCERPT FROM A SUSE ENTITY-DECL.ENT

- The kind of declaration to be made.
- 2 Defines the entity name.
- **3** Sets the value to which the processed entity should be expanded.
- 4 Nests an entity in the value.

A few hints for working with entities in SUSE documentation projects:

- If there should be any need for defining special entities (for example, for localization purposes), add the new definitions to the appropriate entity-decl.ent file. Never include these definitions in the file header.
- When translating entities, translate the value, but never change the entity name (see *Example 30, "Excerpt from a SUSE entity-decl.ent"*).
- Always use the exact notation of the entities when translating files to avoid processing errors.

 Make sure that you use proper UTF-8 encoding when editing and saving the entity declaration file or any of the SUSE XML files.

6.3.2 Common Types of Entities

The following provides some background on the most important entities used in creating documentation for SUSE products. To be able to adjust product names of platform branding even past any deadlines, a set of entities must represent the frequently-changing product names. The same applies to book titles. An entity-decl.ent file contains several different categories of entities. These are:

General Entities

These feature mostly network IP addresses, host names, and user names.

Books

Title entities should be defined for all SUSE books in case sudden name changes are necessary.

Platforms

To avoid changing the documentation itself if a vendor rebrands products, use entities for all hardware architectures referenced in the books.

Products

We maintain a list of entities of all SUSE-based product names and some other products and applications for which we write documentation.

There are several guidelines to consider when working with product entities for SUSE documentation:

Entity Selection

Use the entity name <u>&product</u>; to identify the product for which the documentation is built. Set the value of this entity once per release and let it expand to the name of the current product.

<phrase role="productname">&product;</phrase> includes openLDAP.

If you need to reference a particular product, use a more specific entity.

The ext2 file system has been included in the teral>&suse;

Acronyms

Avoid using acronyms of product names where they are not the preferred form of the name. If you do define an additional acronym version of a longer product name, append an a to the end of the entity name. For example, use &slesa; the acronym "SLES".

Trademarks

Follow the rules under Section 5.18, "Products".

6.4 XInclude Elements

XInclude elements are used to create modular source files that are easier to work with and can be re-used. When editing a book, create a new source file for every chapter. Later, create a new Novdoc file that can serve as the central point. In this file, use XInclude elements to reference all chapters in the correct order:

```
<xi:include xmlns:xi="http://www.w3.org/2001/XInclude" href="gfdl.xml"/>
```

XInclude elements allow adding common sections to multiple books or articles without having to maintain the text in multiple places. Common sections include licenses and information on typographical conventions. XIncludes also simplify co-editing documentation with others in a version control system as they reduce the chance of merge conflicts.

Files referenced via XIncludes must be well-formed XML files but do not need to be valid DocBook files. This means that they must have a single top-level element. Files that are supposed to be referenced multiple times from within the same set, book or article must not contain any id attributes.

A. Terminology and General Vocabulary

The following two tables define technical terms and general vocabulary for use in SUSE documentation. See also *Section 4*, "Language".

A.1 Terminology

The following table defines the correct spellings and denominations for technical terms in SUSE documentation. Always use the entry listed under "Accepted" in the table below. All terms are reproduced in sentence-style capitalization.

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
32-bit	32 Bit, 32 bit, 32-Bit, 32Bit, 32bit	adjective
3D	3 D, 3 d, 3.D., 3.d., 3-D, 3-d, 3d, Three-D	adjective
64-bit	64 Bit, 64 bit, 64-Bit, 64Bit, 64bit	adjective
(to) activate sth.	(to) block sth., (to) check sth., (to) choose sth., (to) highlight sth., (to) tick sth.	verb; when referring to check boxes
adapter	adaptor	noun
add-on	add on, AddOn, addOn, addon	noun
address book	addressbook	noun
advice	advise [misspelling]	noun
(to) advise sth.	(to) advice sth. [misspelling]	verb
AOO	Aoo, aoo, OO, oo	noun; when referring to versions 3.4 and after; spelling according to project standard; acronym of <i>Apache OpenOffice</i> ; see also <i>OOo</i>
Apache OpenOffice	Apache Open Office, Apache Openoffice, OpenOffice	noun; when referring to versions 3.4 and after; spelling according to project

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		standard; acronym is AOO; see also OpenOffice.org
architecture	arch	noun; hardware platform, especially concerning processor platform
appendixes	appendices	noun; plural of appendix
audio CD	Audio CD, Audio-CD, CD- Audio, CD Audio, CD audio	noun
back-end	back end, backend	noun
(to) back sth. up	(to) backup sth.	verb
backup	back-up, back up	noun
Bash	BASH, bash	noun; spelling as per the GNU Bash manual
Bluetooth	Blue tooth, blue tooth, Bluetooth, blue-tooth, bluetooth	noun
Bluetooth card	wireless card [card has wires attached to it]	noun; card that enables Bluetooth connections.
boot disk	boot disc [usually a misspelling], boot-disk, bootdisk	noun; disk for starting the system
boot loader	boot-loader, bootloader	noun
(to) boot using PXE <i>or</i> (to) boot via PXE	(to) PXE boot	verb
Btrfs	B.T.R.F.S., Better FS, BetterFS, Butter FS, ButterFS, btrfs	noun; not an acronym

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
CA	C.A., Ca	noun; acronym for certificate authority
CD	C.D., Cd	noun; acronym for compact disc
CD-ROM	CD ROM, CD-Rom, CD Rom	noun; acronym for compact disc read-only memory
CUPS	C.U.P.S., Cups, cups	noun; spelling as per project standard; acronym for Common Unix Printing System
case-sensitive	case sensitive, casesensitive	adjective
case-insensitive	case insensitive, caseinsensitive	adjective
certificate authority	certification authority, certificating authority, certified authority	noun; acronym is CA
check box	check-box, checkbox, checking option, tick box	noun; avoid, only mention name of option
checklist	check list, check-list, ticklist	noun
check mark	check, check-mark, checkmark, tick, tick mark	noun
chipset	chip set, chip-set	noun
(to) click sth.	(to) click on sth., (to) click onto sth.	verb
client/server	client server, client-server, client-server	noun/noun

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) close sth.	(to) abort sth. [negative], (to) exit sth., (to) kill sth., (to) terminate sth.	verb; when referring to closing a window; always use <i>quit</i> when ending an application normally; always use <i>terminate</i> when ending an application forcefully.
Common Unix Printing System	Common UNIX Printing System, common Unix printing system	noun; spelling as per project standard; acronym is <i>CUPS</i>
command line	command-line, commandline	noun
configuration	config	noun; unless when referring to file extension
(to) configure sth.	(to) config sth.	verb
(to) connect via SSH (to sth.)	(to) connect by SSH (to sth.), (to) connect over SSH (to sth.), (to) connect through SSH (to sth.), (to) connect with SSH (to sth.), (to) SSH (to sth.), (to) ssh (to sth.), (to) ssh in (to sth.), (to) ssh into sth.	verb
control center	Control Center, Control center, Control-Center, control-center, control-center, controlcenter, controlcenter	noun; generic term, as in: "the YaST control center" or "the KDE control center"
(to) create a hard link (to sth.)	(to) hard link (sth.), (to) hardlink (sth.)	verb; see also hard link

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) create a symbolic link (to sth.)	(to) soft link (sth.), (to) softlink (sth.), (to) symbolic link (sth.), (to) symlink (sth.)	verb; see also hard link
(to) deactivate sth.	(to) deblock sth., (to) uncheck sth., (to) untick sth.	verb; when referring to check boxes
delta RPM	delta-RPM, deltarpm	noun; RPM package that only includes files that changed between a previous and the current version of the package
(to) deselect sth.	(to) de-select sth., (to) remove the selection from sth., (to) un-select sth., (to) unselect sth.	list entries; for check boxes,
DHCP	D.H.C.P., Dhcp, dhcp	noun
dial-up	dial up, dialup	only as an adjective
dialog	dialog box, dialog window, dialogue [British], screen	noun
directory	dir, folder	noun
DNS	D.N.S., DNS name server, Dns, dns	noun; acronym for dynamic name server
(to) double-click sth.	(to) double click sth., (to) double-click on sth., (to) double-click onto sth., (to) double-click sth.	verb
drop-down box	combination box, combo box, combobox, dropdown, drop-down, drop-down menu, drop-down list box, popover	noun; GUI element with a list that can opened by clicking on it, whether combined with

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		a text box or not; if list entries start actions, use <i>menu</i> instead
DVD	D.V.D., Dvd	noun; acronym for digital versatile disc
dynamic name server	Dynamic Name Server, Dynamic name server	noun; acronym is DNS
e-book	E-book, E-book, Ebook, electronic book, ebook	noun
EPUB	E-PUB, e-PUB, e-Pub, EPub, Epub, ePUB, ePub	noun; project logo uses the capitalization "ePub", but the vendor standard is "EPUB"
EPUB	E-PUB, e-PUB, e-Pub, EPub, Epub, ePUB, ePub	noun; project logo uses "ePub", but the project standard is "EPUB"
end user	end-user	noun; avoid; where possible, replace with <i>user</i>
(to) enter sth. (into sth.)		verb; only when a value needs to be specified and Enter should be pressed afterwards; where possible, replace by specify or provide
Ethernet	ethernet	noun
Ethernet card	wired card [sounds as if wires attached to the card are meant]	noun; card that connects to networks via Ethernet.
Ext3	EXT3, EXT 3, Ext 3, Ext-3, ext 3, ext-3, ext3	noun; use this capitalization for all versions of the Ext file system standard;

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		intentionally inconsistent with project standard to emphasize that this is a proper name
Ext4	EXT4, EXT 4, Ext 4, Ext-4, ext 4, ext-4, ext4	noun
file name	file-name, filename	noun
file server	file-server, fileserver	noun
file system	file-system, filesystem	noun
flavor	flavour [British]	noun
flash disk	flash disc [misspelling], flash drive, USB disk, USB drive, USB stick	noun
framebuffer	frame buffer, frame-buffer	noun
front-end	front end, frontend	noun
FTP	F.T.P., Ftp, ftp	noun
GIMP	G.I.M.P., Gimp, gimp	noun; spelling as per project standard; acronym for <i>GNU Image Manipulation Program</i> ; if "the" occurs directly before <i>GIMP</i> , capitalize it: "The"
GNOME	G.N.O.M.E., GNU Networked Object Model Environment, Gnome	noun; spelling as per project standard; not an acronym.
GRUB	G.R.U.B., Grub, grub	noun; acronym for GRand Unified Bootloader

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
graphical user interface	Graphical User Interface	noun; acronym for graphical user interface
GUI	G.U.I., GUI interface, GUI user interface, Gui	noun; acronym for graphical user interface
hard disk	HDD, HD, hard disc [misspelling], hard disk drive, hard drive, hard-disk, hard-drive, harddisk, harddrive, hdd, hd	noun
hard link	hard-link, hardlink	only as a noun; as a verb, use <i>create a hardlink link</i> ; directory entry that contains an alternative name for an existing file, in contrast to that, <i>symbolic links</i> are themselves files which link to the name of another file
home page	home-page, homepage	noun
host name	host-name, hostname	noun
(to) hotplug sth. (into sth.)	(to) hot plug sth. (into sth.), (to) hot-plug sth. (into sth.), (to) hotadd sth., (to) hotswap sth.	verb; adding a component or device from a system while the system is running; use remove at runtime where the specific action of removing a component or device is concerned
hotplugging	hot plugging, hot-plugging, hotadding, hotswapping	noun

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
hotpluggable	hot pluggable, hot-pluggable, hotaddable, hotswappable	adjective
HTML page	HTML document, HTML Web page, HTML web page	noun; when referring to a local file; see also Web page
НТТР	H.T.T.P., Http, http	noun
HTTPS	H.T.T.P.S., Https, https	noun
hypervisor	hyper visor, hyper-visor, hypervizor	noun
indexes	indices	noun; plural of index
infrared	infra red, infra-red	noun or adjective.
init script	init-script, initscript, initialization script [incorrect, when referring to script run by init]	noun; a script run by init
initialization	init, initialisation [British]	noun
(to) initialize sth.	(to) init sth., (to) initialise sth. [British]	verb
installation medium	installation data medium	noun; often in plural, "installation media"; where possible, use the more generic term <i>installation source</i> ; flash disk-based or disc-based source of installation data for operating systems;
installation source	installation data source	noun; source of installation data for operating systems
Internet	internet	noun

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
intranet	Intranet	noun
I/O port	I.O. port, I-O port, IO port, Io port	noun
IPsec	IPSEC, Ipsec	noun
IPv4	IP v4, IPV4, Ipv4	noun; acronym for internet protocol version four
IPv6	IP v6, IPV6, Ipv6	noun; acronym for internet protocol version six
journaling	journalling [British]	noun
K Desktop Environment	Kool Desktop Environment	noun; spelling according to project standard; acronym is <i>KDE</i>
KDE	KDE Desktop Environment, K.D.E., Kde, kde	noun; spelling according to project standard; acronym for <i>K Desktop Environment</i>
Kdump	KDUMP, kdump	noun; only for application
kdump	KDUMP, Kdump	noun; only for command
Kprobes	kprobes	noun; only for application
key combination	key accelerator, keyboard accelerator, key combo, keyboard combo, keyboard combination, keyboard shortcut, key shortcut	noun
kprobes	Kprobes	noun; only for command
(to) left-click sth.	(to) click the left mouse, (to) click the left mouse button, (to) left click sth., (to) left-	verb

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
	click on sth., (to) left-click onto sth., (to) leftclick sth.	
LibreOffice	Libre Office, Libreoffice, LibO, LO, libreoffice	noun; spelling according to project standard; do not create acronyms of <i>LibreOffice</i>
license	licence [British]	noun
(to) license sth.	(to) licence sth. [British]	verb
Linux	LINUX, linux	noun; spelling according to project standard
list box	list, list field	noun; GUI element that is a list showing multiple elements even before interacting with it
local host	local-host, localhost	noun; when describing the concept of hosting locally
localhost	local host, local-host	noun; when referring to the default name of a local host
log file	log-file, logfile	noun
login	log in, log-in	noun
logout	log out, log-out	noun
(to) log in [see below for appropriate preposition]	(to) log-in, (to) login, (to) log on, (to) log-on, (to) logon, (to) sign in, (to) sign on	verb
(to) log in to sth.	(to) log in at sth., (to) log into sth.	verb; for logging in to a software
(to) log in on sth.	(to) log in at sth., (to) log in from sth.	verb; for logging in on the console/a host system

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) log in (to sth.) via SSH	(to) log in (to sth.) by SSH, (to) log in (to sth.) over SSH, (to) log in (to sth.) through SSH, (to) log in (to sth.) with SSH, (to) SSH (to sth.), (to) ssh (to sth.), (to) ssh in (to sth.), (to) ssh into sth.,	verb
(to) log out [see below for appropriate preposition]	(to) log off, (to) log-out, (to) logout, (to) sign off, (to) sign out	verb
(to) log out of sth.	(to) log out at sth., (to) log out from sth.	verb
loopback device	loop back device, loop-back device	noun
lowercase	lower case, lower-case	noun
mail server	mail-server, mailserver	noun
Maildir	Mail dir, mail dir	noun; specific format for e- mail storage, not a directory for e-mails
mainboard	main board, main-board, mother board, mother-board	noun
man page	Man page, Man-page, man page, man-page, manpage	two words
Mbox	mbox	noun; specific format for e- mail storage
menu	drop-down menu	noun; GUI element that is a list whose entries each start

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		an action; see also <i>drop-down</i> box
metadata	meta data, meta-data, metadatas	noun
(to) middle-click sth.	(to) click the middle mouse, (to) click the middle mouse button, (to) middle click sth., (to) middle-click on sth., (to) middle-click onto sth., (to) middleclick sth.	verb
mount point	mount-point, mountpoint	noun
mouse button	mouse-button, mousebutton, mouse key, mouse-key, mousekey	noun
(to) multitask	(to) multi task, (to) multi-task	verb
multitasking	multi tasking, multi-tasking	noun
multiuser	multi user, multi-user	noun
name server	name-server, nameserver	noun
need to	have to	verb; see also <i>must</i>
NFS	N.F.S., NFS file system, Nfs	noun; often: "NFS client", "NFS server"
NIS	N.I.S., NIS information service, Nis	noun; often: "NIS client", "NIS server"
000	Oo.o, Ooo, OOoo, OO, oo	noun; only when referring to versions prior to 3.4; spelling according to former

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		project standard; acronym of <i>OpenOffice.org</i> ; see also <i>AOO</i>
(to) open sth.	(to) open up sth.	verb
OpenOffice.org	Open Office Org, OpenOffice, Openoffice.org, openoffice, openoffice.org	noun; only when referring to versions prior to 3.4; spelling according to former project standard; acronym is OOo; see also Apache OpenOffice
openSUSE	Open SUSE, Open-SUSE, open SUSE, open-SUSE	noun; never capitalize first letter
open source	Open Source, Open-Source, open-source, opensource	only as a noun
paravirtualized	para-virtualised, paravirtualised [British], para-virtualized	adjective
path name	path-name, pathname	noun; avoid, check if <i>path</i> can be used instead
(to) plug sth. in	(to) plug-in sth., (to) plugin sth.	verb
plug-in	plug in, plugin	noun adjective
pop-up	pop up, popup	noun
on port	at port	preposition noun
PostScript	POSTSCRIPT, Postscript, postscript	noun; spelling as per vendor standard
(to) preconfigure sth.	(to) pre-configure sth.	verb
preconfigured	pre-configured	adjective

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) print sth.	(to) print out sth.	verb
print queue	printer queue, printing queue	noun
print spooler	print <i>er</i> spooler, print <i>ing</i> spooler	noun
(to) press sth.	(to) depress sth. [negative], (to) hit sth. [colloquial], (to) punch sth. [colloquial], (to) strike sth. [colloquial]	verb; when referring to keys or mouse buttons
proxy		only as a noun
PXE	P.X.E., Pixie, pixie, PXE Environment, Pxe, pxe	noun; acronym for "Preboot Execution Environment"
PXE boot	PXE Boot	only as a noun; as a verb, use "(to) boot using PXE" or "(to) boot via PXE" instead
(to) quit sth.	(to) abort sth., (to) exit sth., (to) kill sth., (to) terminate sth.	noun; quitting an application; always use "close" when referring to windows; always use "terminate" when ending an application forcefully
RAM	R.A.M., RAM memory, Ram, ram	noun; acronym for random access memory
RAM disk	RAM disc [misspelling], RAM drive, RAM-disk, RAM- drive, RAMdisk, RAM-drive, Ramdisk, Ramdrive	noun; either treating RAM as a hard disk or a type of solid-state storage
README	Read-me, Readme, read-me, readme	noun; use this capitalization for all general references

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
read-only	R.O., RO, read only, readonly, ro	adjective
(to) reconfigure sth.	(to) re-configure sth.	verb
(to) re-create sth.	(to) recreate [different meaning]	verb
(to) register [see below for appropriate preposition]	(to) sign up, (to) sign-up, (to) signup	verb; register as a user
(to) register at sth.		verb; register at a system
(to) register for sth.		verb; register for a service
(to) remove sth. at runtime (from sth.)	(to) hotremove sth.	verb; removing a component or device to a system while it is running; where sensible, use the more generic term hotplug
(to) right-click sth.	(to) click the right mouse, (to) click the right mouse button, (to) right click sth., (to) right-click on sth., (to) right-click onto sth., (to) rightclick sth.	verb
RPM	R.P.M., Rpm, rpm [different meaning]	noun; acronym for <i>RPM</i> Package Manager
runlevel	run level, run-level	noun
runtime	run time, run-time	noun
(to) save sth.	(to) store sth., (to) write sth. out	verb; when saving or overwriting a file from a GUI program or via a parameter of a command line program; see also write

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) save sth. as sth.		verb; when either saving a file with a specific name
(to) save sth. in sth.		verb; when either saving a file on a specific device or file system
(to) save sth. on sth.		verb; when either saving a file on a specific device or file system
(to) save sth. to sth.		verb; when either saving a file to a specific folder
saved in sth.		verb; when retrieving a file from a specific place
SCSI	S.C.S.I., Scsi, scsi	noun
screenshot	screen shot, screen-shot	noun
screen saver	screen-saver, screensaver	noun
scrollbar	scroll-bar, scroll bar, scrollbox, scroller, slidebar	noun; GUI element that is used change which portion of a screen area is visible
(to) select sth.	(to) block sth., (to) choose sth., (to) highlight sth.	verb; when referring to text or list entries; for check boxes, use activate
selected	blocked, chosen, highlighted	adjective; selection state of text or list entry; opposite of deselected
(to) set sth. up	(to) set-up sth., (to) setup sth.	verb
setup	set up, set-up	adjective noun

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) shut sth. down	(to) shut-down sth., (to) shutdown sth.	verb
shutdown	shut down, shut-down	adjective noun
SLE	S.L.E., SLE Enterprise, SLE Linux, Sle, sle	noun; avoid; acronym for SUSE Linux Enterprise
SLED	S.L.E.D., SLE Desktop, SLE Enterprise Desktop, SLE Linux Desktop, Sled, sled	noun; avoid; acronym for SUSE Linux Enterprise Desktop
SLES	S.L.E.S., SLE Server, SLE Enterprise Server, SLE Linux Server, Sles, sles	noun; avoid; acronym for SUSE Linux Enterprise Server
slider	slide bar, slidebar	noun; GUI element that is used manipulate values that have an upper and a lower bound
solid-state drive	SD [misleading], solid state disc [misspelling], solid-state disk drive, solid-state disk, solid state drive, solidstate drive, sd	noun; acronym is <i>SSD</i> ; a type of mass storage that does not depend on mechanical parts
spec file	Spec file, Spec-file, Specfile, spec-file, specfile	noun
SSD	S.S.D., SD [misleading], SS-D, sd, ss-d	noun; acronym of <i>solid-state</i> drive; a type of mass storage that does not depend on mechanical parts
stand-alone	stand alone, standalone	adjective

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
(to) start sth. up	(to) start-up sth., (to) startup sth.	verb
start-up	start up, startup	noun
statusbar	status bar, status-bar	noun
SSH	S.S.H., SSH Shell, SSH shell, Ssh, ssh	noun
SUSE	S.U.S.E., Software- und System-Entwicklung, SuSE, SuSe, Suse, suse	noun; not an acronym
SUSE Cloud	SUSE Linux Cloud	noun
SUSE Linux Enterprise	SUSE Linux Entreprise [British], SUSE Linux enterprise, SUSE linux enterprise	noun; acronym is SLE
SUSE Linux Enterprise Desktop	SUSE Linux Enterprise desktop	noun; acronym is SLED
SUSE Linux Enterprise Server	SUSE Linux Enterprise server	noun; acronym is SLES
SUSE Manager	SUSE Linux Manager	noun
SUSE Studio	SUSE Linux Studio	noun
submenu	sub menu, sub-menu	noun; <i>menu</i> that is nested inside another menu
symbolic link	soft link, softlink, symlink [jargon]	only as a noun; as a verb, use create a symbolic link; a file with a reference to another file or a directory, in contrast to that, a hard link is a directory entry that contains

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		an alternative name for an existing file
synchronization	sync, synch, synchronisation [British]	noun; two-way or many-way copying process to ensure data is consistent across two or more locations
(to) synchronize sth. (with sth.)	(to) sync sth., (to) synch sth.,(to) synchronise sth. [British],(to) synchronize sth. (and sth.)	noun; copy data in two or more ways to ensure it is consistent across two or more locations
TAR archive	TAR ball [Unix jargon], tar ball, tar-ball, tarball	noun
taskbar	task bar, task-bar	noun
text box	entry area, entry box, entry field, input area, input box, input field, text area, text field	noun; GUI element that text can be typed into with one or more lines
(to) terminate sth.	(to) abort sth., (to) close sth., (to) exit sth., (to) kill sth., (to) quit sth.	noun; ending an application forcefully; always use <i>close</i> when referring to windows; always use <i>quit</i> when ending an application normally
TFTP	T.F.T.P., Tftp, tftp	noun
time stamp	time-stamp, timestamp	noun
titlebar	title bar, title-bar	noun
toolbar	tool bar, tool-bar	noun
tooltip	tool tip, tool-tip	noun

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
UEFI	Uefi, u-EFI, uEFI	noun; acronym of Unified Extensible Firmware Interface
Unified Extensible Firmware Interface	unified extensible firmware interface	noun; acronym is <i>UEFI</i> ; software interface between firmware and operating system; replaces the BIOS interface
Unix	UNIX [brand name registered by Open Group], unix	noun; use this capitalization for all general references that are not related to brand names
(to) uninstall sth.	(to) deinstall sth., (to) uninstall sth.	verb
unselected	deselected, un-selected	adjective; selection state of text or list entry; opposite of selected
usage	utilisation [British], utilization	noun
(to) use sth.	(to) utilise sth. [British], (to) utilize sth.	verb
uppercase	upper case, upper-case	noun
user name	user-name, username	noun
video DVD	Video DVD, Video-DVD, DVD video	noun
virtualization	Virtualization, virtualisation [British]	noun; referring to software (usually an operating system) running on a virtual computer created by software running

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		on a physical computer <i>or</i> virtual computer created with a software running on a physical computer
(to) virtualize sth.	virtualise [British]	verb; running software (usually an operating system) on a virtual computer created by software running on a physical computer or creating a virtual computer with a software running on a physical computer
VLAN	V.L.A.N., Vlan, vlan	noun; acronym for Virtualized Local Area Network
Web	WEB, World Wide Web, WWW, web, www	noun; you may use <i>World Wide Web</i> or <i>WWW</i> in historical contexts
Web page	HTML Web page, Web-page, Webpage	noun; when referring to page on the internet; see also <i>HTML</i> page
Web server	Web-server, Webserver	noun
Web site	Web-site, Website, web site, web-site, website	noun
Webmaster	Web master, Web-master	noun
Wi-Fi	Wi fi, Wi-fi, Wifi, wireless fidelity, WLAN	noun; use the <i>Wi-Fi</i> brand name whenever referring to IEEE 802.11-based networks or access points; use <i>WLAN</i>

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
		when referring to non-IEEE 802.11-based wireless LANs.
Wi-Fi card	wireless card [card has wires attached to it]	noun; card that connects to Wi-Fi networks.
Wi-Fi/Bluetooth card	wireless card [card has wires attached to it]	noun; card that combines a Wi-Fi and a Bluetooth card.
wild card	joker [Germanism], wild-card, wildcard	noun
WLAN	Wlan	noun; avoid; use only when referring to wireless LANs that are not IEEE 802.11-based; use <i>Wi-Fi</i> in all other cases.
(to) write sth.	(to) pipe sth. [Unix jargon], (to) write sth. out	verb; when saving the command line output of a program as a file using > or >>; see also <i>save</i>
X Window System	X Window, X Windows, X window, X window system, X windows, XWS	noun
Xen	XEN, xen	noun
Xend	xend	noun
YaST	YAST, YAST2, Yast, YaST2, yast, yast2	noun; spelling according to project standard; acronym for Yet another Setup Tool
Zypper	zypper	noun; only for application
zypper	Zypper	noun; only for command

A.2 General Vocabulary

The following table defines the correct spellings and denominations for general vocabulary in SUSE documentation. Always use the entry listed under "Accepted" in the table below. All entries are reproduced in sentence-style capitalization.

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
after	once	adverb; only use <i>once</i> in the meaning of "one time only"
although	while	conjunction; only use <i>while</i> in the meaning of "during the time that"
and	while	conjunction; only use <i>while</i> in the meaning of "during the time that"
	basically [filler]	adverb
because of	due to, owing to	preposition
but	while	conjunction; only use <i>while</i> in the meaning of "during the time that"
cannot	can't [contraction], can not	verb
can	may	verb; use <i>can</i> to express an ability, only use <i>may</i> to express permissions sought/given.
could	may	verb; use <i>could</i> to express a possibility, only use <i>may</i> to express permissions sought/given.
	easy [filler], easily	adjective, adverb; avoid.

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
etc.		abbreviation; avoid; do not use together with "for example" and "such as"; always precede with a comma.
if		pronoun; use if an event depends on a condition; also see when and whether
	just [filler]	adjective, adverb; avoid
might	may	verb; use <i>might</i> to express a possibility, only use <i>may</i> to express permissions sought/given
must	have to	verb; see also need to
need to	have to	verb; see also <i>must</i>
	obvious [insulting], obviously	adjective, adverb
	please	adverb; avoid
	self-evident [insulting], self-evidently	adjective, adverb
	simple [filler], simply	adjective, adverb; avoid
(to) simplify sth.	(to) ease sth., (to) facilitate sth.	verb; avoid
	stuff [colloquial], stuffs	noun
want sth.	(to) wish sth., (to) wish for sth., would like sth.	verb
when	once	adverb; use <i>once</i> only in the meaning "one time only"

Accepted	Rejected [Reason]	Part of Speech; Usage Guideline/Definition
when		pronoun; use if an event is inevitable; also see <i>if</i>
whether	whether or not	pronoun; use to present two alternatives which are not conditions, otherwise use <i>if</i> ; also see <i>if</i>
with regard to	as regards, in regard to, with regards to	conjunction noun preposition

B. List of Changes to the Style Guide

This section lists the changes between versions of this Style Guide.

B.1 Release 2014-02.2

Version 2014-02.2 was a minor update focused on adding terminology and fixing small errors. Version 2014-02.2 was released on 2014-04-24.

- Improved clarity and fixed typos.
- Brought Style Guide into better compliance with itself using the style checker tool.
- Moved Section 4.9, "Headings" from Section 5, "Structure and Markup" into Section 4, "Language". Added new section Section 5.16, "Outline Levels" with the information on structure that the former Headings section contained.
- Split existing section Abbreviations into Section 4.1.2, "Latin Abbreviations" and Section 4.1.3, "Units of Measurement". Added Section 4.1.2, "Latin Abbreviations", Section 4.1.3, "Units of Measurement", and Section 4.1.1, "Acronyms" to newly created Section 4.1, "Abbreviations".

- Separated list items for id attribute and title in Section 5.17, "Procedures".
- Split the table in *Appendix A, Terminology and General Vocabulary* into *Section A.1,* "*Terminology*" and *Section A.2,* "*General Vocabulary*" to better reflect the roles of the terms listed there.
- Updated terminology and general vocabulary tables in *Appendix A, Terminology and General Vocabulary*.
 - Added entries for adapter, architecture, create a hard link, create a symbolic link, connect via SSH, init script, installation medium, log in via SSH, remove at runtime, solidstate drive, SSD, symbolic link, synchronization, synchronize, UEFI, Unified Extensible Firmware Interface, virtualize, WLAN, with regard to.
 - Changed accepted spellings from Wi-fi to Wi-Fi, Wi-fi card to Wi-Fi card, and Wi-fi/ Bluetooth card to Wi-Fi/Bluetooth card. This matches the correct spelling of the brand.
 - Corrected rejected terms in the entry of *AOO*.
 - Added rejected terms to the entries of boot disk ("boot disc"), check box ("checking option"), flash disk, hard disk, hotplug ("hotadd", "hotswap"), hotpluggable, hotplugging, press, slider ("slidebar").
 - Removed "installation media" from rejected terms of installation source.
 - Improved alphabetical sorting.

B.2 Release 2014-02.1

Version 2014-02.1 was a minor update focused on adding terminology and fixing small errors. Version 2014-02.1 was released on 2014-03-13.

- Improved clarity and fixed typos.
- Improved example of a warning in Section 5.1, "Admonitory and Advisory Paragraphs".
- Added an instruction where to insert screenshots to Section 5.9.2, "Screenshots".
- Updated terminology table in *Appendix A*, *Terminology and General Vocabulary*.

- Added entries for AOO, Apache OpenOffice, Bluetooth, Bluetooth card, drop-down box, Ethernet card, HTML page, HTTPS, KDE, LibreOffice, Linux, list box, menu, OpenOffice.org, OOo, please, delta RPM, (to) save sth. (with sub-entries), selected, terminate, text box, Wi-fi card, Wi-fi/Bluetooth card, (to) write sth. and video DVD.
- Replaced entry for *facilitate* with entry for *simplify*.
- Added HTML web page as a rejected entry to Web page.
- Added *joker* as a rejected entry to wild card.
- Added screen as a rejected entry to dialog.
- Removed graphical UI as a rejected entry from GUI and graphical user interface.
- Clarified usage of (to) close sth., (to) log in, (to) log out, and (to) quit sth..
- Changed accepted entry from Audio CD to audio CD.
- Removed entries for computer and Kernel.

B.3 Release 2014-02—February 2014 Major Update

2014-02 was a major update focused on restructuring the style guide and adding terminology. Version 2014-02 was released on 2014-02-18.

- Restructured large parts of the style guide
 - Promoted *Section 1, "Audience"* to a <sect1/>. Added new paragraph about how to mark the target audience in documentation.
 - Removed Creating a Consistent Structure: Lessons for Lizards section.
 - Renamed *Creating a Consistent Structure: Official SUSE Manuals* to *Outline of a Manual* and promoted to a <sect1/>.

- Split the chapter Writing and Editing into Section 4, "Language", Section 5, "Structure and Markup", and Section 6, "Managing Documents". Moved the subsections of Writing and Editing where they fit best.
- Integrated the *Markup* appendix into to *Section 5, "Structure and Markup"* and *Section 6, "Managing Documents"*.
- Moved Section 5.17, "Procedures" (formerly Creating Procedures) and Section 5.4, "Command Line Input and Output" (formerly Presenting Computer Elements) as subsections into Section 5, "Structure and Markup".
- Renamed Discriminatory Language to Section 4.8, "Gender Bias".
- Renamed *Keys* to *Section 5.14, "Keys and Key Combinations"* and promoted it to a <sect2/> within *Section 5, "Structure and Markup"*.
- Renamed *GUI Elements* to *Section 4.19, "User Interface Items"* and promoted it to a <sect2/> within *Section 4, "Language"*.
- Created Section 6, "Managing Documents" and moved Section 6.1, "Remarks", Section 6.2, "XML Comments", and Section 6.3, "Entities" as subsections into it.
- Moved *Appendix A, Terminology and General Vocabulary* and the copyright notice into separate DocBook files.
- Restructured terminology list, added more terminology
 - Renamed *Spelling Terms* to *Appendix A, Terminology and General Vocabulary* and moved it into an appendix.
 - Centralized much of the information in the introductory paragraph of *Spelling Terms* in *Section 4*, "Language".
 - Change table layout from two columns ("Word or Phrase" and "Usage Guideline") to three ("Accepted", "Rejected", and "Usage Guideline").
 - Added prefix (to) to all verbs.
 - Added grammatical classification of word to all entries.

- Added entries for (to) activate sth., add-on, advice, (to) advise, after, although, and, appendixes, Audio CD, because of, basically, (to) boot using/via PXE, Btrfs, but, CD, CD-ROM, CUPS, (to) close sth., computer*, configuration, (to) configure, could, Common Unix Printing System, (to) deactivate sth., dialog, directory, DVD, e-book, EPUB, easy, easily, end user, etc., Ext3, Ext4, flavor, flash disk*, graphical user interface, HTTP, if, indexes, initialization, (to) initialize, IPv4, IPv6, license, (to) license sth., lowercase, just, need to, might, (to) multitask, must, obvious, obviously, openSUSE, (to) open sth., open source, (to) print sth., (to) preconfigure sth., preconfigured, (to) press sth., PXE, PXE boot, (to) quit sth., (to) register, (to) register at sth., (to) register for sth., SLE, SLED, SLES, SUSE Cloud, SUSE Linux Enterprise, SUSE Linux Enterprise Desktop, SUSE Linux Enterprise Server, SUSE Manager, SUSE Studio, self-evident, self-evidently, scrollbar*, simple, simply, (to) select sth., (to) shut sth. down, shutdown, (to) start sth. up, TAR archive*, (to) type sth. (into sth.), usage, Unix, uppercase, when, want sth., Wi-fi*, and YaST. (An * marks potentially interesting changes.)
- Changed accepted spellings of compund words whose second part is "name". These are now written with a space: *file name*, *host name*, *path name*, *user name*.
- Changed accepted spelling from screen shot to screenshot.
- Switched from *Merriam-Webster Collegiate Dictionary* to http://www.merriam-webster.com/

 ✓ Web site as the authoritative source of spellings.
- Added Section 5.4.5, "Prompts" to document how to use prompts in <screen/> elements.
- In Section 2, "Names of Example Items", added Geeko, Foxkeh, Konqi, and Duke to the list of mascots to choose from.
- Removed all occurrences of "basically" and "stuff". Removed other occurrences of colloquial language.
- Updated various examples to use newer software versions or to not specify a software version. (Examples are *soffice* to *loffice*, *SUSE LINUX 9.1.4.2* to *SUSE Linux Enterprise*).
- Shortened and clarified many parts of the style guide to avoid tautologies and unnecessary explanations.

- Rewrote large parts of *Section 3, "Outline of a Manual"*. Removed example of structure. Added copyright notice as an example. Expanded on information needed for title pages and imprints.
- Removed differentiation between the many types of <u>authors</u> files from *Section 3, "Outline of a Manual"*. This was too complicated to be practical. Also, current practice is to never mention translators.
- Added "Objective before Instruction" rule to Section 4.15, "Sentence Structure".
- Added short guideline about file extensions to Section 4.7, "File and Directory Names".
- Reworked *Section 5.9, "Figures"* to be more structured and added instructions for preparing and editing screenshots.
- Added Section 6.4, "XInclude Elements".
- More informative example in Section 5.10, "Glossaries".
- Simplified rules for creating IDs in *Section 5.11, "Identifiers"*. The aim is to shorten the length of the average ID and to help to create predictable IDs.
- Added the co prefix to Table 6, "Abbreviations for Different Elements in an id Attribute".
- Added this list of changes as an appendix.
- Added list of authors as a separate DocBook file.
- Added standard entities as a separate file.
- Updated copyright notice to refer to SUSE, LLC instead of Novell, Inc.

C. GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000,2001,2002 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

C.1 PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

C.2 APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that

overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only. The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text. A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements",

"Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

C.3 VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

C.4 COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

C.5 MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.

- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- **G.** . Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

C.6 COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

C.7 COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

C.8 AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

C.9 TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License

and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

C.10 TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

C.11 FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See http://www.gnu.org/copyleft/.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

C.12 ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.