

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
BAYFIELD	2025	CARBON DIOXIDE	0.352	0.8	0.600	0.513	0.550	0.426	0.607	0.580	0.317	0.441	0.732	0.503	0.53
BAYFIELD	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
BAYFIELD	2025	NITROGEN	0.060	0.4	0.320	0.304	0.360	0.616	0.398	0.380	1.195	1.159	0.519	0.538	0.52
BAYFIELD	2025	METHANE	94.434	94.5	94.139	94.125	93.938	94.561	93.609	92.848	93.552	93.429	93.870	93.740	93.58
BAYFIELD	2025	ETHANE	5.092	4.2	4.910	5.007	5.100	4.318	5.137	6.140	4.902	4.924	4.788	5.167	4.96
BAYFIELD	2025	PROPANE	0.060	0.1	0.029	0.050	0.050	0.066	0.195	0.050	0.033	0.041	0.078	0.050	0.06
BAYFIELD	2025	I-BUTANE	0	0.0	0.000	0.000	0	0.004	0.018	0	0.000	0.002	0.006	0.000	0.003
BAYFIELD	2025	N-BUTANE	0.001	0.0	0.002	0.002	0.002	0.008	0.027	0.002	0.001	0.002	0.006	0.002	0.005
BAYFIELD	2025	I-PENTANE	0	0.0	0	0	0	0.002	0.009	0	0	0	0	0	0.001
BAYFIELD	2025	N-PENTANE	0	0.0	0	0	0	0	0	0	0	0	0	0	0
BAYFIELD	2025	HEXANE-PLUS	0	0	0	0	0	0	0	0	0	0	0	0	0
BAYFIELD	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
BAYFIELD	2025	NET HEATING VALUE	940.9	934.2	909.3	942.5	942.3	936.0	944.9	949.3	935.1	934.7	937.6	941.6	937.7
BAYFIELD	2025	GROSS HEATING VALUE	1043.5	1036.4	1043.3	1045.3	1045.1	1038.2	1047.8	1052.5	1037.1	1036.7	1039.9	1044.2	1043.5
BAYFIELD	2025	SPECIFIC GRAVITY	0.5863	0.5857	0.5666	0.5859	0.5870	0.5834	0.5901	0.5924	0.5870	0.5883	0.5883	0.5876	0.5858
BAYFIELD	2025	WOBBE	1363	1354.4	1363	1366	1364	1359.3	1364.1	1367.5	1353.6	1351.5	1355.7	1362.3	1361
BAYFIELD	2025	KG CO2/MMBTU	53.1	53.4	53.3	53.2	53.3	53.1	53.4	53.4	53.0	53.14	53.42	53.23	53.3
BAYFIELD	2025	COMPRESSIBILITY	0.9978	0.9978	0.9979	0.9978	0.9978	0.9978	0.9978	0.9977	0.9978	0.9978	0.9978	0.9978	0.9978

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
DENVER	2025	CARBON DIOXIDE	2.040	2.048	2.021	2.167	2.263	2.246	2.140	1.987	2.179	2.066	2.103	2.066	2.11
DENVER	2025	OXYGEN	0.636	0.552	0.651	0.682	0.747	0.701	0.723	0.667	0.558	0.641	0.468	0.454	0.62
DENVER	2025	NITROGEN	4.094	4.033	3.966	3.987	3.845	3.823	3.864	4.147	3.995	4.231	4.346	4.196	4.04
DENVER	2025	METHANE	81.692	82.137	82.615	81.311	81.437	81.232	81.794	81.51	81.405	80.718	80.847	81.246	81.49
DENVER	2025	ETHANE	10.385	10.204	9.950	10.914	10.816	11.202	10.580	10.550	10.738	11.402	10.802	11.036	10.71
DENVER	2025	PROPANE	0.974	0.860	0.687	0.819	0.782	0.698	0.774	0.961	0.937	0.807	1.131	0.843	0.86
DENVER	2025	I-BUTANE	0.054	0.050	0.033	0.037	0.035	0.029	0.038	0.054	0.053	0.042	0.079	0.044	0.05
DENVER	2025	N-BUTANE	0.103	0.093	0.062	0.067	0.065	0.055	0.071	0.100	0.108	0.078	0.169	0.086	0.09
DENVER	2025	I-PENTANE	0.011	0.012	0.007	0.008	0.005	0.006	0.009	0.012	0.013	0.008	0.023	0.011	0.01
DENVER	2025	N-PENTANE	0.011	0.011	0.007	0.006	0.005	0.006	0.008	0.011	0.013	0.007	0.026	0.012	0.01
DENVER	2025	HEXANE-PLUS	0	0	0.001	0.002	0	0.0003	0	0	0.002	0.000	0.007	0.005	0.002
DENVER	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
DENVER	2025	NET HEATING VALUE	943.3	941.33	936.2	943.1	941.7	943.8	941.4	944.3	946.3	946.1	950.4	946.6	943.5
DENVER	2025	GROSS HEATING VALUE	1044.5	1042.4	1036.4	1044.1	1042.3	1044.5	1042.0	1045.1	1047.2	1046.9	1051.6	1047.6	1044.3
DENVER	2025	SPECIFIC GRAVITY	0.6579	0.6550	0.6513	0.6591	0.6588	0.6591	0.6565	0.6584	0.6599	0.6613	0.6642	0.6592	0.6582
DENVER	2025	WOBBE	1287.7	1288	1284.3	1286	1284	1286.6	1286.0	1288.0	1289.1	1287.3	1290.4	1290.3	1287
DENVER	2025	KG CO2/MMBTU	55.7	55.6	55.6	55.8	55.9	55.9	55.8	55.7	55.9	55.8	55.9	55.8	55.8
DENVER	2025	COMPRESSIBILITY	0.9975	0.9975	0.9976	0.9975	0.9975	0.9975	0.9975	0.9975	0.9975	0.9975	0.9975	0.9975	0.9975
GRAND JUNCTION	2025	CARBON DIOXIDE	0.534	0.960	1.070	0.873	0.784	0.899	0.843	0.934	0.962	0.909	0.837	0.946	0.88
GRAND JUNCTION	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
GRAND JUNCTION	2025	NITROGEN	0.365	0.382	0.415	0.380	0.367	0.434	0.376	0.306	0.266	0.275	0.269	0.298	0.34
GRAND JUNCTION	2025	METHANE	91.913	91.568	92.139	93.614	92.173	90.939	90.697	91.023	91.571	91.207	91.745	91.274	91.65
GRAND JUNCTION	2025	ETHANE	6.359	6.295	5.814	4.846	6.275	7.195	0.416	7.213	6.687	7.126	6.740	6.980	6.00
GRAND JUNCTION	2025	PROPANE	0.664	0.636	0.450	0.243	0.359	0.472	0.416	0.487	0.482	0.457	0.385	0.467	0.46
GRAND JUNCTION	2025	I-BUTANE	0.061	0.058	0.039	0.018	0.021	0.030	7.234	0.018	0.015	0.013	0.011	0.017	0.63
GRAND JUNCTION	2025	N-BUTANE	0.076	0.073	0.051	0.020	0.020	0.031	0.015	0.018	0.016	0.013	0.013	0.017	0.03
GRAND JUNCTION	2025	I-PENTANE	0.016	0.015	0.010	0.004	0.001	0	0.002	0.0003	0.0003	0	0	0.0003	0.004
GRAND JUNCTION	2025	N-PENTANE	0.012	0.011	0.009	0.003	0.0003	0	0	0.0003	0	0	0	0	0.003
GRAND JUNCTION	2025	HEXANE-PLUS	0.001	0.001	0.002	0.0003	0	0	0	0	0	0	0	0	0.0004
GRAND JUNCTION	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
GRAND JUNCTION	2025	NET HEATING VALUE	963.5	958.4	950.1	941.0	953.8	960.7	1064.3	961.4	957.6	960.6	957.5	959.4	967.0
GRAND JUNCTION	2025	GROSS HEATING VALUE	1068.1	1062.6	1053.6	1043.7	1057.3	1064.6	1175.9	1065.4	1061.3	1064.6	1061.3	1063.2	1071.6
GRAND JUNCTION	2025	SPECIFIC GRAVITY	0.6015	0.6050	0.6014	0.5915	0.5986	0.6059	0.6767	0.6056	0.6030	0.6043	0.6010	0.6043	0.6090
GRAND JUNCTION	2025	WOBBE	1377.2	1366.1	1358.7	1357	1367	1367.8	1429.4	1369.1	1366.7	1369.5	1369.0	1367.7	1373
GRAND JUNCTION	2025	KG CO2/MMBTU	53.6	54.0	54.0	53.6	53.7	54.0	55.5	54.0	54.0	54.0	53.8	54.0	54.0
GRAND JUNCTION	2025	COMPRESSIBILITY	0.9977	0.9977	0.9977	0.9978	0.9977	0.9976	0.9977	0.9976	0.9977	0.9977	0.9977	0.9977	0.9977

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
GREASEWOOD	2025	CARBON DIOXIDE	0.57	0.57	0.570	1.555	0.660	0.626	0.479	0.380	0.375	0.465	0.544	0.557	0.61
GREASEWOOD	2025	OXYGEN	0	0	0	0.770	0.000	0	0	0	0	0	0	0	0
GREASEWOOD	2025	NITROGEN	0.13	0.149	0.150	3.150	0.198	0.196	0.177	0.150	0.140	0.152	0.156	0.161	0.41
GREASEWOOD	2025	METHANE	95.56	94.891	94.840	86.101	95.500	95.780	95.802	94.890	93.644	93.743	94.721	94.579	94.17
GREASEWOOD	2025	ETHANE	3.74	4.39	4.440	8.424	3.642	3.398	3.541	4.580	5.840	5.640	4.579	4.703	4.74
GREASEWOOD	2025	PROPANE	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	I-BUTANE	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	N-BUTANE	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	I-PENTANE	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	N-PENTANE	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	HEXANE-PLUS	0	0	0	0	0	0	0	0	0	0	0	0	0
GREASEWOOD	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
GREASEWOOD	2025	NET HEATING VALUE	933.8	938.2	938.59	923.6	931.6	930.2	932.7	941.3	950.5	948.1	939.7	940.5	936.8
GREASEWOOD	2025	GROSS HEATING VALUE	1036	1040.7	1041.1	1023.4	1033.6	1032.1	1034.9	1044.1	1054.0	1051.4	1042.4	1043.2	1039.1
GREASEWOOD	2025	SPECIFIC GRAVITY	0.5791	0.5823	0.5826	0.6282	0.5798	0.5782	0.5774	0.5814	0.5875	0.5874	0.5830	0.5838	0.5865
GREASEWOOD	2025	WOBBE	1361	1363.8	1364	1292.2	1357.5	1357.3	1361.9	1369.3	1375.1	1371.8	1365.2	1365.3	1357
GREASEWOOD	2025	KG CO2/MMBTU	53.11	53.2	53.19	54.7	53.2	53.1	53.0	53.0	53.2	53.2	53.2	53.2	53.3
GREASEWOOD	2025	COMPRESSIBILITY	0.9978	0.9978	0.9978	0.9977	0.9979	0.9979	0.9979	0.9978	0.9978	0.9978	0.9978	0.9978	0.9978
MERINO	2025	CARBON DIOXIDE	0.210	1.202	0.660	0.658	0.510	0.129	0.391	1.326	1.348	1.502	1.702	1.387	0.92
MERINO	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
MERINO	2025	NITROGEN	0.350	0.742	0.680	0.726	0.300	0.302	0.316	0.369	0.332	0.357	0.387	0.575	0.45
MERINO	2025	METHANE	91.771	89.249	90.440	90.552	90.875	91.147	91.759	87.957	88.235	87.510	86.556	87.651	89.48
MERINO	2025	ETHANE	7.441	7.873	7.500	7.355	7.800	8.181	7.177	9.451	9.114	9.564	10.199	9.483	8.43
MERINO	2025	PROPANE	0.220	0.752	0.590	0.575	0.390	0.216	0.315	0.733	0.799	0.875	0.953	0.772	0.60
MERINO	2025	I-BUTANE	0	0.054	0.040	0.040	0.040	0.010	0.014	0.050	0.052	0.058	0.061	0.045	0.04
MERINO	2025	N-BUTANE	0.008	0.083	0.051	0.053	0.045	0.014	0.026	0.082	0.083	0.096	0.105	0.068	0.06
MERINO	2025	I-PENTANE	0	0.018	0.010	0.010	0.010	0	0.001	0.010	0.012	0.014	0.016	0.010	0.01
MERINO	2025	N-PENTANE	0	0.018	0.010	0.010	0.010	0	0.001	0.010	0.012	0.014	0.016	0.010	0.01
MERINO	2025	HEXANE-PLUS	0	0.019	0.020	0.020	0.020	0	0.001	0.010	0.012	0.010	0.006	0	0.01
MERINO	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
MERINO	2025	NET HEATING VALUE	965.0	966.4	966.03	964.8	970.4	971.6	963.7	979.8	978.7	981.8	985.6	977.3	972.1
MERINO	2025	GROSS HEATING VALUE	1069.6	1071.2	1070.7	1069.0	1075.2	1076.6	1068.1	1084.9	1083.8	1087.0	1091.0	1082.2	1076.9
MERINO	2025	SPECIFIC GRAVITY	0.5970	0.6182	0.6085	0.6079	0.6049	0.5996	0.5986	0.6250	0.6242	0.6290	0.6351	0.6264	0.6151
MERINO	2025	WOBBE	1384	1362.6	1373	1371	1382	1390.3	1380.5	1372.3	1371.7	1370.5	1368.9	1367.3	1373
MERINO	2025	KG CO2/MMBTU	53.2	54.4	53.81	53.8	53.7	53.3	53.4	54.7	54.7	54.9	55.2	54.8	54.2
MERINO	2025	COMPRESSIBILITY	0.9977	0.9976	0.9976	0.9976	0.9976	0.9976	0.9977	0.9975	0.9975	0.9975	0.9974	0.9975	0.9976

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
MOUNTAIN	2025	CARBON DIOXIDE	1.74	1.955	1.870	0.937	2.034	2.82	5.403	4.500	5.431	4.059	1.920	1.956	2.89
MOUNTAIN	2025	OXYGEN	0.99	0.954	0.960	0.322	0.924	0.746	0.033	0.250	0.107	0.1726	0.576	0.991	0.59
MOUNTAIN	2025	NITROGEN	4.13	4.029	4.030	1.443	3.845	3.116	0.165	1.140	0.497	0.795	2.455	4.094	2.48
MOUNTAIN	2025	METHANE	83.47	82.834	82.590	89.783	83.775	85.448	93.545	90.420	91.757	91.288	87.247	81.865	87.00
MOUNTAIN	2025	ETHANE	8.87	9.497	9.740	6.927	8.769	7.328	0.815	3.570	2.082	3.457	7.424	10.668	6.60
MOUNTAIN	2025	PROPANE	0.69	0.611	0.690	0.487	0.540	0.446	0.039	0.120	0.111	0.200	0.343	0.395	0.39
MOUNTAIN	2025	I-BUTANE	0.03	0.030	0.030	0.030	0.030	0.024	0	0	0.008	0.014	0.015	0.010	0.02
MOUNTAIN	2025	N-BUTANE	0.06	0.060	0.060	0.044	0.057	0.048	0	0	0.008	0.014	0.020	0.020	0.032
MOUNTAIN	2025	I-PENTANE	0.01	0.010	0.010	0.010	0.010	0.008	0	0	0	0	0	0	0.005
MOUNTAIN	2025	N-PENTANE	0.01	0.010	0.010	0.010	0.010	0.008	0	0	0	0	0	0	0.005
MOUNTAIN	2025	HEXANE-PLUS	0	0.009	0.010	0.006	0.007	0.008	0	0	0	0	0	0	0.003
MOUNTAIN	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
MOUNTAIN	2025	NET HEATING VALUE	926.1	929.1	932.64	947.5	924.3	913.4	868.7	886.9	875.1	895.7	926.9	931.7	916.9
MOUNTAIN	2025	GROSS HEATING VALUE	1025.9	1029.1	1033	1050	1024	1012.0	964.5	983.9	971.3	993.6	1027.1	1031.4	1016.2
MOUNTAIN	2025	SPECIFIC GRAVITY	0.6458	0.6498	0.6510	0.6118	0.6453	0.6407	0.6124	0.6231	0.6215	0.6176	0.6268	0.6524	0.6336
MOUNTAIN	2025	WOBBE	1277	1276.6	1280	1342	1274	1264.3	1232.6	1246.5	1232.0	1264.4	1297.4	1277.0	1277
MOUNTAIN	2025	KG CO2/MMBTU	55.2	55.4	55.38	54.02	55.43	56.1	58.0	57.3	58.1	56.8	55.0	55.5	55.8
MOUNTAIN	2025	COMPRESSIBILITY	0.998	0.9976	0.9976	0.9977	0.9976	0.9976	0.9978	0.9978	0.9978	0.9978	0.9977	0.9976	0.9977
NORTHERN	2025	CARBON DIOXIDE	1.710	1.565	1.496	1.949	2.094	1.981	1.796	1.776	2.049	2.012	1.763	1.747	1.83
NORTHERN	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTHERN	2025	NITROGEN	0.572	0.545	0.464	0.524	0.507	0.567	0.600	0.584	0.546	0.465	0.557	0.490	0.53
NORTHERN	2025	METHANE	87.018	87.746	88.087	85.819	85.837	86.013	86.167	85.930	85.058	85.285	86.280	86.220	86.28
NORTHERN	2025	ETHANE	9.802	9.308	9.183	10.563	10.700	10.549	10.485	10.668	11.112	11.110	10.412	10.360	10.35
NORTHERN	2025	PROPANE	0.771	0.721	0.656	0.883	0.759	0.776	0.836	0.893	1.052	0.957	0.835	1.014	0.85
NORTHERN	2025	I-BUTANE	0.039	0.036	0.034	0.038	0.033	0.034	0.037	0.047	0.055	0.050	0.044	0.050	0.04
NORTHERN	2025	N-BUTANE	0.070	0.063	0.059	0.1	0.1	0.063	0.064	0.084	0.101	0.095	0.087	0.093	0.08
NORTHERN	2025	I-PENTANE	0.009	0.009	0.010	0.0	0.0	0.009	0.009	0.009	0.013	0.012	0.011	0.012	0.01
NORTHERN	2025	N-PENTANE	0.008	0.009	0.010	0.0073	0.0052	0.009	0.006	0.008	0.012	0.013	0.011	0.013	0.01
NORTHERN	2025	HEXANE-PLUS	0.001	0	0	0.0003	0.0010	0.0003	0	0	0.001	0.002	0	0.001	0.0005
NORTHERN	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
NORTHERN	2025	NET HEATING VALUE	976.0	973.0	973.2	980.3	979.4	979.3	981.1	984.2	988.3	987.8	982.1	985.4	980.2
NORTHERN	2025	GROSS HEATING VALUE	1081.2	1078.1	1077.7	1086.3	1084.1	1084.1	1086.1	1089.5	1093.8	1093.3	1087.2	1090.7	1085.3
NORTHERN	2025	SPECIFIC GRAVITY	0.6312	0.6267	0.6242	0.6388	0.6383	0.6371	0.6358	0.6374	0.6442	0.6424	0.6355	0.6368	0.6349
NORTHERN	2025	WOBBE	1361	1361.9	1364.2	1359.3	1356.9	1358.2	1362.1	1364.6	1362.7	1364.0	1363.8	1366.8	1362
NORTHERN	2025	KG CO2/MMBTU	55.1	54.9	54.8	55.4	55.6	55.5	55.3	55.3	55.7	55.6	55.26	55.28	55.3
NORTHERN	2025	COMPRESSIBILITY	0.9975	0.9975	0.9975	0.9974	0.9974	0.9974	0.9974	0.9974	0.9974	0.9974	0.9974	0.9974	0.9974

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
PUEBLO	2025	CARBON DIOXIDE	1.429	1.774	2.077	2.110	2.176	2.132	2.255	2.201	2.240	2.016	1.404	1.805	1.97
PUEBLO	2025	OXYGEN	0.747	0.921	0.938	0.950	0.925	1.024	0.968	1.063	0.990	0.917	0.836	0.838	0.93
PUEBLO	2025	NITROGEN	4.211	4.110	4.224	4.275	4.213	4.624	4.420	4.831	4.571	4.325	4.054	3.971	4.32
PUEBLO	2025	METHANE	85.343	83.071	80.854	80.834	81.058	79.160	79.688	78.434	79.274	81.808	86.924	84.057	81.71
PUEBLO	2025	ETHANE	6.699	9.036	10.912	10.559	10.155	11.684	11.313	11.430	11.237	9.510	5.739	8.589	9.74
PUEBLO	2025	PROPANE	1.462	0.892	0.867	1.089	1.262	1.159	1.123	1.668	1.367	1.179	0.846	0.644	1.13
PUEBLO	2025	I-BUTANE	0.033	0.056	0.041	0.057	0.067	0.064	0.069	0.108	0.091	0.076	0.058	0.031	0.06
PUEBLO	2025	N-BUTANE	0.062	0.111	0.075	0.106	0.124	0.128	0.134	0.217	0.183	0.140	0.114	0.056	0.12
PUEBLO	2025	I-PENTANE	0.007	0.013	0.007	0.0107	0.0106	0.014	0.016	0.025	0.023	0.015	0.012	0.005	0.01
PUEBLO	2025	N-PENTANE	0.005	0.012	0.006	0.009	0.009	0.012	0.015	0.023	0.022	0.013	0.012	0.004	0.01
PUEBLO	2025	HEXANE-PLUS	0.0003	0.0011	0	0	0	0	0	0	0	0	0	0	0.001
PUEBLO	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
PUEBLO	2025	NET HEATING VALUE	925.9	932.4	940.3	941.4	941.8	947.2	945.6	953.2	949.1	937.3	913.2	925.6	935.7
PUEBLO	2025	GROSS HEATING VALUE	1025.8	1032.8	1040.9	1041.8	1042.2	1047.8	1046.2	1054.1	1049.9	1037.4	1012.0	1025.1	1035.8
PUEBLO	2025	SPECIFIC GRAVITY	0.6387	0.6498	0.6611	0.6630	0.6634	0.6718	0.6699	0.6797	0.6739	0.6588	0.6290	0.6429	0.6556
PUEBLO	2025	WOBBE	1277	1281.6	1280.2	1279	1280	1278.4	1278.2	1278.7	1278.9	1278.0	1276.0	1278.5	1279
PUEBLO	2025	KG CO2/MMBTU	54.8	55.3	55.8	55.8	55.9	56.0	56.1	56.2	56.2	55.7	54.5	55.2	55.5
PUEBLO	2025	COMPRESSIBILITY	0.9977	0.9976	0.9975	0.9975	0.9975	0.9975	0.9975	0.9974	0.9974	0.9975	0.9978	0.9976	0.9975
RIFLE-VAIL	2025	CARBON DIOXIDE	1.167	1.800	2.120	0.606	0.420	0.426	0.353	0.735	0.586	0.395	1.610	1.728	1.00
RIFLE-VAIL	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
RIFLE-VAIL	2025	NITROGEN	0.113	0.127	0.110	0.176	0.140	0.116	0.123	0.130	0.143	0.126	0.139	0.129	0.13
RIFLE-VAIL	2025	METHANE	92.310	90.555	90.442	95.878	95.946	93.139	93.369	92.360	94.250	95.630	91.670	91.645	93.10
RIFLE-VAIL	2025	ETHANE	5.560	6.176	5.842	3.204	3.246	5.792	5.900	5.984	4.622	3.659	5.590	5.542	5.09
RIFLE-VAIL	2025	PROPANE	0.632	0.991	1.071	0.130	0.223	0.416	0.230	0.615	0.346	0.171	0.740	0.646	0.52
RIFLE-VAIL	2025	I-BUTANE	0.093	0.150	0.180	0.003	0.013	0.0493	0.015	0.077	0.026	0.011	0.110	0.132	0.07
RIFLE-VAIL	2025	N-BUTANE	0.083	0.135	0.154	0.004	0.009	0.0412	0.009	0.065	0.021	0.008	0.093	0.113	0.06
RIFLE-VAIL	2025	I-PENTANE	0.022	0.034	0.041	0	0	0.010	0.001	0.018	0.004	0.001	0.025	0.033	0.02
RIFLE-VAIL	2025	N-PENTANE	0.0129	0.023	0.028	0	0	0.006	0.001	0.011	0.002	0.0003	0.015	0.020	0.01
RIFLE-VAIL	2025	HEXANE-PLUS	0.009	0.01	0.010	0	0.001	0.003	0.0003	0.0052	0.001	0.0003	0.008	0.013	0.01
RIFLE-VAIL	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
RIFLE-VAIL	2025	NET HEATING VALUE	955.0	961.2	958.4	931.1	935.2	958.3	955.1	961.1	945.9	937.6	953.7	952.4	950.1
RIFLE-VAIL	2025	GROSS HEATING VALUE	1059.1	1065.9	1063.0	1033.1	1037.6	1062.3	1058.9	1065.2	1049.0	1040.2	1056.9	1055.5	1053.5
RIFLE-VAIL	2025	SPECIFIC GRAVITY	0.6033	0.6180	0.6212	0.5784	0.5778	0.5934	0.5901	0.6004	0.5878	0.5789	0.6094	0.6103	0.5988
RIFLE-VAIL	2025	WOBBE	1363.6	1355.9	1348.8	1358.5	1365.0	1379.0	1378.5	1374.7	1368.2	1367.1	1353.9	1351.2	1362
RIFLE-VAIL	2025	KG CO2/MMBTU	54.1	54.9	55.3	53.1	53.0	53.3	53.2	53.7	53.3	53.0	54.6	54.7	54.0
RIFLE-VAIL	2025	COMPRESSIBILITY	0.9977	0.9976	0.9976	0.9978	0.9979	0.9977	0.9977	0.9977	0.9978	0.9978	0.9976	0.9976	0.9977

– Values shown are volume weighted averages for all supplies into zone and may not represent deliveries to a specific location at a given time															
– ASTM D3588 Standard Practice for Calculating Heat Value, Compressibility Factor and Relative Density (Specific Gravity) of Gaseous Fuels and GPA 2145 Table of Physical Constants of Paraffin Hydrocarbons and Other Components of Natural Gas															
– Carbon dioxide factor based only on combustion of gas with given composition. Multiply by Gross Heating Value/1,000,000) for MT/Mscf															
– Standard conditions for gas properties are 14.73 psia, 60°F, dry, real															
ZONE	YEAR	COMPONENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AVG
SOUTHERN	2025	CARBON DIOXIDE	5.892	6.028	5.990	6.095	6.085	5.811	5.928	6.581	6.131	6.143	6.155	6.113	6.08
SOUTHERN	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTHERN	2025	NITROGEN	0.011	0.018	0.019	0.020	0.020	0.020	0.020	0.012	0.020	0.019	0.019	0.020	0.02
SOUTHERN	2025	METHANE	94.074	93.926	93.965	93.874	93.882	94.156	94.040	93.365	93.834	93.826	93.815	93.857	93.88
SOUTHERN	2025	ETHANE	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTHERN	2025	PROPANE	0.020	0.02	0.019	0.010	0.012	0.012	0.012	0.034	0.014	0.010	0.010	0.010	0.02
SOUTHERN	2025	I-BUTANE	0	0	0	0	0	0	0	0.003	0	0	0	0	0
SOUTHERN	2025	N-BUTANE	0.002	0.002	0.002	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001
SOUTHERN	2025	I-PENTANE	0	0	0	0	0	0	0	0.003	0	0	0	0	0
SOUTHERN	2025	N-PENTANE	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTHERN	2025	HEXANE-PLUS	0	0	0	0	0	0	0	0	0	0	0	0	0
SOUTHERN	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
SOUTHERN	2025	NET HEATING VALUE	860.1	858.8	859.0	857.8	857.9	860.4	859.3	853.9	857.5	857.3	857.2	857.6	857.9
SOUTHERN	2025	GROSS HEATING VALUE	955.3	953.8	954.1	952.7	952.8	955.6	954.4	*948.3	952.3	952.2	952.1	952.5	953
SOUTHERN	2025	SPECIFIC GRAVITY	0.6123	0.6136	0.6132	0.6140	0.6140	0.6113	0.6124	0.6191	0.6144	0.6145	0.6146	0.6142	0.6142
SOUTHERN	2025	WOBBE	1220.8	1217.6	1218.5	1216	1216	1222.2	1219.5	1205.3	1215.0	1214.7	1214.4	1215.3	1215.8
SOUTHERN	2025	KG CO2/MMBTU	58.4	58.6	58.5	58.7	58.7	58.3	58.5	59.2	58.7	58.7	58.7	58.7	58.7
SOUTHERN	2025	COMPRESSIBILITY	0.9979	0.9978	0.9979	0.9979	0.9978	0.9979	0.9979	0.9978	0.9978	0.9978	0.9978	0.9978	0.9978
*August value due to temporary anomaly from upstream supply															
STERLING	2025	CARBON DIOXIDE	1.720	1.631	1.660	1.508	1.497	1.585	5.928	1.140	1.049	0.897	0.902	1.344	1.74
STERLING	2025	OXYGEN	0	0	0	0	0	0	0	0	0	0	0	0	0
STERLING	2025	NITROGEN	0.860	0.689	0.570	0.470	0.500	0.767	0.020	2.110	2.201	2.581	2.707	1.588	1.26
STERLING	2025	METHANE	87.850	88.241	88.200	89.511	89.289	88.068	94.040	90.262	91.405	91.994	91.703	89.309	89.99
STERLING	2025	ETHANE	8.490	8.392	8.650	7.886	7.984	8.679	0.000	5.560	4.401	3.614	3.799	6.829	6.19
STERLING	2025	PROPANE	0.920	0.894	0.750	0.5159	0.6206	0.752	0.012	0.710	0.655	0.621	0.632	0.719	0.65
STERLING	2025	I-BUTANE	0.050	0.048	0.030	0.030	0.031	0.0420	0	0.070	0.085	0.086	0.076	0.061	0.05
STERLING	2025	N-BUTANE	0.072	0.082	0.061	0.050	0.057	0.0745	0.001	0.088	0.105	0.108	0.106	0.100	0.08
STERLING	2025	I-PENTANE	0.010	0.01	0.010	0.010	0.010	0.0110	0	0.020	0.027	0.030	0.030	0.02	0.02
STERLING	2025	N-PENTANE	0.010	0.01	0.010	0.010	0.010	0.0103	0	0.020	0.020	0.020	0.020	0.015	0.01
STERLING	2025	HEXANE-PLUS	0.020	0.007	0.050	0.009	0.001	0.0113	0	0.020	0.052	0.048	0.026	0.015	0.02
STERLING	2025	TOTAL	100	100	100	100	100	100	100	100	100	100	100	100	
STERLING	2025	NET HEATING VALUE	967.3	968.2	969.6	961.7	963.6	968.2	859.3	938.7	931.6	923.5	922.7	950.7	942.5
STERLING	2025	GROSS HEATING VALUE	1071.7	1072.7	1074.3	1065.5	1067.5	1072.3	954.4	1040.4	1032.8	1024.0	1023.1	1053.3	1044.7
STERLING	2025	SPECIFIC GRAVITY	0.6281	0.6256	0.6258	0.6166	0.6181	0.6254	0.6124	0.6122	0.6068	0.6028	0.6036	0.6181	0.6163
STERLING	2025	WOBBE	1352	1355.9	1358	1357	1358	1356.0	1219.5	1329.7	1325.8	1318.8	1316.8	1340	1331
STERLING	2025	KG CO2/MMBTU	55.0	54.9	54.95	54.7	54.7	54.9	58.5	54.2	54.0	53.7	53.7	54.5	54.9
STERLING	2025	COMPRESSIBILITY	0.9975	0.9975	0.9975	0.9976	0.9976	0.9975	0.9979	0.9977	0.9978	0.9978	0.9979	0.9977	0.9977